

AUGUSTUS: Unstructured Quadrilateral Mesh Diffusion

Michael L. Hall

Jim E. Morel

Group C-3, LANL

5 / 6 / 94

Preliminary Results

- Code runs!
- No preconditioning yet
- Tested against unstructured *format* meshes
- Tested on small systems
- BC's: L-source, R-vacuum, T- and B-reflective.
- No sources, infinite time step

Results Details

- Comparison of matrix values
 - 2 X 2 orthogonal mesh agrees (16 unknowns, reduces to a 5-point)
 - 2 X 2 random mesh agrees (16 unknowns, full 7-point stencil)
 - BC's checked: vacuum, reflective, source
- Solution values - Agree with the exact solution for all cases tested
- Iterations
 - Random 2 X 2, 20 vectors, no scaling: 16 iterations
 - Random 2 X 2, 20 vectors, scaling: 14 iterations

 - Random 10 X 10, 20 vectors, no scaling: 226 iterations
 - Random 10 X 10, 20 vectors, scaling: 130 iterations

 - Kershaw 10 X 10, 20 vectors, no scaling: 483 iterations
 - Kershaw 10 X 10, 20 vectors, scaling: 191 iterations

 - Shestakov 8 X 8, 20 vectors, scaling: >10000 iterations
 - Shestakov 8 X 8, 30 vectors, scaling: >10000 iterations
 - Shestakov 8 X 8, 40 vectors, scaling: 794 iterations

Conclusions

- Good agreement
- Really need preconditioner — next on list
- Could use some actual unstructured meshes for testing
- Possibly get them from NGP