Los Alamos
NATIONAL LABORATORY
EST. 1943
Environmental Programs
P.O. Box 1663, MS M991
Los Alamos, New Mexico 87545
(505) 606-2337/FAX (505) 665-1812

RECEIVED
FEB 2009
NMED Hazardous Waste Bureau

National Nuclear Security Administration
Los Alamos Site Office, MS A316
Environmental Restoration Program
Los Alamos, New Mexico 87544
(505) 667-4255/FAX (505) 606-2132

Date: February 27, 2009
Refer To: EP2009-0027

James P. Bearzi, Bureau Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6303

Subject: Submittal of the Periodic Monitoring Reports for Mortandad, Sandia, Los Alamos, Pajarito, White Rock, and Water Canyons

Enclosed please find two hard copies with electronic files of the periodic monitoring reports for Mortandad, Sandia, Los Alamos, Pajarito, White Rock, and Water Canyons. Submittal of these reports fulfills Section IV.A.3.b of the Consent Order and satisfies the second quarter 2009 reporting requirements.

If you have questions, please contact Robert S. King at (505) 667-2491 (rsking@lanl.gov) or Nancy Werdel at (505) 665-3619 (nwerdel@doeal.gov).

Sincerely,

Michael J. Graham, Associate Director
Environmental Programs
Los Alamos National Laboratory

Sincerely,

David R. Gregory, Project Director
Environmental Operations
Los Alamos Site Office

LA-UR-09-0686
February 2009
EP2009-0085

Periodic Monitoring Report for Water Canyon/ Cañon de Valle Watershed, October 7–October 24, 2008

Los Alamos
NATIONAL LABORATORY
EST. 1943

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

LA-UR-09-0686
EP2009-0085

Periodic Monitoring Report for Water Canyon/Cañon de Valle Watershed, October 7–October 24, 2008

February 2009

Responsible project leader:

Printed Name	Signature	Title	Organization	Date
for Ardyth Simmons	Paul R Nuber	Program Manager	Environmental Programs	2/23/09

Responsible LANS representative:

Printed Name	Signature	Title	Organization	Date
Michael J. Graham	[illegible]	Associate Director	Environmental Programs	2/24/09

Responsible DOE representative:

Printed Name	Signature	Title	Organization	Date
David R. Gregory	David R Gregory	Project Director	DOE-LASO	2/25/09

EXECUTIVE SUMMARY

This report provides the results of the periodic monitoring event (PME) conducted by Los Alamos National Laboratory (the Laboratory) in the Water Canyon/Cañon de Valle Watershed. The PME for Water Canyon/Cañon de Valle Watershed is conducted semiannually pursuant to the “Interim Facility-Wide Groundwater Monitoring Plan,” prepared under the Compliance Order on Consent.

The PME documented in this report occurred between October 7 and October 24, 2008, and included sampling of groundwater monitoring wells or well ports, springs, and base-flow stations. The report also includes unreported data from the previous PME that were delayed because they had not yet been validated.

Water samples obtained during this PME were analyzed for target analyte list metals, volatile organic compounds, semivolatile organic compounds, cyanide, pesticides, polychlorinated biphenyls, high explosives, radionuclides, low-level tritium, general inorganics, perchlorate, stable isotopes, and field parameters (alkalinity, dissolved oxygen, pH, specific conductance, temperature, and turbidity).

No surface-water samples collected from Water Canyon during this PME exceeded screening levels. Previously unreported data of surface-water samples from Water Canyon of aluminum (two samples) or dichlorophenyltrichloroethylene (one sample) exceeded screening levels.

Iron, barium, manganese, nickel, hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), or phenol in 14 groundwater samples collected from Water Canyon during this PME exceeded screening levels. Previously unreported data of groundwater samples collected from Water Canyon of aluminum (three samples), iron (three samples), manganese, RDX, trichloroethene, or tetrachloroethene exceeded screening levels.

Data not reported in the previous periodic monitoring report because of the need for data validation and San Ildefonso Pueblo review are included in Appendix D.

CONTENTS

1.0 INTRODUCTION 1
1.1 Background 1
1.2 Conceptual Model 2
2.0 SCOPE OF ACTIVITIES 2
3.0 MONITORING RESULTS 2
3.1 Methods and Procedures 2
3.2 Field Parameter Results 2
3.3 Water-Level Observations 2
3.4 Deviations from Planned Scope 3
4.0 ANALYTICAL DATA RESULTS 3
4.1 Methods and Procedures 3
4.2 Analytical Data 3
4.2.1 Surface Water (Base Flow) 6
4.2.2 Groundwater 6
4.3 Sampling Program Modifications 7
5.0 INVESTIGATION-DERIVED WASTE 7
6.0 SUMMARY 7
6.1 Monitoring Results 7
6.2 Analytical Results 7
6.2.1 Surface Water (Base Flow) 7
6.2.2 Groundwater 8
6.3 Data Gaps 8
7.0 REFERENCES 8

Figures

Figure 2.0-1 Watershed monitoring locations 9
Figure 3.3-1 Alluvial groundwater elevations 10
Figure 4.2-1 Analytical results 11

Tables

Table 2.0-1 Monitoring Locations and General Information 13
Table 3.4-1 Observations and Deviations 16
Table 4.2-1 Cleanup Standards, Risk-Based Screening Levels, and Risk-Based Cleanup Levels for Groundwater and Surface Water at Los Alamos National Laboratory 17
Table 4.2-2 Results above Screening Levels for Groundwater 18

Appendixes

Appendix A	Conceptual Model
Appendix B	Field Parameter Results
Appendix C	Groundwater-Level Measurements
Appendix D	Analytical Results
Appendix E	Screening Results
Appendix F	Investigation-Derived Waste Management
Appendix G	Analytical Reports (on CD included with this document)

Acronyms and Abbreviations

AK	acceptable knowledge
amsl	above mean sea level
AOC	area of concern
BCG	Biota Concentration Guide (DOE)
bgs	below ground surface
C	cancer (risk type)
Consent Order	Compliance Order on Consent
DCG	Derived Concentration Guidelines (DOE)
DOE	Department of Energy (U.S.)
DOT	Department of Transportation (U.S.)
EPA	Environmental Protection Agency (U.S.)
F	filtered
gpm	gallon(s) per minute
HE	high explosives
HEW	High Explosive Wastewater Treatment Facility
IDW	investigation-derived waste
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory (the Laboratory)
MCL	maximum contaminant level (EPA)
MDL	method detection limit
N	noncancer
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission

NOI	notice of intent
NTU	nephelometric turbidity unit
PME	periodic monitoring event
PMR	periodic monitoring report
PPE	personal protective equipment
QC	quality control
RCRA	Resource Conservation and Recovery Act
RPF	Records Processing Facility
SOP	standard operating procedure
SVOC	semivolatile organic compound
SWMU	solid waste management unit
TA	technical area
TSD	treatment, storage, and disposal
UF	unfiltered
VOC	volatile organic compound
WAC	waste acceptance criteria
WCSF	waste characterization strategy form

1.0 INTRODUCTION

This report provides documentation of semiannual groundwater and surface-water monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Water Canyon/Cañon de Valle Watershed pursuant to the "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2008, 101897), prepared under the Compliance Order on Consent (the Consent Order). The periodic monitoring event (PME) occurred from October 7 to October 24, 2008. This event included sampling at groundwater monitoring wells or well ports, springs, and base-flow stations.

The Consent Order identifies New Mexico Water Quality Control Commission (NMWQCC) groundwater standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA tap water screening levels used as screening levels for monitoring data are provided in this report.

This report presents the following information:

- General background information on the watershed
- The watershed conceptual model
- Field-measurement monitoring results
- Water-quality monitoring results
- Results of the screening analysis (comparing the PME's results with screening levels and results from previous reports)
- Summary based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy. Data not reported in the previous periodic monitoring report (PMR) because of the need for data validation and San Ildefonso Pueblo review are included in Appendix D.

1.1 Background

This section describes the physical characteristics of the Water Canyon/Cañon de Valle Watershed, some of the investigatory activities conducted, and Laboratory activities that have potentially impacted groundwater and surface water.

The Water Canyon/Cañon de Valle Watershed is located in the southern portion of the Laboratory and encompasses an area of approximately 19 mi^2 (31 km^2). The headwaters of the Water Canyon/Cañon de Valle Watershed are along the eastern flank of the Jemez Mountains, near the western margin of the Pajarito Plateau. The discharge point of the watershed is located at the Rio Grande on the eastern edge of the plateau. The major canyons in the watershed include Water, Cañon de Valle, Potrillo, and Fence Canyons. There are also numerous smaller canyons and arroyos within the watershed. The watershed includes numerous springs, ephemeral and perennial surface water, and alluvial groundwater. Cañon de Valle, located on the western portion of the Pajarito Plateau, is the main tributary to Water Canyon. The heads of both canyons are located in the Sierra de Los Valles.

Tributaries that may contribute contamination to Water Canyon/Cañon de Valle include Indio, Fence, and Potrillo Canyons, which join Water Canyon on the eastern side of the Laboratory. The technical areas (TAs) located within this watershed include TA-08, TA-09, TA-11, TA-14, TA-15, TA-16, TA-28, TA-36, TA-37, TA-39, TA-49, TA-68, TA-70, and TA-71. This region of the Laboratory was used for weapons testing, explosives testing, and explosives production and received effluent from outfalls containing explosive compounds, metals, and volatile organic compounds (VOCs). Stormwater runoff from firing sites, open burn/open detonation units, surface disposal sites, solid waste management units (SWMUs), and areas of concern (AOCs) may have contributed to the contamination detected within the watershed. The contaminants detected in soil, rock, and sediment samples obtained from various locations within the watershed during previous investigations include barium and other Resource Conservation and Recovery Act (RCRA) metals, explosive compounds, VOCs, and radionuclides (which are not addressed under the Consent Order).

Results of the TA-16-260 Outfall corrective measures study (CMS) investigation (LANL 2003, 085531) showed the drainage channel below the outfall, and the canyon bottom as well as surface water, alluvial groundwater, and deep perched groundwater are contaminated with explosive compounds including hexahydro-1,3,5-trintro-1,3,5-triazine (RDX); 1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX); 2,4,6-trinitrotoluene (TNT); and barium (LANL 2003, 085531). The barium contamination resulted from an explosive compound, Baratol, which is a mixture of $Ba(NO_3)_2$ and TNT.

1.2 Conceptual Model

The conceptual model for the Water/Cañon de Valle Watershed is presented in Appendix A of this document.

2.0 SCOPE OF ACTIVITIES

The PME for the Water/Cañon de Valle Watershed was conducted pursuant to the 2008 IFGMP (LANL 2008, 101897).

Table 2.0-1 provides the location name, sample collection date, port name, port depth, screened interval, top and bottom screen depths, base flow or water level, and the water-level method for each of the monitored locations. These locations are spatially represented in Figure 2.0-1.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2008 IFGMP (LANL 2008, 101897).

3.2 Field Parameter Results

Appendix B contains the field parameter results for the PME and the previous three PMEs.

3.3 Water-Level Observations

The periodic monitoring water-level data for this event and the previous three monitoring events are presented in Appendix C. For wells equipped with transducers, the reported water level is the water-level

measurement taken earliest on the day of sampling. All manual measurements are reported at the time immediately before sampling. The water-level measurements taken during this PME are shown graphically in Figure 3.3-1.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the deviations from the planned scope of the PME. The primary reason for deviations from planned scope was that some sampling locations were dry.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2008 IFGMP (LANL 2008, 101897).

All sampling, data reviews, and data package validations were conducted using standard operating procedures (SOPs) that are part of a comprehensive quality assurance program. The quality program and procedures are available at http://www.lanl.gov/environment/all/qa.shtml. Completed chain-of-custody forms serve as an analytical request form and include the requester or owner, sample number, program code, date and time of sample collection, total number of bottles, list of analytes to be measured, bottle sizes, and preservatives for each analysis required.

The required analytical laboratory batch quality control (QC) is defined by the analytical method, the analytical statement of work, and generally accepted laboratory practices. The analytical laboratory assigns qualifiers to the data to indicate the quality of the analytical results. The laboratory batch QC is used in the secondary data-validation process to evaluate the quality of individual analytical results, evaluate the appropriateness of the analytical methodologies, and measure the routine performance of the analytical laboratory.

In addition to batch QC performed by laboratories, the Laboratory submitted field QC samples to test the overall sampling and analytical laboratory process and to spot-check for analytical problems. These results are used in secondary validation along with information provided by the analytical laboratory.

After the Laboratory receives the analytical laboratory data packages, the packages receive secondary validation by an independent contractor, Analytical Quality Associates, Inc. (AQA). AQA's reviews follow the guidelines set in the DOE model SOP for data validation, which includes reviewing the data quality and the documentation's correctness and completeness, verifying that holding times were met, and ensuring analytical laboratory QC measures were applied, documented, and kept within contract requirements. As a result of secondary validation, a second set of qualifiers is assigned to the analytical results.

The Laboratory assigns detection status to the analytical result based on the analytical laboratory and secondary validation qualifiers. A "<" symbol indicates that, based on the qualifiers, the result was a nondetection.

4.2 Analytical Data

Appendix D presents the analytical data from this PME and from the last three sampling events immediately before the October 2008 sampling event. The screening levels to which the results are

compared are presented in Table 4.2-1. The analytical laboratory reports (including chains of custody, etc.) can be found in Appendix G.

Appendix D contains all data obtained during the PME (that is, all data that have been independently reviewed for conformance with Laboratory requirements), with the following constraints.

- All data
  - Data that are R-qualified (rejected because of noncompliance regarding QC acceptance criteria) during independent validation are considered “not detected” but are still reported. Analytical laboratory QC results, including matrix spike and matrix spike duplicates, are not included in the data set.
- Radionuclides
  - All low-detection-limit tritium data are reported. Results greater than 3 times the 1 standard deviation total propagated analytical uncertainty (or 3σ) are considered to be detections.
  - Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
  - Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
  - Otherwise, all detections are reported at all locations, that is, results without a laboratory qualifier of U or X (abbreviations that indicate the analyte was not detected).
- Nonradionuclides
  - All results, excluding nondetections, are reported. Field duplicates, reanalyses, field blanks, trip blanks, equipment blanks, and different analytical methods are also reported.

The standards applied to all media are listed in Table 4.2-1, which also indicates the type of screening level and its source.

Data for PMRs are evaluated using the following screening process.

- Surface-water and groundwater perchlorate data were compared with the screening level of 4 µg/L established in Section VIII.A.1.a of the Consent Order. Surface-water sampling results were compared with all surface-water standards without consideration of the designated use for the particular reach. The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous phase liquids apply to the total unfiltered concentrations of the contaminants.
- As required by the Consent Order, EPA Region 6 tap water screening levels are used for constituents having no other regulatory standard and for which toxicological information is published. For these screening levels, the tables indicate a risk type of C (excess cancer risk level of 10^{-5}) or N (noncancer). The Consent Order specifies screening for excess cancer risk at a risk level of 10^{-5} (rather than 10^{-6} as given in the Region 6 tables). Therefore, the Region 6 values were multiplied by 10 to obtain the 10^{-5} excess cancer risk level.
- The analytical results for radioactivity are compared with the DOE Biota Concentration Guides (BCGs) for surface water and Derived Concentration Guidelines (DCGs) for groundwater.

Tables E-1 through E-8 (Appendix E) show all values for perchlorate, radioactivity, and organic compounds and all values greater than half the lowest applicable standard for metals and general inorganic compounds.

Analytical results are presented graphically in Figure 4.2-1. The figures contain diagrams displaying a series of select analytes. An example of a diagram displaying perchlorate concentration is shown below.



Perchlorate concentrations

The analytes shown in Figure 4.2-1 were selected from data collected during the PMEs. Diagrams are shown for both groundwater and surface-water data. These analytes were chosen for display in the figures because of their historical presence in groundwater and surface water in this watershed.

Radionuclides are not shown on the diagrams. When shown, the solid red lines depict applicable regulatory standards or screening levels. Note that some screening levels may exceed the highest concentration displayed and may not appear on the diagram. Screening-level values may be found in Tables E-1 through E-8 in Appendix E.

A summary of the results from comparing the previously unreported surface-water analytical data with screening levels is shown in Tables E-1 through E-4 (Appendix E).

A summary of the results from comparing the surface-water analytical data with screening levels is shown in Tables E-5 through E-7 (Appendix E). Graphical representations of select surface-water analytical results are shown in Figure 4.2-1.

A summary of the results comparing the groundwater analytical data with screening levels is presented in Tables E-8 through E-12 (Appendix E).

A summary of the results comparing the groundwater analytical data with screening levels is presented in Tables E-13 through E-17 (Appendix E). Graphical representations of select groundwater analytical results (section 4.2) are shown in Figure 4.2-1.

Table 4.2-2 presents the surface-water and groundwater analytical results (by hydrogeologic zone for a specific analytical suite) that are above a screening level. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a screening level in both a primary sample and a field duplicate, the detection is counted as one result. Therefore, only the highest result is shown in Table 4.2-2.

4.2.1 Surface Water (Base Flow)

Previously unreported results show filtered aluminum concentrations in surface water samples exceeded standards at two locations. At Water above SR-501, the January 2007 concentration (936 µg/L) was greater than the New Mexico Aquatic Life Acute Standard of 750 µg/L, which applies in this ephemeral reach. Results for other snowmelt and surface water samples collected at this location since 2001 range from <52 µg/L (nondetect) to 1390 µg/L.

At location Between E252 and Water at Beta, the April 2008 concentration of filtered aluminum of 1040 µg/L was above the New Mexico Aquatic Life Chronic Standard of 87 µg/L; this standard applies in this perennial reach. Results for other snowmelt and surface water samples collected at this location since 2007 range from <159 µg/L (nondetect) to 1220 µg/L.

At Water above SR-501, the January 2007 concentration of DDE[4,4'-] (dichlorophenyltrichloroethylene) at 0.00707 µg/L was greater than the NMWQCC Wildlife Habitat standard of 0.001 µg/L. The compound was not found in the field duplicate or in four samples from two subsequent sampling events.

4.2.2 Groundwater

Previously unreported results show detections of aluminum (well FLC-16-25280 at 14,000 µg/L; well FLC-16-25279 at 12,100 µg/L; and well FLC-16-25278 at 8830 µg/L) and iron (well FLC-16-25280 at 7900 µg/L, well FLC-16-25279 at 7210 µg/L, and well FLC-16-25278 at 4980 µg/L) at three alluvial wells in Fishladder Canyon. In one case, manganese (well FLC-16-25279 at 565 µg/L) results were above the NMWQCC groundwater standards (applicable domestic water supply) of 5000 µg/L, 1000 µg/L, and 200 µg/L, respectively. This was the first sample analyzed for metals at FLC-16-25280 and the second sample for the other two wells. In the previous sample from FLC-16-25278 and FLC-16-25279, the iron and manganese results were above the standards, but the aluminum results were not. Turbidity results for the recent sampling range from 45 nephelometric turbidity units (NTU) to 118 NTU.

The sample collected at FLC-16-25280 also contained RDX at a concentration (7.47 µg/L) above the EPA tap water risk screening level of 6.1 µg/L and trichloroethene (11.8 µg/L) and tetrachloroethene (193 µg/L) at concentrations above the EPA MCL of 5 µg/L (this value applies to each compound). This is the first time RDX was detected above the standard at this well. The previous sample at this well contained trichloroethene and tetrachloroethene at much lower concentrations than the recently collected sample. This result for tetrachloroethene was the highest of concentrations measured in any groundwater samples at the Laboratory.

During this PME, the filtered barium concentration of 3680 µg/L at Cañon de Valle alluvial well CDV-16-02656 was above the NMWQCC groundwater standard of 1000 µg/L. Barium has been present at similar levels for 10 yr of sampling at this well.

The filtered iron (1604 µg/L) and manganese (627 µg/L) results at Martin Spring Canyon alluvial well MSC-16-06295 were above the respective NMWQCC groundwater standards (applicable domestic water supply) of 1000 µg/L and 200 µg/L. Results for 8 yr of sampling for filtered iron and manganese in this well are highly variable and often above the standards.

At Cañon de Valle alluvial well CdV-16-02659, RDX (concentration of 22.1 µg/L) was found above the EPA tap water screening level of 6.1 µg/L. This result is consistent with variable concentrations measured at this well during 10 yr of sampling.

The filtered nickel concentration (338 µg/L) at 754 ft in an intermediate groundwater port of R-25 of 338 µg/L was above the NMWQCC groundwater standard of 200 µg/L. Higher results have been measured at this port over the past 8 yr.

The RDX concentrations in five intermediate wells or well ports [R-25, three ports, CdV-16-1(i), and CdV-16-2(i)r] and three intermediate springs (SWSC, Burning Ground, and Martin) were above the EPA tap water screening level of 6.1 µg/L. The result of 25.7 µg/L at 891 ft in R-25 is the second highest of the measurements made since the first sample in 2000; most results over the past 8 yr have been below 3.4 µg/L. Most of the results, including the recent value, are flagged as estimated, however. For the other seven locations, RDX has been consistently measured at such concentrations at each location over the duration of sampling: 11 yr in the springs and 3 to 8 yr in the wells.

A sample was collected from the sump at the 1063 ft intermediate port in R-25 and is not a groundwater sample. This screen has generally been dry. The sample was collected to assess possible inflow of perched groundwater during drilling of nearby R-25c. The sump sample contained phenol at 38.3 µg/L, above the 5 µg/L NMWQCC groundwater standard.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Water/Cañon de Valle Watershed are proposed at this time.

5.0 INVESTIGATION-DERIVED WASTE

Appendix F discusses the management of wastes produced during this PME and contains the waste management records for waste streams generated during the sampling events.

6.0 SUMMARY

6.1 Monitoring Results

An evaluation of the field parameter monitoring results is presented in Appendix B. The results of full parameters in subsequent monitoring events will be provided in the annual update to the IFGMP.

6.2 Analytical Results

6.2.1 Surface Water (Base Flow)

No results from surface water samples collected during this PME from Water Canyon exceeded regulatory standards or screening levels (Table 4.2-2). However previously unreported data indicate that

three results (aluminum twice and DDE[4,4'-] once) from surface water samples collected previously from Water Canyon exceeded regulatory standards or screening levels (Table 4.2-2).

6.2.2 Groundwater

Overall, 14 results from groundwater samples collected during this PME from Water Canyon exceeded regulatory standards or screening levels (Table 4.2-2). Ten results from groundwater samples collected during the previous PME from Water Canyon exceeded regulatory standards or screening levels (Table 4.2-2).

6.3 Data Gaps

A summary of the field parameter gaps encountered during the PME may be found in Table 3.4-1. The table provides detailed accounts of sampling-event deviations.

7.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the Program master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), November 2003. "Corrective Measures Study Report for Solid Waste Management Unit 16-021(c)-99," Los Alamos National Laboratory document LA-UR-03-7627, Los Alamos, New Mexico. (LANL 2003, 085531)

LANL (Los Alamos National Laboratory), May 2008. "2008 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-08-3273, Los Alamos, New Mexico. (LANL 2008, 101897)



Figure 2.0-1 Watershed monitoring locations



Figure 3.3-1 Alluvial groundwater elevations



Figure 4.2-1 Analytical results

Table 2.0-1
Monitoring Locations and General Information

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Base Flow (gpm[a])	Water Level (ft amsl[b])	Water Level Method
Base Flow									
Between E252 and Water at Beta	24-Oct-08	n/a[c]	n/a	n/a	n/a	n/a	30	n/a	n/a
Canon de Valle below MDA P	7-Oct-08	n/a	n/a	n/a	n/a	n/a	1.25	n/a	n/a
Water above SR-501	17-Oct-08	n/a	n/a	n/a	n/a	n/a	13.46	n/a	n/a
Water at Beta	24-Oct-08	n/a	n/a	n/a	n/a	n/a	30	n/a	n/a
Water Canyon Gallery	17-Oct-08	n/a	n/a	n/a	n/a	n/a	150	n/a	n/a
Springs									
CdV-5.29 Spring	22-Oct-08	n/a	n/a	n/a	n/a	n/a	2	n/a	n/a
Burning Ground Spring	7-Oct-08	n/a	n/a	n/a	n/a	n/a	2.18	n/a	n/a
Fish Ladder Spring	8-Oct-08	n/a	n/a	n/a	n/a	n/a	Dry[d]	n/a	n/a
Martin Spring	8-Oct-08	n/a	n/a	n/a	n/a	n/a	1	n/a	n/a
Peter Spring	7-Oct-08	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
SWSC Spring	8-Oct-08	n/a	n/a	n/a	n/a	n/a	0.1	n/a	n/a
WA-625 Spring	24-Oct-08	n/a	n/a	n/a	n/a	n/a	Covered by base flow, not sampled	n/a	n/a
Alluvial									
CDV-16-02655	15-Oct-08	Single Completion	2.3	5	2.3	7.3	n/a	Dry	n/a
CDV-16-02656	7-Oct-08	Single Completion	3	5	3	8	0.1	7438.35	Manual
CDV-16-02657	8-Oct-08	Single Completion	0.4	5	0.4	5.4	n/a	Dry	n/a
CDV-16-02658	8-Oct-08	Single Completion	1.9	5	1.9	6.9	0.1	7371.95	Manual
CDV-16-02659	8-Oct-08	Single Completion	1.7	5	1.7	6.7	0.08	7295.61	Manual

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Base Flow (gpm[a])	Water Level (ft amsl[b])	Water Level Method
FCO-1	9-Oct-08	Single Completion	2.4	10	2.4	12.4	n/a	Dry	n/a
FLC-16-25278	9-Oct-08	Single Completion	1.6	1.6	1.6	3.2	n/a	0.1	n/a
FLC-16-25279	9-Oct-08	Single Completion	2.7	1.6	2.7	4.3	n/a	0.08	n/a
FLC-16-25280	9-Oct-08	Single Completion	2.6	1.6	2.6	4.2	n/a	Dry	n/a
MSC-16-06293	9-Oct-08	Single Completion	2	5	2	7	n/a	Dry	n/a
MSC-16-06295	16-Oct-08	Single Completion	1.5	5	1.5	6.5	n/a	n/a	Manual
WCO-1	9-Oct-08	Single Completion	24.4	10	24.4	34.4	n/a	Dry	n/a
WCO-2	20-Oct-08	Single Completion	13.5	10	13.5	23.5	n/a	Only	Manual
WCO-3	9-Oct-08	Single Completion	7.4	5	7.4	12.4	n/a	Dry	n/a
Intermediate									
CdV-R-15-3	16-Oct-08	MP1A	624.3	6.8	617.7	624.5	n/a	Dry	n/a
CdV-R-15-3	16-Oct-08	MP2A	807.3	7	800.8	807.8	n/a	Dry	n/a
CdV-R-15-3	16-Oct-08	MP3A	969	16.1	964.8	980.9	n/a	Dry	n/a
CdV-16-1(i)	20-Oct-08	Single Completion	624	10	624	634	0.6	6806.14	Manual
CdV-16-2(i)r	21-Oct-08	Single Completion	850	9.7	850	859.7	2.8	6618.32	Manual
CdV-R-37-2	10-Oct-08	MP1A	934.6	25.1	914.4	939.5	n/a	Dry	n/a
R-25	22-Oct-08	MP1A	754.8	20.8	737.6	758.4	n/a	6782.87	Transducer
R-25	22-Oct-08	MP2A	891.8	10.8	882.6	893.4	n/a	6744.39	Transducer
R-25	20-Oct-08	MP4A	1192	10	1184.6	1194.6	n/a	6344.88	Transducer
R-25	20-Oct-08	MP5A	1303	10	1294.7	1304.7	n/a	6230.74	Transducer
R-25	17-Oct-08	MP6A	1406	10	1404.7	1414.7	n/a	Dry	n/a
R-25	16-Oct-08	MP7A	1606	10	1604.7	1614.7	n/a	6162.47	Transducer
R-25	25-Oct-08	MP8A	1796	10	1794.7	1804.7	n/a	6140.42	Transducer
R-26	7-Oct-08	MP1A	659.3	19	643	662	n/a	7034.23	Transducer
R-27	10-Oct-08	Single Completion	852	23	852	875	4	5898.47	Manual

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Base Flow (gpm[a])	Water Level (ft amsl[b])	Water Level Method
Regional									
CdV-R-15-3	9-Oct-08	MP4A	1254	43.8	1235.1	1278.9	n/a	6019.7	Transducer
CdV-R-15-3	14-Oct-08	MP5A	1350	6.9	1348.4	1355.3	n/a	6019.5	Transducer
CdV-R-15-3	10-Oct-08	MP6A	1640	6.9	1637.9	1644.8	n/a	5982.5	Transducer
CdV-R-37-2	10-Oct-08	MP2A	1200	25.1	1188.7	1213.8	n/a	6135.39	Transducer
CdV-R-37-2	8-Oct-08	MP3A	1359	23.4	1353.7	1377.1	n/a	6136.04	Transducer
CdV-R-37-2	9-Oct-08	MP4A	1551	6.7	1549.3	1556	n/a	6135.09	Transducer

[a] gpm = Gallon per minute.

[b] amsl = Above mean sea level.

[c] n/a = Not applicable.

[d] See Table 3.4-1 for explanation.

Table 3.4-1
Observations and Deviations

Location	Deviation	Cause	Comment
CdV-16-2658	Limited data are included in this report for this well.	The location was sampled for an abbreviated analytical suite because the well did not recharge.	Location will be checked again during next sampling round.
Peter Spring	No data are included in this report for this location.	The location could not be sampled on 10/07/08 because it was dry.	Location will be checked again during next sampling round.
CDV-16-02657; Fishladder Spring	No data are included in this report for these locations.	The locations could not be sampled on 10/08/08 because they were dry.	Locations will be checked again during next sampling round.
FCO-1; WCO-1; WCO-3; FCL-16-2578; FCL-16-2579; FCL-16-2580; MSC-16-06293	No data are included in this report for these locations.	The locations could not be sampled on 10/09/08 because they were dry.	Locations will be checked again during next sampling round.
CdV-R-37-2, Screen 1	No data are included in this report for this well screen.	The well screen was not sampled on 10/10/08 because it was dry.	Well screen will be sampled during next sampling round if sufficient water is present.
CdV-16-02655	No data are included in this report for this location.	The well screen was not sampled on 10/15/08 because it was dry.	Location will be checked again during next sampling round.
CdV-R-15-3, Screens 1, 2, and 3	No data are included in this report for these locations.	The well was not sampled on 10/16/08 because all three screens were dry.	Well will be sampled during next sampling round if sufficient water is present.
R-25, Screen 5	No data are included in this report for this location.	The location was not sampled on 10/20/08 because it was dry. A sump sample was collected at 1063 ft.	Location will be checked again during next sampling round
WCO-2	No data are included in this report for this location.	The location was not sampled on 10/20/2008. The water level was measured.	Location will be checked again during next sampling round
R-31, Screen 1	No data are included in this report for this location.	The location could not be sampled on 10/21/08 because it was dry.	Location will be checked again during next sampling round
WA-625 Spring	No data are included in this report for this spring.	The location was not sampled on 10/24/08 because the spring was covered by base flow.	Locations will be checked again during next sampling round.

Table 4.2-1
Cleanup Standards, Risk-Based Screening Levels, and Risk-Based Cleanup Levels for Groundwater and Surface Water at Los Alamos National Laboratory

Standard Type	Groundwater	Surface Water
DOE BCG	n/a[a]	X[b]
DOE 100 mrem Public Dose DCG	X	n/a
DOE 4 mrem Drinking Water DCG	X	n/a
EPA MCL	X	n/a
EPA Region 6 Tap Water Screening Level	X	n/a
New Mexico Environmental Improvement Board Radiation Protection Standards	X	X
NMWQCC Fisheries Standards Chronic	n/a	X
NMWQCC Fisheries Standards Chronic, Hardness = 100 mg/L	n/a	X
NMWQCC Groundwater Standard	X	n/a
NMWQCC Livestock Watering Standard	n/a	X
NMWQCC Wildlife Habitat Standard	n/a	X
NMWQCC Human Health Standard Ephemeral	n/a	X
NMWQCC Human Health Standard Perennial	n/a	X

[a] n/a = Not applicable.

[b] X = Standard applied to data screen for this report.

Table 4.2-2
Results above Screening Levels for Groundwater

Location	Date	Analyte	Result	Units	Screening Level	Screening-Level Origin
Surface Water, Previously Unreported Data						
Water above SR-501	01/24/07	Aluminum	936	µg/L	750	NM Aquatic Acute
Between E252 and Water at Beta	04/04/08	Aluminum	1040	µg/L	87	NM Aquatic Chronic
Water above SR-501	01/24/07	DDE[4,4'-]	0.00707	µg/L	0.001	NMWQCC Wildlife Habitat
Surface Water, Current Data						
None exceeded						
Alluvial Groundwater, Previously Unreported Data						
FLC-16-25280	04/03/08	Aluminum	14,000	µg/L	5000	NMWQCC
FLC-16-25280	04/03/08	Iron	7900	µg/L	1000	NMWQCC
FLC-16-25279	04/10/08	Aluminum	12100	µg/L	5000	NMWQCC
FLC-16-25279	04/10/08	Iron	7210	µg/L	1000	NMWQCC
FLC-16-25279	04/10/08	Manganese	565	µg/L	200	NMWQCC
FLC-16-25278	04/10/08	Aluminum	8830	µg/L	5000	NMWQCC
FLC-16-25278	04/10/08	Iron	4980	µg/L	1000	NMWQCC
FLC-16-25280	04/03/08	RDX	7.47	µg/L	6.11	EPA Tap Screening Level
FLC-16-25280	04/03/08	Trichloroethene	11.8	µg/L	5	EPA Primary Drinking Water Standard
FLC-16-25280	04/03/08	Tetrachloroethene	193	µg/L	5	EPA Primary Drinking Water Standard
Alluvial Groundwater, Current Data						
CDV-16-02656	10/07/08	Barium	3680	µg/L	1000	NMWQCC
MSC-16-06295	10/16/08	Iron	1640	µg/L	1000	NMWQCC
MSC-16-06295	10/16/08	Manganese	627	µg/L	200	NMWQCC
CDV-16-02659	10/08/08	RDX	22.1	µg/L	6.11	EPA Tap Screening Level
Intermediate Groundwater						
R-25 (892 ft)	10/22/08	Nickel	338	µg/L	200	NMWQCC
R-25	10/21/08	Phenol	38.3	µg/L	5	NMWQCC
SWSC Spring	10/08/08	RDX	40.6	µg/L	6.11	EPA Tap Screening Level
Burning Ground Spring	10/07/08	RDX	24.2	µg/L	6.11	EPA Tap Screening Level
Martin Spring	10/08/08	RDX	114	µg/L	6.11	EPA Tap Screening Level
R-25 (892 ft)	10/22/08	RDX	41.7	µg/L	6.11	EPA Tap Screening Level
R-25 (892 ft)	10/22/08	RDX	25.7	µg/L	6.11	EPA Tap Screening Level
R-25 (1192 ft)	10/20/08	RDX	16.9	µg/L	6.11	EPA Tap Screening Level
CdV-16-1(i)	10/20/08	RDX	30.5	µg/L	6.11	EPA Tap Screening Level
CdV-16-2(i)r	10/21/08	RDX	60.8	µg/L	6.11	EPA Tap Screening Level

Note: Multiple detections of a particular constituent at a location are counted as one result.

Appendix A

Conceptual Model

Canyon	Contaminant Sources	Alluvial Groundwater Contaminants	Intermediate Groundwater Contaminants	Regional Groundwater Contaminants
Cañon de Valle	Multiple dry and past effluent sources	Barium above New Mexico Water Quality Control Commission (NMWQCC) groundwater standard, hexahydro-1,3,5-trintro-1,3,5-triazine (RDX) above U.S. Environmental protection Agency (EPA) excess cancer risk level.	Boron above NMWQCC groundwater standard, lead above tap water screening level; RDX above EPA excess cancer risk level; tetrachloroethene at 33% and trichlororoethene at 34% of EPA maximum contaminant level screening level.	None
Water Canyon	Multiple dry and past effluent sources	None, little alluvial groundwater	No intermediate groundwater	None
Potrillo, Fence, and Indio Canyons	Minor dry sources	No alluvial groundwater	No intermediate groundwater	None

Appendix B

Field Parameter Results

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Between E252 and Water at Beta	—	—	10/24/2008	WS	Dissolved Oxygen	9.34	mg/L	CAWA-08-15933
Between E252 and Water at Beta	—	—	4/4/2008	WS	Dissolved Oxygen	12.6	mg/L	CAWA-08-11550
Between E252 and Water at Beta	—	—	10/18/2007	WP	Dissolved Oxygen	8.31	mg/L	FU07100P252W01
Between E252 and Water at Beta	—	—	10/24/2008	WS	Specific Conductance	154.5	µS/cm	CAWA-08-15933
Between E252 and Water at Beta	—	—	4/4/2008	WS	Specific Conductance	146.1	µS/cm	CAWA-08-11550
Between E252 and Water at Beta	—	—	10/18/2007	WP	Specific Conductance	172.7	µS/cm	FU07100P252W01
Between E252 and Water at Beta	—	—	10/24/2008	WS	Temperature	7.4	deg C	CAWA-08-15933
Between E252 and Water at Beta	—	—	4/4/2008	WS	Temperature	6.6	deg C	CAWA-08-11550
Between E252 and Water at Beta	—	—	10/18/2007	WP	Temperature	10.8	deg C	FU07100P252W01
Between E252 and Water at Beta	—	—	10/24/2008	WS	Turbidity	4.9	NTU	CAWA-08-15933
Between E252 and Water at Beta	—	—	4/4/2008	WS	Turbidity	11.1	NTU	CAWA-08-11550
Between E252 and Water at Beta	—	—	10/18/2007	WP	Turbidity	4.61	NTU	FU07100P252W01
Between E252 and Water at Beta	—	—	10/24/2008	WS	pH	7.67	SU	CAWA-08-15933
Between E252 and Water at Beta	—	—	4/4/2008	WS	pH	7.5	SU	CAWA-08-11550
Between E252 and Water at Beta	—	—	10/18/2007	WP	pH	7.3	SU	FU07100P252W01
Burning Ground Spring	—	—	10/7/2008	WG	Dissolved Oxygen	7.42	mg/L	CAWA-08-15956
Burning Ground Spring	—	—	4/1/2008	WG	Dissolved Oxygen	9.94	mg/L	CAWA-08-11567
Burning Ground Spring	—	—	7/31/2006	WG	Dissolved Oxygen	27.42	mg/L	FU060700GSGB01
Burning Ground Spring	—	—	10/19/2007	WG	Dissolved Oxygen	8.15	mg/L	FU071000GSGB01
Burning Ground Spring	—	—	5/15/2007	WG	Dissolved Oxygen	7.83	mg/L	FU070500GSGB01
Burning Ground Spring	—	—	10/7/2008	WG	Specific Conductance	189.5	µS/cm	CAWA-08-15956
Burning Ground Spring	—	—	4/1/2008	WG	Specific Conductance	184.3	µS/cm	CAWA-08-11567
Burning Ground Spring	—	—	10/19/2007	WG	Specific Conductance	205	µS/cm	FU071000GSGB01
Burning Ground Spring	—	—	5/15/2007	WG	Specific Conductance	173.6	µS/cm	FU070500GSGB01
Burning Ground Spring	—	—	10/7/2008	WG	Temperature	11	deg C	CAWA-08-15956
Burning Ground Spring	—	—	4/1/2008	WG	Temperature	11.2	deg C	CAWA-08-11567
Burning Ground Spring	—	—	7/31/2006	WG	Temperature	11.58	deg C	FU060700GSGB01
Burning Ground Spring	—	—	10/19/2007	WG	Temperature	11.8	deg C	FU071000GSGB01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Burning Ground Spring	—	—	5/15/2007	WG	Temperature	10.9	deg C	FU070500GSGB01
Burning Ground Spring	—	—	10/7/2008	WG	Turbidity	3.46	NTU	CAWA-08-15956
Burning Ground Spring	—	—	4/1/2008	WG	Turbidity	15.4	NTU	CAWA-08-11567
Burning Ground Spring	—	—	7/31/2006	WG	Turbidity	0.2	NTU	FU060700GSGB01
Burning Ground Spring	—	—	10/19/2007	WG	Turbidity	3	NTU	FU071000GSGB01
Burning Ground Spring	—	—	5/15/2007	WG	Turbidity	6.35	NTU	FU070500GSGB01
Burning Ground Spring	—	—	10/7/2008	WG	pH	7.94	SU	CAWA-08-15956
Burning Ground Spring	—	—	4/1/2008	WG	pH	6.67	SU	CAWA-08-11567
Burning Ground Spring	—	—	10/19/2007	WG	pH	6.38	SU	FU071000GSGB01
Burning Ground Spring	—	—	5/15/2007	WG	pH	6.64	SU	FU070500GSGB01
CDV-16-02656	5911	3	10/7/2008	WG	Dissolved Oxygen	3.7	mg/L	CAWA-08-15975
CDV-16-02656	5911	3	4/1/2008	WG	Dissolved Oxygen	3.62	mg/L	CAWA-08-11587
CDV-16-02656	5911	3	1/23/2007	WG	Dissolved Oxygen	5.84	mg/L	FU07010CDV5601
CDV-16-02656	5911	3	7/27/2006	WG	Dissolved Oxygen	101.41	mg/L	FU06070CDV5601
CDV-16-02656	5911	3	10/29/2007	WG	Dissolved Oxygen	3.87	mg/L	FU07100CDV5601
CDV-16-02656	5911	3	10/7/2008	WG	Oxidation Reduction Potential	434	mV	CAWA-08-15975
CDV-16-02656	5911	3	4/1/2008	WG	Oxidation Reduction Potential	417	mV	CAWA-08-11587
CDV-16-02656	5911	3	1/23/2007	WG	Oxidation Reduction Potential	164.1	mV	FU07010CDV5601
CDV-16-02656	5911	3	10/29/2007	WG	Oxidation Reduction Potential	182	mV	FU07100CDV5601
CDV-16-02656	5911	3	10/7/2008	WG	Purge Volume	2.1	gal.	CAWA-08-15975
CDV-16-02656	5911	3	10/29/2007	WG	Purge Volume	3	gal.	FU07100CDV5601
CDV-16-02656	5911	3	10/7/2008	WG	Specific Conductance	211	µS/cm	CAWA-08-15975
CDV-16-02656	5911	3	4/1/2008	WG	Specific Conductance	222	µS/cm	CAWA-08-11587
CDV-16-02656	5911	3	1/23/2007	WG	Specific Conductance	313	µS/cm	FU07010CDV5601
CDV-16-02656	5911	3	10/29/2007	WG	Specific Conductance	180.1	µS/cm	FU07100CDV5601
CDV-16-02656	5911	3	10/7/2008	WG	Temperature	13.5	deg C	CAWA-08-15975
CDV-16-02656	5911	3	4/1/2008	WG	Temperature	6	deg C	CAWA-08-11587
CDV-16-02656	5911	3	1/23/2007	WG	Temperature	4.2	deg C	FU07010CDV5601

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CDV-16-02656	5911	3	7/27/2006	WG	Temperature	16.31	deg C	FU06070CDV5601
CDV-16-02656	5911	3	10/29/2007	WG	Temperature	14.3	deg C	FU07100CDV5601
CDV-16-02656	5911	3	10/7/2008	WG	Turbidity	8.64	NTU	CAWA-08-15975
CDV-16-02656	5911	3	4/1/2008	WG	Turbidity	9.41	NTU	CAWA-08-11587
CDV-16-02656	5911	3	7/27/2006	WG	Turbidity	2.4	NTU	FU06070CDV5601
CDV-16-02656	5911	3	3/31/2006	WG	Turbidity	15.8	NTU	FU0602CDV5601
CDV-16-02656	5911	3	10/29/2007	WG	Turbidity	143	NTU	FU07100CDV5601
CDV-16-02656	5911	3	10/7/2008	WG	pH	6.6	SU	CAWA-08-15975
CDV-16-02656	5911	3	4/1/2008	WG	pH	6.48	SU	CAWA-08-11587
CDV-16-02656	5911	3	1/23/2007	WG	pH	6.4	SU	FU07010CDV5601
CDV-16-02656	5911	3	10/29/2007	WG	pH	6.6	SU	FU07100CDV5601
CDV-16-02658	5931	1.9	10/8/2008	WG	Dissolved Oxygen	2.1	mg/L	CAWA-08-15981
CDV-16-02658	5931	1.9	4/1/2008	WG	Dissolved Oxygen	1.67	mg/L	CAWA-08-11635
CDV-16-02658	5931	1.9	1/25/2007	WG	Dissolved Oxygen	3.6	mg/L	FU07010CDV5801
CDV-16-02658	5931	1.9	10/30/2007	WG	Dissolved Oxygen	5.17	mg/L	FU07100CDV5801
CDV-16-02658	5931	1.9	5/8/2007	WG	Dissolved Oxygen	1.2	mg/L	FU07050CDV5801
CDV-16-02658	5931	1.9	10/8/2008	WG	Oxidation Reduction Potential	433	mV	CAWA-08-15981
CDV-16-02658	5931	1.9	4/1/2008	WG	Oxidation Reduction Potential	243	mV	CAWA-08-11635
CDV-16-02658	5931	1.9	1/25/2007	WG	Oxidation Reduction Potential	110.4	mV	FU07010CDV5801
CDV-16-02658	5931	1.9	10/30/2007	WG	Oxidation Reduction Potential	423	mV	FU07100CDV5801
CDV-16-02658	5931	1.9	5/8/2007	WG	Oxidation Reduction Potential	145	mV	FU07050CDV5801
CDV-16-02658	5931	1.9	10/8/2008	WG	Specific Conductance	188.6	µS/cm	CAWA-08-15981
CDV-16-02658	5931	1.9	4/1/2008	WG	Specific Conductance	210	µS/cm	CAWA-08-11635
CDV-16-02658	5931	1.9	10/30/2007	WG	Specific Conductance	208	µS/cm	FU07100CDV5801
CDV-16-02658	5931	1.9	5/8/2007	WG	Specific Conductance	215	µS/cm	FU07050CDV5801
CDV-16-02658	5931	1.9	10/8/2008	WG	Temperature	11.3	deg C	CAWA-08-15981
CDV-16-02658	5931	1.9	4/1/2008	WG	Temperature	4.6	deg C	CAWA-08-11635
CDV-16-02658	5931	1.9	1/25/2007	WG	Temperature	2.8	deg C	FU07010CDV5801

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CDV-16-02658	5931	1.9	10/30/2007	WG	Temperature	12.8	deg C	FU07100CDV5801
CDV-16-02658	5931	1.9	5/8/2007	WG	Temperature	7.3	deg C	FU07050CDV5801
CDV-16-02658	5931	1.9	10/8/2008	WG	Turbidity	14.8	NTU	CAWA-08-15981
CDV-16-02658	5931	1.9	4/1/2008	WG	Turbidity	12.3	NTU	CAWA-08-11635
CDV-16-02658	5931	1.9	1/25/2007	WG	Turbidity	1.2	NTU	FU07010CDV5801
CDV-16-02658	5931	1.9	10/30/2007	WG	Turbidity	108	NTU	FU07100CDV5801
CDV-16-02658	5931	1.9	5/8/2007	WG	Turbidity	0.72	NTU	FU07050CDV5801
CDV-16-02658	5931	1.9	10/8/2008	WG	pH	6.35	SU	CAWA-08-15981
CDV-16-02658	5931	1.9	4/1/2008	WG	pH	6.4	SU	CAWA-08-11635
CDV-16-02658	5931	1.9	10/30/2007	WG	pH	7.45	SU	FU07100CDV5801
CDV-16-02658	5931	1.9	5/8/2007	WG	pH	6.57	SU	FU07050CDV5801
CDV-16-02659	5941	1.7	10/8/2008	WG	Dissolved Oxygen	5.6	mg/L	CAWA-08-15985
CDV-16-02659	5941	1.7	3/31/2008	WG	Dissolved Oxygen	2.94	mg/L	CAWA-08-11641
CDV-16-02659	5941	1.7	1/26/2007	WG	Dissolved Oxygen	7	mg/L	FU07010CDV5901
CDV-16-02659	5941	1.7	10/30/2007	WG	Dissolved Oxygen	5.15	mg/L	FU07100CDV5901
CDV-16-02659	5941	1.7	5/8/2007	WG	Dissolved Oxygen	6.98	mg/L	FU07050CDV5901
CDV-16-02659	5941	1.7	10/8/2008	WG	Oxidation Reduction Potential	443	mV	CAWA-08-15985
CDV-16-02659	5941	1.7	3/31/2008	WG	Oxidation Reduction Potential	277	mV	CAWA-08-11641
CDV-16-02659	5941	1.7	1/26/2007	WG	Oxidation Reduction Potential	262.4	mV	FU07010CDV5901
CDV-16-02659	5941	1.7	10/30/2007	WG	Oxidation Reduction Potential	363	mV	FU07100CDV5901
CDV-16-02659	5941	1.7	5/8/2007	WG	Oxidation Reduction Potential	180	mV	FU07050CDV5901
CDV-16-02659	5941	1.7	10/8/2008	WG	Specific Conductance	253	µS/cm	CAWA-08-15985
CDV-16-02659	5941	1.7	3/31/2008	WG	Specific Conductance	210	µS/cm	CAWA-08-11641
CDV-16-02659	5941	1.7	1/26/2007	WG	Specific Conductance	153.5	µS/cm	FU07010CDV5901
CDV-16-02659	5941	1.7	10/30/2007	WG	Specific Conductance	248	µS/cm	FU07100CDV5901
CDV-16-02659	5941	1.7	5/8/2007	WG	Specific Conductance	192.8	µS/cm	FU07050CDV5901
CDV-16-02659	5941	1.7	10/8/2008	WG	Temperature	13.4	deg C	CAWA-08-15985
CDV-16-02659	5941	1.7	3/31/2008	WG	Temperature	5.3	deg C	CAWA-08-11641

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CDV-16-02659	5941	1.7	1/26/2007	WG	Temperature	2.6	deg C	FU07010CDV5901
CDV-16-02659	5941	1.7	10/30/2007	WG	Temperature	12.8	deg C	FU07100CDV5901
CDV-16-02659	5941	1.7	5/8/2007	WG	Temperature	8.7	deg C	FU07050CDV5901
CDV-16-02659	5941	1.7	10/8/2008	WG	Turbidity	3.29	NTU	CAWA-08-15985
CDV-16-02659	5941	1.7	3/31/2008	WG	Turbidity	3.6	NTU	CAWA-08-11641
CDV-16-02659	5941	1.7	1/26/2007	WG	Turbidity	4.66	NTU	FU07010CDV5901
CDV-16-02659	5941	1.7	10/30/2007	WG	Turbidity	17.9	NTU	FU07100CDV5901
CDV-16-02659	5941	1.7	5/8/2007	WG	Turbidity	2.82	NTU	FU07050CDV5901
CDV-16-02659	5941	1.7	10/8/2008	WG	pH	6.69	SU	CAWA-08-15985
CDV-16-02659	5941	1.7	3/31/2008	WG	pH	6.6	SU	CAWA-08-11641
CDV-16-02659	5941	1.7	1/26/2007	WG	pH	6.5	SU	FU07010CDV5901
CDV-16-02659	5941	1.7	10/30/2007	WG	pH	6.88	SU	FU07100CDV5901
CDV-16-02659	5941	1.7	5/8/2007	WG	pH	6.85	SU	FU07050CDV5901
CDV-5.0 SPRING	—	—	10/22/2008	WG	Dissolved Oxygen	8	mg/L	CAWA-08-15941
CDV-5.0 SPRING	—	—	7/11/2005	WG	Dissolved Oxygen	6.09	mg/L	FU0507G5VDC01
CDV-5.0 SPRING	—	—	3/3/2005	WG	Dissolved Oxygen	8.08	mg/L	FU0502G5VDC01
CDV-5.0 SPRING	—	—	10/22/2008	WG	Specific Conductance	114.4	µS/cm	CAWA-08-15941
CDV-5.0 SPRING	—	—	7/11/2005	WG	Specific Conductance	119.6	µS/cm	FU0507G5VDC01
CDV-5.0 SPRING	—	—	5/27/2005	WG	Specific Conductance	114.6	µS/cm	FU0504G5VDC02
CDV-5.0 SPRING	—	—	4/18/2005	WG	Specific Conductance	177.4	µS/cm	FU0504G5VDC01
CDV-5.0 SPRING	—	—	3/3/2005	WG	Specific Conductance	173	µS/cm	FU0502G5VDC01
CDV-5.0 SPRING	—	—	10/22/2008	WG	Temperature	7.8	deg C	CAWA-08-15941
CDV-5.0 SPRING	—	—	7/11/2005	WG	Temperature	8.9	deg C	FU0507G5VDC01
CDV-5.0 SPRING	—	—	5/27/2005	WG	Temperature	8.6	deg C	FU0504G5VDC02
CDV-5.0 SPRING	—	—	4/18/2005	WG	Temperature	9	deg C	FU0504G5VDC01
CDV-5.0 SPRING	—	—	3/3/2005	WG	Temperature	8.7	deg C	FU0502G5VDC01
CDV-5.0 SPRING	—	—	10/22/2008	WG	Turbidity	2.81	NTU	CAWA-08-15941
CDV-5.0 SPRING	—	—	7/11/2005	WG	Turbidity	4.9	NTU	FU0507G5VDC01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CDV-5.0 SPRING	—	—	10/22/2008	WG	pH	7.28	SU	CAWA-08-15941
CDV-5.0 SPRING	—	—	7/11/2005	WG	pH	6.97	SU	FU0507G5VDC01
CDV-5.0 SPRING	—	—	5/27/2005	WG	pH	7.35	SU	FU0504G5VDC02
CDV-5.0 SPRING	—	—	4/18/2005	WG	pH	7.02	SU	FU0504G5VDC01
CDV-5.0 SPRING	—	—	3/3/2005	WG	pH	7.86	SU	FU0502G5VDC01
Canon de Valle below MDA P	—	—	10/7/2008	WS	Dissolved Oxygen	7.3	mg/L	CAWA-08-15928
Canon de Valle below MDA P	—	—	3/31/2008	WS	Dissolved Oxygen	10.5	mg/L	CAWA-08-11547
Canon de Valle below MDA P	—	—	7/22/2005	WS	Dissolved Oxygen	6.36	mg/L	FU05070P25601
Canon de Valle below MDA P	—	—	10/25/2007	WP	Dissolved Oxygen	8.66	mg/L	FU071000P25601
Canon de Valle below MDA P	—	—	6/1/2007	WS	Dissolved Oxygen	11.26	mg/L	FU070500P25601
Canon de Valle below MDA P	—	—	10/7/2008	WS	Specific Conductance	210	µS/cm	CAWA-08-15928
Canon de Valle below MDA P	—	—	3/31/2008	WS	Specific Conductance	168.1	µS/cm	CAWA-08-11547
Canon de Valle below MDA P	—	—	10/25/2007	WP	Specific Conductance	217	µS/cm	FU071000P25601
Canon de Valle below MDA P	—	—	6/1/2007	WS	Specific Conductance	194.9	µS/cm	FU070500P25601
Canon de Valle below MDA P	—	—	10/7/2008	WS	Temperature	12.1	deg C	CAWA-08-15928
Canon de Valle below MDA P	—	—	3/31/2008	WS	Temperature	6.1	deg C	CAWA-08-11547
Canon de Valle below MDA P	—	—	7/22/2005	WS	Temperature	12.7	deg C	FU05070P25601
Canon de Valle below MDA P	—	—	10/25/2007	WP	Temperature	7.2	deg C	FU071000P25601
Canon de Valle below MDA P	—	—	6/1/2007	WS	Temperature	8.4	deg C	FU070500P25601
Canon de Valle below MDA P	—	—	10/7/2008	WS	Turbidity	2.96	NTU	CAWA-08-15928
Canon de Valle below MDA P	—	—	3/31/2008	WS	Turbidity	9.78	NTU	CAWA-08-11547
Canon de Valle below MDA P	—	—	7/22/2005	WS	Turbidity	4.32	NTU	FU05070P25601
Canon de Valle below MDA P	—	—	10/25/2007	WP	Turbidity	1.54	NTU	FU071000P25601
Canon de Valle below MDA P	—	—	6/1/2007	WS	Turbidity	5.66	NTU	FU070500P25601
Canon de Valle below MDA P	—	—	10/7/2008	WS	pH	8.47	SU	CAWA-08-15928
Canon de Valle below MDA P	—	—	3/31/2008	WS	pH	7.28	SU	CAWA-08-11547
Canon de Valle below MDA P	—	—	10/25/2007	WP	pH	7.22	SU	FU071000P25601
Canon de Valle below MDA P	—	—	6/1/2007	WS	pH	7.1	SU	FU070500P25601

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CdV-16-1(i)	5421	624	10/20/2008	WG	Dissolved Oxygen	4.53	mg/L	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	Dissolved Oxygen	7	mg/L	CAWA-08-11646
CdV-16-1(i)	5421	624	3/9/2006	WG	Dissolved Oxygen	4.7	mg/L	FN0602GC16i01
CdV-16-1(i)	5421	624	10/22/2007	WG	Dissolved Oxygen	5.64	mg/L	FU07100GC16i01
CdV-16-1(i)	5421	624	5/21/2007	WG	Dissolved Oxygen	4.86	mg/L	FU07050GC16i01
CdV-16-1(i)	5421	624	10/20/2008	WG	Oxidation Reduction Potential	203	mV	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	Oxidation Reduction Potential	191	mV	CAWA-08-11646
CdV-16-1(i)	5421	624	3/9/2006	WG	Oxidation Reduction Potential	252.3	mV	FN0602GC16i01
CdV-16-1(i)	5421	624	10/22/2007	WG	Oxidation Reduction Potential	197	mV	FU07100GC16i01
CdV-16-1(i)	5421	624	5/21/2007	WG	Oxidation Reduction Potential	190	mV	FU07050GC16i01
CdV-16-1(i)	5421	624	10/20/2008	WG	Purge Volume	240	gal.	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	Purge Volume	97	gal.	CAWA-08-11646
CdV-16-1(i)	5421	624	10/22/2007	WG	Purge Volume	115	gal.	FU07100GC16i01
CdV-16-1(i)	5421	624	10/20/2008	WG	Specific Conductance	143	µS/cm	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	Specific Conductance	146.2	µS/cm	CAWA-08-11646
CdV-16-1(i)	5421	624	3/9/2006	WG	Specific Conductance	164.2	µS/cm	FN0602GC16i01
CdV-16-1(i)	5421	624	10/22/2007	WG	Specific Conductance	154.3	µS/cm	FU07100GC16i01
CdV-16-1(i)	5421	624	5/21/2007	WG	Specific Conductance	164.4	µS/cm	FU07050GC16i01
CdV-16-1(i)	5421	624	10/20/2008	WG	Temperature	14.1	deg C	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	Temperature	12.5	deg C	CAWA-08-11646
CdV-16-1(i)	5421	624	3/9/2006	WG	Temperature	11.1	deg C	FN0602GC16i01
CdV-16-1(i)	5421	624	10/22/2007	WG	Temperature	12.8	deg C	FU07100GC16i01
CdV-16-1(i)	5421	624	5/21/2007	WG	Temperature	12.5	deg C	FU07050GC16i01
CdV-16-1(i)	5421	624	10/20/2008	WG	Turbidity	2	NTU	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	Turbidity	0.57	NTU	CAWA-08-11646
CdV-16-1(i)	5421	624	3/9/2006	WG	Turbidity	1.44	NTU	FN0602GC16i01
CdV-16-1(i)	5421	624	10/22/2007	WG	Turbidity	0.8	NTU	FU07100GC16i01
CdV-16-1(i)	5421	624	5/21/2007	WG	Turbidity	1.15	NTU	FU07050GC16i01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CdV-16-1(i)	5421	624	10/20/2008	WG	pH	6.8	SU	CAWA-08-16020
CdV-16-1(i)	5421	624	3/31/2008	WG	pH	6.81	SU	CAWA-08-11646
CdV-16-1(i)	5421	624	3/9/2006	WG	pH	6.8	SU	FN0602GC16i01
CdV-16-1(i)	5421	624	10/22/2007	WG	pH	6.85	SU	FU07100GC16i01
CdV-16-1(i)	5421	624	5/21/2007	WG	pH	6.63	SU	FU07050GC16i01
CdV-16-2(i)r	6431	850	10/21/2008	WG	Dissolved Oxygen	5.19	mg/L	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	Dissolved Oxygen	7.17	mg/L	CAWA-08-11667
CdV-16-2(i)r	6431	850	5/10/2007	WG	Dissolved Oxygen	9.85	mg/L	FU07050162IR01
CdV-16-2(i)r	6431	850	2/5/2007	WG	Dissolved Oxygen	5.31	mg/L	FU07010162IR01
CdV-16-2(i)r	6431	850	10/23/2007	WG	Dissolved Oxygen	6.72	mg/L	FU07100162IR01
CdV-16-2(i)r	6431	850	10/21/2008	WG	Oxidation Reduction Potential	131	mV	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	Oxidation Reduction Potential	180	mV	CAWA-08-11667
CdV-16-2(i)r	6431	850	5/10/2007	WG	Oxidation Reduction Potential	137	mV	FU07050162IR01
CdV-16-2(i)r	6431	850	2/5/2007	WG	Oxidation Reduction Potential	143.4	mV	FU07010162IR01
CdV-16-2(i)r	6431	850	10/23/2007	WG	Oxidation Reduction Potential	229	mV	FU07100162IR01
CdV-16-2(i)r	6431	850	10/21/2008	WG	Purge Volume	132	gal.	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	Purge Volume	67.5	gal.	CAWA-08-11667
CdV-16-2(i)r	6431	850	10/23/2007	WG	Purge Volume	125	gal.	FU07100162IR01
CdV-16-2(i)r	6431	850	10/21/2008	WG	Specific Conductance	99.8	µS/cm	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	Specific Conductance	111	µS/cm	CAWA-08-11667
CdV-16-2(i)r	6431	850	5/10/2007	WG	Specific Conductance	101.1	µS/cm	FU07050162IR01
CdV-16-2(i)r	6431	850	2/5/2007	WG	Specific Conductance	94.5	µS/cm	FU07010162IR01
CdV-16-2(i)r	6431	850	10/23/2007	WG	Specific Conductance	87.4	µS/cm	FU07100162IR01
CdV-16-2(i)r	6431	850	10/21/2008	WG	Temperature	15.5	deg C	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	Temperature	12.7	deg C	CAWA-08-11667
CdV-16-2(i)r	6431	850	5/10/2007	WG	Temperature	13.6	deg C	FU07050162IR01
CdV-16-2(i)r	6431	850	2/5/2007	WG	Temperature	12.9	deg C	FU07010162IR01
CdV-16-2(i)r	6431	850	10/23/2007	WG	Temperature	14	deg C	FU07100162IR01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CdV-16-2(i)r	6431	850	10/21/2008	WG	Turbidity	11.5	NTU	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	Turbidity	5.35	NTU	CAWA-08-11667
CdV-16-2(i)r	6431	850	5/10/2007	WG	Turbidity	3.94	NTU	FU07050162IR01
CdV-16-2(i)r	6431	850	2/5/2007	WG	Turbidity	166	NTU	FU07010162IR01
CdV-16-2(i)r	6431	850	10/23/2007	WG	Turbidity	13	NTU	FU07100162IR01
CdV-16-2(i)r	6431	850	10/21/2008	WG	pH	7.07	SU	CAWA-08-16022
CdV-16-2(i)r	6431	850	4/10/2008	WG	pH	6.96	SU	CAWA-08-11667
CdV-16-2(i)r	6431	850	5/10/2007	WG	pH	7.11	SU	FU07050162IR01
CdV-16-2(i)r	6431	850	2/5/2007	WG	pH	7.11	SU	FU07010162IR01
CdV-16-2(i)r	6431	850	10/23/2007	WG	pH	7.05	SU	FU07100162IR01
CdV-R-15-3	1942	1254.4	10/9/2008	WG	Dissolved Oxygen	4.65	mg/L	CAWA-08-16066
CdV-R-15-3	1942	1254.4	4/3/2008	WG	Dissolved Oxygen	4.25	mg/L	CAWA-08-11699
CdV-R-15-3	1942	1254.4	10/18/2005	WG	Dissolved Oxygen	4.83	mg/L	FU0510G153401
CdV-R-15-3	1942	1254.4	7/12/2005	WG	Dissolved Oxygen	4.53	mg/L	FU0506G153401
CdV-R-15-3	1942	1254.4	4/4/2005	WG	Dissolved Oxygen	1.2	mg/L	GU0503G153401
CdV-R-15-3	1942	1254.4	10/9/2008	WG	Specific Conductance	106.5	µS/cm	CAWA-08-16066
CdV-R-15-3	1942	1254.4	4/3/2008	WG	Specific Conductance	101.1	µS/cm	CAWA-08-11699
CdV-R-15-3	1942	1254.4	5/8/2007	WG	Specific Conductance	114.6	µS/cm	FU07050G153401
CdV-R-15-3	1942	1254.4	10/23/2007	WG	Specific Conductance	118.7	µS/cm	FU07100G153401
CdV-R-15-3	1942	1254.4	10/9/2008	WG	Temperature	19.2	deg C	CAWA-08-16066
CdV-R-15-3	1942	1254.4	4/3/2008	WG	Temperature	19	deg C	CAWA-08-11699
CdV-R-15-3	1942	1254.4	5/8/2007	WG	Temperature	17.1	deg C	FU07050G153401
CdV-R-15-3	1942	1254.4	3/27/2006	WG	Temperature	14.8	deg C	FN0603G153401
CdV-R-15-3	1942	1254.4	10/23/2007	WG	Temperature	17.3	deg C	FU07100G153401
CdV-R-15-3	1942	1254.4	10/9/2008	WG	Turbidity	0.42	NTU	CAWA-08-16066
CdV-R-15-3	1942	1254.4	4/3/2008	WG	Turbidity	0.32	NTU	CAWA-08-11699
CdV-R-15-3	1942	1254.4	5/8/2007	WG	Turbidity	0.56	NTU	FU07050G153401
CdV-R-15-3	1942	1254.4	3/27/2006	WG	Turbidity	0.26	NTU	FN0603G153401

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CdV-R-15-3	1942	1254.4	10/23/2007	WG	Turbidity	0.38	NTU	FU07100G153401
CdV-R-15-3	1942	1254.4	10/9/2008	WG	pH	8.59	SU	CAWA-08-16066
CdV-R-15-3	1942	1254.4	4/3/2008	WG	pH	8.54	SU	CAWA-08-11699
CdV-R-15-3	1942	1254.4	5/8/2007	WG	pH	8.43	SU	FU07050G153401
CdV-R-15-3	1942	1254.4	10/23/2007	WG	pH	9.87	SU	FU07100G153401
CdV-R-15-3	2012	1350.1	10/14/2008	WG	Dissolved Oxygen	2.94	mg/L	CAWA-08-16095
CdV-R-15-3	2012	1350.1	4/3/2008	WG	Dissolved Oxygen	4.2	mg/L	CAWA-08-11706
CdV-R-15-3	2012	1350.1	10/18/2005	WG	Dissolved Oxygen	4.05	mg/L	FU0510G153501
CdV-R-15-3	2012	1350.1	7/12/2005	WG	Dissolved Oxygen	4.25	mg/L	FU0506G153501
CdV-R-15-3	2012	1350.1	10/23/2007	WG	Dissolved Oxygen	8.99	mg/L	FU07100G153501
CdV-R-15-3	2012	1350.1	10/14/2008	WG	Specific Conductance	126.5	µS/cm	CAWA-08-16095
CdV-R-15-3	2012	1350.1	4/3/2008	WG	Specific Conductance	138.9	µS/cm	CAWA-08-11706
CdV-R-15-3	2012	1350.1	5/9/2007	WG	Specific Conductance	139.8	µS/cm	FU07050G153501
CdV-R-15-3	2012	1350.1	10/23/2007	WG	Specific Conductance	138.3	µS/cm	FU07100G153501
CdV-R-15-3	2012	1350.1	10/14/2008	WG	Temperature	16.2	deg C	CAWA-08-16095
CdV-R-15-3	2012	1350.1	4/3/2008	WG	Temperature	21.4	deg C	CAWA-08-11706
CdV-R-15-3	2012	1350.1	5/9/2007	WG	Temperature	16.9	deg C	FU07050G153501
CdV-R-15-3	2012	1350.1	3/28/2006	WG	Temperature	15.9	deg C	FN0603G153501
CdV-R-15-3	2012	1350.1	10/23/2007	WG	Temperature	17.4	deg C	FU07100G153501
CdV-R-15-3	2012	1350.1	10/14/2008	WG	Turbidity	0.48	NTU	CAWA-08-16095
CdV-R-15-3	2012	1350.1	4/3/2008	WG	Turbidity	0.2	NTU	CAWA-08-11706
CdV-R-15-3	2012	1350.1	5/9/2007	WG	Turbidity	0.28	NTU	FU07050G153501
CdV-R-15-3	2012	1350.1	3/28/2006	WG	Turbidity	0.37	NTU	FN0603G153501
CdV-R-15-3	2012	1350.1	10/23/2007	WG	Turbidity	0.69	NTU	FU07100G153501
CdV-R-15-3	2012	1350.1	10/14/2008	WG	pH	7.78	SU	CAWA-08-16095
CdV-R-15-3	2012	1350.1	4/3/2008	WG	pH	7.16	SU	CAWA-08-11706
CdV-R-15-3	2012	1350.1	5/9/2007	WG	pH	7.18	SU	FU07050G153501
CdV-R-15-3	2012	1350.1	10/23/2007	WG	pH	8.63	SU	FU07100G153501

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CdV-R-15-3	2062	1640.1	10/10/2008	WG	Dissolved Oxygen	7.74	mg/L	CAWA-08-16088
CdV-R-15-3	2062	1640.1	4/4/2008	WG	Dissolved Oxygen	6.24	mg/L	CAWA-08-11675
CdV-R-15-3	2062	1640.1	10/19/2005	WG	Dissolved Oxygen	5.51	mg/L	FU0510G153601
CdV-R-15-3	2062	1640.1	7/13/2005	WG	Dissolved Oxygen	5.93	mg/L	FU0506G153601
CdV-R-15-3	2062	1640.1	10/23/2007	WG	Dissolved Oxygen	7.31	mg/L	FU07100G153601
CdV-R-15-3	2062	1640.1	10/10/2008	WG	Specific Conductance	112.3	µS/cm	CAWA-08-16088
CdV-R-15-3	2062	1640.1	4/4/2008	WG	Specific Conductance	100.7	µS/cm	CAWA-08-11675
CdV-R-15-3	2062	1640.1	5/10/2007	WG	Specific Conductance	141.8	µS/cm	FU07050G153601
CdV-R-15-3	2062	1640.1	10/23/2007	WG	Specific Conductance	113.9	µS/cm	FU07100G153601
CdV-R-15-3	2062	1640.1	10/10/2008	WG	Temperature	19.4	deg C	CAWA-08-16088
CdV-R-15-3	2062	1640.1	4/4/2008	WG	Temperature	17.8	deg C	CAWA-08-11675
CdV-R-15-3	2062	1640.1	5/10/2007	WG	Temperature	21.2	deg C	FU07050G153601
CdV-R-15-3	2062	1640.1	3/29/2006	WG	Temperature	15.7	deg C	FN0603G153601
CdV-R-15-3	2062	1640.1	10/23/2007	WG	Temperature	19.1	deg C	FU07100G153601
CdV-R-15-3	2062	1640.1	10/10/2008	WG	Turbidity	1.45	NTU	CAWA-08-16088
CdV-R-15-3	2062	1640.1	4/4/2008	WG	Turbidity	1.04	NTU	CAWA-08-11675
CdV-R-15-3	2062	1640.1	5/10/2007	WG	Turbidity	0.36	NTU	FU07050G153601
CdV-R-15-3	2062	1640.1	3/29/2006	WG	Turbidity	0.66	NTU	FN0603G153601
CdV-R-15-3	2062	1640.1	10/23/2007	WG	Turbidity	0.89	NTU	FU07100G153601
CdV-R-15-3	2062	1640.1	10/10/2008	WG	pH	8.05	SU	CAWA-08-16088
CdV-R-15-3	2062	1640.1	4/4/2008	WG	pH	8.06	SU	CAWA-08-11675
CdV-R-15-3	2062	1640.1	5/10/2007	WG	pH	7.93	SU	FU07050G153601
CdV-R-15-3	2062	1640.1	10/23/2007	WG	pH	8.11	SU	FU07100G153601
CdV-R-37-2	2212	1359.3	4/9/2008	WG	Specific Conductance	98.4	µS/cm	CAWA-08-11696
CdV-R-37-2	2212	1359.3	11/1/2007	WG	Specific Conductance	117.9	µS/cm	FU07100G37R301
CdV-R-37-2	2212	1359.3	5/21/2007	WG	Specific Conductance	127	µS/cm	FU07050G37R301
CdV-R-37-2	2212	1359.3	4/9/2008	WG	pH	8.2	SU	CAWA-08-11696
CdV-R-37-2	2212	1359.3	11/1/2007	WG	pH	7.66	SU	FU07100G37R301

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
CdV-R-37-2	2212	1359.3	5/21/2007	WG	pH	7.93	SU	FU07050G37R301
MSC-16-06295	5971	1.5	10/16/2008	WG	Dissolved Oxygen	2.9	mg/L	CAWA-08-16014
MSC-16-06295	5971	1.5	4/9/2008	WG	Dissolved Oxygen	1.84	mg/L	CAWA-08-11593
MSC-16-06295	5971	1.5	1/24/2007	WG	Dissolved Oxygen	2.62	mg/L	FU07010MSC9501
MSC-16-06295	5971	1.5	10/25/2007	WG	Dissolved Oxygen	1.96	mg/L	FU07100MSC9501
MSC-16-06295	5971	1.5	5/11/2007	WG	Dissolved Oxygen	0.8	mg/L	FU07050MSC9501
MSC-16-06295	5971	1.5	10/16/2008	WG	Oxidation Reduction Potential	61	mV	CAWA-08-16014
MSC-16-06295	5971	1.5	4/9/2008	WG	Oxidation Reduction Potential	305	mV	CAWA-08-11593
MSC-16-06295	5971	1.5	1/24/2007	WG	Oxidation Reduction Potential	216.9	mV	FU07010MSC9501
MSC-16-06295	5971	1.5	10/25/2007	WG	Oxidation Reduction Potential	-22	mV	FU07100MSC9501
MSC-16-06295	5971	1.5	5/11/2007	WG	Oxidation Reduction Potential	126	mV	FU07050MSC9501
MSC-16-06295	5971	1.5	10/16/2008	WG	Specific Conductance	168.3	µS/cm	CAWA-08-16014
MSC-16-06295	5971	1.5	4/9/2008	WG	Specific Conductance	136.8	µS/cm	CAWA-08-11593
MSC-16-06295	5971	1.5	10/25/2007	WG	Specific Conductance	242	µS/cm	FU07100MSC9501
MSC-16-06295	5971	1.5	5/11/2007	WG	Specific Conductance	151.9	µS/cm	FU07050MSC9501
MSC-16-06295	5971	1.5	10/16/2008	WG	Temperature	10.1	deg C	CAWA-08-16014
MSC-16-06295	5971	1.5	4/9/2008	WG	Temperature	7.5	deg C	CAWA-08-11593
MSC-16-06295	5971	1.5	1/24/2007	WG	Temperature	2	deg C	FU07010MSC9501
MSC-16-06295	5971	1.5	10/25/2007	WG	Temperature	12.8	deg C	FU07100MSC9501
MSC-16-06295	5971	1.5	5/11/2007	WG	Temperature	11.7	deg C	FU07050MSC9501
MSC-16-06295	5971	1.5	10/16/2008	WG	Turbidity	14.6	NTU	CAWA-08-16014
MSC-16-06295	5971	1.5	4/9/2008	WG	Turbidity	27.1	NTU	CAWA-08-11593
MSC-16-06295	5971	1.5	1/24/2007	WG	Turbidity	9.9	NTU	FU07010MSC9501
MSC-16-06295	5971	1.5	10/25/2007	WG	Turbidity	4.9	NTU	FU07100MSC9501
MSC-16-06295	5971	1.5	5/11/2007	WG	Turbidity	8.95	NTU	FU07050MSC9501
MSC-16-06295	5971	1.5	10/16/2008	WG	pH	6.48	SU	CAWA-08-16014
MSC-16-06295	5971	1.5	4/9/2008	WG	pH	6.35	SU	CAWA-08-11593
MSC-16-06295	5971	1.5	10/25/2007	WG	pH	6.74	SU	FU07100MSC9501

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
MSC-16-06295	5971	1.5	5/11/2007	WG	pH	6.52	SU	FU07050MSC9501
Martin Spring	—	—	10/8/2008	WG	Dissolved Oxygen	7.58	mg/L	CAWA-08-15964
Martin Spring	—	—	4/2/2008	WG	Dissolved Oxygen	8.28	mg/L	CAWA-08-11576
Martin Spring	—	—	5/9/2007	WG	Dissolved Oxygen	9.05	mg/L	FU070500GSTM01
Martin Spring	—	—	7/28/2006	WG	Dissolved Oxygen	53.4	mg/L	FU060700GSTM01
Martin Spring	—	—	10/19/2007	WG	Dissolved Oxygen	3.7	mg/L	FU071000GSTM01
Martin Spring	—	—	10/8/2008	WG	Specific Conductance	285	µS/cm	CAWA-08-15964
Martin Spring	—	—	4/2/2008	WG	Specific Conductance	227	µS/cm	CAWA-08-11576
Martin Spring	—	—	5/9/2007	WG	Specific Conductance	292	µS/cm	FU070500GSTM01
Martin Spring	—	—	10/19/2007	WG	Specific Conductance	298	µS/cm	FU071000GSTM01
Martin Spring	—	—	10/8/2008	WG	Temperature	12.7	deg C	CAWA-08-15964
Martin Spring	—	—	4/2/2008	WG	Temperature	11	deg C	CAWA-08-11576
Martin Spring	—	—	5/9/2007	WG	Temperature	10.2	deg C	FU070500GSTM01
Martin Spring	—	—	7/28/2006	WG	Temperature	11.83	deg C	FU060700GSTM01
Martin Spring	—	—	10/19/2007	WG	Temperature	11.9	deg C	FU071000GSTM01
Martin Spring	—	—	10/8/2008	WG	Turbidity	7.85	NTU	CAWA-08-15964
Martin Spring	—	—	4/2/2008	WG	Turbidity	17.9	NTU	CAWA-08-11576
Martin Spring	—	—	5/9/2007	WG	Turbidity	10.6	NTU	FU070500GSTM01
Martin Spring	—	—	3/29/2006	WG	Turbidity	2	NTU	FU06020GSTM01
Martin Spring	—	—	10/19/2007	WG	Turbidity	11.1	NTU	FU071000GSTM01
Martin Spring	—	—	10/8/2008	WG	pH	6.6	SU	CAWA-08-15964
Martin Spring	—	—	4/2/2008	WG	pH	6.6	SU	CAWA-08-11576
Martin Spring	—	—	5/9/2007	WG	pH	6.77	SU	FU070500GSTM01
Martin Spring	—	—	10/19/2007	WG	pH	6.5	SU	FU071000GSTM01
R-25	932	754.8	8/7/2002	WG	Alkalinity-CO3+HCO3	74	mg/L	GU0207G25R101
R-25	932	754.8	10/22/2008	WG	Dissolved Oxygen	3.82	mg/L	CAWA-08-16016
R-25	932	754.8	8/2/2005	WG	Dissolved Oxygen	5.15	mg/L	GU0508G25R101
R-25	932	754.8	8/7/2002	WG	Dissolved Oxygen	4.95	mg/L	GU0207G25R101

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-25	932	754.8	10/18/2007	WG	Dissolved Oxygen	6.34	mg/L	FU07100G25R101
R-25	932	754.8	10/22/2008	WG	Specific Conductance	193	µS/cm	CAWA-08-16016
R-25	932	754.8	5/9/2007	WG	Specific Conductance	307	µS/cm	FU07050G25R101
R-25	932	754.8	8/2/2005	WG	Specific Conductance	194.4	µS/cm	GU0508G25R101
R-25	932	754.8	8/2/2005	WG	Specific Conductance	194.4	µS/cm	FU0508G25R101
R-25	932	754.8	9/1/2004	WG	Specific Conductance	205	µS/cm	GU0408G25R101
R-25	932	754.8	10/18/2007	WG	Specific Conductance	178.8	µS/cm	FU07100G25R101
R-25	932	754.8	10/22/2008	WG	Temperature	11	deg C	CAWA-08-16016
R-25	932	754.8	5/9/2007	WG	Temperature	16.1	deg C	FU07050G25R101
R-25	932	754.8	8/2/2005	WG	Temperature	17.8	deg C	GU0508G25R101
R-25	932	754.8	8/2/2005	WG	Temperature	17.8	deg C	FU0508G25R101
R-25	932	754.8	9/1/2004	WG	Temperature	17.6	deg C	GU0408G25R101
R-25	932	754.8	10/18/2007	WG	Temperature	11.6	deg C	FU07100G25R101
R-25	932	754.8	10/22/2008	WG	Turbidity	6.89	NTU	CAWA-08-16016
R-25	932	754.8	5/9/2007	WG	Turbidity	3.59	NTU	FU07050G25R101
R-25	932	754.8	8/2/2005	WG	Turbidity	9.08	NTU	FU0508G25R101
R-25	932	754.8	8/2/2005	WG	Turbidity	9.08	NTU	GU0508G25R101
R-25	932	754.8	9/1/2004	WG	Turbidity	22.3	NTU	GU0408G25R101
R-25	932	754.8	10/18/2007	WG	Turbidity	10.3	NTU	FU07100G25R101
R-25	932	754.8	10/22/2008	WG	pH	6.8	SU	CAWA-08-16016
R-25	932	754.8	5/9/2007	WG	pH	6.61	SU	FU07050G25R101
R-25	932	754.8	8/2/2005	WG	pH	6.82	SU	FU0508G25R101
R-25	932	754.8	8/2/2005	WG	pH	6.82	SU	GU0508G25R101
R-25	932	754.8	9/1/2004	WG	pH	6.81	SU	GU0408G25R101
R-25	932	754.8	10/18/2007	WG	pH	7.4	SU	FU07100G25R101
R-25	982	891.8	10/22/2008	WG	Dissolved Oxygen	1.61	mg/L	CAWA-08-16048
R-25	982	891.8	8/3/2005	WG	Dissolved Oxygen	4.04	mg/L	FU0508G25R201
R-25	982	891.8	8/8/2002	WG	Dissolved Oxygen	4.5	mg/L	GU0207G25R201

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-25	982	891.8	2/5/2002	WG	Dissolved Oxygen	7	mg/L	GW25-02-0003
R-25	982	891.8	10/22/2007	WG	Dissolved Oxygen	6.74	mg/L	FU07100G25R201
R-25	982	891.8	10/22/2008	WG	Specific Conductance	226	µS/cm	CAWA-08-16048
R-25	982	891.8	5/9/2007	WG	Specific Conductance	248	µS/cm	FU07050G25R201
R-25	982	891.8	2/7/2007	WG	Specific Conductance	368	µS/cm	FU07010G25R201
R-25	982	891.8	8/3/2005	WG	Specific Conductance	256	µS/cm	FU0508G25R201
R-25	982	891.8	10/22/2007	WG	Specific Conductance	230	µS/cm	FU07100G25R201
R-25	982	891.8	10/22/2008	WG	Temperature	9.8	deg C	CAWA-08-16048
R-25	982	891.8	5/9/2007	WG	Temperature	15.2	deg C	FU07050G25R201
R-25	982	891.8	2/7/2007	WG	Temperature	14.1	deg C	FU07010G25R201
R-25	982	891.8	8/3/2005	WG	Temperature	17	deg C	FU0508G25R201
R-25	982	891.8	10/22/2007	WG	Temperature	9.9	deg C	FU07100G25R201
R-25	982	891.8	10/22/2008	WG	Turbidity	73.7	NTU	CAWA-08-16048
R-25	982	891.8	5/9/2007	WG	Turbidity	8.62	NTU	FU07050G25R201
R-25	982	891.8	2/7/2007	WG	Turbidity	1.15	NTU	FU07010G25R201
R-25	982	891.8	8/3/2005	WG	Turbidity	11.7	NTU	FU0508G25R201
R-25	982	891.8	10/22/2007	WG	Turbidity	5.29	NTU	FU07100G25R201
R-25	982	891.8	10/22/2008	WG	pH	7.2	SU	CAWA-08-16048
R-25	982	891.8	5/9/2007	WG	pH	6.88	SU	FU07050G25R201
R-25	982	891.8	2/7/2007	WG	pH	7.41	SU	FU07010G25R201
R-25	982	891.8	8/3/2005	WG	pH	7.03	SU	FU0508G25R201
R-25	982	891.8	10/22/2007	WG	pH	6.91	SU	FU07100G25R201
R-25	1032	1063.4	10/21/2008	WG	Dissolved Oxygen	2.37	mg/L	CAWA-09-188
R-25	1032	1063.4	10/21/2008	WG	Specific Conductance	1321	µS/cm	CAWA-09-188
R-25	1032	1063.4	12/1/2000	WG	Specific Conductance	490	µS/cm	GWCV-00-0007
R-25	1032	1063.4	10/21/2008	WG	Temperature	12	deg C	CAWA-09-188
R-25	1032	1063.4	12/1/2000	WG	Temperature	9.9	deg C	GWCV-00-0007
R-25	1032	1063.4	10/21/2008	WG	Turbidity	0.9	NTU	CAWA-09-188

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-25	1032	1063.4	12/1/2000	WG	Turbidity	1.9	NTU	GWCV-00-0007
R-25	1032	1063.4	10/21/2008	WG	pH	12	SU	CAWA-09-188
R-25	1032	1063.4	12/1/2000	WG	pH	11.63	SU	GWCV-00-0007
R-25	1082	1192.4	8/4/2005	WG	Dissolved Oxygen	4.65	mg/L	GF0508G25R401
R-25	1082	1192.4	10/20/2008	WG	Dissolved Oxygen	3	mg/L	CAWA-08-16050
R-25	1082	1192.4	3/31/2008	WG	Dissolved Oxygen	4.7	mg/L	CAWA-08-11707
R-25	1082	1192.4	8/8/2002	WG	Dissolved Oxygen	5.7	mg/L	GU0208G25R401
R-25	1082	1192.4	10/22/2007	WG	Dissolved Oxygen	5.79	mg/L	FU07100G25R401
R-25	1082	1192.4	10/20/2008	WG	Specific Conductance	197.3	µS/cm	CAWA-08-16050
R-25	1082	1192.4	3/31/2008	WG	Specific Conductance	221	µS/cm	CAWA-08-11707
R-25	1082	1192.4	10/22/2007	WG	Specific Conductance	150.6	µS/cm	FU07100G25R401
R-25	1082	1192.4	5/14/2007	WG	Specific Conductance	176.7	µS/cm	FU07050G25R401
R-25	1082	1192.4	10/20/2008	WG	Temperature	14.4	deg C	CAWA-08-16050
R-25	1082	1192.4	3/31/2008	WG	Temperature	12.3	deg C	CAWA-08-11707
R-25	1082	1192.4	2/5/2007	WG	Temperature	12.1	deg C	FU07010G25R401
R-25	1082	1192.4	10/22/2007	WG	Temperature	10.3	deg C	FU07100G25R401
R-25	1082	1192.4	5/14/2007	WG	Temperature	15.1	deg C	FU07050G25R401
R-25	1082	1192.4	10/20/2008	WG	Turbidity	2.68	NTU	CAWA-08-16050
R-25	1082	1192.4	3/31/2008	WG	Turbidity	1.12	NTU	CAWA-08-11707
R-25	1082	1192.4	2/5/2007	WG	Turbidity	0.75	NTU	FU07010G25R401
R-25	1082	1192.4	10/22/2007	WG	Turbidity	0.85	NTU	FU07100G25R401
R-25	1082	1192.4	5/14/2007	WG	Turbidity	0.34	NTU	FU07050G25R401
R-25	1082	1192.4	10/20/2008	WG	pH	7.5	SU	CAWA-08-16050
R-25	1082	1192.4	3/31/2008	WG	pH	7.63	SU	CAWA-08-11707
R-25	1082	1192.4	10/22/2007	WG	pH	6.67	SU	FU07100G25R401
R-25	1082	1192.4	5/14/2007	WG	pH	7.25	SU	FU07050G25R401
R-25	1182	1406.3	10/17/2008	WG	Dissolved Oxygen	4.12	mg/L	CAWA-08-16074
R-25	1182	1406.3	4/1/2008	WG	Dissolved Oxygen	8.6	mg/L	CAWA-08-11681

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-25	1182	1406.3	8/12/2002	WG	Dissolved Oxygen	6.3	mg/L	GU0208G25R601
R-25	1182	1406.3	2/8/2002	WG	Dissolved Oxygen	6.5	mg/L	GW25-02-0009
R-25	1182	1406.3	10/23/2007	WG	Dissolved Oxygen	7.61	mg/L	FU07100G25R601
R-25	1182	1406.3	10/17/2008	WG	Specific Conductance	147	µS/cm	CAWA-08-16074
R-25	1182	1406.3	4/1/2008	WG	Specific Conductance	127.3	µS/cm	CAWA-08-11681
R-25	1182	1406.3	10/23/2007	WG	Specific Conductance	121.5	µS/cm	FU07100G25R601
R-25	1182	1406.3	5/10/2007	WG	Specific Conductance	135.7	µS/cm	FU07050G25R601
R-25	1182	1406.3	10/17/2008	WG	Temperature	15.1	deg C	CAWA-08-16074
R-25	1182	1406.3	4/1/2008	WG	Temperature	13.3	deg C	CAWA-08-11681
R-25	1182	1406.3	12/9/2003	WG	Temperature	11.5	deg C	GU0312G25R601
R-25	1182	1406.3	10/23/2007	WG	Temperature	15.4	deg C	FU07100G25R601
R-25	1182	1406.3	5/10/2007	WG	Temperature	17.3	deg C	FU07050G25R601
R-25	1182	1406.3	10/17/2008	WG	Turbidity	0.58	NTU	CAWA-08-16074
R-25	1182	1406.3	4/1/2008	WG	Turbidity	0.76	NTU	CAWA-08-11681
R-25	1182	1406.3	12/9/2003	WG	Turbidity	0.36	NTU	GU0312G25R601
R-25	1182	1406.3	10/23/2007	WG	Turbidity	0.4	NTU	FU07100G25R601
R-25	1182	1406.3	5/10/2007	WG	Turbidity	0.79	NTU	FU07050G25R601
R-25	1182	1406.3	10/17/2008	WG	pH	8.1	SU	CAWA-08-16074
R-25	1182	1406.3	4/1/2008	WG	pH	8.18	SU	CAWA-08-11681
R-25	1182	1406.3	10/23/2007	WG	pH	8.01	SU	FU07100G25R601
R-25	1182	1406.3	5/10/2007	WG	pH	8	SU	FU07050G25R601
R-25	1232	1606	10/16/2008	WG	Dissolved Oxygen	4.01	mg/L	CAWA-08-16080
R-25	1232	1606	4/2/2008	WG	Dissolved Oxygen	4.6	mg/L	CAWA-08-11685
R-25	1232	1606	8/12/2002	WG	Dissolved Oxygen	6.3	mg/L	GU0208G25R701
R-25	1232	1606	2/11/2002	WG	Dissolved Oxygen	8.1	mg/L	GW25-02-0011
R-25	1232	1606	10/25/2007	WG	Dissolved Oxygen	8.23	mg/L	FU07100G25R701
R-25	1232	1606	10/16/2008	WG	Specific Conductance	113.8	µS/cm	CAWA-08-16080
R-25	1232	1606	4/2/2008	WG	Specific Conductance	101.9	µS/cm	CAWA-08-11685

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-25	1232	1606	5/10/2007	WG	Specific Conductance	112.5	µS/cm	FU07050G25R701
R-25	1232	1606	2/12/2007	WG	Specific Conductance	112.2	µS/cm	FU07010G25R701
R-25	1232	1606	10/25/2007	WG	Specific Conductance	112.4	µS/cm	FU07100G25R701
R-25	1232	1606	10/16/2008	WG	Temperature	14.3	deg C	CAWA-08-16080
R-25	1232	1606	4/2/2008	WG	Temperature	15.6	deg C	CAWA-08-11685
R-25	1232	1606	5/10/2007	WG	Temperature	17.5	deg C	FU07050G25R701
R-25	1232	1606	2/12/2007	WG	Temperature	12.2	deg C	FU07010G25R701
R-25	1232	1606	10/25/2007	WG	Temperature	13.1	deg C	FU07100G25R701
R-25	1232	1606	10/16/2008	WG	Turbidity	0.85	NTU	CAWA-08-16080
R-25	1232	1606	4/2/2008	WG	Turbidity	0.52	NTU	CAWA-08-11685
R-25	1232	1606	5/10/2007	WG	Turbidity	1.29	NTU	FU07050G25R701
R-25	1232	1606	2/12/2007	WG	Turbidity	1.98	NTU	FU07010G25R701
R-25	1232	1606	10/25/2007	WG	Turbidity	0.47	NTU	FU07100G25R701
R-25	1232	1606	10/16/2008	WG	pH	8.1	SU	CAWA-08-16080
R-25	1232	1606	4/2/2008	WG	pH	8.21	SU	CAWA-08-11685
R-25	1232	1606	5/10/2007	WG	pH	7.99	SU	FU07050G25R701
R-25	1232	1606	2/12/2007	WG	pH	8.01	SU	FU07010G25R701
R-25	1232	1606	10/25/2007	WG	pH	7.36	SU	FU07100G25R701
R-25	1282	1796	8/10/2005	WG	Dissolved Oxygen	6.6	mg/L	GF0508G25R801
R-25	1282	1796	10/15/2008	WG	Dissolved Oxygen	4.24	mg/L	CAWA-08-16084
R-25	1282	1796	4/3/2008	WG	Dissolved Oxygen	6.2	mg/L	CAWA-08-11686
R-25	1282	1796	8/14/2002	WG	Dissolved Oxygen	8.5	mg/L	GU0208G25R801
R-25	1282	1796	10/29/2007	WG	Dissolved Oxygen	9.76	mg/L	FU07100G25R801
R-25	1282	1796	8/10/2005	WG	Specific Conductance	125.6	µS/cm	GF0508G25R801
R-25	1282	1796	10/15/2008	WG	Specific Conductance	126.7	µS/cm	CAWA-08-16084
R-25	1282	1796	4/3/2008	WG	Specific Conductance	127.2	µS/cm	CAWA-08-11686
R-25	1282	1796	8/10/2005	WG	Specific Conductance	125.6	µS/cm	FU0508G25R801
R-25	1282	1796	10/29/2007	WG	Specific Conductance	120.7	µS/cm	FU07100G25R801

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-25	1282	1796	5/11/2007	WG	Specific Conductance	109.8	µS/cm	FU07050G25R801
R-25	1282	1796	8/10/2005	WG	Temperature	19	deg C	GF0508G25R801
R-25	1282	1796	10/15/2008	WG	Temperature	16.9	deg C	CAWA-08-16084
R-25	1282	1796	4/3/2008	WG	Temperature	16.2	deg C	CAWA-08-11686
R-25	1282	1796	8/10/2005	WG	Temperature	19	deg C	FU0508G25R801
R-25	1282	1796	10/29/2007	WG	Temperature	20.6	deg C	FU07100G25R801
R-25	1282	1796	5/11/2007	WG	Temperature	17	deg C	FU07050G25R801
R-25	1282	1796	8/10/2005	WG	Turbidity	5.1	NTU	GF0508G25R801
R-25	1282	1796	10/15/2008	WG	Turbidity	0.9	NTU	CAWA-08-16084
R-25	1282	1796	4/3/2008	WG	Turbidity	0.64	NTU	CAWA-08-11686
R-25	1282	1796	8/10/2005	WG	Turbidity	5.1	NTU	FU0508G25R801
R-25	1282	1796	10/29/2007	WG	Turbidity	0.83	NTU	FU07100G25R801
R-25	1282	1796	5/11/2007	WG	Turbidity	3.02	NTU	FU07050G25R801
R-25	1282	1796	8/10/2005	WG	pH	8.48	SU	GF0508G25R801
R-25	1282	1796	10/15/2008	WG	pH	8.5	SU	CAWA-08-16084
R-25	1282	1796	4/3/2008	WG	pH	8.57	SU	CAWA-08-11686
R-25	1282	1796	8/10/2005	WG	pH	8.48	SU	FU0508G25R801
R-25	1282	1796	10/29/2007	WG	pH	7.12	SU	FU07100G25R801
R-25	1282	1796	5/11/2007	WG	pH	8.46	SU	FU07050G25R801
R-26	1421	659.3	10/7/2008	WG	Dissolved Oxygen	4.96	mg/L	CAWA-08-16044
R-26	1421	659.3	4/1/2008	WG	Dissolved Oxygen	5.04	mg/L	CAWA-08-11678
R-26	1421	659.3	2/22/2006	WG	Dissolved Oxygen	6.49	mg/L	FU0602G26R101
R-26	1421	659.3	11/2/2005	WG	Dissolved Oxygen	6.75	mg/L	FU0510G26R101
R-26	1421	659.3	10/17/2007	WG	Dissolved Oxygen	5.35	mg/L	FU07100G26R101
R-26	1421	659.3	10/7/2008	WG	Specific Conductance	101.9	µS/cm	CAWA-08-16044
R-26	1421	659.3	4/1/2008	WG	Specific Conductance	79.6	µS/cm	CAWA-08-11678
R-26	1421	659.3	10/17/2007	WG	Specific Conductance	100.9	µS/cm	FU07100G26R101
R-26	1421	659.3	5/15/2007	WG	Specific Conductance	90.4	µS/cm	FU07050G26R101

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-26	1421	659.3	10/7/2008	WG	Temperature	20.2	deg C	CAWA-08-16044
R-26	1421	659.3	4/1/2008	WG	Temperature	16	deg C	CAWA-08-11678
R-26	1421	659.3	2/22/2006	WG	Temperature	17.2	deg C	FU0602G26R101
R-26	1421	659.3	10/17/2007	WG	Temperature	20.8	deg C	FU07100G26R101
R-26	1421	659.3	5/15/2007	WG	Temperature	16.9	deg C	FU07050G26R101
R-26	1421	659.3	10/7/2008	WG	Turbidity	0.94	NTU	CAWA-08-16044
R-26	1421	659.3	4/1/2008	WG	Turbidity	0.21	NTU	CAWA-08-11678
R-26	1421	659.3	2/22/2006	WG	Turbidity	0.14	NTU	FU0602G26R101
R-26	1421	659.3	10/17/2007	WG	Turbidity	0.39	NTU	FU07100G26R101
R-26	1421	659.3	5/15/2007	WG	Turbidity	0.32	NTU	FU07050G26R101
R-26	1421	659.3	10/7/2008	WG	pH	8.1	SU	CAWA-08-16044
R-26	1421	659.3	4/1/2008	WG	pH	8.14	SU	CAWA-08-11678
R-26	1421	659.3	10/17/2007	WG	pH	8.6	SU	FU07100G26R101
R-26	1421	659.3	5/15/2007	WG	pH	7.91	SU	FU07050G26R101
R-27	6991	852	10/10/2008	WG	Dissolved Oxygen	9.1	mg/L	CAWA-08-16054
R-27	6991	852	4/11/2008	WG	Dissolved Oxygen	6.06	mg/L	CAWA-08-11690
R-27	6991	852	3/30/2007	WG	Dissolved Oxygen	4.6	mg/L	FU070300GR2701
R-27	6991	852	10/26/2007	WG	Dissolved Oxygen	6.05	mg/L	FU071000GR2701
R-27	6991	852	5/11/2007	WG	Dissolved Oxygen	8.91	mg/L	FU070500GR2701
R-27	6991	852	10/10/2008	WG	Oxidation Reduction Potential	138	mV	CAWA-08-16054
R-27	6991	852	4/11/2008	WG	Oxidation Reduction Potential	149	mV	CAWA-08-11690
R-27	6991	852	3/30/2007	WG	Oxidation Reduction Potential	196.6	mV	FU070300GR2701
R-27	6991	852	10/26/2007	WG	Oxidation Reduction Potential	86	mV	FU071000GR2701
R-27	6991	852	5/11/2007	WG	Oxidation Reduction Potential	79	mV	FU070500GR2701
R-27	6991	852	10/10/2008	WG	Purge Volume	250	gal.	CAWA-08-16054
R-27	6991	852	4/11/2008	WG	Purge Volume	101.25	gal.	CAWA-08-11690
R-27	6991	852	5/11/2007	WG	Purge Volume	93	gal.	FU070500GR2701
R-27	6991	852	10/10/2008	WG	Specific Conductance	118.1	µS/cm	CAWA-08-16054

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-27	6991	852	4/11/2008	WG	Specific Conductance	109.9	µS/cm	CAWA-08-11690
R-27	6991	852	3/30/2007	WG	Specific Conductance	108.5	µS/cm	FU070300GR2701
R-27	6991	852	10/26/2007	WG	Specific Conductance	111.6	µS/cm	FU071000GR2701
R-27	6991	852	5/11/2007	WG	Specific Conductance	115.5	µS/cm	FU070500GR2701
R-27	6991	852	10/10/2008	WG	Temperature	18.8	deg C	CAWA-08-16054
R-27	6991	852	4/11/2008	WG	Temperature	18	deg C	CAWA-08-11690
R-27	6991	852	3/30/2007	WG	Temperature	17.5	deg C	FU070300GR2701
R-27	6991	852	10/26/2007	WG	Temperature	20.3	deg C	FU071000GR2701
R-27	6991	852	5/11/2007	WG	Temperature	19	deg C	FU070500GR2701
R-27	6991	852	10/10/2008	WG	Turbidity	0.18	NTU	CAWA-08-16054
R-27	6991	852	4/11/2008	WG	Turbidity	1.53	NTU	CAWA-08-11690
R-27	6991	852	3/30/2007	WG	Turbidity	0.28	NTU	FU070300GR2701
R-27	6991	852	10/26/2007	WG	Turbidity	0.65	NTU	FU071000GR2701
R-27	6991	852	5/11/2007	WG	Turbidity	0.31	NTU	FU070500GR2701
R-27	6991	852	10/10/2008	WG	pH	7.89	SU	CAWA-08-16054
R-27	6991	852	4/11/2008	WG	pH	7.66	SU	CAWA-08-11690
R-27	6991	852	3/30/2007	WG	pH	7.92	SU	FU070300GR2701
R-27	6991	852	10/26/2007	WG	pH	7.94	SU	FU071000GR2701
R-27	6991	852	5/11/2007	WG	pH	7.96	SU	FU070500GR2701
SWSC Spring	—	—	10/8/2008	WG	Dissolved Oxygen	8.32	mg/L	CAWA-08-15954
SWSC Spring	—	—	4/1/2008	WG	Dissolved Oxygen	7.46	mg/L	CAWA-08-11564
SWSC Spring	—	—	5/10/2007	WG	Dissolved Oxygen	0.59	mg/L	FU07050SWSCS01
SWSC Spring	—	—	8/26/2005	WG	Dissolved Oxygen	0.6	mg/L	FU0507SWSCS01
SWSC Spring	—	—	10/23/2007	WG	Dissolved Oxygen	7.73	mg/L	FU07100SWSCS01
SWSC Spring	—	—	10/8/2008	WG	Specific Conductance	192.6	µS/cm	CAWA-08-15954
SWSC Spring	—	—	4/1/2008	WG	Specific Conductance	191.6	µS/cm	CAWA-08-11564
SWSC Spring	—	—	5/10/2007	WG	Specific Conductance	156.3	µS/cm	FU07050SWSCS01
SWSC Spring	—	—	10/23/2007	WG	Specific Conductance	152.4	µS/cm	FU07100SWSCS01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
SWSC Spring	—	—	10/8/2008	WG	Temperature	12	deg C	CAWA-08-15954
SWSC Spring	—	—	4/1/2008	WG	Temperature	10.7	deg C	CAWA-08-11564
SWSC Spring	—	—	5/10/2007	WG	Temperature	11.4	deg C	FU07050SWSCS01
SWSC Spring	—	—	11/9/2005	WG	Temperature	9.92	deg C	FU0510SWSCS01
SWSC Spring	—	—	10/23/2007	WG	Temperature	11.5	deg C	FU07100SWSCS01
SWSC Spring	—	—	10/8/2008	WG	Turbidity	5.87	NTU	CAWA-08-15954
SWSC Spring	—	—	5/10/2007	WG	Turbidity	8.3	NTU	FU07050SWSCS01
SWSC Spring	—	—	11/9/2005	WG	Turbidity	6.3	NTU	FU0510SWSCS01
SWSC Spring	—	—	8/26/2005	WG	Turbidity	160.4	NTU	FU0507SWSCS01
SWSC Spring	—	—	10/23/2007	WG	Turbidity	6.67	NTU	FU07100SWSCS01
SWSC Spring	—	—	10/8/2008	WG	pH	6.72	SU	CAWA-08-15954
SWSC Spring	—	—	4/1/2008	WG	pH	6.72	SU	CAWA-08-11564
SWSC Spring	—	—	5/10/2007	WG	pH	6.9	SU	FU07050SWSCS01
SWSC Spring	—	—	11/9/2005	WG	pH	7.36	SU	FU0510SWSCS01
SWSC Spring	—	—	10/23/2007	WG	pH	6.94	SU	FU07100SWSCS01
Water Canyon Gallery	—	—	10/17/2008	WG	Dissolved Oxygen	10.3	mg/L	CAWA-08-15944
Water Canyon Gallery	—	—	4/3/2008	WG	Dissolved Oxygen	8.55	mg/L	CAWA-08-11562
Water Canyon Gallery	—	—	7/11/2005	WG	Dissolved Oxygen	8.09	mg/L	FU05070GGCW01
Water Canyon Gallery	—	—	10/18/2007	WG	Dissolved Oxygen	8.18	mg/L	FU071000GGCW01
Water Canyon Gallery	—	—	5/14/2007	WG	Dissolved Oxygen	8.36	mg/L	FU070500GGCW01
Water Canyon Gallery	—	—	10/17/2008	WG	Specific Conductance	89.6	µS/cm	CAWA-08-15944
Water Canyon Gallery	—	—	4/3/2008	WG	Specific Conductance	53.5	µS/cm	CAWA-08-11562
Water Canyon Gallery	—	—	10/18/2007	WG	Specific Conductance	88.2	µS/cm	FU071000GGCW01
Water Canyon Gallery	—	—	5/14/2007	WG	Specific Conductance	94.8	µS/cm	FU070500GGCW01
Water Canyon Gallery	—	—	10/17/2008	WG	Temperature	11.9	deg C	CAWA-08-15944
Water Canyon Gallery	—	—	4/3/2008	WG	Temperature	11.1	deg C	CAWA-08-11562
Water Canyon Gallery	—	—	7/11/2005	WG	Temperature	12.1	deg C	FU05070GGCW01
Water Canyon Gallery	—	—	10/18/2007	WG	Temperature	12.8	deg C	FU071000GGCW01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Water Canyon Gallery	—	—	5/14/2007	WG	Temperature	11.8	deg C	FU070500GGCW01
Water Canyon Gallery	—	—	10/17/2008	WG	Turbidity	1.71	NTU	CAWA-08-15944
Water Canyon Gallery	—	—	4/3/2008	WG	Turbidity	12.2	NTU	CAWA-08-11562
Water Canyon Gallery	—	—	7/11/2005	WG	Turbidity	3.1	NTU	FU05070GGCW01
Water Canyon Gallery	—	—	10/18/2007	WG	Turbidity	0.8	NTU	FU071000GGCW01
Water Canyon Gallery	—	—	5/14/2007	WG	Turbidity	3.61	NTU	FU070500GGCW01
Water Canyon Gallery	—	—	10/17/2008	WG	pH	7.18	SU	CAWA-08-15944
Water Canyon Gallery	—	—	4/3/2008	WG	pH	6.8	SU	CAWA-08-11562
Water Canyon Gallery	—	—	10/18/2007	WG	pH	7.19	SU	FU071000GGCW01
Water Canyon Gallery	—	—	5/14/2007	WG	pH	7.15	SU	FU070500GGCW01
Water above SR-501	—	—	10/17/2008	WS	Dissolved Oxygen	7.1	mg/L	CAWA-08-15921
Water above SR-501	—	—	4/3/2008	WS	Dissolved Oxygen	8.9	mg/L	CAWA-08-11542
Water above SR-501	—	—	7/22/2005	WS	Dissolved Oxygen	6.29	mg/L	FU05070P25201
Water above SR-501	—	—	10/17/2007	WP	Dissolved Oxygen	6.83	mg/L	FU071000P25201
Water above SR-501	—	—	5/31/2007	WS	Dissolved Oxygen	3.31	mg/L	FU070500P25201
Water above SR-501	—	—	10/17/2008	WS	Specific Conductance	127.7	µS/cm	CAWA-08-15921
Water above SR-501	—	—	4/3/2008	WS	Specific Conductance	126.5	µS/cm	CAWA-08-11542
Water above SR-501	—	—	10/17/2007	WP	Specific Conductance	125.6	µS/cm	FU071000P25201
Water above SR-501	—	—	5/31/2007	WS	Specific Conductance	123.3	µS/cm	FU070500P25201
Water above SR-501	—	—	10/17/2008	WS	Temperature	10.8	deg C	CAWA-08-15921
Water above SR-501	—	—	4/3/2008	WS	Temperature	6.8	deg C	CAWA-08-11542
Water above SR-501	—	—	7/22/2005	WS	Temperature	11.5	deg C	FU05070P25201
Water above SR-501	—	—	10/17/2007	WP	Temperature	10.8	deg C	FU071000P25201
Water above SR-501	—	—	5/31/2007	WS	Temperature	8.8	deg C	FU070500P25201
Water above SR-501	—	—	10/17/2008	WS	Turbidity	4.48	NTU	CAWA-08-15921
Water above SR-501	—	—	4/3/2008	WS	Turbidity	8.27	NTU	CAWA-08-11542
Water above SR-501	—	—	7/22/2005	WS	Turbidity	2.63	NTU	FU05070P25201
Water above SR-501	—	—	10/17/2007	WP	Turbidity	9.9	NTU	FU071000P25201

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Water above SR-501	—	—	5/31/2007	WS	Turbidity	5.59	NTU	FU070500P25201
Water above SR-501	—	—	10/17/2008	WS	pH	6.32	SU	CAWA-08-15921
Water above SR-501	—	—	4/3/2008	WS	pH	6	SU	CAWA-08-11542
Water above SR-501	—	—	3/9/2007	WM	pH	6.7	SU	FU070300M25201
Water above SR-501	—	—	10/17/2007	WP	pH	6.62	SU	FU071000P25201
Water above SR-501	—	—	5/31/2007	WS	pH	6.76	SU	FU070500P25201
Water at Beta	—	—	10/24/2008	WS	Dissolved Oxygen	4.34	mg/L	CAWA-08-15936
Water at Beta	—	—	4/11/2008	WS	Dissolved Oxygen	9.86	mg/L	CAWA-08-11552
Water at Beta	—	—	10/26/2007	WP	Dissolved Oxygen	4.66	mg/L	FU071000PWAB01
Water at Beta	—	—	6/1/2007	WS	Dissolved Oxygen	4.93	mg/L	FU070500PWAB01
Water at Beta	—	—	10/24/2008	WS	Specific Conductance	171.7	µS/cm	CAWA-08-15936
Water at Beta	—	—	4/11/2008	WS	Specific Conductance	138.9	µS/cm	CAWA-08-11552
Water at Beta	—	—	4/17/2001	WM	Specific Conductance	208	µS/cm	GU01041WBCW
Water at Beta	—	—	10/26/2007	WP	Specific Conductance	176.1	µS/cm	FU071000PWAB01
Water at Beta	—	—	6/1/2007	WS	Specific Conductance	173.2	µS/cm	FU070500PWAB01
Water at Beta	—	—	10/24/2008	WS	Temperature	10.2	deg C	CAWA-08-15936
Water at Beta	—	—	4/11/2008	WS	Temperature	5	deg C	CAWA-08-11552
Water at Beta	—	—	4/17/2001	WM	Temperature	6.2	deg C	GU01041WBCW
Water at Beta	—	—	10/26/2007	WP	Temperature	11	deg C	FU071000PWAB01
Water at Beta	—	—	6/1/2007	WS	Temperature	9.5	deg C	FU070500PWAB01
Water at Beta	—	—	10/24/2008	WS	Turbidity	2.6	NTU	CAWA-08-15936
Water at Beta	—	—	4/11/2008	WS	Turbidity	1.53	NTU	CAWA-08-11552
Water at Beta	—	—	4/17/2001	WM	Turbidity	12.5	NTU	GU01041WBCW
Water at Beta	—	—	10/26/2007	WP	Turbidity	2.53	NTU	FU071000PWAB01
Water at Beta	—	—	6/1/2007	WS	Turbidity	4.89	NTU	FU070500PWAB01
Water at Beta	—	—	10/24/2008	WS	pH	6.7	SU	CAWA-08-15936
Water at Beta	—	—	4/11/2008	WS	pH	6.55	SU	CAWA-08-11552
Water at Beta	—	—	4/17/2001	WM	pH	6.65	SU	GU01041WBCW

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Water at Beta	—	—	10/26/2007	WP	pH	6.55	SU	FU071000PWAB01
Water at Beta	—	—	6/1/2007	WS	pH	7.14	SU	FU070500PWAB01

— = Not applicable.
µS/cm = Microsiemens per centimeter.
mV = Millivolt.
NTU = Nephelometric turbidity unit.
SU = Standard unit.
WG = Groundwater.
WM = Snowmelt.
WS = Surface water.
WP = Persistent water.

Appendix C

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/15/2008	7579.98	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/15/2008	7579.95	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/14/2008	7579.96	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/13/2008	7580	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/12/2008	7580.03	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/11/2008	7580.04	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/10/2008	7580.06	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/9/2008	7580.07	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/8/2008	7580.08	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/7/2008	7580.09	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/6/2008	7580.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/5/2008	7580.13	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/4/2008	7580.14	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/3/2008	7580.16	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/2/2008	7580.17	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/1/2008	7580.19	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/30/2008	7580.2	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/29/2008	7580.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/28/2008	7580.26	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/27/2008	7580.29	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/26/2008	7580.32	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/25/2008	7580.35	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/24/2008	7580.39	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/23/2008	7580.44	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/22/2008	7580.49	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/21/2008	7580.54	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/20/2008	7580.59	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/19/2008	7580.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/18/2008	7580.73	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/17/2008	7580.82	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/16/2008	7580.91	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/15/2008	7581.02	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/14/2008	7581.15	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/13/2008	7581.28	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/12/2008	7581.37	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/11/2008	7581.47	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/10/2008	7581.59	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/9/2008	7581.69	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/8/2008	7581.81	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/7/2008	7581.91	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/6/2008	7582.03	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/5/2008	7582.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/4/2008	7582.15	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/3/2008	7582.07	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/2/2008	7581.96	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	9/1/2008	7582.05	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/31/2008	7580.36	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/30/2008	7580.41	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/29/2008	7580.49	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/28/2008	7580.56	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/27/2008	7580.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/26/2008	7580.44	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/25/2008	7580.39	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/24/2008	7580.46	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/23/2008	7580.4	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/22/2008	7580.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/21/2008	7580.78	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/20/2008	7580.99	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/19/2008	7581.22	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/18/2008	7581.45	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/17/2008	7581.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/16/2008	7581.8	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/15/2008	7581.95	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/14/2008	7582.05	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/13/2008	7582.08	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/12/2008	7582.03	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/11/2008	7581.92	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/10/2008	7581.48	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/9/2008	7580.68	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/8/2008	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/7/2008	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/6/2008	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/5/2008	7578.52	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/4/2008	7578.52	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/3/2008	7578.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/2/2008	7578.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	8/1/2008	7578.54	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/31/2008	7578.55	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/30/2008	7578.56	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/29/2008	7578.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/28/2008	7578.59	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/27/2008	7578.6	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/26/2008	7578.61	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/25/2008	7578.62	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/24/2008	7578.64	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/23/2008	7578.65	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/23/2008	7578.64	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/22/2008	7578.54	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/21/2008	7578.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/20/2008	7578.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/19/2008	7578.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/18/2008	7578.54	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/17/2008	7578.54	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/16/2008	7578.54	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/15/2008	7578.55	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/14/2008	7578.55	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/13/2008	7578.55	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/12/2008	7578.55	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/11/2008	7578.56	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/10/2008	7578.56	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/9/2008	7578.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/8/2008	7578.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/7/2008	7578.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/6/2008	7578.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/5/2008	7578.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/4/2008	7578.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/3/2008	7578.6	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/2/2008	7578.61	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	7/1/2008	7578.63	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/30/2008	7578.65	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/29/2008	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/28/2008	7578.68	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/27/2008	7578.69	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/26/2008	7578.7	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/25/2008	7578.71	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/24/2008	7578.71	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/23/2008	7578.71	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/22/2008	7578.71	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/21/2008	7578.72	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/20/2008	7578.72	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/19/2008	7578.73	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/18/2008	7578.73	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/17/2008	7578.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/16/2008	7578.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/15/2008	7578.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/14/2008	7578.75	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/13/2008	7578.75	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/12/2008	7578.76	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/11/2008	7578.76	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/10/2008	7578.77	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/9/2008	7578.77	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/8/2008	7578.78	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/7/2008	7578.78	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/6/2008	7578.79	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/5/2008	7578.8	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/4/2008	7578.81	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/3/2008	7578.82	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/2/2008	7578.86	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	6/1/2008	7578.89	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/31/2008	7578.87	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/30/2008	7578.83	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/29/2008	7578.84	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/28/2008	7578.85	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/27/2008	7578.89	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/26/2008	7578.94	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/25/2008	7578.98	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/24/2008	7579.01	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/23/2008	7579.04	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/22/2008	7579.08	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/21/2008	7579.14	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/20/2008	7579.21	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/19/2008	7579.3	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/18/2008	7579.39	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/17/2008	7579.45	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/16/2008	7579.37	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/15/2008	7579.22	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/14/2008	7579.27	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/13/2008	7579.34	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/12/2008	7579.41	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/11/2008	7579.49	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/10/2008	7579.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/9/2008	7579.64	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/8/2008	7579.69	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/8/2008	7579.73	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/7/2008	7579.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/6/2008	7579.88	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/5/2008	7579.96	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/4/2008	7580.04	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/3/2008	7580.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/2/2008	7580.21	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	5/1/2008	7580.3	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/30/2008	7580.37	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/29/2008	7580.43	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/28/2008	7580.49	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/27/2008	7580.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/26/2008	7580.67	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/25/2008	7580.76	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/24/2008	7580.84	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/23/2008	7580.91	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/22/2008	7580.98	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/21/2008	7581.06	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/20/2008	7581.14	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/19/2008	7581.2	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/18/2008	7581.28	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/17/2008	7581.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/16/2008	7581.3	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/15/2008	7581.36	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/14/2008	7581.41	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/13/2008	7581.47	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/12/2008	7581.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/11/2008	7581.62	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/10/2008	7581.72	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/9/2008	7581.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/8/2008	7581.79	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/7/2008	7581.86	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/6/2008	7581.93	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/5/2008	7581.99	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/4/2008	7582.04	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/3/2008	7582.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/2/2008	7582.19	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	4/1/2008	7582.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/31/2008	7582.17	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/31/2008	7582.32	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/30/2008	7582.38	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/29/2008	7582.44	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/28/2008	7582.5	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/27/2008	7582.59	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/26/2008	7582.63	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/25/2008	7582.7	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/24/2008	7582.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/23/2008	7582.77	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/22/2008	7582.84	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/21/2008	7582.89	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/20/2008	7582.98	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/19/2008	7582.97	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/18/2008	7583.04	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/17/2008	7583.09	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/16/2008	7583.16	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/15/2008	7583.17	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/14/2008	7583.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/13/2008	7583.33	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/12/2008	7583.36	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	3/12/2008	7583.19	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/20/2008	7583.69	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/19/2008	7583.69	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/18/2008	7583.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/17/2008	7583.77	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/16/2008	7583.81	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/15/2008	7583.82	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/14/2008	7583.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/13/2008	7582.88	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/12/2008	7582.59	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/11/2008	7582.45	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/10/2008	7582.45	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/9/2008	7582.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/8/2008	7582.74	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/7/2008	7582.77	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/6/2008	7582.86	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/5/2008	7583	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/4/2008	7583.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/3/2008	7583.16	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/2/2008	7583.09	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	2/1/2008	7583.24	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/31/2008	7583.37	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/30/2008	7583.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/29/2008	7583.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/28/2008	7581.39	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/27/2008	7581.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/26/2008	7581.17	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/25/2008	7581.28	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/24/2008	7581.39	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/23/2008	7581.51	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/22/2008	7581.63	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/21/2008	7581.78	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/20/2008	7581.88	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/19/2008	7581.98	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/18/2008	7582.14	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/17/2008	7582.27	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/16/2008	7582.45	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/15/2008	7582.51	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/14/2008	7582.6	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/13/2008	7582.75	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/12/2008	7582.84	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/11/2008	7582.92	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/10/2008	7582.96	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/9/2008	7583.01	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/8/2008	7582.97	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/7/2008	7582.81	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/6/2008	7581.36	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/5/2008	7581.14	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/4/2008	7581.21	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/3/2008	7581.3	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/2/2008	7581.4	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	1/1/2008	7581.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/31/2007	7581.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/30/2007	7581.8	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/29/2007	7581.91	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/28/2007	7582.03	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/27/2007	7582.19	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/26/2007	7582.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/25/2007	7582.38	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/24/2007	7582.43	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/23/2007	7582.55	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/22/2007	7582.71	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/21/2007	7582.84	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/20/2007	7582.88	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/19/2007	7582.99	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/18/2007	7583.06	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/17/2007	7583.13	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/16/2007	7583.17	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/15/2007	7583.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/14/2007	7583.28	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/13/2007	7583.29	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/12/2007	7583.3	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/11/2007	7583.31	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/10/2007	7583.31	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/9/2007	7583.31	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/8/2007	7583.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/7/2007	7583.18	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/6/2007	7583.22	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/5/2007	7583.23	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/4/2007	7583.21	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/3/2007	7583.18	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/2/2007	7583.17	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	12/1/2007	7578.62	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/30/2007	7578.62	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/29/2007	7578.63	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/28/2007	7578.63	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/27/2007	7578.64	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/26/2007	7578.64	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/25/2007	7578.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/24/2007	7578.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/23/2007	7578.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/22/2007	7578.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/21/2007	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/20/2007	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/19/2007	7578.66	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/18/2007	7578.67	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/17/2007	7578.67	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/16/2007	7578.67	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/15/2007	7578.67	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/14/2007	7578.68	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/13/2007	7578.68	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/12/2007	7578.68	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/2/2007	7577.62	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/2/2007	7577.6	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	11/1/2007	7577.58	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/31/2007	7577.56	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/30/2007	7577.53	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/29/2007	7577.49	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/28/2007	7577.38	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/27/2007	7577.21	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/26/2007	7578.33	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/26/2007	7578.76	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/25/2007	7578.78	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/24/2007	7578.81	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/23/2007	7577.86	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/23/2007	7578.85	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/22/2007	7578.89	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/21/2007	7578.94	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/20/2007	7578.97	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/19/2007	7579.02	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/18/2007	7579.07	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/17/2007	7579.12	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/16/2007	7579.16	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/15/2007	7579.21	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/14/2007	7579.27	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/13/2007	7579.33	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/12/2007	7579.38	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/11/2007	7579.45	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/10/2007	7579.48	Manual
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/10/2007	7579.51	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/9/2007	7579.57	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/8/2007	7579.65	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/7/2007	7579.72	Transducer
CDV-16-02655	2.3	Single	5901	5	2.3	7.3	4	4.5	10/6/2007	7579.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/24/2008	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/23/2008	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/22/2008	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/21/2008	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/20/2008	7438.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/19/2008	7438.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/18/2008	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/17/2008	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/16/2008	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/15/2008	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/14/2008	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/13/2008	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/12/2008	7438.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/11/2008	7438.61	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/10/2008	7438.58	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/9/2008	7438.56	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/8/2008	7438.54	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/7/2008	7438.61	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/6/2008	7438.62	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/5/2008	7438.59	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/4/2008	7438.6	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/3/2008	7438.6	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/2/2008	7438.6	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/1/2008	7438.61	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/30/2008	7438.62	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/29/2008	7438.63	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/28/2008	7438.63	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/27/2008	7438.64	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/26/2008	7438.65	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/25/2008	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/24/2008	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/23/2008	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/22/2008	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/21/2008	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/20/2008	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/19/2008	7438.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/18/2008	7438.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/17/2008	7438.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/16/2008	7438.74	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/15/2008	7438.75	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/14/2008	7438.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/13/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/12/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/11/2008	7438.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/10/2008	7438.82	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/9/2008	7438.84	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/8/2008	7438.85	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/7/2008	7438.89	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/6/2008	7438.98	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/5/2008	7439.16	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/4/2008	7439.4	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/3/2008	7439.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/2/2008	7440.22	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	9/1/2008	7439.98	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/31/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/30/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/29/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/28/2008	7438.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/27/2008	7438.88	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/26/2008	7439.07	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/25/2008	7439.33	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/24/2008	7438.87	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/23/2008	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/22/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/21/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/20/2008	7438.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/19/2008	7438.84	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/18/2008	7438.91	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/17/2008	7439	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/16/2008	7439.09	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/15/2008	7439.28	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/14/2008	7439.59	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/13/2008	7439.95	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/12/2008	7440.19	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/11/2008	7440.45	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/10/2008	7440.42	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/9/2008	7440.21	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/8/2008	7438.75	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/7/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/6/2008	7439	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/5/2008	7438.74	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/4/2008	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/3/2008	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/2/2008	7438.71	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	8/1/2008	7438.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/31/2008	7438.74	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/30/2008	7438.75	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/29/2008	7438.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/28/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/27/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/26/2008	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/25/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/24/2008	7438.83	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/23/2008	7438.95	Manual
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/23/2008	7439.14	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/22/2008	7438.99	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/21/2008	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/20/2008	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/19/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/18/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/17/2008	7438.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/16/2008	7438.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/15/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/14/2008	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/13/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/12/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/11/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/10/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/9/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/8/2008	7438.82	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/7/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/6/2008	7438.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/5/2008	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/4/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/3/2008	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/2/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	7/1/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/30/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/29/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/28/2008	7438.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/27/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/26/2008	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/25/2008	7438.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/24/2008	7438.82	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/23/2008	7438.83	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/22/2008	7438.85	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/21/2008	7438.86	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/20/2008	7438.85	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/19/2008	7438.86	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/18/2008	7438.87	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/17/2008	7438.88	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/16/2008	7438.89	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/15/2008	7438.9	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/14/2008	7438.91	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/13/2008	7438.93	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/12/2008	7438.94	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/11/2008	7438.95	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/10/2008	7438.97	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/9/2008	7438.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/8/2008	7439	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/7/2008	7439.01	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/6/2008	7439.03	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/5/2008	7439.03	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/4/2008	7439.05	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/3/2008	7439.07	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/2/2008	7439.09	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	6/1/2008	7439.12	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/31/2008	7439.16	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/30/2008	7439.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/29/2008	7439.28	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/28/2008	7439.16	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/27/2008	7439.19	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/26/2008	7439.21	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/25/2008	7439.23	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/24/2008	7439.24	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/23/2008	7439.24	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/22/2008	7439.24	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/21/2008	7439.26	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/20/2008	7439.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/19/2008	7439.31	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/18/2008	7439.33	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/17/2008	7439.34	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/16/2008	7439.4	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/15/2008	7439.37	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/14/2008	7439.38	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/13/2008	7439.39	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/12/2008	7439.42	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/11/2008	7439.44	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/10/2008	7439.47	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/9/2008	7439.49	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/8/2008	7439.51	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/7/2008	7439.54	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/6/2008	7439.57	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/5/2008	7439.6	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/4/2008	7439.62	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/3/2008	7439.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/2/2008	7439.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	5/1/2008	7439.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/30/2008	7439.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/29/2008	7439.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/28/2008	7439.87	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/27/2008	7439.92	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/26/2008	7439.96	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/25/2008	7439.99	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/24/2008	7440.03	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/23/2008	7440.06	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/22/2008	7440.09	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/21/2008	7440.11	Manual
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/21/2008	7440.11	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/20/2008	7440.14	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/19/2008	7440.17	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/18/2008	7440.2	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/17/2008	7440.21	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/16/2008	7440.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/15/2008	7440.25	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/14/2008	7440.27	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/13/2008	7440.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/12/2008	7440.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/11/2008	7440.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/10/2008	7440.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/9/2008	7440.27	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/8/2008	7440.25	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/7/2008	7440.24	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/6/2008	7440.22	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/5/2008	7440.2	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/4/2008	7440.18	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/3/2008	7440.18	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/2/2008	7440.19	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/1/2008	7440.15	Manual
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	4/1/2008	7440.2	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/31/2008	7440.22	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/30/2008	7440.23	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/29/2008	7440.24	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/28/2008	7440.25	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/27/2008	7440.27	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/26/2008	7440.28	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/25/2008	7440.31	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/24/2008	7440.33	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/23/2008	7440.36	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/22/2008	7440.39	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/21/2008	7440.43	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/20/2008	7440.47	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/19/2008	7440.52	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/18/2008	7440.57	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/17/2008	7440.62	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/16/2008	7440.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/15/2008	7440.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/14/2008	7440.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/13/2008	7440.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/12/2008	7440.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/11/2008	7440.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/10/2008	7440.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/9/2008	7440.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/8/2008	7440.79	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/7/2008	7440.84	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/6/2008	7440.9	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/5/2008	7440.93	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/4/2008	7440.95	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/3/2008	7440.97	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/2/2008	7441.01	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	3/1/2008	7440.99	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/29/2008	7440.99	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/28/2008	7440.98	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/27/2008	7440.97	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/26/2008	7441	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/25/2008	7441.15	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/24/2008	7440.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/23/2008	7440.76	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/22/2008	7440.62	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/21/2008	7440.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/20/2008	7440.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/19/2008	7440.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/18/2008	7440.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/17/2008	7440.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/16/2008	7440.53	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/15/2008	7439.61	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/14/2008	7439.38	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/13/2008	7439.32	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/12/2008	7439.33	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/11/2008	7439.34	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	2/11/2008	7439.22	Manual
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/25/2008	7438.58	Manual
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/25/2008	7438.82	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/24/2008	7438.83	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/23/2008	7438.84	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/22/2008	7438.85	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/21/2008	7438.86	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/20/2008	7438.87	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/19/2008	7438.88	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/18/2008	7438.89	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/17/2008	7438.91	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/16/2008	7438.93	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/15/2008	7438.96	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/14/2008	7439	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/13/2008	7439.05	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/12/2008	7439.15	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/11/2008	7439.29	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/10/2008	7439.47	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/9/2008	7439.82	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/8/2008	7440.24	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/7/2008	7440.14	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/6/2008	7438.89	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/5/2008	7438.91	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/4/2008	7438.93	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/3/2008	7438.96	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/2/2008	7438.99	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	1/1/2008	7439.02	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/31/2007	7439.05	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/30/2007	7439.08	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/29/2007	7439.12	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/28/2007	7439.17	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/27/2007	7439.23	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/26/2007	7439.31	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/25/2007	7439.39	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/24/2007	7439.48	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/23/2007	7439.58	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/22/2007	7439.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/21/2007	7439.85	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/20/2007	7440	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/19/2007	7440.14	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/18/2007	7440.25	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/17/2007	7440.32	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/16/2007	7440.4	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/15/2007	7440.5	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/14/2007	7440.59	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/13/2007	7440.63	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/12/2007	7440.6	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/11/2007	7440.5	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/10/2007	7440.21	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/9/2007	7439.96	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/8/2007	7439.73	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/7/2007	7439.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/6/2007	7439.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/5/2007	7440.02	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/4/2007	7440.21	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/3/2007	7440.39	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/2/2007	7440.44	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	12/1/2007	7438.81	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/30/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/29/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/28/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/27/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/26/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/25/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/24/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/23/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/22/2007	7438.64	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/21/2007	7438.64	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/20/2007	7438.64	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/19/2007	7438.64	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/18/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/17/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/16/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/15/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/14/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/13/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/12/2007	7438.65	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/11/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/10/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/9/2007	7438.66	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/8/2007	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/7/2007	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/6/2007	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/5/2007	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/4/2007	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/3/2007	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/2/2007	7438.69	Manual
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/2/2007	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	11/1/2007	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/31/2007	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/30/2007	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/29/2007	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/28/2007	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/27/2007	7438.67	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/26/2007	7438.68	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/25/2007	7438.69	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/24/2007	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/23/2007	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/22/2007	7438.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/21/2007	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/20/2007	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/19/2007	7438.7	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/18/2007	7438.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/17/2007	7438.71	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/16/2007	7438.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/15/2007	7438.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/14/2007	7438.72	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/13/2007	7438.73	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/12/2007	7438.73	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/11/2007	7438.74	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/10/2007	7438.75	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/9/2007	7438.77	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/8/2007	7438.78	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/7/2007	7438.8	Transducer
CDV-16-02656	3	Single	5911	5	3	8	4	4.5	10/6/2007	7438.82	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/7/2008	7430.25	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	7/23/2008	7430.45	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/21/2008	7431.94	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/21/2008	7431.92	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/20/2008	7431.91	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/19/2008	7432.17	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/18/2008	7432.35	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/17/2008	7431.96	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/16/2008	7431.96	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/15/2008	7432.18	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/14/2008	7432.37	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/13/2008	7432.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/12/2008	7432.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/11/2008	7432.28	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/10/2008	7432.06	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/9/2008	7432.11	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/8/2008	7432.15	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/7/2008	7432.14	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/6/2008	7432.07	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/5/2008	7432.14	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/4/2008	7432.2	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/3/2008	7432.14	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/2/2008	7432.33	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/1/2008	7432.05	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	4/1/2008	7432.41	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/31/2008	7432.23	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/30/2008	7432.31	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/29/2008	7432.43	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/28/2008	7432.45	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/27/2008	7432.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/26/2008	7432.66	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/25/2008	7432.69	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/24/2008	7432.86	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/23/2008	7432.94	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/22/2008	7432.91	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/21/2008	7432.87	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/20/2008	7432.88	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/19/2008	7432.95	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/18/2008	7432.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/17/2008	7432.7	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/16/2008	7432.75	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/15/2008	7432.86	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/14/2008	7432.84	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/13/2008	7432.9	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/12/2008	7433.04	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/11/2008	7433.1	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/10/2008	7433.12	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/9/2008	7432.82	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/8/2008	7432.97	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/7/2008	7433.04	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/6/2008	7432.94	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/5/2008	7432.81	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/4/2008	7433.06	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/3/2008	7432.98	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/2/2008	7432.85	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	3/1/2008	7433.28	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/29/2008	7433.09	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/28/2008	7433	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/27/2008	7433.21	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/26/2008	7433.12	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/25/2008	7433.05	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/24/2008	7432.84	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/23/2008	7432.49	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/22/2008	7432.39	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/22/2008	7432.41	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/21/2008	7432.41	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/20/2008	7432.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/19/2008	7432.59	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/18/2008	7432.64	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/17/2008	7432.58	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/16/2008	7432.62	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/15/2008	7432.33	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/14/2008	7431.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/13/2008	7431.81	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/12/2008	7431.76	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/11/2008	7431.85	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/10/2008	7431.98	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/9/2008	7431.85	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/8/2008	7431.64	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/7/2008	7431.75	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/6/2008	7431.74	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/5/2008	7431.56	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/4/2008	7431.58	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/3/2008	7431.59	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/2/2008	7431.67	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	2/1/2008	7431.87	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/31/2008	7431.81	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/30/2008	7431.84	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/29/2008	7431.81	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/28/2008	7431.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/27/2008	7431.81	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/26/2008	7431.82	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/25/2008	7431.56	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/24/2008	7431.63	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/23/2008	7431.66	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/22/2008	7431.63	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/21/2008	7431.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/20/2008	7431.67	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/19/2008	7431.73	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/18/2008	7431.53	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/17/2008	7431.54	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/16/2008	7431.43	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/15/2008	7431.69	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/14/2008	7431.71	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/13/2008	7431.58	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/12/2008	7431.57	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/11/2008	7431.57	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/10/2008	7431.63	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/9/2008	7431.63	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/8/2008	7431.72	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/7/2008	7431.6	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/6/2008	7431.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/5/2008	7431.67	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/4/2008	7431.77	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/3/2008	7431.93	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/2/2008	7432.1	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	1/1/2008	7432.01	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/31/2007	7431.59	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/30/2007	7431.62	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/29/2007	7431.58	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/28/2007	7431.53	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/27/2007	7431.23	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/26/2007	7431.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/25/2007	7431.32	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/24/2007	7431.49	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/23/2007	7431.51	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/22/2007	7431.38	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/21/2007	7431.23	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/20/2007	7431.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/19/2007	7431.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/18/2007	7431.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/17/2007	7431.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/16/2007	7431.49	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/15/2007	7431.49	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/14/2007	7431.49	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/13/2007	7431.51	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/12/2007	7431.5	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/11/2007	7431.5	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/10/2007	7431.52	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/9/2007	7431.56	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/8/2007	7431.38	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/7/2007	7431.35	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/6/2007	7431.42	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/5/2007	7431.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/4/2007	7431.5	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/3/2007	7431.5	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/2/2007	7431.49	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	12/1/2007	7429.31	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/30/2007	7428.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/29/2007	7428.48	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/28/2007	7428.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/27/2007	7428.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/26/2007	7428.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/25/2007	7428.47	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/24/2007	7428.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/23/2007	7428.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/22/2007	7428.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/21/2007	7428.46	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/20/2007	7428.45	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/19/2007	7428.45	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/18/2007	7428.45	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/17/2007	7428.44	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/16/2007	7428.44	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/15/2007	7428.43	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/14/2007	7428.43	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/13/2007	7428.43	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/12/2007	7428.43	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/11/2007	7428.42	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/10/2007	7428.42	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/9/2007	7428.41	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/8/2007	7428.41	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/7/2007	7428.41	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/6/2007	7428.4	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/5/2007	7428.4	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/4/2007	7428.39	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/3/2007	7428.39	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/2/2007	7428.36	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/2/2007	7428.39	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	11/1/2007	7428.39	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/31/2007	7428.38	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/30/2007	7428.36	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/29/2007	7430.8	Manual
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/29/2007	7430.78	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/28/2007	7430.79	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/27/2007	7430.81	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/26/2007	7430.83	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/25/2007	7430.84	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/24/2007	7430.85	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/23/2007	7430.87	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/22/2007	7430.89	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/21/2007	7430.91	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/20/2007	7430.92	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/19/2007	7430.94	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/18/2007	7430.96	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/17/2007	7430.98	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/16/2007	7431	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/15/2007	7431.02	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/14/2007	7431.04	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/13/2007	7431.05	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/12/2007	7431.07	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/11/2007	7431.09	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/10/2007	7431.1	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/9/2007	7431.12	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/8/2007	7431.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/7/2007	7431.17	Transducer
CDV-16-02657	0.4	Single	5921	5	0.4	5.4	4	4.5	10/6/2007	7431.17	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/8/2008	7371.95	Manual
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/8/2008	7371.92	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/7/2008	7371.79	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/6/2008	7371.66	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/5/2008	7371.61	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/4/2008	7371.65	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/3/2008	7371.75	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/2/2008	7371.89	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/1/2008	7371.99	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/30/2008	7372.07	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/29/2008	7372.14	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/28/2008	7372.17	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/27/2008	7372.19	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/26/2008	7372.21	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/25/2008	7372.22	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/24/2008	7372.24	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/23/2008	7372.26	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/22/2008	7372.28	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/21/2008	7372.32	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/20/2008	7372.31	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/19/2008	7372.31	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/18/2008	7372.27	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/17/2008	7372.29	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/16/2008	7372.3	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/15/2008	7372.31	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/14/2008	7372.32	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/13/2008	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/12/2008	7372.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/11/2008	7372.34	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/10/2008	7372.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/9/2008	7372.35	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/8/2008	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/7/2008	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/6/2008	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/5/2008	7372.49	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/4/2008	7372.56	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/3/2008	7372.58	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/2/2008	7372.71	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	9/1/2008	7373.06	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/31/2008	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/30/2008	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/29/2008	7372.41	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/28/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/27/2008	7372.54	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/26/2008	7372.65	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/25/2008	7372.56	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/24/2008	7372.54	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/23/2008	7372.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/22/2008	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/21/2008	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/20/2008	7372.45	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/19/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/18/2008	7372.57	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/17/2008	7372.6	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/16/2008	7372.53	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/15/2008	7372.53	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/14/2008	7372.57	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/13/2008	7372.62	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/12/2008	7372.69	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/11/2008	7372.98	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/10/2008	7372.96	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/9/2008	7372.97	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/8/2008	7371.27	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/7/2008	7371.06	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/6/2008	7370.92	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/5/2008	7370.93	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/4/2008	7371.19	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/3/2008	7371.45	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/2/2008	7371.69	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	8/1/2008	7371.92	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/31/2008	7372.05	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/30/2008	7372.08	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/29/2008	7371.99	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/28/2008	7371.63	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/27/2008	7371.13	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/26/2008	7370.74	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/25/2008	7370.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/24/2008	7369.96	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/23/2008	7369.68	Manual
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/23/2008	7369.51	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/22/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/21/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/20/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/19/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/18/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/17/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/16/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/15/2008	7368.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/14/2008	7368.93	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/13/2008	7368.8	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/2/2008	7368.84	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	7/1/2008	7368.97	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/30/2008	7369.13	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/29/2008	7369.29	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/28/2008	7369.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/27/2008	7369.7	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/26/2008	7369.88	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/25/2008	7370.06	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/24/2008	7370.21	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/23/2008	7370.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/22/2008	7370.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/21/2008	7370.62	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/20/2008	7370.79	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/19/2008	7370.95	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/18/2008	7371.1	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/17/2008	7371.26	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/16/2008	7371.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/15/2008	7371.57	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/14/2008	7371.7	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/13/2008	7371.83	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/12/2008	7371.96	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/11/2008	7372.08	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/10/2008	7372.13	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/9/2008	7372.17	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/8/2008	7372.2	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/7/2008	7372.23	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/6/2008	7372.26	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/5/2008	7372.26	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/4/2008	7372.27	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/3/2008	7372.28	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/2/2008	7372.29	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	6/1/2008	7372.32	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/31/2008	7372.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/30/2008	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/29/2008	7372.56	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/28/2008	7372.32	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/27/2008	7372.33	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/26/2008	7372.35	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/25/2008	7372.4	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/24/2008	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/23/2008	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/22/2008	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/21/2008	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/20/2008	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/19/2008	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/18/2008	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/17/2008	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/16/2008	7372.57	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/15/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/14/2008	7372.4	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/13/2008	7372.41	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/12/2008	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/11/2008	7372.43	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/10/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/9/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/8/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/7/2008	7372.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/6/2008	7372.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/5/2008	7372.51	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/4/2008	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/3/2008	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/2/2008	7372.53	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	5/1/2008	7372.53	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/30/2008	7372.55	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/29/2008	7372.56	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/28/2008	7372.58	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/27/2008	7372.58	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/26/2008	7372.6	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/25/2008	7372.61	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/24/2008	7372.62	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/23/2008	7372.63	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/22/2008	7372.64	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/21/2008	7372.66	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/21/2008	7372.68	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/20/2008	7372.7	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/19/2008	7372.7	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/18/2008	7372.73	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/17/2008	7372.7	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/16/2008	7372.7	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/15/2008	7372.72	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/14/2008	7372.73	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/13/2008	7372.73	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/12/2008	7372.73	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/11/2008	7372.74	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/10/2008	7372.75	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/9/2008	7372.75	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/8/2008	7372.75	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/7/2008	7372.75	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/6/2008	7372.76	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/5/2008	7372.76	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/4/2008	7372.78	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/3/2008	7372.84	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/2/2008	7372.84	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/1/2008	7372.88	Manual
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	4/1/2008	7372.85	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/31/2008	7373.01	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/30/2008	7372.96	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/29/2008	7373.11	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/28/2008	7373.25	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/27/2008	7373.25	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/26/2008	7373.18	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/25/2008	7373.02	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/24/2008	7372.94	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/23/2008	7373.12	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/22/2008	7373.24	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/21/2008	7373.16	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/20/2008	7372.92	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/19/2008	7372.94	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/18/2008	7373.02	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/17/2008	7373.24	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/16/2008	7373.2	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/15/2008	7373.33	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/14/2008	7373.33	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/13/2008	7373.17	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/12/2008	7372.89	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/11/2008	7372.88	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/10/2008	7372.88	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/9/2008	7372.88	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/8/2008	7372.89	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/7/2008	7372.9	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/6/2008	7372.92	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/5/2008	7372.94	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/4/2008	7372.98	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/3/2008	7373.26	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/2/2008	7373.24	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	3/1/2008	7373.1	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/29/2008	7372.98	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/28/2008	7372.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/27/2008	7373.01	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/26/2008	7373.14	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/25/2008	7373.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/24/2008	7372.84	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/23/2008	7372.85	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/22/2008	7372.84	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/21/2008	7372.85	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/20/2008	7372.86	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/19/2008	7372.87	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/18/2008	7372.89	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/17/2008	7373.03	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/16/2008	7372.88	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/15/2008	7372.66	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/14/2008	7372.65	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/13/2008	7372.64	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/12/2008	7372.65	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/11/2008	7372.65	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/10/2008	7372.65	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/9/2008	7372.66	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/8/2008	7372.67	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/7/2008	7372.67	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/6/2008	7372.68	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/5/2008	7372.68	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/4/2008	7372.69	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/3/2008	7372.69	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/2/2008	7372.69	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	2/1/2008	7372.72	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/31/2008	7372.79	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/30/2008	7372.87	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/29/2008	7373.31	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/28/2008	7372.53	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/27/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/26/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/25/2008	7372.46	Manual
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/25/2008	7372.43	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/24/2008	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/23/2008	7372.45	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/22/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/21/2008	7372.49	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/20/2008	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/19/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/18/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/17/2008	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/16/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/15/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/14/2008	7372.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/13/2008	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/12/2008	7372.54	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/11/2008	7372.56	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/10/2008	7372.57	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/9/2008	7372.58	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/8/2008	7372.61	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/7/2008	7372.8	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/6/2008	7372.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/5/2008	7372.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/4/2008	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/3/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/2/2008	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	1/1/2008	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/31/2007	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/30/2007	7372.49	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/29/2007	7372.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/28/2007	7372.5	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/27/2007	7372.51	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/26/2007	7372.53	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/25/2007	7372.54	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/24/2007	7372.56	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/23/2007	7372.57	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/22/2007	7372.59	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/21/2007	7372.6	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/20/2007	7372.61	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/19/2007	7372.62	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/18/2007	7372.64	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/17/2007	7372.66	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/16/2007	7372.69	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/15/2007	7372.71	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/14/2007	7372.74	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/13/2007	7372.76	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/12/2007	7372.78	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/11/2007	7372.79	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/10/2007	7372.83	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/9/2007	7373	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/8/2007	7372.71	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/7/2007	7372.72	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/6/2007	7372.74	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/5/2007	7372.81	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/4/2007	7372.83	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/3/2007	7372.88	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/2/2007	7373.15	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	12/1/2007	7373.64	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/30/2007	7372.51	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/29/2007	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/28/2007	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/27/2007	7372.51	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/26/2007	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/25/2007	7372.52	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/24/2007	7372.51	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/23/2007	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/22/2007	7372.4	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/21/2007	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/20/2007	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/19/2007	7372.4	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/18/2007	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/17/2007	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/16/2007	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/15/2007	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/14/2007	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/13/2007	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/12/2007	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/11/2007	7372.37	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/10/2007	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/9/2007	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/8/2007	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/7/2007	7372.4	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/6/2007	7372.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/5/2007	7372.38	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/4/2007	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/3/2007	7372.27	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/2/2007	7371.95	Manual
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/2/2007	7371.58	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	11/1/2007	7370.62	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/31/2007	7369.59	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/30/2007	7369.96	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/29/2007	7372.23	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/28/2007	7371.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/27/2007	7370.3	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/26/2007	7372.36	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/25/2007	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/24/2007	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/23/2007	7372.45	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/22/2007	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/21/2007	7372.37	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/20/2007	7372.39	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/19/2007	7372.4	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/18/2007	7372.42	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/17/2007	7372.43	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/16/2007	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/15/2007	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/14/2007	7372.44	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/13/2007	7372.45	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/12/2007	7372.45	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/11/2007	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/10/2007	7372.46	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/9/2007	7372.47	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/8/2007	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/7/2007	7372.48	Transducer
CDV-16-02658	1.9	Single	5931	5	1.9	6.9	4	4.5	10/6/2007	7372.5	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/8/2008	7295.61	Manual
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/8/2008	7295.57	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/7/2008	7295.48	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/6/2008	7295.43	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/5/2008	7295.43	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/4/2008	7295.44	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/3/2008	7295.46	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/2/2008	7295.48	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/1/2008	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/30/2008	7295.54	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/29/2008	7295.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/28/2008	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/27/2008	7295.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/26/2008	7295.66	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/25/2008	7295.69	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/24/2008	7295.72	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/23/2008	7295.75	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/22/2008	7295.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/21/2008	7295.77	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/20/2008	7295.79	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/19/2008	7295.82	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/18/2008	7295.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/17/2008	7295.91	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/16/2008	7295.96	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/15/2008	7296.02	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/14/2008	7296.08	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/13/2008	7296.18	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/12/2008	7296.33	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/11/2008	7296.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/10/2008	7296.7	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/9/2008	7296.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/8/2008	7297	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/7/2008	7297.13	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/6/2008	7297.26	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/5/2008	7297.37	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/4/2008	7297.45	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/3/2008	7297.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/2/2008	7297.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	9/1/2008	7297.48	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/31/2008	7296.61	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/30/2008	7296.74	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/29/2008	7296.84	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/28/2008	7296.93	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/27/2008	7297	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/26/2008	7297.04	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/25/2008	7297.09	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/24/2008	7297.09	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/23/2008	7296.92	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/22/2008	7297.06	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/21/2008	7297.19	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/20/2008	7297.31	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/19/2008	7297.41	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/18/2008	7297.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/17/2008	7297.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/16/2008	7297.58	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/15/2008	7297.68	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/14/2008	7297.78	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/13/2008	7297.87	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/12/2008	7297.93	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/11/2008	7297.93	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/10/2008	7297.72	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/9/2008	7297.18	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/8/2008	7295.72	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/7/2008	7295.7	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/6/2008	7295.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/5/2008	7295.71	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/4/2008	7295.34	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/3/2008	7295.44	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/2/2008	7295.54	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	8/1/2008	7295.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/31/2008	7295.67	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/30/2008	7295.7	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/29/2008	7295.73	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/28/2008	7295.77	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/27/2008	7295.8	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/26/2008	7295.83	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/25/2008	7295.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/24/2008	7295.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/23/2008	7295.87	Manual
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/23/2008	7295.82	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/22/2008	7295.89	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/21/2008	7295.4	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/20/2008	7295.34	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/19/2008	7295.32	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/18/2008	7295.37	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/17/2008	7295.43	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/16/2008	7295.5	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/15/2008	7295.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/14/2008	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/13/2008	7295.58	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/12/2008	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/11/2008	7295.42	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/10/2008	7295.33	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/9/2008	7295.28	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/8/2008	7295.3	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/7/2008	7295.31	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/6/2008	7295.32	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/5/2008	7295.33	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/4/2008	7295.34	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/3/2008	7295.35	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/2/2008	7295.36	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	7/1/2008	7295.38	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/30/2008	7295.41	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/29/2008	7295.43	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/28/2008	7295.46	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/27/2008	7295.48	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/26/2008	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/25/2008	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/24/2008	7295.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/23/2008	7295.55	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/22/2008	7295.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/21/2008	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/20/2008	7295.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/19/2008	7295.64	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/18/2008	7295.67	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/17/2008	7295.7	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/16/2008	7295.73	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/15/2008	7295.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/14/2008	7295.79	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/13/2008	7295.82	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/12/2008	7295.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/11/2008	7295.89	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/10/2008	7295.93	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/9/2008	7295.97	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/8/2008	7296.01	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/7/2008	7296.04	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/6/2008	7296.05	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/5/2008	7296.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/4/2008	7296.15	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/3/2008	7296.24	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/2/2008	7296.36	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	6/1/2008	7296.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/31/2008	7296.66	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/30/2008	7296.69	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/29/2008	7296.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/28/2008	7296.41	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/27/2008	7296.48	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/26/2008	7296.55	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/25/2008	7296.64	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/24/2008	7296.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/23/2008	7296.55	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/22/2008	7296.58	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/21/2008	7296.66	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/20/2008	7296.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/19/2008	7296.89	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/18/2008	7297	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/17/2008	7297.07	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/16/2008	7296.99	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/15/2008	7296.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/14/2008	7296.71	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/13/2008	7296.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/12/2008	7296.8	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/11/2008	7296.83	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/10/2008	7296.87	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/9/2008	7296.91	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/8/2008	7296.96	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/7/2008	7297	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/6/2008	7297.04	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/5/2008	7297.08	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/4/2008	7297.12	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/3/2008	7297.15	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/2/2008	7297.18	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	5/1/2008	7297.22	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/30/2008	7297.26	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/29/2008	7297.31	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/28/2008	7297.35	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/27/2008	7297.4	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/26/2008	7297.44	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/25/2008	7297.47	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/24/2008	7297.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/23/2008	7297.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/22/2008	7297.55	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/21/2008	7297.6	Manual
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/21/2008	7297.58	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/20/2008	7297.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/19/2008	7297.64	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/18/2008	7297.68	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/17/2008	7297.65	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/16/2008	7297.66	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/15/2008	7297.68	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/14/2008	7297.7	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/13/2008	7297.71	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/12/2008	7297.71	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/11/2008	7297.72	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/10/2008	7297.75	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/9/2008	7297.73	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/8/2008	7297.73	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/7/2008	7297.74	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/6/2008	7297.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/5/2008	7297.77	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/4/2008	7297.79	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/3/2008	7297.81	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/2/2008	7297.84	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	4/1/2008	7297.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/31/2008	7297.9	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/30/2008	7297.92	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/29/2008	7297.94	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/28/2008	7297.96	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/27/2008	7297.97	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/26/2008	7297.97	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/25/2008	7297.98	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/24/2008	7297.99	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/23/2008	7298	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/22/2008	7298.02	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/21/2008	7298.02	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/20/2008	7298.02	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/19/2008	7298.03	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/18/2008	7298.05	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/17/2008	7298.08	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/16/2008	7298.09	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/15/2008	7298.12	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/14/2008	7298.13	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/13/2008	7298.11	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/12/2008	7298.09	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/11/2008	7298.07	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/10/2008	7298.07	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/9/2008	7298.07	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/8/2008	7298.08	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/7/2008	7298.08	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/6/2008	7298.11	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/5/2008	7298.12	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/4/2008	7298.13	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/3/2008	7298.17	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/2/2008	7298.2	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	3/1/2008	7298.17	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/29/2008	7298.16	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/28/2008	7298.15	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/27/2008	7298.15	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/26/2008	7298.18	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/25/2008	7298.29	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/24/2008	7298.11	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/23/2008	7298.12	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/22/2008	7298.1	Manual
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/22/2008	7298.03	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/21/2008	7298.04	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/20/2008	7298.02	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/19/2008	7298.02	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/18/2008	7298.02	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/17/2008	7298.05	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/16/2008	7298.01	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/15/2008	7297.96	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/14/2008	7297.89	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/13/2008	7297.8	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/12/2008	7297.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/11/2008	7297.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/10/2008	7297.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/9/2008	7297.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/8/2008	7297.67	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/7/2008	7297.73	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/6/2008	7297.78	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/5/2008	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/4/2008	7297.87	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/3/2008	7297.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/2/2008	7297.82	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	2/1/2008	7297.79	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/31/2008	7297.82	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/30/2008	7297.84	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/29/2008	7297.9	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/28/2008	7295.96	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/27/2008	7295.92	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/26/2008	7295.94	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/25/2008	7295.98	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/24/2008	7296.04	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/23/2008	7296.16	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/22/2008	7296.32	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/21/2008	7296.48	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/20/2008	7296.61	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/19/2008	7296.71	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/18/2008	7296.8	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/17/2008	7296.88	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/16/2008	7296.96	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/15/2008	7297.03	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/14/2008	7297.1	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/13/2008	7297.18	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/12/2008	7297.23	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/11/2008	7297.27	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/10/2008	7297.27	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/9/2008	7297.27	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/8/2008	7297.27	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/7/2008	7297.35	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/6/2008	7296.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/5/2008	7296.83	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/4/2008	7296.93	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/3/2008	7297.03	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/2/2008	7297.12	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	1/1/2008	7297.22	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/31/2007	7297.33	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/30/2007	7297.43	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/29/2007	7297.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/28/2007	7297.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/27/2007	7297.68	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/26/2007	7297.72	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/25/2007	7297.75	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/24/2007	7297.78	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/23/2007	7297.81	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/22/2007	7297.83	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/21/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/20/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/19/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/18/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/17/2007	7297.84	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/16/2007	7297.84	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/15/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/14/2007	7297.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/13/2007	7297.84	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/12/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/11/2007	7297.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/10/2007	7297.85	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/9/2007	7297.88	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/8/2007	7297.75	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/7/2007	7297.73	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/6/2007	7297.74	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/5/2007	7297.75	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/4/2007	7297.77	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/3/2007	7297.79	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/2/2007	7297.78	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	12/1/2007	7295.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/30/2007	7295.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/29/2007	7295.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/28/2007	7295.62	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/27/2007	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/26/2007	7295.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/25/2007	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/24/2007	7295.5	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/23/2007	7295.5	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/22/2007	7295.5	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/21/2007	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/20/2007	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/19/2007	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/18/2007	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/17/2007	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/16/2007	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/15/2007	7295.51	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/14/2007	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/13/2007	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/12/2007	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/11/2007	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/10/2007	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/9/2007	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/8/2007	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/7/2007	7295.54	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/6/2007	7295.54	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/5/2007	7295.54	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/4/2007	7295.55	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/3/2007	7295.55	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/2/2007	7295.56	Manual
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/2/2007	7295.49	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	11/1/2007	7295.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/31/2007	7295.53	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/30/2007	7295.17	Manual
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/30/2007	7295.52	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/29/2007	7295.54	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/28/2007	7295.56	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/27/2007	7295.57	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/26/2007	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/25/2007	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/24/2007	7295.59	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/23/2007	7295.6	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/22/2007	7295.61	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/21/2007	7295.63	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/20/2007	7295.65	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/19/2007	7295.66	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/18/2007	7295.69	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/17/2007	7295.7	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/16/2007	7295.72	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/15/2007	7295.76	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/14/2007	7295.79	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/13/2007	7295.83	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/12/2007	7295.86	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/11/2007	7295.89	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/10/2007	7295.94	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/9/2007	7296.03	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/8/2007	7296.16	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/7/2007	7296.34	Transducer
CDV-16-02659	1.7	Single	5941	5	1.7	6.7	4	4.5	10/6/2007	7296.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/24/2008	6806.16	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/23/2008	6806.1	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/22/2008	6806.24	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/21/2008	6806.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/20/2008	6806.14	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/19/2008	6806.18	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/18/2008	6806.03	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/17/2008	6806.11	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/16/2008	6806.13	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/15/2008	6806.28	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/14/2008	6806.33	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/13/2008	6806.47	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/12/2008	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/11/2008	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/10/2008	6806.66	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/9/2008	6806.49	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/8/2008	6806.37	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/7/2008	6806.39	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/6/2008	6806.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/5/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/4/2008	6806.64	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/3/2008	6806.62	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/2/2008	6806.45	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/1/2008	6806.39	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/30/2008	6806.33	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/29/2008	6806.42	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/28/2008	6806.45	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/27/2008	6806.55	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/26/2008	6806.52	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/25/2008	6806.47	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/24/2008	6806.55	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/23/2008	6806.66	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/22/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/21/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/20/2008	6806.69	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/19/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/18/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/17/2008	6806.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/16/2008	6806.61	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/15/2008	6806.68	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/14/2008	6806.94	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/13/2008	6806.9	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/12/2008	6806.87	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/11/2008	6806.91	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/10/2008	6806.9	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/9/2008	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/8/2008	6806.87	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/7/2008	6806.91	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/6/2008	6806.96	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/5/2008	6807.01	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/4/2008	6806.95	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/3/2008	6806.86	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/2/2008	6807.03	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	9/1/2008	6807.19	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/31/2008	6807.14	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/30/2008	6807	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/29/2008	6806.92	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/28/2008	6806.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/27/2008	6806.83	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/26/2008	6806.58	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/25/2008	6805.42	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/24/2008	6805.27	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/23/2008	6805.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/22/2008	6806.77	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/21/2008	6805.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/20/2008	6806.26	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/19/2008	6806.15	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/18/2008	6806.18	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/17/2008	6806.11	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/16/2008	6806.08	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/15/2008	6805.52	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/14/2008	6806.14	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/13/2008	6805.66	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/12/2008	6805.99	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/11/2008	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/10/2008	6806.76	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/9/2008	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/8/2008	6806.62	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/7/2008	6806.61	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/6/2008	6806.58	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/5/2008	6806.64	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/4/2008	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/3/2008	6806.72	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/2/2008	6806.67	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	8/1/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/31/2008	6806.76	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/30/2008	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/29/2008	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/28/2008	6806.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/27/2008	6806.78	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/26/2008	6806.66	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/25/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/24/2008	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/23/2008	6806.77	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/22/2008	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/21/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/20/2008	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/19/2008	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/18/2008	6806.82	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/17/2008	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/16/2008	6806.74	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/15/2008	6806.91	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/14/2008	6806.88	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/13/2008	6806.83	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/12/2008	6806.93	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/11/2008	6806.95	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/10/2008	6806.92	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/9/2008	6806.93	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/8/2008	6806.99	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/7/2008	6807.06	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/6/2008	6807.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/5/2008	6806.96	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/4/2008	6806.94	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/3/2008	6807.02	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/2/2008	6807.02	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	7/1/2008	6806.94	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/30/2008	6806.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/29/2008	6806.92	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/28/2008	6807.11	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/27/2008	6807.15	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/26/2008	6807.09	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/25/2008	6807.04	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/24/2008	6807.07	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/23/2008	6807.06	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/22/2008	6806.97	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/21/2008	6807	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/20/2008	6807.16	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/19/2008	6807.23	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/18/2008	6807.14	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/17/2008	6807.14	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/16/2008	6807.24	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/15/2008	6807.22	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/14/2008	6807.17	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/13/2008	6807.25	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/12/2008	6807.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/11/2008	6807.53	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/10/2008	6807.35	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/9/2008	6807.39	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/8/2008	6807.54	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/7/2008	6807.48	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/6/2008	6807.55	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/5/2008	6807.92	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/4/2008	6807.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/3/2008	6807.54	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/2/2008	6807.46	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	6/1/2008	6807.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/31/2008	6807.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/30/2008	6807.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/29/2008	6807.47	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/28/2008	6807.48	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/27/2008	6807.64	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/26/2008	6807.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/25/2008	6807.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/24/2008	6807.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/23/2008	6808.08	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/22/2008	6808.19	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/21/2008	6807.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/20/2008	6807.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/19/2008	6807.67	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/18/2008	6807.55	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/17/2008	6807.51	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/16/2008	6807.54	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/15/2008	6807.78	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/14/2008	6807.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/13/2008	6808.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/12/2008	6807.92	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/11/2008	6807.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/10/2008	6807.99	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/9/2008	6807.93	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/8/2008	6808.1	Manual
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/8/2008	6808.12	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/7/2008	6808.21	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/6/2008	6808.08	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/5/2008	6808.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/4/2008	6808.07	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/3/2008	6808.07	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/2/2008	6808.34	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	5/1/2008	6808.51	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/30/2008	6808.36	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/29/2008	6808.13	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/28/2008	6808.07	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/27/2008	6808.24	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/26/2008	6808.32	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/25/2008	6808.41	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/24/2008	6808.42	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/23/2008	6808.26	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/22/2008	6808.21	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/21/2008	6808.25	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/20/2008	6808.23	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/19/2008	6807.97	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/18/2008	6807.88	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/17/2008	6808.03	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/16/2008	6807.86	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/15/2008	6807.53	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/14/2008	6807.21	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/13/2008	6807.09	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/12/2008	6807.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/11/2008	6807.33	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/10/2008	6807.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/9/2008	6807.23	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/8/2008	6807.06	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/7/2008	6807	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/6/2008	6807.08	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/5/2008	6806.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/4/2008	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/3/2008	6806.84	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/2/2008	6806.64	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	4/1/2008	6806.64	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/31/2008	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/30/2008	6806.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/29/2008	6806.56	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/28/2008	6806.59	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/27/2008	6806.59	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/26/2008	6806.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/25/2008	6806.43	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/24/2008	6806.28	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/23/2008	6806.28	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/22/2008	6806.33	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/21/2008	6806.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/20/2008	6806.41	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/19/2008	6806.42	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/18/2008	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/17/2008	6806.83	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/16/2008	6806.78	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/15/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/14/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/13/2008	6806.6	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/12/2008	6806.41	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/11/2008	6806.29	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/10/2008	6806.27	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/9/2008	6806.6	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/8/2008	6806.45	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/7/2008	6806.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/6/2008	6806.59	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/5/2008	6806.74	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/4/2008	6806.47	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/3/2008	6806.61	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/2/2008	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	3/1/2008	6806.25	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/29/2008	6806.45	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/28/2008	6806.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/27/2008	6806.3	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/26/2008	6806.4	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/25/2008	6806.56	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/24/2008	6806.34	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/23/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/22/2008	6806.64	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/21/2008	6806.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/20/2008	6806.52	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/19/2008	6806.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/18/2008	6806.59	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/17/2008	6806.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/16/2008	6806.57	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/15/2008	6806.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/14/2008	6806.91	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/13/2008	6806.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/12/2008	6806.56	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/11/2008	6806.47	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/10/2008	6806.35	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/9/2008	6806.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/8/2008	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/7/2008	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/6/2008	6806.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/5/2008	6806.96	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/4/2008	6807.02	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/3/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/2/2008	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	2/1/2008	6806.55	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/31/2008	6806.89	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/30/2008	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/29/2008	6807.04	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/28/2008	6806.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/27/2008	6806.4	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/26/2008	6806.41	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/25/2008	6806.68	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/24/2008	6806.62	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/23/2008	6806.59	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/22/2008	6806.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/21/2008	6806.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/20/2008	6806.61	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/19/2008	6806.58	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/18/2008	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/17/2008	6806.79	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/16/2008	6806.94	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/15/2008	6806.49	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/14/2008	6806.5	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/13/2008	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/12/2008	6806.76	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/11/2008	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/10/2008	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/9/2008	6806.66	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/8/2008	6806.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/7/2008	6806.94	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/6/2008	6806.89	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/5/2008	6806.68	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/4/2008	6806.6	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/3/2008	6806.43	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/2/2008	6806.28	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	1/1/2008	6806.4	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/31/2007	6806.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/30/2007	6806.82	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/29/2007	6806.85	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/28/2007	6806.97	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/27/2007	6807.12	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/26/2007	6806.83	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/25/2007	6806.82	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/24/2007	6806.61	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/23/2007	6806.62	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/22/2007	6807.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/21/2007	6806.95	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/20/2007	6806.75	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/19/2007	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/18/2007	6806.78	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/17/2007	6806.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/16/2007	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/15/2007	6806.91	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/14/2007	6806.87	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/13/2007	6806.69	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/12/2007	6806.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/11/2007	6807.04	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/10/2007	6806.77	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/9/2007	6806.9	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/8/2007	6806.95	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/7/2007	6806.93	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/6/2007	6806.89	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/5/2007	6806.7	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/4/2007	6806.44	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/3/2007	6806.41	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/2/2007	6807	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	12/1/2007	6807.05	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/30/2007	6806.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/29/2007	6806.59	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/28/2007	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/27/2007	6806.58	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/26/2007	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/25/2007	6806.84	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/24/2007	6806.96	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/23/2007	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/22/2007	6806.71	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/21/2007	6806.94	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/20/2007	6806.78	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/19/2007	6806.68	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/18/2007	6806.77	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/17/2007	6806.86	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/16/2007	6806.69	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/15/2007	6806.53	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/14/2007	6806.77	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/13/2007	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/12/2007	6806.86	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/11/2007	6806.9	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/10/2007	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/9/2007	6806.73	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/8/2007	6806.69	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/7/2007	6806.65	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/6/2007	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/5/2007	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/4/2007	6806.62	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/3/2007	6806.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/2/2007	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	11/1/2007	6806.63	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/31/2007	6806.86	Manual
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/31/2007	6806.93	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/30/2007	6806.77	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/29/2007	6806.62	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/28/2007	6806.6	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/27/2007	6806.81	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/26/2007	6806.96	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/25/2007	6806.72	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/24/2007	6806.57	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/23/2007	6806.68	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/22/2007	6806.8	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/21/2007	6807.28	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/20/2007	6807.01	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/19/2007	6807	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/18/2007	6807.31	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/17/2007	6807.32	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/16/2007	6807.12	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/15/2007	6807.11	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/14/2007	6807.23	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/13/2007	6807.22	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/12/2007	6807.06	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/11/2007	6806.96	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/10/2007	6806.83	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/9/2007	6806.78	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/8/2007	6806.95	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/7/2007	6807.12	Transducer
CdV-16-1(i)	624	Single	5421	10	624	634	4.5	5	10/6/2007	6807.14	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/24/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/23/2008	6618.23	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/22/2008	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/21/2008	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/20/2008	6618.24	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/19/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/18/2008	6618.11	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/17/2008	6618.16	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/16/2008	6618.17	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/15/2008	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/14/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/13/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/12/2008	6618.7	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/11/2008	6618.56	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/10/2008	6618.56	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/9/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/8/2008	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/7/2008	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/6/2008	6618.57	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/5/2008	6618.55	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/4/2008	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/3/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/2/2008	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/1/2008	6618.19	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/30/2008	6618.11	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/29/2008	6618.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/28/2008	6618.19	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/27/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/26/2008	6618.23	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/25/2008	6618.16	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/24/2008	6618.21	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/23/2008	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/22/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/21/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/20/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/19/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/18/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/17/2008	6618.18	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/16/2008	6618.13	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/15/2008	6618.16	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/14/2008	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/13/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/12/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/11/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/10/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/9/2008	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/8/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/7/2008	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/6/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/5/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/4/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/3/2008	6618.24	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/2/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	9/1/2008	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/31/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/30/2008	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/29/2008	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/28/2008	6618.38	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/27/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/26/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/25/2008	6618.24	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/24/2008	6618.21	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/23/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/22/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/21/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/20/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/19/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/18/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/17/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/16/2008	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/15/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/14/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/13/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/12/2008	6618.34	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/11/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/10/2008	6618.38	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/9/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/8/2008	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/7/2008	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/6/2008	6618.21	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/5/2008	6618.26	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/4/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/3/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/2/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	8/1/2008	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/31/2008	6618.34	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/30/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/29/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/28/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/27/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/26/2008	6618.21	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/25/2008	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/24/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/23/2008	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/22/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/21/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/20/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/19/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/18/2008	6618.34	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/17/2008	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/16/2008	6618.23	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/15/2008	6618.34	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/14/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/13/2008	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/12/2008	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/11/2008	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/10/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/9/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/8/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/7/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/6/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/5/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/4/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/3/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/2/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	7/1/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/30/2008	6618.18	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/29/2008	6618.21	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/28/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/27/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/26/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/25/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/24/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/23/2008	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/22/2008	6618.22	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/21/2008	6618.24	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/20/2008	6618.38	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/19/2008	6618.45	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/18/2008	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/17/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/16/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/15/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/14/2008	6618.33	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/13/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/12/2008	6618.57	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/11/2008	6618.65	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/10/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/9/2008	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/8/2008	6618.63	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/7/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/6/2008	6618.63	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/5/2008	6618.98	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/4/2008	6618.74	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/3/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/2/2008	6618.53	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	6/1/2008	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/31/2008	6618.49	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/30/2008	6618.52	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/29/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/28/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/27/2008	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/26/2008	6618.69	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/25/2008	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/24/2008	6618.72	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/23/2008	6619	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/22/2008	6619.1	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/21/2008	6618.71	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/20/2008	6618.54	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/19/2008	6618.57	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/18/2008	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/17/2008	6618.38	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/16/2008	6618.38	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/15/2008	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/14/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/13/2008	6618.82	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/12/2008	6618.7	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/11/2008	6618.49	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/10/2008	6618.73	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/9/2008	6618.65	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/8/2008	6618.77	Manual
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/8/2008	6618.75	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/7/2008	6618.85	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/6/2008	6618.69	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/5/2008	6618.63	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/4/2008	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/3/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/2/2008	6618.82	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	5/1/2008	6618.98	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/30/2008	6618.82	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/29/2008	6618.56	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/28/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/27/2008	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/26/2008	6618.58	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/25/2008	6618.67	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/24/2008	6618.73	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/23/2008	6618.64	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/22/2008	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/21/2008	6618.73	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/20/2008	6618.79	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/19/2008	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/18/2008	6618.6	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/17/2008	6618.83	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/16/2008	6618.77	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/15/2008	6618.56	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/14/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/13/2008	6618.34	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/12/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/11/2008	6618.66	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/10/2008	6618.94	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/9/2008	6618.75	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/8/2008	6618.63	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/7/2008	6618.64	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/6/2008	6618.76	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/5/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/4/2008	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/3/2008	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/2/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	4/1/2008	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/31/2008	6618.68	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/30/2008	6618.64	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/29/2008	6618.57	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/28/2008	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/27/2008	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/26/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/25/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/24/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/23/2008	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/22/2008	6618.36	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/21/2008	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/20/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/19/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/18/2008	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/17/2008	6618.79	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/16/2008	6618.76	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/15/2008	6618.7	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/14/2008	6618.71	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/13/2008	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/12/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/11/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/10/2008	6618.28	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/9/2008	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/8/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/7/2008	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/6/2008	6618.57	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/5/2008	6618.71	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/4/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/3/2008	6618.56	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/2/2008	6618.69	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	3/1/2008	6618.24	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/29/2008	6618.41	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/28/2008	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/27/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/26/2008	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/25/2008	6618.55	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/24/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/23/2008	6618.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/22/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/21/2008	6618.63	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/20/2008	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/19/2008	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/18/2008	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/17/2008	6618.7	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/16/2008	6618.5	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/15/2008	6618.55	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/14/2008	6618.81	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/13/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/12/2008	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/11/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/10/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/9/2008	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/8/2008	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/7/2008	6618.5	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/6/2008	6618.53	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/5/2008	6618.82	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/4/2008	6618.87	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/3/2008	6618.57	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/2/2008	6618.54	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	2/1/2008	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/31/2008	6618.7	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/30/2008	6618.67	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/29/2008	6618.88	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/28/2008	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/27/2008	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/26/2008	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/25/2008	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/24/2008	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/23/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/22/2008	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/21/2008	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/20/2008	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/19/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/18/2008	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/17/2008	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/16/2008	6618.73	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/15/2008	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/14/2008	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/13/2008	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/12/2008	6618.54	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/11/2008	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/10/2008	6618.58	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/9/2008	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/8/2008	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/7/2008	6618.71	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/6/2008	6618.66	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/5/2008	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/4/2008	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/3/2008	6618.23	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/2/2008	6618.07	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	1/1/2008	6618.15	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/31/2007	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/30/2007	6618.57	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/29/2007	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/28/2007	6618.7	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/27/2007	6618.87	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/26/2007	6618.58	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/25/2007	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/24/2007	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/23/2007	6618.37	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/22/2007	6618.76	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/21/2007	6618.69	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/20/2007	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/19/2007	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/18/2007	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/17/2007	6618.46	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/16/2007	6618.42	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/15/2007	6618.6	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/14/2007	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/13/2007	6618.41	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/12/2007	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/11/2007	6618.74	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/10/2007	6618.49	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/9/2007	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/8/2007	6618.66	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/7/2007	6618.65	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/6/2007	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/5/2007	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/4/2007	6618.16	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/3/2007	6618.13	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/2/2007	6618.68	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	12/1/2007	6618.77	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/30/2007	6618.45	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/29/2007	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/28/2007	6618.52	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/27/2007	6618.29	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/26/2007	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/25/2007	6618.55	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/24/2007	6618.65	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/23/2007	6618.52	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/22/2007	6618.4	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/21/2007	6618.62	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/20/2007	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/19/2007	6618.34	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/18/2007	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/17/2007	6618.53	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/16/2007	6618.38	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/15/2007	6618.2	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/14/2007	6618.44	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/13/2007	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/12/2007	6618.51	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/11/2007	6618.55	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/10/2007	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/9/2007	6618.39	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/8/2007	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/7/2007	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/6/2007	6618.27	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/5/2007	6618.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/4/2007	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/3/2007	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/2/2007	6618.43	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	11/1/2007	6618.26	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/31/2007	6618.38	Manual
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/31/2007	6618.5	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/30/2007	6618.35	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/29/2007	6618.19	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/28/2007	6618.15	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/27/2007	6618.32	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/26/2007	6618.47	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/25/2007	6618.23	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/24/2007	6618.01	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/23/2007	6618.22	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/22/2007	6618.3	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/21/2007	6618.77	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/20/2007	6618.52	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/19/2007	6618.48	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/18/2007	6618.78	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/17/2007	6618.81	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/16/2007	6618.61	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/15/2007	6618.59	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/14/2007	6618.71	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/13/2007	6618.69	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/12/2007	6618.54	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/11/2007	6618.45	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/10/2007	6618.31	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/9/2007	6618.25	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/8/2007	6618.41	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/7/2007	6618.56	Transducer
CdV-16-2(i)r	850	Single	6431	9.7	850	859.7	4.46	5.27	10/6/2007	6618.6	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/14/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/10/2008	6019.7	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/9/2008	6019.7	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/8/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/7/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/6/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/5/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/4/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/3/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/2/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/1/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/30/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/29/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/28/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/27/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/26/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/25/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/24/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/23/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/22/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/21/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/20/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/19/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/18/2008	6019.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/17/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/16/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/15/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/14/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/13/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/12/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/11/2008	6019.48	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/10/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/9/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/8/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/7/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/6/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/5/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/4/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/3/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/2/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	9/1/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/31/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/30/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/29/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/28/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/27/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/26/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/25/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/24/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/23/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/22/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/21/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/20/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/19/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/18/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/17/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/16/2008	6019.47	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/15/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/14/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/13/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/12/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/11/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/10/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/9/2008	6019.46	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/8/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/7/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/6/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/5/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/4/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/3/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/2/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	8/1/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/31/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/30/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/29/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/28/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/27/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/26/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/25/2008	6019.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/24/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/23/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/22/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/21/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/20/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/19/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/18/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/17/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/16/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/15/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/14/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/13/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/12/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/11/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/10/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/9/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/8/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/7/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/6/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/5/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/4/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/3/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/2/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	7/1/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/30/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/29/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/28/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/27/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/26/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/25/2008	6019.41	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/24/2008	6019.41	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/23/2008	6019.41	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/22/2008	6019.41	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/21/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/20/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/19/2008	6019.41	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/18/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/17/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/16/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/15/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/14/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/13/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/12/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/11/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/10/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/9/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/8/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/7/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/6/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/5/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/4/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/3/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/2/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	6/1/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/31/2008	6019.43	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/30/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/29/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/28/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/27/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/26/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/25/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/24/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/23/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/22/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/21/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/20/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/19/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/18/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/17/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/16/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/15/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/14/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/13/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/12/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/11/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/10/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/9/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/8/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/7/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/6/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/5/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/4/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/3/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/2/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	5/1/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/30/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/29/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/28/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/27/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/26/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/25/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/24/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/23/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/22/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/21/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/20/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/19/2008	6019.4	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/18/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/17/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/16/2008	6019.42	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/15/2008	6019.41	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/14/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/13/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/12/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/11/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/10/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/9/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/8/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/7/2008	6019.44	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/6/2008	6019.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/5/2008	6019.45	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/4/2008	6019.43	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/3/2008	6019.54	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/2/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	4/1/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/31/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/30/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/29/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/28/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/27/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/26/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/25/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/24/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/23/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/22/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/21/2008	6019.49	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/20/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/19/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/18/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/17/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/16/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/15/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/14/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/13/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/12/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/11/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/10/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/9/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/8/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/7/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/6/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/5/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/4/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/3/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/2/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	3/1/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/29/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/28/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/27/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/26/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/25/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/24/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/23/2008	6019.51	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/22/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/21/2008	6019.52	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	2/20/2008	6019.5	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/23/2007	6019.75	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/22/2007	6019.77	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/19/2007	6019.75	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/18/2007	6019.69	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/17/2007	6019.68	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/16/2007	6019.68	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/15/2007	6019.69	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/14/2007	6019.68	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/13/2007	6019.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/12/2007	6019.68	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/11/2007	6019.68	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/10/2007	6019.69	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/9/2007	6019.69	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/8/2007	6019.69	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/7/2007	6019.69	Transducer
CdV-R-15-3	1254	MP4A	1942	43.8	1235	1278.9	4.5	5.5	10/6/2007	6019.69	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/14/2008	6019.73	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/8/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/7/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/6/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/5/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/4/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/3/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/2/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/1/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/30/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/29/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/28/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/27/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/26/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/25/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/24/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/23/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/22/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/21/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/20/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/19/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/18/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/17/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/16/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/15/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/14/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/13/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/12/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/11/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/10/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/9/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/8/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/7/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/6/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/5/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/4/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/3/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/2/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	9/1/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/31/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/30/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/29/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/28/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/27/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/26/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/25/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/24/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/23/2008	6019.4	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/22/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/21/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/20/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/19/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/18/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/17/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/16/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/15/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/14/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/13/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/12/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/11/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/10/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/9/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/8/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/7/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/6/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/5/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/4/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/3/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/2/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	8/1/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/31/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/30/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/29/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/28/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/27/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/26/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/25/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/24/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/23/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/22/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/21/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/20/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/19/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/18/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/17/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/16/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/15/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/14/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/13/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/12/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/11/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/10/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/9/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/8/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/7/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/6/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/5/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/4/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/3/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/2/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	7/1/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/30/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/29/2008	6019.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/28/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/27/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/26/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/25/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/24/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/23/2008	6019.36	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/22/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/21/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/20/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/19/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/18/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/17/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/16/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/15/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/14/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/13/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/12/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/11/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/10/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/9/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/8/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/7/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/6/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/5/2008	6019.37	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/4/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/3/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/2/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	6/1/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/31/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/30/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/29/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/28/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/27/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/26/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/25/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/24/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/23/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/22/2008	6019.38	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/21/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/20/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/19/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/18/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/17/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/16/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/15/2008	6019.4	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/14/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/13/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/12/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/11/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/10/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/9/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/8/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/7/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/6/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/5/2008	6019.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/4/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/3/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/2/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	5/1/2008	6019.44	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/30/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/29/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/28/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/27/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/26/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/25/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/24/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/23/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/22/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/21/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/20/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/19/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/18/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/17/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/16/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/15/2008	6019.51	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/14/2008	6019.5	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/13/2008	6019.5	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/12/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/11/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/10/2008	6019.5	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/9/2008	6019.51	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/8/2008	6019.51	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/7/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/6/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/5/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/4/2008	6019.53	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/3/2008	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/2/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	4/1/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/31/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/30/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/29/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/28/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/27/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/26/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/25/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/24/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/23/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/22/2008	6019.44	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/21/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/20/2008	6019.42	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/19/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/18/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/17/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/16/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/15/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/14/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/13/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/12/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/11/2008	6019.45	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/10/2008	6019.44	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/9/2008	6019.43	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/8/2008	6019.44	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/7/2008	6019.44	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/6/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/5/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/4/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/3/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/2/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	3/1/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/29/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/28/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/27/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/26/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/25/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/24/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/23/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/22/2008	6019.45	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/21/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/20/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/19/2008	6019.47	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/18/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/17/2008	6019.5	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/16/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/15/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/14/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/13/2008	6019.51	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/12/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/11/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/10/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/9/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/8/2008	6019.49	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/7/2008	6019.51	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/6/2008	6019.51	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/5/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/4/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/3/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/2/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	2/1/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/31/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/30/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/29/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/28/2008	6019.5	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/27/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/26/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/25/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/24/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/23/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/22/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/21/2008	6019.52	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/20/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/19/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/18/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/17/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/16/2008	6019.56	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/15/2008	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/14/2008	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/13/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/12/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/11/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/10/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/9/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/8/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/7/2008	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/6/2008	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/5/2008	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/4/2008	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/3/2008	6019.57	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/2/2008	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	1/1/2008	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/31/2007	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/30/2007	6019.57	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/29/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/28/2007	6019.57	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/27/2007	6019.56	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/26/2007	6019.57	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/25/2007	6019.54	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/24/2007	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/23/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/22/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/21/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/20/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/19/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/18/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/17/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/16/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/15/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/14/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/13/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/12/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/11/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/10/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/9/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/8/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/7/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/6/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/5/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/4/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/3/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/2/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	12/1/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/30/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/29/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/28/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/27/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/26/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/25/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/24/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/23/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/22/2007	6019.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/21/2007	6019.64	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/20/2007	6019.64	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/19/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/18/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/17/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/16/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/15/2007	6019.68	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/14/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/13/2007	6019.64	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/12/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/11/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/10/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/9/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/8/2007	6019.65	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/7/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/6/2007	6019.68	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/5/2007	6019.68	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/4/2007	6019.7	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/3/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/2/2007	6019.7	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	11/1/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/31/2007	6019.68	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/30/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/29/2007	6019.66	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/19/2007	6019.85	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/18/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/17/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/16/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/15/2007	6019.58	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/14/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/13/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/12/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/11/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/10/2007	6019.59	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/9/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/8/2007	6019.61	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/7/2007	6019.63	Transducer
CdV-R-15-3	1350	MP5A	2012	6.9	1348	1355.3	4.5	5.5	10/6/2007	6019.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/14/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/10/2008	5982.5	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/8/2008	5982.64	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/7/2008	5982.67	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/6/2008	5982.51	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/5/2008	5982.49	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/4/2008	5982.51	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/3/2008	5982.49	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/2/2008	5982.58	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/1/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/30/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/29/2008	5982.59	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/28/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/27/2008	5982.57	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/26/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/25/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/24/2008	5982.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/23/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/22/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/21/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/20/2008	5982.6	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/19/2008	5982.6	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/18/2008	5982.58	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/17/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/16/2008	5982.67	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/15/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/14/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/13/2008	5982.59	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/12/2008	5982.65	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/11/2008	5982.62	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/10/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/9/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/8/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/7/2008	5982.64	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/6/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/5/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/4/2008	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/3/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/2/2008	5982.64	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	9/1/2008	5982.6	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/31/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/30/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/29/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/28/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/27/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/26/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/25/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/24/2008	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/23/2008	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/22/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/21/2008	5982.65	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/20/2008	5982.64	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/19/2008	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/18/2008	5982.65	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/17/2008	5982.72	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/16/2008	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/15/2008	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/14/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/13/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/12/2008	5982.72	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/11/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/10/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/9/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/8/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/7/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/6/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/5/2008	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/4/2008	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/3/2008	5982.62	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/2/2008	5982.65	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	8/1/2008	5982.67	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/31/2008	5982.66	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/30/2008	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/29/2008	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/28/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/27/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/26/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/25/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/24/2008	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/23/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/22/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/21/2008	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/20/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/19/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/18/2008	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/17/2008	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/16/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/15/2008	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/14/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/13/2008	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/12/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/11/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/10/2008	5982.72	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/9/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/8/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/7/2008	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/6/2008	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/5/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/4/2008	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/3/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/2/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	7/1/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/30/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/29/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/28/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/27/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/26/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/25/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/24/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/23/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/22/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/21/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/20/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/19/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/18/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/17/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/16/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/15/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/14/2008	5982.89	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/13/2008	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/12/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/11/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/10/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/9/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/8/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/7/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/6/2008	5982.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/5/2008	5982.64	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/4/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/3/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/2/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	6/1/2008	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/31/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/30/2008	5982.89	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/29/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/28/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/27/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/26/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/25/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/24/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/23/2008	5982.72	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/22/2008	5982.65	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/21/2008	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/20/2008	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/19/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/18/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/17/2008	5982.97	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/16/2008	5983.02	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/15/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/14/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/13/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/12/2008	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/11/2008	5982.95	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/10/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/9/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/8/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/7/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/6/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/5/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/4/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/3/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/2/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	5/1/2008	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/30/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/29/2008	5982.94	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/28/2008	5983.02	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/27/2008	5983.02	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/26/2008	5982.97	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/25/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/24/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/23/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/22/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/21/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/20/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/19/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/18/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/17/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/16/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/15/2008	5982.91	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/14/2008	5983.02	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/13/2008	5983.05	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/12/2008	5983.07	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/11/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/10/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/9/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/8/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/7/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/6/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/5/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/4/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/2/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	4/1/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/31/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/30/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/29/2008	5982.89	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/28/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/27/2008	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/26/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/25/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/24/2008	5982.94	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/23/2008	5982.95	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/22/2008	5982.91	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/21/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/20/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/19/2008	5982.91	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/18/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/17/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/16/2008	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/15/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/14/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/13/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/12/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/11/2008	5983	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/10/2008	5983.02	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/9/2008	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/8/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/7/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/6/2008	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/5/2008	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/4/2008	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/3/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/2/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	3/1/2008	5983.01	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/29/2008	5982.91	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/28/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/27/2008	5983.02	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/26/2008	5982.98	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/25/2008	5982.89	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/24/2008	5983	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/23/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/22/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/21/2008	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/20/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/19/2008	5982.89	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/18/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/17/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/16/2008	5982.9	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/15/2008	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/14/2008	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/13/2008	5982.97	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/12/2008	5982.91	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/11/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/10/2008	5982.98	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/9/2008	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/8/2008	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/7/2008	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/6/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/5/2008	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/4/2008	5982.7	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/3/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/2/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	2/1/2008	5982.94	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/31/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/30/2008	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/29/2008	5982.72	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/28/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/27/2008	5982.95	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/26/2008	5982.97	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/25/2008	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/24/2008	5982.84	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/23/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/22/2008	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/21/2008	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/20/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/19/2008	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/18/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/17/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/16/2008	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/15/2008	5982.97	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/14/2008	5982.98	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/13/2008	5982.91	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/12/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/11/2008	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/10/2008	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/9/2008	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/8/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/7/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/6/2008	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/5/2008	5982.82	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/4/2008	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/3/2008	5982.95	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/2/2008	5983.05	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	1/1/2008	5983.06	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/31/2007	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/30/2007	5982.89	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/29/2007	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/28/2007	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/27/2007	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/26/2007	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/25/2007	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/24/2007	5982.86	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/23/2007	5982.88	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/22/2007	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/21/2007	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/20/2007	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/19/2007	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/18/2007	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/17/2007	5982.92	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/16/2007	5982.93	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/15/2007	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/14/2007	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/13/2007	5982.9	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/12/2007	5982.88	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/11/2007	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/10/2007	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/9/2007	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/8/2007	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/7/2007	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/6/2007	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/5/2007	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/4/2007	5982.98	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/3/2007	5983.03	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/2/2007	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	12/1/2007	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/30/2007	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/29/2007	5982.85	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/28/2007	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/27/2007	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/26/2007	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/25/2007	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/24/2007	5982.63	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/23/2007	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/22/2007	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/21/2007	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/20/2007	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/19/2007	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/18/2007	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/17/2007	5982.72	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/16/2007	5982.77	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/15/2007	5982.87	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/14/2007	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/13/2007	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/12/2007	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/11/2007	5982.65	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/10/2007	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/9/2007	5982.71	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/8/2007	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/7/2007	5982.78	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/6/2007	5982.8	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/5/2007	5982.76	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/4/2007	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/3/2007	5982.83	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/2/2007	5982.74	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	11/1/2007	5982.81	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/31/2007	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/30/2007	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/29/2007	5982.77	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/24/2007	5982.73	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/23/2007	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/19/2007	5982.66	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/18/2007	5982.58	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/17/2007	5982.52	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/16/2007	5982.59	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/15/2007	5982.59	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/14/2007	5982.52	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/13/2007	5982.51	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/12/2007	5982.56	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/11/2007	5982.61	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/10/2007	5982.68	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/9/2007	5982.75	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/8/2007	5982.69	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/7/2007	5982.64	Transducer
CdV-R-15-3	1640	MP6A	2062	6.9	1638	1644.8	4.5	5.5	10/6/2007	5982.61	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/10/2008	6136.51	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/7/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/6/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/5/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/4/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/3/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/2/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/1/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/30/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/29/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/28/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/27/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/26/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/25/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/24/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/23/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/22/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/21/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/20/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/19/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/18/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/17/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/16/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/15/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/14/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/13/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/12/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/11/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/10/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/9/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/8/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/7/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/6/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/5/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/4/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/3/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/2/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	9/1/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/31/2008	6137.02	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/30/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/29/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/28/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/27/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/26/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/25/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/24/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/23/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/22/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/21/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/20/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/19/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/18/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/17/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/16/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/15/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/14/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/13/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/12/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/11/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/10/2008	6137.03	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/9/2008	6137.03	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/8/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/7/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/6/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/5/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/4/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/3/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/2/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	8/1/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/31/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/30/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/29/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/28/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/27/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/26/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/25/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/24/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/23/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/22/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/21/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/20/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/19/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/18/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/17/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/16/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/15/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/14/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/13/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/12/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/11/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/10/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/9/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/8/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/7/2008	6137	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/6/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/5/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/4/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/3/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/2/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	7/1/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/30/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/29/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/28/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/27/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/26/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/25/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/24/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/23/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/22/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/21/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/20/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/19/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/18/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/17/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/16/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/15/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/14/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/13/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/12/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/11/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/10/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/9/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/8/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/7/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/6/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/5/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/4/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/3/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/2/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	6/1/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/31/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/30/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/29/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/28/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/27/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/26/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/25/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/24/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/23/2008	6136.98	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/22/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/21/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/20/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/19/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/18/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/17/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/16/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/15/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/14/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/13/2008	6136.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/12/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/11/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/10/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/9/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/8/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/7/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/6/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/5/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/4/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/3/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/2/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	5/1/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/30/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/29/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/28/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/27/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/26/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/25/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/24/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/23/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/22/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/21/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/20/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/19/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/18/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/17/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/16/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/15/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/14/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/13/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/12/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/11/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/10/2008	6136.97	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/9/2008	6136.46	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/8/2008	6136.46	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/7/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/6/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/5/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/4/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/3/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/2/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	4/1/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/31/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/30/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/29/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/28/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/27/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/26/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/25/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/24/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/23/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/22/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/21/2008	6136.99	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/20/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/19/2008	6136.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/18/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/17/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/16/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/15/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/14/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/13/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/12/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/11/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/10/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/9/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/8/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/7/2008	6137	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/6/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/5/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/4/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/3/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/2/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	3/1/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/29/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/28/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/27/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/26/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/25/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/24/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/23/2008	6137.01	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/22/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/21/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/20/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/19/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/18/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/17/2008	6137.02	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/16/2008	6137.03	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/15/2008	6137.03	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/14/2008	6137.03	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/13/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/12/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/11/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/10/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/9/2008	6137.03	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/8/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/7/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/6/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/5/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/4/2008	6137.05	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/3/2008	6137.04	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/2/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	2/1/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/31/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/30/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/29/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/28/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/27/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/26/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/25/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/24/2008	6137.06	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/23/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/22/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/21/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/20/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/19/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/18/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/17/2008	6137.06	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/16/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/15/2008	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/14/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/13/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/12/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/11/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/10/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/9/2008	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/8/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/7/2008	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/6/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/5/2008	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/4/2008	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/3/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/2/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	1/1/2008	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/31/2007	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/30/2007	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/29/2007	6137.07	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/28/2007	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/27/2007	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/26/2007	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/25/2007	6137.08	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/24/2007	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/23/2007	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/22/2007	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/21/2007	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/20/2007	6137.1	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/19/2007	6137.1	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/18/2007	6137.09	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/17/2007	6137.1	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/16/2007	6137.1	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/15/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/14/2007	6137.1	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/13/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/12/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/11/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/10/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/9/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/8/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/7/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/6/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/5/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/4/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/3/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/2/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	12/1/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/30/2007	6137.11	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/29/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/28/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/27/2007	6137.11	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/26/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/25/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/24/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/23/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/22/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/21/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/20/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/19/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/18/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/17/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/16/2007	6137.14	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/15/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/14/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/13/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/12/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/11/2007	6137.12	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/10/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/9/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/8/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/7/2007	6137.14	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/6/2007	6137.13	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	11/5/2007	6136.76	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/30/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/29/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/28/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/27/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/26/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/25/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/24/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/23/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/22/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/21/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/20/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/19/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/18/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/17/2007	6137.16	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/16/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/15/2007	6137.18	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/14/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/13/2007	6137.17	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/12/2007	6137.18	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/11/2007	6137.18	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/10/2007	6137.19	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/9/2007	6137.18	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/8/2007	6137.18	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/7/2007	6137.18	Transducer
CdV-R-37-2	1200	MP2A	2172	25.1	1189	1213.8	4.5	5.56	10/6/2007	6137.19	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/10/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/9/2008	6136.04	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/8/2008	6136.04	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/7/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/6/2008	6136.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/5/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/4/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/3/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/2/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/1/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/30/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/29/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/28/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/27/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/26/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/25/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/24/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/23/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/22/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/21/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/20/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/19/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/18/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/17/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/16/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/15/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/14/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/13/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/12/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/11/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/10/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/9/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/8/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/7/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/6/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/5/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/4/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/3/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/2/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	9/1/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/31/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/30/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/29/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/28/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/27/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/26/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/25/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/24/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/23/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/22/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/21/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/20/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/19/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/18/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/17/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/16/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/15/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/14/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/13/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/12/2008	6136.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/11/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/10/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/9/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/8/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/7/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/6/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/5/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/4/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/3/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/2/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	8/1/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/31/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/30/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/29/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/28/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/27/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/26/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/25/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/24/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/23/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/22/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/21/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/20/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/19/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/18/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/17/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/16/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/15/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/14/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/13/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/12/2008	6136.26	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/11/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/10/2008	6136.26	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/9/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/8/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/7/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/6/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/5/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/4/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/3/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/2/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	7/1/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/30/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/29/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/28/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/27/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/26/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/25/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/24/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/23/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/22/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/21/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/20/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/19/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/18/2008	6136.22	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/17/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/16/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/15/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/14/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/13/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/12/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/11/2008	6136.21	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/10/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/9/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/8/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/7/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/6/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/5/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/4/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/3/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/2/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	6/1/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/31/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/30/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/29/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/28/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/27/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/26/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/25/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/24/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/23/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/22/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/21/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/20/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/19/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/18/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/17/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/16/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/15/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/14/2008	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/13/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/12/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/11/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/10/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/9/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/8/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/7/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/6/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/5/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/4/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/3/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/2/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	5/1/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/30/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/29/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/28/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/27/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/26/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/25/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/24/2008	6136.24	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/23/2008	6136.23	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/22/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/21/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/20/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/19/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/18/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/17/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/16/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/15/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/14/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/13/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/12/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/11/2008	6136.24	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/10/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/9/2008	6136.02	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/7/2008	6136.25	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/6/2008	6136.26	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/5/2008	6136.26	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/4/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/3/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/2/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	4/1/2008	6136.26	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/31/2008	6136.26	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/30/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/29/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/28/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/27/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/26/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/25/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/24/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/23/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/22/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/21/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/20/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/19/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/18/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/17/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/16/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/15/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/14/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/13/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/12/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/11/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/10/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/9/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/8/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/7/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/6/2008	6136.27	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/5/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/4/2008	6136.28	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/3/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/2/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	3/1/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/29/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/28/2008	6136.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/27/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/26/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/25/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/24/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/23/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/22/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/21/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/20/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/19/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/18/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/17/2008	6136.3	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/16/2008	6136.29	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/15/2008	6136.3	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/14/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/13/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/12/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/11/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/10/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/9/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/8/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/7/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/6/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/5/2008	6136.31	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/4/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/3/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/2/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	2/1/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/31/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/30/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/29/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/28/2008	6136.32	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/27/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/26/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/25/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/24/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/23/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/22/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/21/2008	6136.33	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/20/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/19/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/18/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/17/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/16/2008	6136.34	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/15/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/14/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/13/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/12/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/11/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/10/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/9/2008	6136.35	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/8/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/7/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/6/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/5/2008	6136.37	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/4/2008	6136.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/3/2008	6136.37	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/2/2008	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	1/1/2008	6136.37	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/31/2007	6136.37	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/30/2007	6136.36	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/29/2007	6136.37	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/28/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/27/2007	6136.37	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/26/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/25/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/24/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/23/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/22/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/21/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/20/2007	6136.39	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/19/2007	6136.39	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/18/2007	6136.38	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/17/2007	6136.39	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/16/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/15/2007	6136.39	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/14/2007	6136.39	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/13/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/12/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/11/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/10/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/9/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/8/2007	6136.4	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/7/2007	6136.41	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/6/2007	6136.41	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/5/2007	6136.41	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/4/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/3/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/2/2007	6136.41	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	12/1/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/30/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/29/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/28/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/27/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/26/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/25/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/24/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/23/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/22/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/21/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/20/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/19/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/18/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/17/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/16/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/15/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/14/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/13/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/12/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/11/2007	6136.44	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/10/2007	6136.43	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/9/2007	6136.44	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/8/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/7/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/6/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/2/2007	6136.22	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	11/1/2007	6136.52	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/31/2007	6136.52	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/30/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/29/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/28/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/27/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/26/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/25/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/24/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/23/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/22/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/21/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/20/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/19/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/18/2007	6136.41	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/17/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/16/2007	6136.42	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/15/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/14/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/13/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/12/2007	6136.44	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/11/2007	6136.44	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/10/2007	6136.44	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/9/2007	6136.44	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/8/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/7/2007	6136.43	Transducer
CdV-R-37-2	1359	MP3A	2212	23.4	1354	1377.1	4.5	5.56	10/6/2007	6136.43	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/10/2008	6135.39	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/9/2008	6135.09	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/7/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/6/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/5/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/4/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/3/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/2/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/1/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/30/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/29/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/28/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/27/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/26/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/25/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/24/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/23/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/22/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/21/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/20/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/19/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/18/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/17/2008	6135.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/16/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/15/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/14/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/13/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/12/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/11/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/10/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/9/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/8/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/7/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/6/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/5/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/4/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/3/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/2/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	9/1/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/31/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/30/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/29/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/28/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/27/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/26/2008	6135.36	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/25/2008	6135.36	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/24/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/23/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/22/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/21/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/20/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/19/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/18/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/17/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/16/2008	6135.36	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/15/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/14/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/13/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/12/2008	6135.36	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/11/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/10/2008	6135.36	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/9/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/8/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/7/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/6/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/5/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/4/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/3/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/2/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	8/1/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/31/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/30/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/29/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/28/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/27/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/26/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/25/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/24/2008	6135.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/23/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/22/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/21/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/20/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/19/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/18/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/17/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/16/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/15/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/14/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/13/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/12/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/11/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/10/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/9/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/8/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/7/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/6/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/5/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/4/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/3/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/2/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	7/1/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/30/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/29/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/28/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/27/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/26/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/25/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/24/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/23/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/22/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/21/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/20/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/19/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/18/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/17/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/16/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/15/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/14/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/13/2008	6135.24	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/12/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/11/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/10/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/9/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/8/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/7/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/6/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/5/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/4/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/3/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/2/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	6/1/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/31/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/30/2008	6135.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/29/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/28/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/27/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/26/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/25/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/24/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/23/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/22/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/21/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/20/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/19/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/18/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/17/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/16/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/15/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/14/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/13/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/12/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/11/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/10/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/9/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/8/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/7/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/6/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/5/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/4/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/3/2008	6135.27	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/2/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	5/1/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/30/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/29/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/28/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/27/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/26/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/25/2008	6135.26	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/24/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/23/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/22/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/21/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/20/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/19/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/18/2008	6135.28	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/17/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/16/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/15/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/14/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/13/2008	6135.29	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/12/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/11/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/10/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/8/2008	6135.11	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/7/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/6/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/5/2008	6135.3	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/4/2008	6135.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/3/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/2/2008	6135.31	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	4/1/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/31/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/30/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/29/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/28/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/27/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/26/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/25/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/24/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/23/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/22/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/21/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/20/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/19/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/18/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/17/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/16/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/15/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/14/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/13/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/12/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/11/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/10/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/9/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/8/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/7/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/6/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/5/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/4/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/3/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/2/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	3/1/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/29/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/28/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/27/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/26/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/25/2008	6135.32	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/24/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/23/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/22/2008	6135.33	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/21/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/20/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/19/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/18/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/17/2008	6135.34	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/16/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/15/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/14/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/13/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/12/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/11/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/10/2008	6135.35	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/9/2008	6135.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/8/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/7/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/6/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/5/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/4/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/3/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/2/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	2/1/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/31/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/30/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/29/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/28/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/27/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/26/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/25/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/24/2008	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/23/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/22/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/21/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/20/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/19/2008	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/18/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/17/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/16/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/15/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/14/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/13/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/12/2008	6135.38	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/11/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/10/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/9/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/8/2008	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/7/2008	6135.41	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/6/2008	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/5/2008	6135.43	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/4/2008	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/3/2008	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/2/2008	6135.43	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	1/1/2008	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/31/2007	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/30/2007	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/29/2007	6135.41	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/28/2007	6135.4	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/27/2007	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/26/2007	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/25/2007	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/24/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/23/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/22/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/21/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/20/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/19/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/18/2007	6135.42	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/17/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/16/2007	6135.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/15/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/14/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/13/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/12/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/11/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/10/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/9/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/8/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/7/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/6/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/5/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/4/2007	6135.47	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/3/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/2/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	12/1/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/30/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/29/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/28/2007	6135.45	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/27/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/26/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/25/2007	6135.44	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/24/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/23/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/22/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/21/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/20/2007	6135.47	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/19/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/18/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/17/2007	6135.49	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/16/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/15/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/14/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/13/2007	6135.47	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/12/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/11/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/10/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/9/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/8/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/7/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/6/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	11/5/2007	6135.37	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/30/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/29/2007	6135.47	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/28/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/27/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/26/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/25/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/24/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/23/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/22/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/21/2007	6135.47	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/20/2007	6135.46	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/19/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/18/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/17/2007	6135.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/16/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/15/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/14/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/13/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/12/2007	6135.48	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/11/2007	6135.5	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/10/2007	6135.5	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/9/2007	6135.51	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/8/2007	6135.5	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/7/2007	6135.5	Transducer
CdV-R-37-2	1551	MP4A	2252	6.7	1549	1556	4.5	5.56	10/6/2007	6135.5	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	10/2/2008	7269.39	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	10/1/2008	7269.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/30/2008	7269.52	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/29/2008	7269.59	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/28/2008	7269.66	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/27/2008	7269.74	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/26/2008	7269.84	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/25/2008	7269.94	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/24/2008	7270.03	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/23/2008	7270.1	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/22/2008	7270.15	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/21/2008	7270.27	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/20/2008	7269.73	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/19/2008	7269.84	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/18/2008	7269.94	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/17/2008	7270.07	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/16/2008	7270.18	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/15/2008	7270.27	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/14/2008	7270.31	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/13/2008	7270.33	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/12/2008	7270.33	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/11/2008	7270.34	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/10/2008	7270.34	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/9/2008	7270.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/8/2008	7270.36	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/7/2008	7270.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/6/2008	7270.36	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/5/2008	7270.35	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/4/2008	7270.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/3/2008	7270.39	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/2/2008	7270.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	9/1/2008	7270.84	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/31/2008	7270.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/30/2008	7270.36	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/29/2008	7270.36	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/28/2008	7270.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/27/2008	7270.4	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/26/2008	7270.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/25/2008	7270.76	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/24/2008	7270.51	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/23/2008	7270.31	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/22/2008	7270.31	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/21/2008	7270.33	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/20/2008	7270.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/19/2008	7270.34	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/18/2008	7270.36	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/17/2008	7270.38	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/16/2008	7270.34	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/15/2008	7270.34	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/14/2008	7270.36	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/13/2008	7270.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/12/2008	7270.41	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/11/2008	7270.67	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/10/2008	7270.48	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/9/2008	7270.56	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/8/2008	7270.28	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/7/2008	7270.29	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/6/2008	7270.31	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/5/2008	7270.44	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	8/4/2008	7270.23	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/30/2008	7269.4	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/29/2008	7269.52	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/28/2008	7269.64	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/27/2008	7269.76	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/26/2008	7269.9	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/25/2008	7270.11	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/24/2008	7270.27	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/23/2008	7270.29	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/22/2008	7270.31	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	7/21/2008	7270.51	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/8/2008	7269.04	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/7/2008	7269.11	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/6/2008	7269.19	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/5/2008	7269.27	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/4/2008	7269.37	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/3/2008	7269.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/2/2008	7269.53	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	6/1/2008	7269.62	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/31/2008	7269.74	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/30/2008	7269.84	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/29/2008	7270.03	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/28/2008	7269.11	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/27/2008	7269.16	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/26/2008	7269.23	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/25/2008	7269.28	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/24/2008	7269.32	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/23/2008	7269.35	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/22/2008	7269.4	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/21/2008	7269.46	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/20/2008	7269.53	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/19/2008	7269.59	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/18/2008	7269.64	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/17/2008	7269.7	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/16/2008	7269.82	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/15/2008	7269.14	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/14/2008	7269.17	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/13/2008	7269.2	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/12/2008	7269.24	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/11/2008	7269.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/10/2008	7269.34	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/9/2008	7269.39	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/8/2008	7269.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/7/2008	7269.49	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/6/2008	7269.53	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/5/2008	7269.58	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/4/2008	7269.62	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/3/2008	7269.67	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/2/2008	7269.72	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	5/1/2008	7269.78	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/30/2008	7269.83	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/29/2008	7269.88	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/28/2008	7269.95	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/27/2008	7270.03	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/26/2008	7270.11	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/25/2008	7270.19	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/24/2008	7270.26	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/23/2008	7270.33	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/22/2008	7270.4	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/21/2008	7270.47	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/20/2008	7270.52	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/19/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/18/2008	7270.54	Manual
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/18/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/17/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/16/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/15/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/14/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/13/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/12/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/11/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/10/2008	7270.57	Manual
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/10/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/9/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/8/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/7/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/6/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/5/2008	7270.54	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/4/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/3/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/2/2008	7270.56	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	4/1/2008	7270.57	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/31/2008	7270.57	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/30/2008	7270.58	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/29/2008	7270.59	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/28/2008	7270.59	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/27/2008	7270.6	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/26/2008	7270.61	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/25/2008	7270.62	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/24/2008	7270.62	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/23/2008	7270.65	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/22/2008	7270.7	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/21/2008	7270.71	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/20/2008	7270.66	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/19/2008	7270.65	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/18/2008	7270.68	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/17/2008	7270.73	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/16/2008	7270.74	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/15/2008	7270.79	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/14/2008	7270.83	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/13/2008	7270.78	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/12/2008	7270.72	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/11/2008	7270.61	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/10/2008	7270.58	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/9/2008	7270.57	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/8/2008	7270.58	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/7/2008	7270.59	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/6/2008	7270.64	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/5/2008	7270.61	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/4/2008	7270.62	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/3/2008	7270.71	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/2/2008	7270.83	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	3/1/2008	7270.77	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/29/2008	7270.76	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/28/2008	7270.72	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/27/2008	7270.71	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/26/2008	7270.79	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/25/2008	7271.39	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/24/2008	7270.66	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/23/2008	7270.73	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/22/2008	7270.67	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/21/2008	7270.71	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/20/2008	7270.61	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/19/2008	7270.63	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/18/2008	7270.67	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/17/2008	7270.89	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/16/2008	7270.92	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/15/2008	7270.98	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/14/2008	7270.8	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/13/2008	7270.73	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/12/2008	7270.55	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/11/2008	7270.56	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/10/2008	7270.47	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/9/2008	7270.46	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/8/2008	7270.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/7/2008	7270.45	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/6/2008	7270.46	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/5/2008	7270.46	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/4/2008	7270.47	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/3/2008	7270.48	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/2/2008	7270.49	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	2/1/2008	7270.49	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/31/2008	7270.52	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/30/2008	7270.57	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/29/2008	7270.86	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/28/2008	7270.89	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/27/2008	7270.49	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/26/2008	7270.38	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/25/2008	7270.29	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/24/2008	7270.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/23/2008	7270.29	Transducer
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	1/23/2008	7270.2	Manual
FLC-16-25278	1.6	Single	8361	1.6	1.6	3.2	2	2.1	10/22/2007	7270.45	Manual
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/7/2008	7304.44	Manual
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/7/2008	7304.42	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/6/2008	7304.48	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/5/2008	7304.53	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/4/2008	7304.57	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/3/2008	7304.63	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/2/2008	7304.67	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/1/2008	7304.73	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/30/2008	7304.77	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/29/2008	7304.84	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/28/2008	7304.9	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/27/2008	7304.96	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/26/2008	7305.03	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/25/2008	7305.08	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/24/2008	7305.15	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/23/2008	7305.22	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/22/2008	7305.29	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/21/2008	7305.35	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/20/2008	7305.41	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/19/2008	7305.5	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/18/2008	7305.59	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/17/2008	7305.7	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/16/2008	7305.81	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/15/2008	7305.94	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/14/2008	7306.09	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/13/2008	7306.24	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/12/2008	7306.33	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/11/2008	7306.46	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/10/2008	7306.6	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/9/2008	7306.73	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/8/2008	7306.89	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/7/2008	7307.08	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/6/2008	7307.3	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/5/2008	7307.57	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/4/2008	7307.87	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/3/2008	7308.09	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/2/2008	7308.53	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	9/1/2008	7308.73	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/31/2008	7306.8	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/30/2008	7306.97	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/29/2008	7307.26	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/28/2008	7307.61	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/27/2008	7308.04	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/26/2008	7308.47	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/25/2008	7308.73	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/24/2008	7308.63	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/23/2008	7305.91	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/22/2008	7306.1	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/21/2008	7306.29	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/20/2008	7306.44	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/19/2008	7306.61	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/18/2008	7306.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/17/2008	7306.94	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/16/2008	7306.71	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/15/2008	7306.94	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/14/2008	7307.25	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/13/2008	7307.68	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/12/2008	7308.27	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/11/2008	7308.65	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/10/2008	7308.55	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/9/2008	7308.61	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	8/8/2008	7304.92	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/16/2008	7304.32	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/15/2008	7304.36	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/14/2008	7304.39	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/13/2008	7304.44	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/12/2008	7304.48	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/11/2008	7304.52	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/10/2008	7304.57	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/9/2008	7304.61	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/8/2008	7304.66	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/7/2008	7304.7	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/6/2008	7304.75	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/5/2008	7304.79	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/4/2008	7304.84	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/3/2008	7304.89	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/2/2008	7304.94	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	5/1/2008	7305	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/30/2008	7305.05	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/29/2008	7305.1	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/28/2008	7305.15	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/27/2008	7305.2	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/26/2008	7305.26	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/25/2008	7305.32	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/24/2008	7305.38	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/23/2008	7305.43	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/22/2008	7305.49	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/21/2008	7305.56	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/20/2008	7305.63	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/19/2008	7305.68	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/18/2008	7305.72	Manual
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/18/2008	7305.69	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/17/2008	7305.77	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/16/2008	7305.85	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/15/2008	7305.93	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/14/2008	7306.02	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/13/2008	7306.12	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/12/2008	7306.23	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/11/2008	7306.37	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/10/2008	7306.26	Manual
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/10/2008	7306.52	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/9/2008	7306.64	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/8/2008	7306.79	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/7/2008	7306.96	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/6/2008	7307.12	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/5/2008	7307.26	Transducer
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/4/2008	7307.34	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	4/4/2008	7307.35	Manual
FLC-16-25279	2.7	Single	8371	1.6	2.7	4.3	2	2.1	10/24/2007	7305.71	Manual
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/18/2008	7348.34	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/17/2008	7348.42	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/16/2008	7348.49	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/15/2008	7348.59	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/14/2008	7348.7	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/13/2008	7348.8	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/12/2008	7348.89	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/11/2008	7348.99	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/10/2008	7349.14	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/9/2008	7349.33	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/8/2008	7349.55	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/7/2008	7349.82	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/6/2008	7350.15	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/5/2008	7350.48	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/4/2008	7350.83	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/3/2008	7351.14	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/2/2008	7351.45	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	9/1/2008	7351.82	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/31/2008	7349.51	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/30/2008	7349.79	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/29/2008	7350.11	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/28/2008	7350.49	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/27/2008	7350.89	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/26/2008	7351.27	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/25/2008	7351.72	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/24/2008	7351.63	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/23/2008	7349.01	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/22/2008	7349.19	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/21/2008	7349.34	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/20/2008	7349.53	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/19/2008	7349.76	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/18/2008	7349.96	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/17/2008	7350.11	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/16/2008	7350.17	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/15/2008	7350.5	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/14/2008	7350.86	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/13/2008	7351.16	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/12/2008	7351.4	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/11/2008	7351.72	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/10/2008	7351.64	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/9/2008	7351.72	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/8/2008	7349.78	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/7/2008	7350.16	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/6/2008	7350.65	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/5/2008	7350.74	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	8/4/2008	7349.89	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/21/2008	7348.52	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/20/2008	7348.55	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/19/2008	7348.59	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/18/2008	7348.61	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/16/2008	7348.71	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/15/2008	7348.75	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/14/2008	7348.8	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/13/2008	7348.84	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/12/2008	7348.89	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/11/2008	7348.96	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/10/2008	7349.02	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/9/2008	7349.08	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/8/2008	7349.15	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/7/2008	7349.24	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/6/2008	7349.34	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/5/2008	7349.44	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/4/2008	7349.54	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/3/2008	7349.67	Manual
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/3/2008	7349.68	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/2/2008	7349.87	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	4/1/2008	7350.08	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/31/2008	7350.24	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/30/2008	7350.41	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/29/2008	7350.53	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/28/2008	7350.62	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/27/2008	7350.7	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/26/2008	7350.77	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/25/2008	7350.83	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/24/2008	7350.98	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/23/2008	7351.14	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/22/2008	7351.37	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/21/2008	7351.48	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/20/2008	7351.28	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/19/2008	7351.24	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/18/2008	7351.47	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/17/2008	7351.65	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/16/2008	7351.71	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/15/2008	7351.81	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/14/2008	7351.83	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/13/2008	7351.81	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/12/2008	7351.78	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/11/2008	7351.64	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/10/2008	7351.63	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/9/2008	7351.25	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/8/2008	7351.4	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/7/2008	7351.37	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/6/2008	7351.63	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/5/2008	7351.66	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/4/2008	7351.75	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/3/2008	7351.84	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/2/2008	7351.87	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	3/1/2008	7351.86	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/29/2008	7351.86	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/28/2008	7351.85	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/27/2008	7351.85	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/26/2008	7351.89	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/25/2008	7352	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/24/2008	7351.84	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/23/2008	7351.88	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/22/2008	7351.67	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/21/2008	7351.69	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/20/2008	7351.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/19/2008	7351.66	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/18/2008	7351.69	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/17/2008	7351.8	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/16/2008	7352	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/15/2008	7352.05	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/14/2008	7351.97	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/13/2008	7351.92	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/12/2008	7351.92	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/11/2008	7350.04	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/10/2008	7349.53	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/9/2008	7349.52	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/8/2008	7349.65	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/7/2008	7349.8	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/6/2008	7349.98	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/5/2008	7350.13	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/4/2008	7350.26	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/3/2008	7350.4	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/2/2008	7350.62	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	2/1/2008	7350.98	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	1/31/2008	7351.33	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	1/30/2008	7351.78	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	1/29/2008	7351.93	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	1/28/2008	7350.69	Transducer
FLC-16-25280	2.6	Single	8381	1.6	2.6	4.2	2	2.1	1/27/2008	7349.08	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/9/2008	7364.41	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/9/2008	7364.47	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/8/2008	7364.69	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/7/2008	7364.96	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/6/2008	7365.26	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/5/2008	7365.59	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/4/2008	7366	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/3/2008	7366.48	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/2/2008	7367.01	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/1/2008	7367.41	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/30/2008	7367.71	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/29/2008	7368.04	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/28/2008	7368.11	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/27/2008	7368.18	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/26/2008	7368.24	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/25/2008	7368.29	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/24/2008	7368.34	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/23/2008	7368.41	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/22/2008	7368.45	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/21/2008	7368.55	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/20/2008	7368.5	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/19/2008	7368.52	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/18/2008	7368.55	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/17/2008	7368.59	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/16/2008	7368.62	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/15/2008	7368.65	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/14/2008	7368.68	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/13/2008	7368.72	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/12/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/11/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/10/2008	7368.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/9/2008	7368.78	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/8/2008	7368.8	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/7/2008	7368.84	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/6/2008	7368.89	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/5/2008	7368.95	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/4/2008	7369	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/3/2008	7369.03	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/2/2008	7369.16	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	9/1/2008	7369.32	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/31/2008	7368.91	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/30/2008	7368.96	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/29/2008	7369.03	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/28/2008	7369.11	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/27/2008	7369.15	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/26/2008	7369.22	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/25/2008	7369.35	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/24/2008	7369.31	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/23/2008	7368.79	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/22/2008	7368.84	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/21/2008	7368.88	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/20/2008	7368.92	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/19/2008	7369.01	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/18/2008	7369.16	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/17/2008	7369.17	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/16/2008	7368.9	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/15/2008	7368.93	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/14/2008	7368.98	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/13/2008	7369.02	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/12/2008	7369.09	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/11/2008	7369.28	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/10/2008	7368.96	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/9/2008	7369.22	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/8/2008	7365.9	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/7/2008	7366.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/6/2008	7367.57	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/5/2008	7368.41	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	8/4/2008	7364.23	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/30/2008	7363.22	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/29/2008	7363.33	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/28/2008	7363.46	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/27/2008	7363.59	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/26/2008	7363.74	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/25/2008	7363.93	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/24/2008	7364.14	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/23/2008	7364.26	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/23/2008	7364.4	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/22/2008	7364.76	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	7/21/2008	7363.66	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/27/2008	7363.19	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/26/2008	7363.28	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/25/2008	7363.36	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/24/2008	7363.45	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/23/2008	7363.54	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/22/2008	7363.63	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/21/2008	7363.73	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/20/2008	7363.85	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/19/2008	7363.97	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/18/2008	7364.1	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/17/2008	7364.24	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/16/2008	7364.4	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/15/2008	7364.57	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/14/2008	7364.77	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/13/2008	7364.99	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/12/2008	7365.24	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/11/2008	7365.53	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/10/2008	7365.86	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/9/2008	7366.2	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/8/2008	7366.59	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/7/2008	7366.96	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/6/2008	7367.3	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/5/2008	7367.56	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/4/2008	7367.76	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/3/2008	7368.03	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/2/2008	7368.09	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	5/1/2008	7368.14	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/30/2008	7368.2	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/29/2008	7368.24	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/28/2008	7368.29	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/27/2008	7368.33	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/26/2008	7368.37	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/25/2008	7368.41	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/24/2008	7368.44	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/23/2008	7368.47	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/22/2008	7368.49	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/21/2008	7368.51	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/20/2008	7368.53	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/19/2008	7368.54	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/18/2008	7368.2	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/18/2008	7368.21	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/17/2008	7368.19	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/16/2008	7368.2	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/15/2008	7368.21	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/14/2008	7368.22	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/13/2008	7368.23	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/12/2008	7368.23	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/11/2008	7368.25	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/10/2008	7368.26	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/9/2008	7368.26	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/8/2008	7368.27	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/7/2008	7368.28	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/6/2008	7368.3	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/5/2008	7368.3	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/4/2008	7368.3	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/3/2008	7368.24	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/2/2008	7368.39	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/2/2008	7368.36	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	4/1/2008	7368.37	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/31/2008	7368.39	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/30/2008	7368.41	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/29/2008	7368.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/28/2008	7368.43	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/27/2008	7368.46	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/26/2008	7368.46	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/25/2008	7368.49	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/24/2008	7368.5	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/23/2008	7368.52	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/22/2008	7368.58	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/21/2008	7368.65	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/20/2008	7368.68	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/19/2008	7368.68	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/18/2008	7368.69	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/17/2008	7368.7	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/16/2008	7368.71	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/15/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/14/2008	7368.75	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/13/2008	7368.75	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/12/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/11/2008	7368.7	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/10/2008	7368.69	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/9/2008	7368.67	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/8/2008	7368.69	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/7/2008	7368.7	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/6/2008	7368.71	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/5/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/4/2008	7368.74	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/3/2008	7368.77	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/2/2008	7368.8	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	3/1/2008	7368.79	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/29/2008	7368.79	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/28/2008	7368.78	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/27/2008	7368.78	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/26/2008	7368.83	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/25/2008	7369.1	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/24/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/23/2008	7368.76	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/22/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/21/2008	7368.76	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/20/2008	7368.73	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/19/2008	7368.74	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/18/2008	7368.77	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/17/2008	7368.9	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/16/2008	7368.9	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/15/2008	7368.97	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/14/2008	7368.75	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/13/2008	7368.67	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/12/2008	7368.72	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/11/2008	7368.66	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/10/2008	7368.53	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/9/2008	7368.53	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/8/2008	7368.55	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/7/2008	7368.54	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/6/2008	7368.57	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/5/2008	7368.61	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/4/2008	7368.64	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/3/2008	7368.66	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/2/2008	7368.68	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	2/1/2008	7368.71	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/31/2008	7368.76	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/30/2008	7368.84	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/29/2008	7368.97	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/28/2008	7368.75	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/27/2008	7368.16	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/26/2008	7368.17	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/25/2008	7368.17	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/24/2008	7368.18	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/23/2008	7368.15	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/22/2008	7368.22	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/22/2008	7368.26	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/21/2008	7368.27	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/20/2008	7368.29	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/19/2008	7368.3	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/18/2008	7368.34	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/17/2008	7368.36	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/16/2008	7368.39	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/15/2008	7368.4	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/14/2008	7368.41	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/13/2008	7368.42	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/12/2008	7368.43	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/11/2008	7368.43	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/10/2008	7368.44	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/9/2008	7368.45	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/8/2008	7368.5	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/7/2008	7368.67	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/6/2008	7368.32	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/5/2008	7368.28	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/4/2008	7368.31	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/3/2008	7368.33	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/2/2008	7368.35	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	1/1/2008	7368.38	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/31/2007	7368.45	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/30/2007	7368.49	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/29/2007	7368.52	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/28/2007	7368.55	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/27/2007	7368.6	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/26/2007	7368.62	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/25/2007	7368.67	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/24/2007	7368.7	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/23/2007	7368.74	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/22/2007	7368.83	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/21/2007	7368.84	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/20/2007	7368.82	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/19/2007	7368.86	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/18/2007	7368.88	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/17/2007	7368.92	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/16/2007	7368.98	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/15/2007	7369.05	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/14/2007	7369.09	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/13/2007	7369.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/12/2007	7369.16	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/11/2007	7369.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/10/2007	7369.2	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/9/2007	7369.29	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/8/2007	7369.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/7/2007	7369.07	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/6/2007	7369.11	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/5/2007	7369.11	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/4/2007	7369.11	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/3/2007	7369.08	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/2/2007	7368.87	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	12/1/2007	7363.1	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/30/2007	7363.1	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/29/2007	7363.1	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/28/2007	7363.1	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/27/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/26/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/25/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/24/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/23/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/22/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/21/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/20/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/19/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/18/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/17/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/16/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/15/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/14/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/13/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/12/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/11/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/10/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/9/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/8/2007	7363.13	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/7/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/6/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/5/2007	7363.13	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/4/2007	7363.13	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/3/2007	7363.13	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/2/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	11/1/2007	7363.12	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/31/2007	7363.17	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/30/2007	7363.27	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/29/2007	7363.38	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/28/2007	7363.51	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/27/2007	7363.64	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/26/2007	7363.78	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/25/2007	7363.86	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/24/2007	7363.86	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/23/2007	7366.6	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/23/2007	7367.18	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/22/2007	7367.5	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/21/2007	7367.71	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/20/2007	7367.8	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/19/2007	7368.04	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/18/2007	7368.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/17/2007	7368.23	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/16/2007	7368.29	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/15/2007	7368.35	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/14/2007	7368.44	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/13/2007	7368.46	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/12/2007	7368.54	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/11/2007	7368.58	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/10/2007	7368.56	Manual
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/10/2007	7368.55	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/9/2007	7368.56	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/8/2007	7368.6	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/7/2007	7368.63	Transducer
MSC-16-06293	2	Single	5951	5	2	7	4	4.5	10/6/2007	7368.69	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/24/2008	7285.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/23/2008	7285.82	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/22/2008	7285.86	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/21/2008	7285.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/20/2008	7285.95	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/19/2008	7286	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/18/2008	7286.05	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/17/2008	7286.12	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/16/2008	7286.19	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/15/2008	7286.26	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/14/2008	7286.28	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/13/2008	7286.43	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/12/2008	7286.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/11/2008	7285.32	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/10/2008	7285.35	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/9/2008	7285.4	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/8/2008	7285.46	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/7/2008	7285.5	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/6/2008	7285.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/5/2008	7285.41	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/4/2008	7285.39	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/3/2008	7285.44	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/2/2008	7285.49	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/1/2008	7285.55	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/30/2008	7285.62	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/29/2008	7285.71	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/28/2008	7285.81	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/27/2008	7285.92	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/26/2008	7286.02	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/25/2008	7286.11	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/24/2008	7286.2	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/23/2008	7286.31	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/22/2008	7286.46	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/21/2008	7286.86	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/20/2008	7285.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/19/2008	7285.68	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/18/2008	7285.71	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/17/2008	7285.78	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/16/2008	7285.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/15/2008	7285.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/14/2008	7285.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/13/2008	7286.04	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/12/2008	7286.01	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/11/2008	7286.05	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/10/2008	7286.12	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/9/2008	7286.18	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/8/2008	7286.26	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/7/2008	7286.39	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/6/2008	7286.56	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/5/2008	7286.78	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/4/2008	7287	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/3/2008	7287.04	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/2/2008	7287.12	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	9/1/2008	7287.33	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/31/2008	7286.44	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/30/2008	7286.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/29/2008	7286.72	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/28/2008	7286.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/27/2008	7287.06	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/26/2008	7287.14	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/25/2008	7287.4	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/24/2008	7287.33	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/23/2008	7286.3	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/22/2008	7286.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/21/2008	7286.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/20/2008	7286.84	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/19/2008	7287.03	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/18/2008	7287.11	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/17/2008	7287.09	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/16/2008	7286.52	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/15/2008	7286.62	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/14/2008	7286.84	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/13/2008	7286.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/12/2008	7287.07	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/11/2008	7287.24	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/10/2008	7287.06	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/9/2008	7287.21	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/8/2008	7286.46	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/7/2008	7286.48	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/6/2008	7286.87	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/5/2008	7287.26	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/4/2008	7284.86	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/3/2008	7284.95	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/2/2008	7285.03	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	8/1/2008	7285.12	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/31/2008	7285.21	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/30/2008	7285.28	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/29/2008	7285.38	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/28/2008	7285.46	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/27/2008	7285.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/26/2008	7285.59	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/25/2008	7285.72	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/24/2008	7285.87	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/23/2008	7285.96	Manual
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/23/2008	7286.07	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/22/2008	7286.43	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/21/2008	7286.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/4/2008	7281.05	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/3/2008	7281.06	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/2/2008	7281.1	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	7/1/2008	7281.2	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/30/2008	7281.3	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/29/2008	7281.41	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/28/2008	7281.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/27/2008	7281.66	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/26/2008	7281.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/25/2008	7281.95	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/24/2008	7282.12	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/23/2008	7282.3	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/22/2008	7282.5	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/21/2008	7282.73	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/20/2008	7282.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/19/2008	7283.25	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/18/2008	7283.56	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/17/2008	7283.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/16/2008	7284.33	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/15/2008	7284.43	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/14/2008	7284.49	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/13/2008	7284.61	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/12/2008	7284.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/11/2008	7284.7	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/10/2008	7284.75	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/9/2008	7284.79	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/8/2008	7284.83	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/7/2008	7284.88	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/6/2008	7284.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/5/2008	7284.99	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/4/2008	7285.04	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/3/2008	7285.1	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/2/2008	7285.16	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	6/1/2008	7285.21	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/31/2008	7285.28	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/30/2008	7285.4	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/29/2008	7285.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/28/2008	7285.27	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/27/2008	7285.32	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/26/2008	7285.37	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/25/2008	7285.42	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/24/2008	7285.45	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/23/2008	7285.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/22/2008	7285.51	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/21/2008	7285.6	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/20/2008	7285.68	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/19/2008	7285.77	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/18/2008	7285.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/17/2008	7285.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/16/2008	7285.95	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/15/2008	7285.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/14/2008	7285.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/13/2008	7285.5	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/12/2008	7285.55	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/11/2008	7285.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/10/2008	7285.63	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/9/2008	7285.67	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/8/2008	7285.7	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/7/2008	7285.74	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/6/2008	7285.76	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/5/2008	7285.79	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/4/2008	7285.83	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/3/2008	7285.86	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/2/2008	7285.89	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	5/1/2008	7285.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/30/2008	7285.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/29/2008	7285.99	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/28/2008	7286.01	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/27/2008	7286.04	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/26/2008	7286.08	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/25/2008	7286.13	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/24/2008	7286.19	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/23/2008	7286.26	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/22/2008	7286.33	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/21/2008	7286.42	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/20/2008	7286.52	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/19/2008	7286.64	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/18/2008	7286.5	Manual
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/18/2008	7286.57	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/17/2008	7286.24	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/16/2008	7286.35	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/15/2008	7286.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/14/2008	7286.55	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/13/2008	7286.63	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/12/2008	7286.61	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/11/2008	7286.67	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/10/2008	7286.73	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/9/2008	7286.71	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/8/2008	7286.7	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/7/2008	7286.73	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/6/2008	7286.75	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/5/2008	7286.76	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/4/2008	7286.77	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/3/2008	7286.78	Manual
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/3/2008	7286.79	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/2/2008	7286.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	4/1/2008	7286.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/31/2008	7286.82	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/30/2008	7286.83	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/29/2008	7286.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/28/2008	7286.86	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/27/2008	7286.87	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/26/2008	7286.87	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/25/2008	7286.88	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/24/2008	7286.89	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/23/2008	7286.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/22/2008	7286.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/21/2008	7286.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/20/2008	7286.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/19/2008	7286.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/18/2008	7286.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/17/2008	7286.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/16/2008	7286.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/15/2008	7286.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/14/2008	7286.99	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/13/2008	7286.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/12/2008	7286.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/11/2008	7286.95	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/10/2008	7286.92	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/9/2008	7286.86	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/8/2008	7286.88	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/7/2008	7286.87	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/6/2008	7286.92	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/5/2008	7286.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/4/2008	7286.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/3/2008	7286.97	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/2/2008	7287.02	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	3/1/2008	7286.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/29/2008	7286.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/28/2008	7286.94	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/27/2008	7286.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/26/2008	7286.95	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/25/2008	7287.22	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/24/2008	7286.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/23/2008	7286.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/22/2008	7286.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/21/2008	7286.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/20/2008	7286.73	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/19/2008	7286.72	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/18/2008	7286.74	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/17/2008	7286.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/16/2008	7286.83	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/15/2008	7286.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/14/2008	7286.73	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/13/2008	7286.7	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/12/2008	7286.89	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/11/2008	7286.94	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/10/2008	7286.6	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/9/2008	7286.57	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/8/2008	7286.58	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/7/2008	7286.56	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/6/2008	7286.56	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/5/2008	7286.58	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/4/2008	7286.61	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/3/2008	7286.63	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/2/2008	7286.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	2/1/2008	7286.69	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/31/2008	7286.74	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/30/2008	7286.83	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/29/2008	7287.21	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/28/2008	7287.3	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/27/2008	7286.85	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/26/2008	7286.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/25/2008	7286.62	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/24/2008	7286.56	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/22/2008	7286.09	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/21/2008	7285.94	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/20/2008	7285.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/19/2008	7286.01	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/18/2008	7286.11	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/17/2008	7286.48	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/16/2008	7286.51	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/15/2008	7286.5	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/14/2008	7286.48	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/13/2008	7286.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/12/2008	7286.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/11/2008	7286.46	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/10/2008	7286.45	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/9/2008	7286.46	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/8/2008	7286.48	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/7/2008	7286.6	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/6/2008	7286.45	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/5/2008	7286.06	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/4/2008	7285.84	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/3/2008	7285.88	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/2/2008	7285.97	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	1/1/2008	7286.12	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/31/2007	7286.3	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/30/2007	7286.22	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/29/2007	7286.4	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/28/2007	7286.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/27/2007	7286.54	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/26/2007	7286.52	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/25/2007	7286.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/24/2007	7286.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/23/2007	7286.55	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/22/2007	7286.57	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/21/2007	7286.58	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/20/2007	7286.58	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/19/2007	7286.59	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/18/2007	7286.59	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/17/2007	7286.6	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/16/2007	7286.62	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/15/2007	7286.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/14/2007	7286.67	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/13/2007	7286.7	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/12/2007	7286.73	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/11/2007	7286.77	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/10/2007	7286.76	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/9/2007	7286.92	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/8/2007	7286.66	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/7/2007	7286.63	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/6/2007	7286.64	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/5/2007	7286.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/4/2007	7286.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/3/2007	7286.68	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/2/2007	7286.79	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	12/1/2007	7286.91	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/30/2007	7284.92	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/29/2007	7284.94	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/28/2007	7284.94	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/27/2007	7284.94	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/26/2007	7284.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/25/2007	7284.97	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/24/2007	7284.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/23/2007	7284.96	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/22/2007	7284.98	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/21/2007	7285	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/20/2007	7285.02	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/19/2007	7285.03	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/18/2007	7285.05	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/17/2007	7285.07	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/16/2007	7285.09	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/15/2007	7285.1	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/14/2007	7285.13	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/13/2007	7285.14	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/12/2007	7285.16	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/11/2007	7285.18	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/10/2007	7285.2	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/9/2007	7285.22	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/8/2007	7285.23	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/7/2007	7285.25	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/6/2007	7285.26	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/5/2007	7285.29	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/4/2007	7285.31	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/3/2007	7285.33	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/2/2007	7285.36	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	11/1/2007	7285.38	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/31/2007	7285.42	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/30/2007	7285.44	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/29/2007	7285.47	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/28/2007	7285.5	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/27/2007	7285.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/26/2007	7285.56	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/25/2007	7285.54	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/24/2007	7285.53	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/23/2007	7285.56	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/22/2007	7285.58	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/21/2007	7285.61	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/20/2007	7285.65	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/19/2007	7285.67	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/18/2007	7285.71	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/17/2007	7285.75	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/16/2007	7285.77	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/15/2007	7285.8	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/14/2007	7285.83	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/13/2007	7285.87	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/12/2007	7285.9	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/11/2007	7285.92	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/10/2007	7285.92	Manual
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/10/2007	7285.93	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/9/2007	7285.97	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/8/2007	7286.05	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/7/2007	7286.17	Transducer
MSC-16-06294	2.5	Single	5961	4.8	2.5	7.3	4	4.5	10/6/2007	7286.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/23/2008	7255.85	Manual
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/23/2008	7256	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/22/2008	7256.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/21/2008	7253.81	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/20/2008	7253.85	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/19/2008	7253.91	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/18/2008	7254.01	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/17/2008	7253.71	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/16/2008	7253.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/15/2008	7253.45	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/14/2008	7253.49	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/13/2008	7253.52	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/12/2008	7253.55	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/11/2008	7253.57	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/10/2008	7253.62	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/9/2008	7253.19	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/8/2008	7250.52	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/7/2008	7250.59	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/6/2008	7250.74	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/5/2008	7250.96	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/4/2008	7251.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/3/2008	7251.73	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/2/2008	7252.25	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	7/1/2008	7252.57	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/30/2008	7252.86	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/29/2008	7253.08	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/28/2008	7253.25	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/27/2008	7253.34	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/26/2008	7253.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/25/2008	7253.43	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/24/2008	7253.46	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/23/2008	7253.49	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/22/2008	7253.51	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/21/2008	7253.54	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/20/2008	7253.56	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/19/2008	7253.58	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/18/2008	7253.6	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/17/2008	7253.62	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/16/2008	7253.65	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/15/2008	7253.67	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/14/2008	7253.69	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/13/2008	7253.72	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/12/2008	7253.74	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/11/2008	7253.77	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/10/2008	7253.79	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/9/2008	7253.82	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/8/2008	7253.85	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/7/2008	7253.88	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/6/2008	7253.91	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/5/2008	7253.96	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/4/2008	7254.03	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/3/2008	7254.1	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/2/2008	7254.18	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	6/1/2008	7254.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/31/2008	7254.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/30/2008	7254.52	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/29/2008	7254.84	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/28/2008	7253.98	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/27/2008	7254.03	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/26/2008	7254.09	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/25/2008	7254.15	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/24/2008	7254.19	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/23/2008	7254.23	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/22/2008	7254.31	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/21/2008	7254.41	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/20/2008	7254.52	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/19/2008	7254.66	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/18/2008	7254.82	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/17/2008	7254.97	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/16/2008	7254.94	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/15/2008	7253.98	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/14/2008	7253.92	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/13/2008	7253.9	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/12/2008	7253.93	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/11/2008	7253.96	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/10/2008	7254	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/9/2008	7254.05	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/8/2008	7254.11	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/7/2008	7254.17	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/6/2008	7254.23	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/5/2008	7254.29	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/4/2008	7254.36	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/3/2008	7254.42	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/2/2008	7254.49	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	5/1/2008	7254.6	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/30/2008	7254.73	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/29/2008	7254.83	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/28/2008	7254.92	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/27/2008	7255.01	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/26/2008	7255.11	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/25/2008	7255.19	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/24/2008	7255.29	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/23/2008	7255.38	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/22/2008	7255.45	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/21/2008	7255.56	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/20/2008	7255.67	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/19/2008	7255.77	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/18/2008	7255.95	Manual
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/18/2008	7255.94	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/17/2008	7255.62	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/16/2008	7255.72	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/15/2008	7255.86	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/14/2008	7255.96	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/13/2008	7256.04	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/12/2008	7256.07	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/11/2008	7256.08	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/10/2008	7256.11	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/9/2008	7255.95	Manual
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/9/2008	7256.14	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/8/2008	7256.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/7/2008	7256.18	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/6/2008	7256.2	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/5/2008	7256.23	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/4/2008	7256.25	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/3/2008	7256.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/2/2008	7256.29	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	4/1/2008	7256.3	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/31/2008	7256.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/30/2008	7256.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/29/2008	7256.33	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/28/2008	7256.34	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/27/2008	7256.35	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/26/2008	7256.36	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/25/2008	7256.36	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/24/2008	7256.36	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/23/2008	7256.37	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/22/2008	7256.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/21/2008	7256.4	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/20/2008	7256.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/19/2008	7256.38	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/18/2008	7256.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/17/2008	7256.41	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/16/2008	7256.41	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/15/2008	7256.43	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/14/2008	7256.44	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/13/2008	7256.43	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/12/2008	7256.48	Manual
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/12/2008	7256.44	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/11/2008	7256.44	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/10/2008	7256.44	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/9/2008	7256.4	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/8/2008	7256.42	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/7/2008	7256.4	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/6/2008	7256.4	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/5/2008	7256.42	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/4/2008	7256.43	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/3/2008	7256.49	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/2/2008	7256.48	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	3/1/2008	7256.47	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/29/2008	7256.53	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/28/2008	7256.47	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/27/2008	7256.51	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/26/2008	7256.54	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/25/2008	7256.5	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/24/2008	7256.33	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/23/2008	7256.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/22/2008	7256.24	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/21/2008	7256.21	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/20/2008	7256.16	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/19/2008	7256.12	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/18/2008	7256.09	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/17/2008	7256.12	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/16/2008	7256.11	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/15/2008	7256.14	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/14/2008	7256.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/13/2008	7256.07	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/12/2008	7256.14	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/11/2008	7256.2	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/10/2008	7255.99	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/9/2008	7255.94	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/8/2008	7255.93	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/7/2008	7255.93	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/6/2008	7255.92	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/5/2008	7255.94	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/4/2008	7255.98	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/3/2008	7256.03	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/2/2008	7256.1	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	2/1/2008	7256.11	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/31/2008	7256.2	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/30/2008	7256.3	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/29/2008	7256.42	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/28/2008	7256.68	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/27/2008	7255.92	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/26/2008	7255.89	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/25/2008	7255.66	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/24/2008	7255.66	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/23/2008	7255.67	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/22/2008	7255.66	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/21/2008	7255.63	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/20/2008	7255.7	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/19/2008	7255.81	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/18/2008	7255.89	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/17/2008	7255.98	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/16/2008	7256.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/15/2008	7256.23	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/14/2008	7256.23	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/13/2008	7256.23	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/12/2008	7256.25	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/11/2008	7256.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/10/2008	7256.29	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/9/2008	7256.11	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/8/2008	7256.18	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/7/2008	7256.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/6/2008	7256.33	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/5/2008	7255.6	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/4/2008	7255.35	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/3/2008	7255.78	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/2/2008	7255.72	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	1/1/2008	7255.85	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/31/2007	7255.91	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/30/2007	7256.04	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/29/2007	7255.97	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/28/2007	7256.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/27/2007	7256.37	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/26/2007	7256.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/25/2007	7256.31	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/24/2007	7256.28	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/23/2007	7256.27	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/22/2007	7256.29	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/21/2007	7256.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/20/2007	7256.3	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/19/2007	7256.3	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/18/2007	7256.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/17/2007	7256.33	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/16/2007	7256.35	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/15/2007	7256.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/14/2007	7256.42	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/13/2007	7256.46	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/12/2007	7256.52	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/11/2007	7256.59	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/10/2007	7256.57	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/9/2007	7256.7	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/8/2007	7256.43	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/7/2007	7256.4	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/6/2007	7256.41	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/5/2007	7256.41	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/4/2007	7256.41	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/3/2007	7256.43	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/2/2007	7256.54	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	12/1/2007	7256.91	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/30/2007	7253.89	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/29/2007	7253.87	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/28/2007	7253.73	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/27/2007	7253.75	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/26/2007	7253.79	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/25/2007	7253.83	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/24/2007	7253.77	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/23/2007	7253.72	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/22/2007	7253.74	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/21/2007	7253.75	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/20/2007	7253.77	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/19/2007	7253.78	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/18/2007	7253.8	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/17/2007	7253.82	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/16/2007	7253.84	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/15/2007	7253.86	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/14/2007	7253.88	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/13/2007	7253.9	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/12/2007	7253.93	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/11/2007	7253.96	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/10/2007	7253.99	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/9/2007	7254.02	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/8/2007	7254.05	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/7/2007	7254.09	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/6/2007	7254.12	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/5/2007	7254.16	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/4/2007	7254.2	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/3/2007	7254.25	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/2/2007	7254.29	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	11/1/2007	7254.33	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/31/2007	7254.39	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/30/2007	7254.44	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/29/2007	7254.49	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/28/2007	7254.54	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/27/2007	7254.6	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/26/2007	7254.66	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/25/2007	7254.77	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/24/2007	7254.83	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/23/2007	7254.87	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/22/2007	7254.9	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/21/2007	7254.93	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/20/2007	7255.02	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/19/2007	7255.07	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/18/2007	7255.15	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/17/2007	7255.2	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/16/2007	7255.26	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/15/2007	7255.32	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/14/2007	7255.4	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/13/2007	7255.5	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/12/2007	7255.6	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/11/2007	7255.73	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/10/2007	7255.83	Manual
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/10/2007	7255.79	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/9/2007	7255.87	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/8/2007	7255.97	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/7/2007	7256.01	Transducer
MSC-16-06295	1.5	Single	5971	5	1.5	6.5	4	4.5	10/6/2007	7256.03	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/24/2008	6782.64	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/23/2008	6782.87	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/22/2008	6782.87	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/14/2008	6782.85	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/13/2008	6782.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/12/2008	6782.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/11/2008	6782.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/10/2008	6782.89	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/9/2008	6782.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/8/2008	6782.92	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/7/2008	6782.94	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/6/2008	6782.94	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/5/2008	6782.94	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/4/2008	6782.96	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/3/2008	6782.97	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/2/2008	6782.98	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/1/2008	6782.98	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/30/2008	6783	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/29/2008	6783.05	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/28/2008	6783.1	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/27/2008	6783.09	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/26/2008	6783.02	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/25/2008	6783.03	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/24/2008	6783.03	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/23/2008	6783.03	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/22/2008	6783.04	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/21/2008	6783.06	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/20/2008	6783.06	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/19/2008	6783.06	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/18/2008	6783.07	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/17/2008	6783.07	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/16/2008	6783.07	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/15/2008	6783.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/14/2008	6783.11	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/13/2008	6782.97	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/12/2008	6783	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/11/2008	6783.02	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/10/2008	6783.05	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/9/2008	6783.07	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/8/2008	6783.1	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/7/2008	6783.12	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/6/2008	6783.15	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/5/2008	6783.2	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/4/2008	6783.24	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/3/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/2/2008	6783.4	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	9/1/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/31/2008	6783.67	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/30/2008	6783.72	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/29/2008	6783.67	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/28/2008	6783.5	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/27/2008	6783.72	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/26/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/25/2008	6782.28	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/24/2008	6782.03	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/23/2008	6782.68	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/22/2008	6783.75	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/21/2008	6782.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/20/2008	6783.05	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/19/2008	6782.99	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/18/2008	6783.01	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/17/2008	6783.02	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/16/2008	6783.01	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/15/2008	6782.16	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/14/2008	6782.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/13/2008	6782.3	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/12/2008	6782.73	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/11/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/10/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/9/2008	6783.29	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/8/2008	6783.29	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/7/2008	6783.29	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/6/2008	6783.3	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/5/2008	6783.3	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/4/2008	6783.3	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/3/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/2/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	8/1/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/31/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/30/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/29/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/28/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/27/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/26/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/25/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/24/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/23/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/22/2008	6783.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/21/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/20/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/19/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/18/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/17/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/16/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/15/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/14/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/13/2008	6783.31	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/12/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/11/2008	6783.32	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/10/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/9/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/8/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/7/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/6/2008	6783.33	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/5/2008	6783.34	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/4/2008	6783.34	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/3/2008	6783.34	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/2/2008	6783.34	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	7/1/2008	6783.35	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/30/2008	6783.35	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/29/2008	6783.35	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/28/2008	6783.35	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/27/2008	6783.36	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/26/2008	6783.36	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/25/2008	6783.37	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/24/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/23/2008	6783.36	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/22/2008	6783.37	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/21/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/20/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/19/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/18/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/17/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/16/2008	6783.38	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/15/2008	6783.39	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/14/2008	6783.39	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/13/2008	6783.39	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/12/2008	6783.4	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/11/2008	6783.4	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/10/2008	6783.4	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/9/2008	6783.41	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/8/2008	6783.41	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/7/2008	6783.4	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/6/2008	6783.41	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/5/2008	6783.41	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/4/2008	6783.42	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/3/2008	6783.42	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/2/2008	6783.42	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	6/1/2008	6783.42	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/31/2008	6783.42	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/30/2008	6783.42	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/29/2008	6783.43	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/28/2008	6783.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/27/2008	6783.44	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/26/2008	6783.44	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/25/2008	6783.45	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/24/2008	6783.45	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/23/2008	6783.45	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/22/2008	6783.44	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/21/2008	6783.44	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/20/2008	6783.45	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/19/2008	6783.45	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/18/2008	6783.45	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/17/2008	6783.46	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/16/2008	6783.46	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/15/2008	6783.47	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/14/2008	6783.47	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/13/2008	6783.47	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/12/2008	6783.47	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/11/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/10/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/9/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/8/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/7/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/6/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/5/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/4/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/3/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/2/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	5/1/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/30/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/29/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/28/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/27/2008	6783.52	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/26/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/25/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/24/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/23/2008	6783.52	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/22/2008	6783.52	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/21/2008	6783.52	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/20/2008	6783.5	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/19/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/18/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/17/2008	6783.51	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/16/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/15/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/14/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/13/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/12/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/11/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/10/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/9/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/8/2008	6783.49	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/7/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/6/2008	6783.47	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/5/2008	6783.48	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/4/2008	6783.47	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	4/3/2008	6783.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/31/2008	6783.55	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/30/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/29/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/28/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/27/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/26/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/25/2008	6783.56	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/24/2008	6783.57	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/23/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/22/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/21/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/20/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/19/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/18/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/17/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/16/2008	6783.58	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/15/2008	6783.59	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/14/2008	6783.59	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/13/2008	6783.59	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/12/2008	6783.59	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/11/2008	6783.6	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/10/2008	6783.61	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/9/2008	6783.61	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/8/2008	6783.61	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/7/2008	6783.61	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/6/2008	6783.61	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/5/2008	6783.63	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/4/2008	6783.63	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/3/2008	6783.63	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/2/2008	6783.63	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	3/1/2008	6783.64	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/29/2008	6783.64	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/28/2008	6783.63	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/27/2008	6783.65	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/26/2008	6783.65	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/25/2008	6783.64	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/24/2008	6783.65	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/23/2008	6783.65	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/22/2008	6783.65	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/21/2008	6783.65	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/20/2008	6783.66	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/19/2008	6783.67	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/18/2008	6783.67	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/17/2008	6783.67	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/16/2008	6783.67	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/15/2008	6783.68	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/14/2008	6783.69	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/13/2008	6783.69	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/12/2008	6783.7	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/11/2008	6783.69	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/10/2008	6783.7	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/9/2008	6783.7	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/8/2008	6783.7	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/7/2008	6783.7	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/6/2008	6783.71	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/5/2008	6783.72	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/4/2008	6783.71	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/3/2008	6783.72	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/2/2008	6783.73	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	2/1/2008	6783.73	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/31/2008	6783.74	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/30/2008	6783.74	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/29/2008	6783.74	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/28/2008	6783.74	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/27/2008	6783.74	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/26/2008	6783.76	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/25/2008	6783.76	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/24/2008	6783.77	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/23/2008	6783.77	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/22/2008	6783.77	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/21/2008	6783.77	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/20/2008	6783.77	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/19/2008	6783.78	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/18/2008	6783.79	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/17/2008	6783.79	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/16/2008	6783.79	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/15/2008	6783.79	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/14/2008	6783.8	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/13/2008	6783.8	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/12/2008	6783.8	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/11/2008	6783.81	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/10/2008	6783.81	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/9/2008	6783.81	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/8/2008	6783.82	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/7/2008	6783.81	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/6/2008	6783.83	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/5/2008	6783.82	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/4/2008	6783.83	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/3/2008	6783.83	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/2/2008	6783.83	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	1/1/2008	6783.85	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/31/2007	6783.85	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/30/2007	6783.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/29/2007	6783.85	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/28/2007	6783.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/27/2007	6783.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/26/2007	6783.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/25/2007	6783.86	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/24/2007	6783.87	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/23/2007	6783.87	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/22/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/21/2007	6783.87	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/20/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/19/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/18/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/17/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/16/2007	6783.89	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/15/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/14/2007	6783.88	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/13/2007	6783.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/12/2007	6783.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/11/2007	6783.89	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/10/2007	6783.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/9/2007	6783.91	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/8/2007	6783.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/7/2007	6783.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/6/2007	6783.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/5/2007	6783.89	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/4/2007	6783.9	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/3/2007	6783.92	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/2/2007	6783.91	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	12/1/2007	6783.91	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/30/2007	6783.92	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/29/2007	6783.92	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/28/2007	6783.93	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/27/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/26/2007	6783.94	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/25/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/24/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/23/2007	6783.93	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/22/2007	6783.94	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/21/2007	6783.93	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/20/2007	6783.94	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/19/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/18/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/17/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/16/2007	6783.95	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/15/2007	6783.96	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	11/14/2007	6783.93	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/18/2007	6783.98	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/11/2007	6784.13	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/10/2007	6784.12	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/9/2007	6784.13	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/8/2007	6784.14	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/7/2007	6784.15	Transducer
R-25	754.8	MP1A	932	20.8	737.6	758.4	5.17	5.98	10/6/2007	6784.14	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/24/2008	6744.05	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/22/2008	6744.39	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/14/2008	6744.26	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/13/2008	6744.32	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/12/2008	6744.28	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/11/2008	6744.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/10/2008	6744.29	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/9/2008	6744.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/8/2008	6744.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/7/2008	6744.38	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/6/2008	6744.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/5/2008	6744.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/4/2008	6744.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/3/2008	6744.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/2/2008	6744.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/1/2008	6744.32	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/30/2008	6744.34	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/29/2008	6744.35	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/28/2008	6744.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/27/2008	6744.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/26/2008	6744.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/25/2008	6744.39	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/24/2008	6744.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/23/2008	6744.41	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/22/2008	6744.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/21/2008	6744.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/20/2008	6744.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/19/2008	6744.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/18/2008	6744.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/17/2008	6744.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/16/2008	6744.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/15/2008	6744.84	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/14/2008	6747.1	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/13/2008	6745.37	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/12/2008	6745.51	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/11/2008	6745.43	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/10/2008	6745.48	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/9/2008	6745.35	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/8/2008	6745.27	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/7/2008	6745.15	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/6/2008	6744.98	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/5/2008	6745.22	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/4/2008	6744.92	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/3/2008	6744.37	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/2/2008	6744.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	9/1/2008	6744.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/31/2008	6744.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/30/2008	6744.66	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/29/2008	6743.75	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/28/2008	6729.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/27/2008	6740.06	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/26/2008	6752.44	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/25/2008	6704.48	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/24/2008	6681.51	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/23/2008	6686.7	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/22/2008	6728.49	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/21/2008	6721.8	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/20/2008	6748.12	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/19/2008	6747.09	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/18/2008	6747.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/17/2008	6747.29	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/16/2008	6747.52	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/15/2008	6706.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/14/2008	6703.39	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/13/2008	6696.68	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/12/2008	6737.22	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/11/2008	6745.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/10/2008	6745.35	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/9/2008	6745.29	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/8/2008	6745.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/7/2008	6745.3	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/6/2008	6745.31	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/5/2008	6745.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/4/2008	6745.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/3/2008	6745.32	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/2/2008	6745.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	8/1/2008	6745.34	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/31/2008	6745.34	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/30/2008	6745.35	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/29/2008	6745.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/28/2008	6745.37	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/27/2008	6745.33	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/26/2008	6745.37	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/25/2008	6745.38	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/24/2008	6745.38	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/23/2008	6745.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/22/2008	6745.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/21/2008	6745.35	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/20/2008	6745.38	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/19/2008	6745.36	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/18/2008	6745.35	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/17/2008	6745.38	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/16/2008	6745.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/15/2008	6745.37	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/14/2008	6745.37	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/13/2008	6745.38	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/12/2008	6745.39	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/11/2008	6745.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/10/2008	6745.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/9/2008	6745.41	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/8/2008	6745.43	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/7/2008	6745.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/6/2008	6745.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/5/2008	6745.42	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/4/2008	6745.42	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/3/2008	6745.4	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/2/2008	6745.42	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	7/1/2008	6745.42	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/30/2008	6745.44	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/29/2008	6745.48	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/28/2008	6745.46	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/27/2008	6745.45	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/26/2008	6745.47	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/25/2008	6745.48	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/24/2008	6745.49	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/23/2008	6745.47	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/22/2008	6745.47	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/21/2008	6745.49	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/20/2008	6745.49	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/19/2008	6745.46	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/18/2008	6745.47	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/17/2008	6745.51	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/16/2008	6745.48	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/15/2008	6745.49	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/14/2008	6745.51	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/13/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/12/2008	6745.54	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/11/2008	6745.5	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/10/2008	6745.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/9/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/8/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/7/2008	6745.52	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/6/2008	6745.56	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/5/2008	6745.5	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/4/2008	6745.49	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/3/2008	6745.51	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/2/2008	6745.51	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	6/1/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/31/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/30/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/29/2008	6745.56	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/28/2008	6745.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/27/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/26/2008	6745.56	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/25/2008	6745.58	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/24/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/23/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/22/2008	6745.54	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/21/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/20/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/19/2008	6745.54	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/18/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/17/2008	6745.58	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/16/2008	6745.63	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/15/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/14/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/13/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/12/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/11/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/10/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/9/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/8/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/7/2008	6745.58	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/6/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/5/2008	6745.63	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/4/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/3/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/2/2008	6745.68	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	5/1/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/30/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/29/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/28/2008	6745.74	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/27/2008	6745.8	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/26/2008	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/25/2008	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/24/2008	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/23/2008	6745.73	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/22/2008	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/21/2008	6745.74	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/20/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/19/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/18/2008	6745.73	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/17/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/16/2008	6745.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/15/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/14/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/13/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/12/2008	6745.73	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/11/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/10/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/9/2008	6745.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/8/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/7/2008	6745.56	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/6/2008	6745.55	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/5/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/4/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	4/3/2008	6745.5	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/31/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/30/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/29/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/28/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/27/2008	6745.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/26/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/25/2008	6745.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/24/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/23/2008	6745.63	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/22/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/21/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/20/2008	6745.58	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/19/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/18/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/17/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/16/2008	6745.63	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/15/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/14/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/13/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/12/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/11/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/10/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/9/2008	6745.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/8/2008	6745.56	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/7/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/6/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/5/2008	6745.59	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/4/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/3/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/2/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	3/1/2008	6745.66	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/29/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/28/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/27/2008	6745.66	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/26/2008	6745.66	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/25/2008	6745.53	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/24/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/23/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/22/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/21/2008	6745.56	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/20/2008	6745.58	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/19/2008	6745.62	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/18/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/17/2008	6745.6	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/16/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/15/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/14/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/13/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/12/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/11/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/10/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/9/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/8/2008	6745.57	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/7/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/6/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/5/2008	6745.63	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/4/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/3/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/2/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	2/1/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/31/2008	6745.7	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/30/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/29/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/28/2008	6745.61	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/27/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/26/2008	6745.68	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/25/2008	6745.64	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/24/2008	6745.63	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/23/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/22/2008	6745.66	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/21/2008	6745.62	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/20/2008	6745.65	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/19/2008	6745.73	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/18/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/17/2008	6745.73	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/16/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/15/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/14/2008	6745.75	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/13/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/12/2008	6745.7	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/11/2008	6745.68	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/10/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/9/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/8/2008	6745.74	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/7/2008	6745.69	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/6/2008	6745.67	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/5/2008	6745.7	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/4/2008	6745.71	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/3/2008	6745.72	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/2/2008	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	1/1/2008	6745.84	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/31/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/30/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/29/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/28/2007	6745.8	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/27/2007	6745.68	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/26/2007	6745.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/25/2007	6745.68	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/24/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/23/2007	6745.77	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/22/2007	6745.8	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/21/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/20/2007	6745.83	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/19/2007	6745.83	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/18/2007	6745.85	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/17/2007	6745.83	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/16/2007	6745.85	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/15/2007	6745.85	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/14/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/13/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/12/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/11/2007	6745.77	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/10/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/9/2007	6745.81	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/8/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/7/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/6/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/5/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/4/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/3/2007	6745.88	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/2/2007	6745.83	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	12/1/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/30/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/29/2007	6745.8	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/28/2007	6745.75	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/27/2007	6745.79	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/26/2007	6745.77	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/25/2007	6745.76	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/24/2007	6745.78	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/23/2007	6745.77	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/22/2007	6745.84	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/21/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/20/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/19/2007	6745.87	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/18/2007	6745.85	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/17/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/16/2007	6745.8	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/15/2007	6745.85	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	11/14/2007	6745.82	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/18/2007	6746.08	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/11/2007	6745.93	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/10/2007	6745.96	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/9/2007	6746	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/8/2007	6746.02	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/7/2007	6746.04	Transducer
R-25	891.8	MP2A	982	10.8	882.6	893.4	5.17	5.98	10/6/2007	6746	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/24/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/21/2008	6345.57	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/20/2008	6345.43	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/14/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/13/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/12/2008	6345.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/11/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/10/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/9/2008	6345.1	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/8/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/7/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/6/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/5/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/4/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/3/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/2/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/1/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/30/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/29/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/28/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/27/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/26/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/25/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/24/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/23/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/22/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/21/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/20/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/19/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/18/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/17/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/16/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/15/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/14/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/13/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/12/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/11/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/10/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/9/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/8/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/7/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/6/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/5/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/4/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/3/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/2/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	9/1/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/31/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/30/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/29/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/28/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/27/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/26/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/25/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/24/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/23/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/22/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/21/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/20/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/19/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/18/2008	6345.07	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/17/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/16/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/15/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/14/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/13/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/12/2008	6345.03	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/11/2008	6345.03	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/10/2008	6345.04	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/9/2008	6345.03	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/8/2008	6345.03	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/7/2008	6345.03	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/6/2008	6345.04	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/5/2008	6345.04	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/4/2008	6345.04	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/3/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/2/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	8/1/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/31/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/30/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/29/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/28/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/27/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/26/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/25/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/24/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/23/2008	6345.05	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/22/2008	6345.06	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/21/2008	6345.06	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/20/2008	6345.06	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/19/2008	6345.06	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/18/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/17/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/16/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/15/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/14/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/13/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/12/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/11/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/10/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/9/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/8/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/7/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/6/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/5/2008	6345.08	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/4/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/3/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/2/2008	6345.07	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	7/1/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/30/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/29/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/28/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/27/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/26/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/25/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/24/2008	6345.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/23/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/22/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/21/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/20/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/19/2008	6345.1	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/18/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/17/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/16/2008	6345.09	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/15/2008	6345.1	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/14/2008	6345.1	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/13/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/12/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/11/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/10/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/9/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/8/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/7/2008	6345.11	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/6/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/5/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/4/2008	6345.12	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/3/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/2/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	6/1/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/31/2008	6345.12	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/30/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/29/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/28/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/27/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/26/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/25/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/24/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/23/2008	6345.14	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/22/2008	6345.13	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/21/2008	6345.15	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/20/2008	6345.15	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/19/2008	6345.15	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/18/2008	6345.15	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/17/2008	6345.15	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/16/2008	6345.16	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/15/2008	6345.16	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/14/2008	6345.16	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/13/2008	6345.17	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/12/2008	6345.17	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/11/2008	6345.17	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/10/2008	6345.17	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/9/2008	6345.17	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/8/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/7/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/6/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/5/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/4/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/3/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/2/2008	6345.2	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	5/1/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/30/2008	6345.19	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/29/2008	6345.2	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/28/2008	6345.19	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/27/2008	6345.2	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/26/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/25/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/24/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/23/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/22/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/21/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/20/2008	6345.21	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/19/2008	6345.22	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/18/2008	6345.23	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/17/2008	6345.22	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/16/2008	6345.23	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/15/2008	6345.24	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/14/2008	6345.25	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/13/2008	6345.26	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/12/2008	6345.26	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/11/2008	6345.25	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/10/2008	6345.26	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/9/2008	6345.26	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/8/2008	6345.27	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/7/2008	6345.26	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/6/2008	6345.26	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/5/2008	6345.25	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/4/2008	6345.25	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/3/2008	6345.23	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	4/1/2008	6344.95	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/31/2008	6345.32	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/30/2008	6345.32	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/29/2008	6345.33	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/28/2008	6345.33	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/27/2008	6345.33	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/26/2008	6345.34	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/25/2008	6345.34	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/24/2008	6345.35	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/23/2008	6345.35	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/22/2008	6345.36	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/21/2008	6345.36	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/20/2008	6345.36	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/19/2008	6345.38	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/18/2008	6345.38	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/17/2008	6345.38	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/16/2008	6345.38	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/15/2008	6345.38	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/14/2008	6345.38	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/13/2008	6345.39	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/12/2008	6345.39	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/11/2008	6345.4	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/10/2008	6345.4	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/9/2008	6345.41	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/8/2008	6345.41	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/7/2008	6345.42	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/6/2008	6345.42	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/5/2008	6345.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/4/2008	6345.43	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/3/2008	6345.43	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/2/2008	6345.44	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	3/1/2008	6345.44	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/29/2008	6345.45	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/28/2008	6345.45	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/27/2008	6345.46	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/26/2008	6345.45	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/25/2008	6345.46	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/24/2008	6345.46	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/23/2008	6345.47	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/22/2008	6345.48	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/21/2008	6345.48	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/20/2008	6345.48	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/19/2008	6345.49	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/18/2008	6345.49	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/17/2008	6345.49	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/16/2008	6345.51	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/15/2008	6345.5	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/14/2008	6345.52	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/13/2008	6345.51	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/12/2008	6345.52	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/11/2008	6345.52	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/10/2008	6345.52	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/9/2008	6345.52	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/8/2008	6345.52	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/7/2008	6345.53	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/6/2008	6345.54	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/5/2008	6345.54	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/4/2008	6345.54	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/3/2008	6345.55	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/2/2008	6345.54	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	2/1/2008	6345.54	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/31/2008	6345.56	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/30/2008	6345.56	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/29/2008	6345.56	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/28/2008	6345.57	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/27/2008	6345.57	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/26/2008	6345.58	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/25/2008	6345.58	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/24/2008	6345.58	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/23/2008	6345.58	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/22/2008	6345.58	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/21/2008	6345.59	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/20/2008	6345.6	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/19/2008	6345.6	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/18/2008	6345.6	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/17/2008	6345.6	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/16/2008	6345.61	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/15/2008	6345.61	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/14/2008	6345.62	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/13/2008	6345.62	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/12/2008	6345.62	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/11/2008	6345.63	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/10/2008	6345.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/9/2008	6345.64	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/8/2008	6345.64	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/7/2008	6345.65	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/6/2008	6345.65	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/5/2008	6345.64	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/4/2008	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/3/2008	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/2/2008	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	1/1/2008	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/31/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/30/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/29/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/28/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/27/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/26/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/25/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/24/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/23/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/22/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/21/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/20/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/19/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/18/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/17/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/16/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/15/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/14/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/13/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/12/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/11/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/10/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/9/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/8/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/7/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/6/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/5/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/4/2007	6345.67	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/3/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/2/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	12/1/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/30/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/29/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/28/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/27/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/26/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/25/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/24/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/23/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/22/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/21/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/20/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/19/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/18/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/17/2007	6345.68	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/16/2007	6345.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/15/2007	6345.65	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	11/14/2007	6345.64	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/18/2007	6345.62	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/11/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/10/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/9/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/8/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/7/2007	6345.66	Transducer
R-25	1192	MP4A	1082	10	1185	1194.6	5.17	5.98	10/6/2007	6345.66	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/24/2008	6230.56	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/20/2008	6231.34	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/14/2008	6231	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/13/2008	6230.98	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/12/2008	6230.97	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/11/2008	6230.95	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/10/2008	6230.94	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/9/2008	6230.97	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/8/2008	6231.02	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/7/2008	6231.03	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/6/2008	6231.02	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/5/2008	6231.04	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/4/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/3/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/2/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/1/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/30/2008	6231.15	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/29/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/28/2008	6231.11	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/27/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/26/2008	6231.13	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/25/2008	6231.13	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/24/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/23/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/22/2008	6231.13	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/21/2008	6231.13	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/20/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/19/2008	6231.13	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/18/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/17/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/16/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/15/2008	6231.15	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/14/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/13/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/12/2008	6231.11	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/11/2008	6231.1	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/10/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/9/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/8/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/7/2008	6231.1	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/6/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/5/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/4/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/3/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/2/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	9/1/2008	6231.05	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/31/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/30/2008	6231.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/29/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/28/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/27/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/26/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/25/2008	6231.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/24/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/23/2008	6231.1	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/22/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/21/2008	6231.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/20/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/19/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/18/2008	6231.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/17/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/16/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/15/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/14/2008	6231.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/13/2008	6231.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/12/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/11/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/10/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/9/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/8/2008	6231.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/7/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/6/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/5/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/4/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/3/2008	6231.1	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/2/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	8/1/2008	6231.13	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/31/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/30/2008	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/29/2008	6231.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/28/2008	6231.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/27/2008	6231.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/26/2008	6231.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/25/2008	6231.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/24/2008	6231.22	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/23/2008	6231.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/22/2008	6231.22	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/21/2008	6231.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/20/2008	6231.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/19/2008	6231.19	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/18/2008	6231.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/17/2008	6231.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/16/2008	6231.2	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/15/2008	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/14/2008	6231.19	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/13/2008	6231.2	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/12/2008	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/11/2008	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/10/2008	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/9/2008	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/8/2008	6231.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/7/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/6/2008	6231.15	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/5/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/4/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/3/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/2/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	7/1/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/30/2008	6231.17	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/29/2008	6231.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/28/2008	6231.15	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/27/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/26/2008	6231.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/25/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/24/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/23/2008	6231.11	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/22/2008	6231.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/21/2008	6231.1	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/20/2008	6231.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/19/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/18/2008	6231.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/17/2008	6231.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/16/2008	6231.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/15/2008	6231.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/14/2008	6231.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/13/2008	6231.04	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/12/2008	6231.02	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/11/2008	6231	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/10/2008	6231.01	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/9/2008	6231.02	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/8/2008	6230.98	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/7/2008	6230.98	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/6/2008	6230.97	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/5/2008	6230.93	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/4/2008	6230.93	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/3/2008	6230.94	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/2/2008	6230.94	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	6/1/2008	6230.92	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/31/2008	6230.92	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/30/2008	6230.89	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/29/2008	6230.9	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/28/2008	6230.89	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/27/2008	6230.87	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/26/2008	6230.86	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/25/2008	6230.87	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/24/2008	6230.85	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/23/2008	6230.82	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/22/2008	6230.8	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/21/2008	6230.83	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/20/2008	6230.78	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/19/2008	6230.78	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/18/2008	6230.78	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/17/2008	6230.78	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/16/2008	6230.78	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/15/2008	6230.75	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/14/2008	6230.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/13/2008	6230.7	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/12/2008	6230.71	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/11/2008	6230.71	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/10/2008	6230.69	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/9/2008	6230.69	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/8/2008	6230.69	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/7/2008	6230.67	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/6/2008	6230.67	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/5/2008	6230.67	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/4/2008	6230.66	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/3/2008	6230.66	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/2/2008	6230.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	5/1/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/30/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/29/2008	6230.61	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/28/2008	6230.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/27/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/26/2008	6230.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/25/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/24/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/23/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/22/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/21/2008	6230.59	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/20/2008	6230.55	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/19/2008	6230.53	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/18/2008	6230.66	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/17/2008	6230.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/16/2008	6230.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/15/2008	6230.64	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/14/2008	6230.64	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/13/2008	6230.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/12/2008	6230.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/11/2008	6230.69	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/10/2008	6230.59	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/9/2008	6230.63	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/8/2008	6230.69	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/7/2008	6230.74	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/6/2008	6230.8	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/5/2008	6230.89	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/4/2008	6231.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/3/2008	6230.97	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/2/2008	6230.86	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	4/1/2008	6233.95	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/31/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/30/2008	6234.3	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/29/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/28/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/27/2008	6234.28	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/26/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/25/2008	6234.3	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/24/2008	6234.33	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/23/2008	6234.32	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/22/2008	6234.31	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/21/2008	6234.32	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/20/2008	6234.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/19/2008	6234.32	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/18/2008	6234.31	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/17/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/16/2008	6234.28	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/15/2008	6234.28	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/14/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/13/2008	6234.28	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/12/2008	6234.29	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/11/2008	6234.24	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/10/2008	6234.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/9/2008	6234.22	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/8/2008	6234.22	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/7/2008	6234.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/6/2008	6234.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/5/2008	6234.19	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/4/2008	6234.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/3/2008	6234.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/2/2008	6234.12	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	3/1/2008	6234.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/29/2008	6234.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/28/2008	6234.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/27/2008	6234.04	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/26/2008	6234.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/25/2008	6234.1	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/24/2008	6234.14	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/23/2008	6234.09	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/22/2008	6234.08	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/21/2008	6234.07	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/20/2008	6234.05	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/19/2008	6233.99	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/18/2008	6233.93	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/17/2008	6233.85	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/16/2008	6233.8	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/15/2008	6233.73	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/14/2008	6233.67	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/13/2008	6233.65	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/12/2008	6233.59	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/11/2008	6233.55	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/10/2008	6233.51	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/9/2008	6233.42	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/8/2008	6233.38	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/7/2008	6233.32	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/6/2008	6233.3	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/5/2008	6233.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/4/2008	6233.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/3/2008	6233.21	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/2/2008	6233.19	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	2/1/2008	6233.2	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/31/2008	6233.16	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/30/2008	6233.17	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/29/2008	6233.11	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/28/2008	6233.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/27/2008	6232.97	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/26/2008	6232.74	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/25/2008	6232.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/24/2008	6232.3	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/23/2008	6232.23	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/22/2008	6232.06	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/21/2008	6231.95	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/20/2008	6231.86	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/19/2008	6231.82	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/18/2008	6231.76	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/17/2008	6231.75	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/16/2008	6231.73	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/15/2008	6231.77	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/14/2008	6231.77	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/13/2008	6231.75	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/12/2008	6231.73	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/11/2008	6231.74	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/10/2008	6231.73	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/9/2008	6231.71	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/8/2008	6231.68	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/7/2008	6231.66	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/6/2008	6231.65	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/5/2008	6231.63	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/4/2008	6231.48	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/3/2008	6231.49	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/2/2008	6231.5	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	1/1/2008	6231.5	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/31/2007	6231.46	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/30/2007	6231.47	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/29/2007	6231.45	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/28/2007	6231.45	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/27/2007	6231.47	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/26/2007	6231.5	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/25/2007	6231.52	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/24/2007	6231.58	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/23/2007	6231.61	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/22/2007	6231.57	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/21/2007	6231.59	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/20/2007	6231.63	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/19/2007	6231.58	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/18/2007	6231.59	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/17/2007	6231.6	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/16/2007	6231.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/15/2007	6231.61	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/14/2007	6231.62	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/13/2007	6231.66	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/12/2007	6231.68	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/11/2007	6231.67	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/10/2007	6231.68	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/9/2007	6231.59	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/8/2007	6231.57	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/7/2007	6231.56	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/6/2007	6231.56	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/5/2007	6231.57	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/4/2007	6231.61	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/3/2007	6231.61	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/2/2007	6231.55	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	12/1/2007	6231.55	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/30/2007	6231.57	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/29/2007	6231.58	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/28/2007	6231.56	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/27/2007	6231.57	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/26/2007	6231.54	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/25/2007	6231.54	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/24/2007	6231.51	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/23/2007	6231.52	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/22/2007	6231.52	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/21/2007	6231.49	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/20/2007	6231.5	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/19/2007	6231.5	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/18/2007	6231.49	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/17/2007	6231.46	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/16/2007	6231.47	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/15/2007	6231.48	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	11/14/2007	6231.44	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/29/2007	6231.2	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/26/2007	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/25/2007	6231.18	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/23/2007	6231.25	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/18/2007	6231.27	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/17/2007	6234.8	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/11/2007	6234.95	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/10/2007	6234.97	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/9/2007	6234.98	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/8/2007	6234.95	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/7/2007	6234.93	Transducer
R-25	1303	MP5A	1132	10	1295	1304.7	5.17	5.98	10/6/2007	6234.93	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/24/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/20/2008	6204.88	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/14/2008	6204.47	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/13/2008	6204.45	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/12/2008	6204.44	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/11/2008	6204.45	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/10/2008	6204.45	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/9/2008	6204.46	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/8/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/7/2008	6204.47	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/6/2008	6204.44	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/5/2008	6204.44	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/4/2008	6204.45	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/3/2008	6204.45	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/2/2008	6204.47	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/1/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/30/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/29/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/28/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/27/2008	6204.47	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/26/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/25/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/24/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/23/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/22/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/21/2008	6204.49	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/20/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/19/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/18/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/17/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/16/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/15/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/14/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/13/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/12/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/11/2008	6204.48	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/10/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/9/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/8/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/7/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/6/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/5/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/4/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/3/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/2/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	9/1/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/31/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/30/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/29/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/28/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/27/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/26/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/25/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/24/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/23/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/22/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/21/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/20/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/19/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/18/2008	6204.49	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/17/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/16/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/15/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/14/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/13/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/12/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/11/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/10/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/9/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/8/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/7/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/6/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/5/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/4/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/3/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/2/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	8/1/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/31/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/30/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/29/2008	6204.5	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/28/2008	6204.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/27/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/26/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/25/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/24/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/23/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/22/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/21/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/20/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/19/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/18/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/17/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/16/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/15/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/14/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/13/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/12/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/11/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/10/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/9/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/8/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/7/2008	6204.51	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/6/2008	6204.52	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/5/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/4/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/3/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/2/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	7/1/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/30/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/29/2008	6204.55	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/28/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/27/2008	6204.53	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/26/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/25/2008	6204.55	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/24/2008	6204.55	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/23/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/22/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/21/2008	6204.58	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/20/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/19/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/18/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/17/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/16/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/15/2008	6204.58	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/14/2008	6204.58	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/13/2008	6204.58	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/12/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/11/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/10/2008	6204.58	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/9/2008	6204.58	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/8/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/7/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/6/2008	6204.57	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/5/2008	6204.54	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/4/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/3/2008	6204.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/2/2008	6204.6	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	6/1/2008	6204.6	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/31/2008	6204.6	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/30/2008	6204.61	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/29/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/28/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/27/2008	6204.6	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/26/2008	6204.6	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/25/2008	6204.61	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/24/2008	6204.59	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/23/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/22/2008	6204.56	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/21/2008	6204.6	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/20/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/19/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/18/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/17/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/16/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/15/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/14/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/13/2008	6204.61	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/12/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/11/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/10/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/9/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/8/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/7/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/6/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/5/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/4/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/3/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/2/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	5/1/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/30/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/29/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/28/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/27/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/26/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/25/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/24/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/23/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/22/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/21/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/20/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/19/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/18/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/17/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/16/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/15/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/14/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/13/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/12/2008	6204.7	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/11/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/10/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/9/2008	6204.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/8/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/7/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/6/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/5/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/4/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/3/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	4/1/2008	6204.47	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/31/2008	6204.62	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/30/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/29/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/28/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/27/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/26/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/25/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/24/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/23/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/22/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/21/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/20/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/19/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/18/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/17/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/16/2008	6204.63	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/15/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/14/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/13/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/12/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/11/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/10/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/9/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/8/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/7/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/6/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/5/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/4/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/3/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/2/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	3/1/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/29/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/28/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/27/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/26/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/25/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/24/2008	6204.68	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/23/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/22/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/21/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/20/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/19/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/18/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/17/2008	6204.64	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/16/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/15/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/14/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/13/2008	6204.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/12/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/11/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/10/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/9/2008	6204.7	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/8/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/7/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/6/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/5/2008	6204.65	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/4/2008	6204.66	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/3/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/2/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	2/1/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/31/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/30/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/29/2008	6204.67	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/28/2008	6204.7	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/27/2008	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/26/2008	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/25/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/24/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/23/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/22/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/21/2008	6204.69	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/20/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/19/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/18/2008	6204.7	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/17/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/16/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/15/2008	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/14/2008	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/13/2008	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/12/2008	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/11/2008	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/10/2008	6204.72	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/9/2008	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/8/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/7/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/6/2008	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/5/2008	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/4/2008	6204.75	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/3/2008	6204.77	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/2/2008	6204.79	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	1/1/2008	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/31/2007	6204.75	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/30/2007	6204.75	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/29/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/28/2007	6204.72	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/27/2007	6204.72	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/26/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/25/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/24/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/23/2007	6204.75	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/22/2007	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/21/2007	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/20/2007	6204.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/19/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/18/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/17/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/16/2007	6204.77	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/15/2007	6204.75	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/14/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/13/2007	6204.77	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/12/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/11/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/10/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/9/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/8/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/7/2007	6204.75	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/6/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/5/2007	6204.79	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/4/2007	6204.82	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/3/2007	6204.83	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/2/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	12/1/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/30/2007	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/29/2007	6204.79	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/28/2007	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/27/2007	6204.8	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/26/2007	6204.77	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/25/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/24/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/23/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/22/2007	6204.77	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/21/2007	6204.76	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/20/2007	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/19/2007	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/18/2007	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/17/2007	6204.78	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/16/2007	6204.79	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/15/2007	6204.8	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	11/14/2007	6204.77	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/23/2007	6204.95	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/18/2007	6204.91	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/11/2007	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/10/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/9/2007	6204.74	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/8/2007	6204.73	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/7/2007	6204.71	Transducer
R-25	1406	MP6A	1182	10	1405	1414.7	5.17	5.98	10/6/2007	6204.71	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/24/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/16/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/14/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/13/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/12/2008	6162.09	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/11/2008	6162.11	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/10/2008	6162.08	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/9/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/8/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/7/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/6/2008	6162.11	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/5/2008	6162.09	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/4/2008	6162.08	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/3/2008	6162.06	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/2/2008	6162.09	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/1/2008	6162.11	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/30/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/29/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/28/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/27/2008	6162.13	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/26/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/25/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/24/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/23/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/22/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/21/2008	6162.17	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/20/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/19/2008	6162.13	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/18/2008	6162.13	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/17/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/16/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/15/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/14/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/13/2008	6162.13	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/12/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/11/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/10/2008	6162.17	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/9/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/8/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/7/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/6/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/5/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/4/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/3/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/2/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	9/1/2008	6162.15	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/31/2008	6162.13	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/30/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/29/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/28/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/27/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/26/2008	6162.19	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/25/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/24/2008	6162.29	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/23/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/22/2008	6162.16	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/21/2008	6162.17	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/20/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/19/2008	6162.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/18/2008	6162.19	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/17/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/16/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/15/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/14/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/13/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/12/2008	6162.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/11/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/10/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/9/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/8/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/7/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/6/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/5/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/4/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/3/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/2/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	8/1/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/31/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/30/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/29/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/28/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/27/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/26/2008	6162.29	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/25/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/24/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/23/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/22/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/21/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/20/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/19/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/18/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/17/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/16/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/15/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/14/2008	6162.23	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/13/2008	6162.29	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/12/2008	6162.25	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/11/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/10/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/9/2008	6162.29	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/8/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/7/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/6/2008	6162.2	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/5/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/4/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/3/2008	6162.22	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/2/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	7/1/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/30/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/29/2008	6162.33	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/28/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/27/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/26/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/25/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/24/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/23/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/22/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/21/2008	6162.33	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/20/2008	6162.29	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/19/2008	6162.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/18/2008	6162.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/17/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/16/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/15/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/14/2008	6162.34	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/13/2008	6162.34	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/12/2008	6162.27	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/11/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/10/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/9/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/8/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/7/2008	6162.48	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/6/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/5/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/4/2008	6162.36	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/3/2008	6162.41	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/2/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	6/1/2008	6162.48	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/31/2008	6162.48	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/30/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/29/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/28/2008	6162.5	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/27/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/26/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/25/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/24/2008	6162.5	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/23/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/22/2008	6162.26	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/21/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/20/2008	6162.43	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/19/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/18/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/17/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/16/2008	6162.57	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/15/2008	6162.48	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/14/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/13/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/12/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/11/2008	6162.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/10/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/9/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/8/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/7/2008	6162.4	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/6/2008	6162.43	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/5/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/4/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/3/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/2/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	5/1/2008	6162.33	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/30/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/29/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/28/2008	6162.54	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/27/2008	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/26/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/25/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/24/2008	6162.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/23/2008	6162.5	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/22/2008	6162.5	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/21/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/20/2008	6162.41	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/19/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/18/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/17/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/16/2008	6162.35	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/15/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/14/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/13/2008	6162.58	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/12/2008	6162.61	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/11/2008	6162.5	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/10/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/9/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/8/2008	6162.48	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/7/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/6/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/5/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/4/2008	6162.43	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/3/2008	6162.33	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	4/2/2008	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/31/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/30/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/29/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/28/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/27/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/26/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/25/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/24/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/23/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/22/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/21/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/20/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/19/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/18/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/17/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/16/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/15/2008	6162.4	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/14/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/13/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/12/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/11/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/10/2008	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/9/2008	6162.4	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/8/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/7/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/6/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/5/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/4/2008	6162.43	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/3/2008	6162.4	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/2/2008	6162.31	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	3/1/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/29/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/28/2008	6162.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/27/2008	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/26/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/25/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/24/2008	6162.54	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/23/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/22/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/21/2008	6162.33	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/20/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/19/2008	6162.43	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/18/2008	6162.4	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/17/2008	6162.35	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/16/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/15/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/14/2008	6162.33	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/13/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/12/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/11/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/10/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/9/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/8/2008	6162.4	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/7/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/6/2008	6162.46	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/5/2008	6162.35	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/4/2008	6162.32	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/3/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/2/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	2/1/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/31/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/30/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/29/2008	6162.35	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/28/2008	6162.42	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/27/2008	6162.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/26/2008	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/25/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/24/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/23/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/22/2008	6162.43	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/21/2008	6162.37	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/20/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/19/2008	6162.52	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/18/2008	6162.45	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/17/2008	6162.46	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/16/2008	6162.38	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/15/2008	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/14/2008	6162.59	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/13/2008	6162.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/12/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/11/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/10/2008	6162.44	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/9/2008	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/8/2008	6162.47	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/7/2008	6162.41	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/6/2008	6162.39	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/5/2008	6162.46	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/4/2008	6162.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/3/2008	6162.6	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/2/2008	6162.78	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	1/1/2008	6162.83	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/31/2007	6162.67	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/30/2007	6162.67	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/29/2007	6162.69	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/28/2007	6162.63	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/27/2007	6162.49	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/26/2007	6162.58	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/25/2007	6162.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/24/2007	6162.66	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/23/2007	6162.67	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/22/2007	6162.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/21/2007	6162.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/20/2007	6162.65	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/19/2007	6162.69	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/18/2007	6162.69	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/17/2007	6162.68	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/16/2007	6162.74	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/15/2007	6162.65	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/14/2007	6162.63	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/13/2007	6162.72	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/12/2007	6162.69	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/11/2007	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/10/2007	6162.66	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/9/2007	6162.64	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/8/2007	6162.57	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/7/2007	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/6/2007	6162.56	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/5/2007	6162.65	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/4/2007	6162.76	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/3/2007	6162.73	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/2/2007	6162.65	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	12/1/2007	6162.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/30/2007	6162.65	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/29/2007	6162.62	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/28/2007	6162.54	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/27/2007	6162.73	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/26/2007	6162.63	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/25/2007	6162.61	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/24/2007	6162.75	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/23/2007	6162.82	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/22/2007	6162.91	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/21/2007	6162.94	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/20/2007	6163.01	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/19/2007	6163.06	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/18/2007	6163.03	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/17/2007	6162.96	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/16/2007	6163.01	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/15/2007	6163.07	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	11/14/2007	6162.95	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/26/2007	6163.51	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/25/2007	6163.53	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/24/2007	6163.55	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/11/2007	6163.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/10/2007	6163.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/9/2007	6163.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/8/2007	6163.24	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/7/2007	6163.18	Transducer
R-25	1606	MP7A	1232	10	1605	1614.7	5.17	5.98	10/6/2007	6163.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/24/2008	6139.82	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/16/2008	6140.92	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/15/2008	6141.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/14/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/13/2008	6140.33	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/12/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/11/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/10/2008	6140.33	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/9/2008	6140.33	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/8/2008	6140.4	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/7/2008	6140.44	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/6/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/5/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/4/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/3/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/2/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/1/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/30/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/29/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/28/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/27/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/26/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/25/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/24/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/23/2008	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/22/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/21/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/20/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/19/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/18/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/17/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/16/2008	6140.44	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/15/2008	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/14/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/13/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/12/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/11/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/10/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/9/2008	6140.33	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/8/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/7/2008	6140.33	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/6/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/5/2008	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/4/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/3/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/2/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	9/1/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/31/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/30/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/29/2008	6140.26	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/28/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/27/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/26/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/25/2008	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/24/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/23/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/22/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/21/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/20/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/19/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/18/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/17/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/16/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/15/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/14/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/13/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/12/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/11/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/10/2008	6140.33	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/9/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/8/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/7/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/6/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/5/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/4/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/3/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/2/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	8/1/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/31/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/30/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/29/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/28/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/27/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/26/2008	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/25/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/24/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/23/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/22/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/21/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/20/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/19/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/18/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/17/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/16/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/15/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/14/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/13/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/12/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/11/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/10/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/9/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/8/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/7/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/6/2008	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/5/2008	6140.19	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/4/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/3/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/2/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	7/1/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/30/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/29/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/28/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/27/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/26/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/25/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/24/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/23/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/22/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/21/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/20/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/19/2008	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/18/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/17/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/16/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/15/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/14/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/13/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/12/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/11/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/10/2008	6140.26	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/9/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/8/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/7/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/6/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/5/2008	6140.06	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/4/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/3/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/2/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	6/1/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/31/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/30/2008	6140.24	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/29/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/28/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/27/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/26/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/25/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/24/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/23/2008	6140.06	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/22/2008	6139.98	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/21/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/20/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/19/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/18/2008	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/17/2008	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/16/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/15/2008	6140.19	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/14/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/13/2008	6140.06	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/12/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/11/2008	6140.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/10/2008	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/9/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/8/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/7/2008	6140.02	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/6/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/5/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/4/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/3/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/2/2008	6140.02	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	5/1/2008	6139.95	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/30/2008	6140.02	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/29/2008	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/28/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/27/2008	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/26/2008	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/25/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/24/2008	6140.06	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/23/2008	6140.06	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/22/2008	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/21/2008	6139.98	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/20/2008	6139.95	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/19/2008	6140.02	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/18/2008	6140.02	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/17/2008	6139.91	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/16/2008	6139.91	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/15/2008	6139.95	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/14/2008	6140.1	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/13/2008	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/12/2008	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/11/2008	6139.98	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/10/2008	6139.88	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/9/2008	6139.91	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/8/2008	6139.91	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/7/2008	6139.91	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/6/2008	6139.84	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/5/2008	6139.84	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/4/2008	6139.77	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/3/2008	6140.46	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	4/2/2008	6140.81	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/31/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/30/2008	6140.56	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/29/2008	6140.58	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/28/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/27/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/26/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/25/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/24/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/23/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/22/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/21/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/20/2008	6140.58	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/19/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/18/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/17/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/16/2008	6140.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/15/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/14/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/13/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/12/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/11/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/10/2008	6140.69	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/9/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/8/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/7/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/6/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/5/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/4/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/3/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/2/2008	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	3/1/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/29/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/28/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/27/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/26/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/25/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/24/2008	6140.65	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/23/2008	6140.51	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/22/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/21/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/20/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/19/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/18/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/17/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/16/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/15/2008	6140.58	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/14/2008	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/13/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/12/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/11/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/10/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/9/2008	6140.62	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/8/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/7/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/6/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/5/2008	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/4/2008	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/3/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/2/2008	6140.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	2/1/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/31/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/30/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/29/2008	6140.38	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/28/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/27/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/26/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/25/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/24/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/23/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/22/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/21/2008	6140.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/20/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/19/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/18/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/17/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/16/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/15/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/14/2008	6140.59	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/13/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/12/2008	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/11/2008	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/10/2008	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/9/2008	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/8/2008	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/7/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/6/2008	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/5/2008	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/4/2008	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/3/2008	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/2/2008	6140.66	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	1/1/2008	6140.63	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/31/2007	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/30/2007	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/29/2007	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/28/2007	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/27/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/26/2007	6140.38	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/25/2007	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/24/2007	6140.42	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/23/2007	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/22/2007	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/21/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/20/2007	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/19/2007	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/18/2007	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/17/2007	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/16/2007	6140.52	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/15/2007	6140.37	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/14/2007	6140.42	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/13/2007	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/12/2007	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/11/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/10/2007	6140.38	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/9/2007	6140.31	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/8/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/7/2007	6140.24	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/6/2007	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/5/2007	6140.41	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/4/2007	6140.45	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/3/2007	6140.48	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/2/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	12/1/2007	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/30/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/29/2007	6140.34	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/28/2007	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/27/2007	6140.3	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/26/2007	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/25/2007	6140.13	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/24/2007	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/23/2007	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/22/2007	6140.24	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/21/2007	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/20/2007	6140.27	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/19/2007	6140.3	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/18/2007	6140.23	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/17/2007	6140.09	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/16/2007	6140.16	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/15/2007	6140.2	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	11/14/2007	6139.79	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/29/2007	6140.85	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/26/2007	6141.55	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/11/2007	6140.98	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/10/2007	6141.02	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/9/2007	6141.08	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/8/2007	6141.05	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/7/2007	6140.98	Transducer
R-25	1796	MP8A	1282	10	1795	1804.7	5.17	5.98	10/6/2007	6140.95	Transducer
R-26	659.3	MP1A	1421	19	643	662	4.5	5.53	10/7/2008	7034.23	Transducer
R-26	659.3	MP1A	1421	19	643	662	4.5	5.53	4/1/2008	7033.91	Transducer
R-26	659.3	MP1A	1421	19	643	662	4.5	5.53	10/18/2007	7033.63	Transducer
R-26	659.3	MP1A	1421	19	643	662	4.5	5.53	10/17/2007	7033.61	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/24/2008	5898.32	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/23/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/22/2008	5898.4	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/21/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/20/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/19/2008	5898.2	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/18/2008	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/17/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/16/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/15/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/14/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/13/2008	5898.36	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/12/2008	5898.66	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/11/2008	5898.52	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/10/2008	5898.51	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/9/2008	5898.34	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/8/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/7/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/6/2008	5898.5	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/5/2008	5898.47	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/4/2008	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/3/2008	5898.35	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/2/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/1/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/30/2008	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/29/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/28/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/27/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/26/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/25/2008	5898.06	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	9/24/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/23/2008	5898.2	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/22/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/21/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/20/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/19/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/18/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/17/2008	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/16/2008	5897.99	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/15/2008	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/14/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/13/2008	5898.35	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/12/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/11/2008	5898.32	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/10/2008	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/9/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/8/2008	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/7/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/6/2008	5898.27	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/5/2008	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/4/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/3/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/2/2008	5898.27	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	9/1/2008	5898.34	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/31/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/30/2008	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/29/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/28/2008	5898.26	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/27/2008	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/26/2008	5898.27	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/25/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/24/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/23/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/22/2008	5898.29	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/21/2008	5898.26	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/20/2008	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/19/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/18/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/17/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/16/2008	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/15/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/14/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/13/2008	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/12/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/11/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/10/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/9/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/8/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/7/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/6/2008	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/5/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/4/2008	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/3/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/2/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	8/1/2008	5898.12	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	7/31/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/30/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/29/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/28/2008	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/27/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/26/2008	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/25/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/24/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/23/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/22/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/21/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/20/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/19/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/18/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/17/2008	5898.06	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/16/2008	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/15/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/14/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/13/2008	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/12/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/11/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/10/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/9/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/8/2008	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/7/2008	5898.2	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/6/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/5/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/4/2008	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/3/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/2/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	7/1/2008	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/30/2008	5897.91	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/29/2008	5897.96	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/28/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/27/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/26/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/25/2008	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/24/2008	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/23/2008	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/22/2008	5897.92	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/21/2008	5897.94	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/20/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/19/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/18/2008	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/17/2008	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/16/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/15/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/14/2008	5898.02	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/13/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/12/2008	5898.26	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/11/2008	5898.35	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/10/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/9/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/8/2008	5898.32	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/7/2008	5898.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	6/6/2008	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/5/2008	5898.66	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/4/2008	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/3/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/2/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	6/1/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/31/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/30/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/29/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/28/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/27/2008	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/26/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/25/2008	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/24/2008	5898.33	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/23/2008	5898.61	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/22/2008	5898.71	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/21/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/20/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/19/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/18/2008	5898.02	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/17/2008	5897.95	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/16/2008	5897.94	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/15/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/14/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/13/2008	5898.41	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/12/2008	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/11/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/10/2008	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/9/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/8/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/7/2008	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/6/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/5/2008	5898.18	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/4/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/3/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/2/2008	5898.38	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	5/1/2008	5898.55	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/30/2008	5898.37	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/29/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/28/2008	5897.96	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/27/2008	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/26/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/25/2008	5898.09	Manual
R-27	852	Single	6991	23	852	875	4.5	5	4/25/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/24/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/23/2008	5898.2	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/22/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/21/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/20/2008	5898.35	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/19/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/18/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/17/2008	5898.42	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/16/2008	5898.38	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/15/2008	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/14/2008	5897.95	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	4/13/2008	5897.94	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/12/2008	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/11/2008	5898.34	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/10/2008	5898.59	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/9/2008	5898.42	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/8/2008	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/7/2008	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/6/2008	5898.41	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/5/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/4/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/3/2008	5898.27	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/2/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	4/1/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/31/2008	5898.35	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/30/2008	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/29/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/28/2008	5898.29	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/27/2008	5898.27	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/26/2008	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/25/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/24/2008	5897.95	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/23/2008	5897.94	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/22/2008	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/21/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/20/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/19/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/18/2008	5898.26	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/17/2008	5898.46	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/16/2008	5898.43	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/15/2008	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/14/2008	5898.41	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/13/2008	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/12/2008	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/11/2008	5897.96	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/10/2008	5897.94	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/9/2008	5898.26	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/8/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/7/2008	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/6/2008	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/5/2008	5898.37	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/4/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/3/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/2/2008	5898.35	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	3/1/2008	5897.91	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/29/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/28/2008	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/27/2008	5897.92	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/26/2008	5898.02	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/25/2008	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/24/2008	5897.97	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/23/2008	5898.32	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/22/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/21/2008	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/20/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/19/2008	5898.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	2/18/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/17/2008	5898.38	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/16/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/15/2008	5898.26	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/14/2008	5898.52	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/13/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/12/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/11/2008	5898.06	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/10/2008	5897.92	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/9/2008	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/8/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/7/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/6/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/5/2008	5898.49	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/4/2008	5898.55	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/3/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/2/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	2/1/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/31/2008	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/30/2008	5898.34	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/29/2008	5898.59	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/28/2008	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/27/2008	5897.93	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/26/2008	5897.92	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/25/2008	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/24/2008	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/23/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/22/2008	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/21/2008	5898.27	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/20/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/19/2008	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/18/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/17/2008	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/16/2008	5898.4	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/15/2008	5897.96	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/14/2008	5897.95	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/13/2008	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/12/2008	5898.2	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/11/2008	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/10/2008	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/9/2008	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/8/2008	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/7/2008	5898.37	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/6/2008	5898.32	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/5/2008	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/4/2008	5898.02	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/3/2008	5897.85	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/2/2008	5897.67	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	1/1/2008	5897.79	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/31/2007	5898.25	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/30/2007	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/29/2007	5898.22	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/28/2007	5898.33	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/27/2007	5898.48	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/26/2007	5898.2	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	12/25/2007	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/24/2007	5897.95	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/23/2007	5897.97	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/22/2007	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/21/2007	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/20/2007	5898.11	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/19/2007	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/18/2007	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/17/2007	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/16/2007	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/15/2007	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/14/2007	5898.2	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/13/2007	5898	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/12/2007	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/11/2007	5898.36	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/10/2007	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/9/2007	5898.21	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/8/2007	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/7/2007	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/6/2007	5898.24	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/5/2007	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/4/2007	5897.78	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/3/2007	5897.74	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/2/2007	5898.33	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	12/1/2007	5898.4	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/30/2007	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/29/2007	5897.9	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/28/2007	5898.1	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/27/2007	5897.87	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/26/2007	5898.09	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/25/2007	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/24/2007	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/23/2007	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/22/2007	5897.98	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/21/2007	5898.23	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/20/2007	5898.08	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/19/2007	5897.97	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/18/2007	5898.06	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/17/2007	5898.14	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/16/2007	5897.96	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/15/2007	5897.79	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/14/2007	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/13/2007	5897.89	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/12/2007	5898.12	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/11/2007	5898.16	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/10/2007	5898.07	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/9/2007	5897.99	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/8/2007	5897.95	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/7/2007	5897.89	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/6/2007	5897.87	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/5/2007	5897.96	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/4/2007	5897.85	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/3/2007	5897.86	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/2/2007	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	11/1/2007	5897.86	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-27	852	Single	6991	23	852	875	4.5	5	10/31/2007	5898.03	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/30/2007	5897.86	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/29/2007	5897.71	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/28/2007	5897.67	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/27/2007	5897.87	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/26/2007	5898	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/25/2007	5897.77	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/24/2007	5897.62	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/23/2007	5897.72	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/22/2007	5897.82	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/21/2007	5898.31	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/20/2007	5898.05	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/19/2007	5898.01	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/18/2007	5898.21	Manual
R-27	852	Single	6991	23	852	875	4.5	5	10/18/2007	5898.36	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/17/2007	5898.39	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/16/2007	5898.19	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/15/2007	5898.17	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/14/2007	5898.3	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/13/2007	5898.28	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/12/2007	5898.13	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/11/2007	5898.04	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/10/2007	5897.89	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/9/2007	5897.83	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/8/2007	5897.98	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/7/2007	5898.15	Transducer
R-27	852	Single	6991	23	852	875	4.5	5	10/6/2007	5898.19	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/23/2008	6502.7	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/22/2008	6502.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/21/2008	6502.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/20/2008	6502.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/19/2008	6502.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/18/2008	6502.72	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/17/2008	6502.72	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/16/2008	6502.72	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/15/2008	6502.73	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/14/2008	6502.73	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/13/2008	6502.73	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/12/2008	6502.73	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/11/2008	6502.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/10/2008	6502.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/9/2008	6502.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/8/2008	6502.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/7/2008	6502.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/6/2008	6502.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/5/2008	6502.75	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/4/2008	6502.76	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/3/2008	6502.76	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/2/2008	6502.77	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	8/1/2008	6502.77	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/31/2008	6502.78	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/30/2008	6502.78	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/29/2008	6502.79	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/28/2008	6502.8	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/27/2008	6502.79	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/26/2008	6502.79	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/25/2008	6502.79	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/24/2008	6502.8	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/23/2008	6502.8	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/22/2008	6502.8	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/21/2008	6502.8	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/20/2008	6502.81	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/19/2008	6502.81	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/18/2008	6502.82	Manual
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/18/2008	6502.82	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/17/2008	6502.81	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/16/2008	6502.82	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/15/2008	6502.82	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/14/2008	6502.83	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/13/2008	6502.83	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/12/2008	6502.84	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/11/2008	6502.84	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/10/2008	6502.84	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/9/2008	6502.85	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/8/2008	6502.86	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/7/2008	6502.86	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/6/2008	6502.87	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/5/2008	6502.87	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/4/2008	6502.87	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/3/2008	6502.88	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/2/2008	6502.88	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	7/1/2008	6502.88	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/30/2008	6502.88	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/29/2008	6502.9	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/28/2008	6502.91	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/27/2008	6502.92	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/26/2008	6502.92	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/25/2008	6502.93	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/24/2008	6502.95	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/23/2008	6502.96	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/22/2008	6502.97	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/21/2008	6503	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/20/2008	6503.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/19/2008	6503.07	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/18/2008	6503.12	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/17/2008	6503.21	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/16/2008	6503.32	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/15/2008	6503.41	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/14/2008	6503.5	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/13/2008	6503.59	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/12/2008	6503.67	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/11/2008	6503.75	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/10/2008	6503.83	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/9/2008	6503.91	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/8/2008	6504	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/7/2008	6504.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/6/2008	6504.16	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/5/2008	6504.26	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/4/2008	6504.33	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/3/2008	6504.41	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/2/2008	6504.49	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	6/1/2008	6504.58	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/31/2008	6504.68	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/30/2008	6504.78	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/29/2008	6504.89	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/28/2008	6505.01	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/27/2008	6505.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/26/2008	6505.28	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/25/2008	6505.41	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/24/2008	6505.56	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/23/2008	6505.73	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/22/2008	6505.87	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/21/2008	6505.99	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/20/2008	6506.12	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/19/2008	6506.27	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/18/2008	6506.41	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/17/2008	6506.57	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/16/2008	6506.72	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/15/2008	6506.88	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/14/2008	6507.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/13/2008	6507.19	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/12/2008	6507.32	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/11/2008	6507.44	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/10/2008	6507.61	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/9/2008	6507.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/8/2008	6507.89	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/7/2008	6508.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/6/2008	6508.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/5/2008	6508.26	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/4/2008	6508.38	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/3/2008	6508.49	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/2/2008	6508.63	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	5/1/2008	6508.76	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/30/2008	6508.85	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/29/2008	6508.93	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/28/2008	6509.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/27/2008	6509.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/26/2008	6509.27	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/25/2008	6509.34	Manual
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/25/2008	6509.39	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/24/2008	6509.51	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/23/2008	6509.63	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/22/2008	6509.76	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/21/2008	6509.92	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/20/2008	6510.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/19/2008	6510.26	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/18/2008	6510.46	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/17/2008	6510.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/16/2008	6510.95	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/15/2008	6511.19	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/14/2008	6511.45	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/13/2008	6511.77	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/12/2008	6512.19	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/11/2008	6512.63	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/10/2008	6512.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/9/2008	6513.17	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/8/2008	6513.42	Manual
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/8/2008	6513.52	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/7/2008	6513.84	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/6/2008	6514.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/5/2008	6514.28	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/4/2008	6514.4	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/3/2008	6514.56	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/2/2008	6514.61	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	4/1/2008	6514.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/31/2008	6514.86	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/30/2008	6514.9	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/29/2008	6514.94	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/28/2008	6514.97	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/27/2008	6514.94	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/26/2008	6514.87	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/25/2008	6514.8	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/24/2008	6514.66	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/23/2008	6514.57	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/22/2008	6514.47	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/21/2008	6514.33	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/20/2008	6514.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/19/2008	6513.93	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/18/2008	6513.72	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/17/2008	6513.55	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/16/2008	6513.3	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/15/2008	6513.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/14/2008	6512.74	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/13/2008	6512.43	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/12/2008	6512.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/11/2008	6512	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/10/2008	6511.89	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/9/2008	6511.56	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/8/2008	6511.4	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/7/2008	6511.45	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/6/2008	6511.36	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/5/2008	6511.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/4/2008	6510.88	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/3/2008	6510.29	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/2/2008	6509.64	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	3/1/2008	6508.65	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/29/2008	6507.94	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/28/2008	6507.58	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/27/2008	6507.43	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/26/2008	6505.47	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/25/2008	6503.54	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/24/2008	6503.44	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/23/2008	6503.36	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/22/2008	6503.22	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/21/2008	6503.07	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/20/2008	6502.96	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/19/2008	6502.89	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/18/2008	6502.86	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/17/2008	6502.87	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/16/2008	6502.87	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/15/2008	6502.89	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/14/2008	6502.93	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/13/2008	6502.92	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/12/2008	6502.95	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/11/2008	6502.97	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/10/2008	6503	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/9/2008	6503.05	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/8/2008	6503.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/7/2008	6503.16	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/6/2008	6503.23	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/5/2008	6503.31	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/4/2008	6503.35	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/3/2008	6503.36	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/2/2008	6503.38	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	2/1/2008	6503.39	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/31/2008	6503.45	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/30/2008	6503.46	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/29/2008	6503.49	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/28/2008	6503.46	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/27/2008	6503.43	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/26/2008	6503.39	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/25/2008	6503.33	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/24/2008	6503.17	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/23/2008	6502.94	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/22/2008	6502.71	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/21/2008	6502.49	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/20/2008	6502.31	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/19/2008	6502.22	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/18/2008	6502.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/17/2008	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/16/2008	6502.13	Manual
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/16/2008	6502.1	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/15/2008	6502.04	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/14/2008	6502.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/13/2008	6502.04	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/12/2008	6502.05	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/11/2008	6502.05	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/10/2008	6502.07	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/9/2008	6502.05	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/8/2008	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/7/2008	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/6/2008	6502.07	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/5/2008	6502.04	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/4/2008	6502.03	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/3/2008	6502.02	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/2/2008	6502.02	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	1/1/2008	6502.04	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/31/2007	6502.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/30/2007	6502.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/29/2007	6502.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/28/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/27/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/26/2007	6502.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/25/2007	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/24/2007	6502.06	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/23/2007	6502.07	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/22/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/21/2007	6502.1	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/20/2007	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/19/2007	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/18/2007	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/17/2007	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/16/2007	6502.08	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/15/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/14/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/13/2007	6502.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/12/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/11/2007	6502.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/10/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/9/2007	6502.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/8/2007	6502.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/7/2007	6502.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/6/2007	6502.12	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/5/2007	6502.1	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/4/2007	6502.09	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/3/2007	6502.1	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/2/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	12/1/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/30/2007	6502.12	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/29/2007	6502.11	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/28/2007	6502.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/27/2007	6502.12	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/26/2007	6502.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/25/2007	6502.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/24/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/23/2007	6502.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/22/2007	6502.13	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/21/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/20/2007	6502.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/19/2007	6502.14	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/18/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/17/2007	6502.16	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/16/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/15/2007	6502.15	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/14/2007	6502.16	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/13/2007	6502.16	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/12/2007	6502.18	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/11/2007	6502.18	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/10/2007	6502.18	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/9/2007	6502.17	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/8/2007	6502.18	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/7/2007	6502.18	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/6/2007	6502.18	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/5/2007	6502.19	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/4/2007	6502.19	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/3/2007	6502.2	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/2/2007	6502.21	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	11/1/2007	6502.2	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/31/2007	6502.22	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/30/2007	6502.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/29/2007	6502.21	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/28/2007	6502.22	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/27/2007	6502.24	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/26/2007	6502.25	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/25/2007	6502.24	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/24/2007	6502.24	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/23/2007	6502.26	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/22/2007	6502.27	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/21/2007	6502.3	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/20/2007	6502.29	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/19/2007	6502.29	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/18/2007	6502.33	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/17/2007	6502.28	Manual
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/17/2007	6502.31	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/16/2007	6502.3	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/15/2007	6502.3	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/14/2007	6502.32	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/13/2007	6502.31	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/12/2007	6502.31	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/11/2007	6502.3	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/10/2007	6502.3	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/9/2007	6502.31	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/8/2007	6502.32	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/7/2007	6502.33	Transducer
WCO-2	13.5	Single	5821	10	13.5	23.5	2	2.38	10/6/2007	6502.33	Transducer

Appendix D

Analytical Results

The following symbols, abbreviations, and acronyms are used throughout Appendix D.

—	none
*	(Inorganic) The result for this analyte in the Los Alamos National Laboratory (Laboratory) replicate analysis was outside acceptance criteria.
B	(Organic) This analyte was detected in the associated Laboratory method blank and the sample. (B) (Inorganic) The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
CS	client sample
CST	control sample triplicate
DUP	duplicate sample
E	(Organic) The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma–atomic emission spectroscopy). The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption) The result for this analyte failed one or more Contract Laboratory Program acceptance criteria as explained in the case narrative.
EES6	The Laboratory's Earth and Environmental Sciences Division (Hydrology, Geochemistry, and Geology Group)
EPA	U.S. Environmental Protection Agency
F	filtered
FD	field duplicate
FTB	field trip blank
GELC	General Engineering Laboratories
GEO	Geochron Analytical Laboratory
H	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
HUFFMAN	Huffman Analytical Laboratory
Inorg	inorganic
J	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
J-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.

LLEE	low-level electrolytic extraction
LT	(Rad) The result for this analyte is affected by spectral interference.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
MDA	minimum detectable activity
MDL	method detection limit
Met	metals
mV	millivolt
n/a	not applicable
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PARA	Paragon Analytical Laboratory
R	rejected
Rad	radionuclides
STSL	Severn Trent St. Louis Analytical Laboratory
SV	semivolatile organics
TPU	total propagated uncertainty
U	not detected
UF	unfiltered
UMTL	University of Miami Tritium Laboratory
VOA	volatile organic analysis
WG	groundwater
WM	snowmelt
WP	persistent water
WS	surface water

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	38.1	—	—	7.30E-01	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.8	—	—	7.25E-01	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	45.8	—	—	7.25E-01	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	45.5	—	—	7.25E-01	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.4	—	—	3.00E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.4	—	—	3.00E-02	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.9	—	—	3.60E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.5	—	—	3.60E-02	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.5	—	—	3.00E-02	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.4	—	—	3.00E-02	mg/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.3	—	—	3.60E-02	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.60E-02	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	16.7	—	—	6.60E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	11.8	—	—	6.60E-02	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	10.9	—	—	6.60E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	9.51	—	—	6.60E-02	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.111	—	—	3.30E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.226	—	—	3.30E-02	mg/L	—	J+	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.144	—	—	3.30E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.153	—	—	3.30E-02	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.2	—	—	4.30E-01	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.4	—	—	4.25E-01	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.8	—	—	4.40E-01	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.7	—	—	4.40E-01	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	48.9	—	—	4.30E-01	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.8	—	—	4.25E-01	mg/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	47.4	—	—	4.40E-01	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	39.7	—	—	4.40E-01	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.19	—	—	8.50E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.52	—	—	8.50E-02	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.91	—	—	8.50E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.52	—	—	8.50E-02	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.28	—	—	8.50E-02	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.58	—	—	8.50E-02	mg/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.09	—	—	8.50E-02	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.081	—	—	5.00E-02	mg/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	UJ	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	UJ	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.014	—	—	1.40E-02	mg/L	U	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.379	—	—	5.00E-02	ug/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0716	—	—	5.00E-02	ug/L	J	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.274	—	—	5.00E-02	ug/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.131	—	—	5.00E-02	ug/L	J	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.79	—	—	1.00E-02	SU	H	J-	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.71	—	—	1.00E-02	SU	H	J	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.79	—	—	1.00E-02	SU	H	J	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.68	—	—	1.00E-02	SU	H	J	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.16	—	—	5.00E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.94	—	—	5.00E-02	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.48	—	—	5.00E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.96	—	—	5.00E-02	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.28	—	—	5.00E-02	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4	—	—	5.00E-02	mg/L	—	—	196148	GU07100P252W01	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.69	—	—	5.00E-02	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.95	—	—	5.00E-02	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.5	—	—	4.50E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.1	—	—	4.50E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.1	—	—	4.50E-02	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.2	—	—	4.50E-02	mg/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.7	—	—	4.50E-02	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.7	—	—	4.50E-02	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	165	—	—	1.00E+00	uS/cm	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	178	—	—	1.00E+00	uS/cm	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	172	—	—	1.00E+00	uS/cm	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	uS/cm	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	Field	Specific Conductance	—	146.1	—	—	—	uS/cm	—	—	0	CAWA-08-11550	FLD
Between E252 and Water at Beta	—	—	10/18/2007	WP	—	—	—	Geninorg	Field	Specific Conductance	—	172.7	—	—	—	uS/cm	—	—	0	FU07100P252W01	FLD
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.6	—	—	1.00E-01	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.07	—	—	1.00E-01	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.2	—	—	1.00E-01	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.46	—	—	1.00E-01	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	4.8	—	—	2.30E+00	mg/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	—	—	2.28E+00	mg/L	U	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	4	—	—	1.14E+00	mg/L	J	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	1.14	—	—	1.14E+00	mg/L	U	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	137	—	—	2.40E+00	mg/L	—	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	150	—	—	2.38E+00	mg/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	148	—	—	2.38E+00	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	31	—	—	2.38E+00	mg/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.094	—	—	2.90E-02	mg/L	J	JN-	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.091	—	—	2.90E-02	mg/L	J	JN-	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.073	—	—	1.00E-02	mg/L	J	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.196	—	—	2.90E-02	mg/L	—	J-	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.107	—	—	2.90E-02	mg/L	—	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.168	—	—	2.90E-02	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.03	—	—	1.00E-02	mg/L	J	JN-	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.64	—	—	3.30E-01	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.52	—	—	3.30E-01	mg/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.26	—	—	3.30E-01	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.06	—	—	3.30E-01	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.043	—	—	2.40E-02	mg/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.088	—	—	2.40E-02	mg/L	—	J	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.054	—	—	2.40E-02	mg/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.096	—	—	1.00E-02	mg/L	—	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1040	—	—	6.80E+01	ug/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Aluminum	<	159	—	—	6.80E+01	ug/L	J	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	616	—	—	6.80E+01	ug/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1220	—	—	6.80E+01	ug/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1700	—	—	6.80E+01	ug/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	486	—	—	6.80E+01	ug/L	—	J+	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1160	—	—	6.80E+01	ug/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1510	—	—	6.80E+01	ug/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	55.4	—	—	1.00E+00	ug/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Barium	—	80.9	—	—	1.00E+00	ug/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	61.8	—	—	1.00E+00	ug/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Barium	—	49.2	—	—	1.00E+00	ug/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	59.8	—	—	1.00E+00	ug/L	—	—	08-937	CAWA-08-11550	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Barium	—	81.8	—	—	1.00E+00	ug/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	67.3	—	—	1.00E+00	ug/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Barium	—	52.6	—	—	1.00E+00	ug/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	13.5	—	—	1.00E+01	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Boron	—	13.5	—	—	1.00E+01	ug/L	J	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	11.4	—	—	1.00E+01	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.1	—	—	1.00E+01	ug/L	J	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.16	—	—	1.10E-01	ug/L	J	J+	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.11	—	—	1.10E-01	ug/L	U	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	ug/L	U	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	ug/L	U	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	3.9	—	—	2.50E+00	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6020	Chromium	—	3.1	—	—	1.00E+00	ug/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6020	Chromium	<	1.9	—	—	1.00E+00	ug/L	J	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	4	—	—	2.50E+00	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6020	Chromium	—	2	—	—	1.00E+00	ug/L	J	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.8	—	—	1.00E+00	ug/L	J	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	438	—	—	2.50E+01	ug/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Iron	<	117	—	—	2.50E+01	ug/L	—	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	283	—	—	1.80E+01	ug/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Iron	—	535	—	—	1.80E+01	ug/L	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	750	—	—	2.50E+01	ug/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Iron	<	278	—	—	2.50E+01	ug/L	—	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	575	—	—	1.80E+01	ug/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Iron	—	764	—	—	1.80E+01	ug/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6020	Lead	—	0.52	—	—	5.00E-01	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6020	Lead	—	0.61	—	—	5.00E-01	ug/L	J	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.1	—	—	2.00E+00	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Manganese	—	24.2	—	—	2.00E+00	ug/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	7.1	—	—	2.00E+00	ug/L	J	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Manganese	—	6.7	—	—	2.00E+00	ug/L	J	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	9.5	—	—	2.00E+00	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Manganese	—	26.6	—	—	2.00E+00	ug/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	13.8	—	—	2.00E+00	ug/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Manganese	—	8.8	—	—	2.00E+00	ug/L	J	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	0.87	—	—	5.00E-01	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6020	Nickel	—	0.96	—	—	5.00E-01	ug/L	J	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	0.56	—	—	5.00E-01	ug/L	J	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	ug/L	J	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.95	—	—	5.00E-01	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.69	—	—	5.00E-01	ug/L	J	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.6	—	—	5.00E-01	ug/L	J	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.9	—	—	3.20E-02	mg/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	86.2	—	—	1.00E+00	ug/L	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	ug/L	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	85.4	—	—	1.00E+00	ug/L	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	70.5	—	—	1.00E+00	ug/L	—	—	179921	GF07010P252W01	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	86.9	—	—	1.00E+00	ug/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	ug/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	88.2	—	—	1.00E+00	ug/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	70.5	—	—	1.00E+00	ug/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6020	Thallium	—	0.47	—	—	3.00E-01	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6020	Thallium	—	0.35	—	—	3.00E-01	ug/L	J	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.8	—	—	1.00E+00	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.6	—	—	1.00E+00	ug/L	J	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3	—	—	1.00E+00	ug/L	J	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3	—	—	1.00E+00	ug/L	J	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.4	—	—	1.00E+00	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.3	—	—	1.00E+00	ug/L	J	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.8	—	—	1.00E+00	ug/L	J	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.2	—	—	1.00E+00	ug/L	J	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	ug/L	J	J	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	F	CS	—	Metals	SW-846:6010B	Zinc	<	6.7	—	—	2.00E+00	ug/L	J	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.5	—	—	2.00E+00	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.8	—	—	2.00E+00	ug/L	J	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	4/4/2008	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.35	—	—	1.30E+00	ug/L	J	J	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/2007	WP	UF	CS	—	Voa	SW-846:8260B	Acetone	—	3.11	—	—	1.25E+00	ug/L	HJ	J, J-	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	1.27	—	—	1.25E+00	ug/L	J	J+	187064	GU07050P252W01-FTB	GELC
Between E252 and Water at Beta	—	—	6/1/2007	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	<	1.71	—	—	1.25E+00	ug/L	J	U, J+	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	1/30/2007	WP	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	179921	GU07010P252W01	GELC
CDV-16-02659	Single	1.7	10/30/2007	WG	F	CS	—	Rad	EPA:900	Gross alpha	<	0.476	4.80E-01	1.76E+00	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	Single	1.7	1/26/2007	WG	F	CS	—	Rad	EPA:900	Gross alpha	<	0.767	5.32E-01	1.53E+00	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	Single	1.7	10/30/2007	WG	UF	CS	—	Rad	EPA:900	Gross alpha	<	0.643	6.38E-01	2.28E+00	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	Single	1.7	10/30/2007	WG	UF	CS	—	Rad	EPA:900	Gross alpha	—	2.44	8.22E-01	2.04E+00	—	pCi/L	—	J	196781	GU07100CDV5902	GELC
CDV-16-02659	Single	1.7	1/26/2007	WG	UF	CS	—	Rad	EPA:900	Gross alpha	—	2.11	6.27E-01	1.06E+00	—	pCi/L	—	J	179805	GU07010CDV5901	GELC
CDV-16-02659	Single	1.7	3/31/2008	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.609	1.70E-01	4.10E-01	—	pCi/L	—	—	08-888	CAWA-08-11641	GELC
CDV-16-02659	Single	1.7	10/30/2007	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.44	2.78E-01	4.98E-01	—	pCi/L	—	J	196781	GU07100CDV5902	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	24.3	—	—	7.30E-01	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	77.4	—	—	7.25E-01	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	1.59	—	—	7.30E-01	mg/L	—	—	08-984	CAWA-08-11596	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.33	—	—	3.00E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.9	—	—	3.00E-02	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.38	—	—	3.00E-02	mg/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.5	—	—	3.00E-02	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.43	—	—	6.60E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.4	—	—	6.60E-02	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00182	—	—	1.50E-03	mg/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00402	—	—	1.50E-03	mg/L	J	J-, JN-	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.14	—	—	3.30E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.236	—	—	3.30E-02	mg/L	—	J+	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	28.7	—	—	4.30E-01	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	62.2	—	—	4.25E-01	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	30.4	—	—	4.30E-01	mg/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	64.1	—	—	4.25E-01	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.54	—	—	8.50E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.22	—	—	8.50E-02	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.9	—	—	8.50E-02	mg/L	—	—	08-984	CAWA-08-11599	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.34	—	—	8.50E-02	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.74	—	—	1.00E-02	SU	H	J-	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.39	—	—	1.00E-02	SU	H	J	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	Field	pH	—	5.94	—	—	—	SU	—	—	0	CAWA-08-11599	FLD
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.14	—	—	1.00E-02	SU	H	J-	08-984	CAWA-08-11596	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	—	—	—	Geninorg	Field	pH	—	6.4	—	—	—	SU	—	—	0	FU071000FLC301	FLD
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.63	—	—	5.00E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.12	—	—	5.00E-02	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.86	—	—	5.00E-02	mg/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.16	—	—	5.00E-02	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.07	—	—	4.50E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.13	—	—	4.50E-02	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	6	—	—	4.50E-02	mg/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.32	—	—	4.50E-02	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	74.2	—	—	1.00E+00	uS/cm	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	159	—	—	1.00E+00	uS/cm	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	Field	Specific Conductance	—	86.2	—	—	—	uS/cm	—	—	0	CAWA-08-11599	FLD
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	1.67	—	—	1.00E+00	uS/cm	—	—	08-984	CAWA-08-11596	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	—	—	—	Geninorg	Field	Specific Conductance	—	180.2	—	—	—	uS/cm	—	—	0	FU071000FLC301	FLD
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.01	—	—	1.00E-01	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.78	—	—	1.00E-01	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	3.6	—	—	1.10E+00	mg/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	2.6	—	—	1.14E+00	mg/L	J	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	139	—	—	2.38E+00	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.823	—	—	2.90E-02	mg/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.766	—	—	2.90E-02	mg/L	—	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.924	—	—	2.90E-02	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	12.5	—	—	3.30E-01	mg/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	22.8	—	—	6.60E-01	mg/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.087	—	—	2.40E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.088	—	—	2.40E-02	mg/L	—	JN-	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	3.79	—	—	1.00E-01	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	3.8	—	—	1.04E-01	ug/L	—	J-	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.256	—	—	1.30E-01	ug/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	UJ	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	8830	—	—	6.80E+01	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	94.2	—	—	6.80E+01	ug/L	J	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	11000	—	—	6.80E+01	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	221	—	—	6.80E+01	ug/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.1	—	—	1.50E+00	ug/L	J	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	315	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	618	—	—	1.00E+00	ug/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	349	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	644	—	—	1.00E+00	ug/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	24.7	—	—	1.00E+01	ug/L	J	J	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	27.7	—	—	1.00E+01	ug/L	J	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	24.5	—	—	1.00E+01	ug/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	26.7	—	—	1.00E+01	ug/L	J	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.14	—	—	1.10E-01	ug/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.11	—	—	1.10E-01	ug/L	U	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	2.50E+00	ug/L	J	J	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.9	—	—	2.50E+00	ug/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.5	—	—	1.00E+00	ug/L	J	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	4.3	—	—	3.00E+00	ug/L	J	J	08-984	CAWA-08-11597	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	ug/L	U	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	5	—	—	3.00E+00	ug/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	ug/L	U	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	4980	—	—	2.50E+01	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	2520	—	—	2.50E+01	ug/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	6550	—	—	2.50E+01	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	3460	—	—	2.50E+01	ug/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.7	—	—	5.00E-01	ug/L	J	J	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	2.6	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	105	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	1370	—	—	2.00E+00	ug/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	118	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1460	—	—	2.00E+00	ug/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.65	—	—	1.00E-01	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.3	—	—	2.00E+00	ug/L	J	U	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.74	—	—	1.00E-01	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.5	—	—	2.00E+00	ug/L	J	U	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.2	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	7	—	—	5.00E-01	ug/L	*	J	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.9	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	7.3	—	—	5.00E-01	ug/L	*	J	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	53.5	—	—	3.20E-02	mg/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.22	—	—	3.20E-02	mg/L	—	—	08-984	CAWA-08-11596	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Silver	—	0.29	—	—	2.00E-01	ug/L	J	J	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.35	—	—	2.00E-01	ug/L	J	J	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	47.8	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	125	—	—	1.00E+00	ug/L	—	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.1	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	130	—	—	1.00E+00	ug/L	—	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.5	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.1	—	—	1.00E+00	ug/L	J	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.5	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.4	—	—	1.00E+00	ug/L	J	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	19.4	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11597	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.7	—	—	2.00E+00	ug/L	J	—	196275	GF071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	22.2	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.2	—	—	2.00E+00	ug/L	J	—	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.652	1.90E-01	4.50E-01	—	pCi/L	—	—	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.879	2.05E-01	4.30E-01	—	pCi/L	—	J	196275	GU071000FLC301	GELC
FLC-16-25278	Single	1.6	4/10/2008	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.621	2.40E-01	6.90E-01	—	pCi/L	U	U	08-984	CAWA-08-11599	GELC
FLC-16-25278	Single	1.6	10/22/2007	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.957	2.06E-01	3.99E-01	—	pCi/L	—	J	196275	GU071000FLC301	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	18	—	—	7.30E-01	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	41.3	—	—	7.25E-01	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.035	—	—	3.00E-02	mg/L	J	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.03	—	—	3.00E-02	mg/L	U	UJ	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	5.95	—	—	3.00E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.62	—	—	3.00E-02	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.5	—	—	3.00E-02	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.3	—	—	3.00E-02	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	3.03	—	—	6.60E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	3.82	—	—	6.60E-02	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.116	—	—	3.30E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.204	—	—	3.30E-02	mg/L	—	J+	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	24.9	—	—	4.30E-01	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	34.8	—	—	4.25E-01	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	37.6	—	—	4.30E-01	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.7	—	—	4.25E-01	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.44	—	—	8.50E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.62	—	—	8.50E-02	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.58	—	—	8.50E-02	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.66	—	—	8.50E-02	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.21	—	—	1.00E-02	SU	H	J-	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.05	—	—	1.00E-02	SU	H	J	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	Field	pH	—	5.28	—	—	—	SU	—	—	0	CAWA-08-11601	FLD
FLC-16-25279	Single	2.7	10/24/2007	WG	—	—	—	Geninorg	Field	pH	—	5.78	—	—	—	SU	—	—	0	FU071000FLC201	FLD
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.65	—	—	5.00E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.98	—	—	5.00E-02	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.28	—	—	5.00E-02	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.69	—	—	5.00E-02	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.12	—	—	4.50E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.95	—	—	4.50E-02	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.68	—	—	4.50E-02	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	67	—	—	1.00E+00	uS/cm	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	109	—	—	1.00E+00	uS/cm	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	Field	Specific Conductance	—	66.5	—	—	—	uS/cm	—	—	0	CAWA-08-11601	FLD
FLC-16-25279	Single	2.7	10/24/2007	WG	—	—	—	Geninorg	Field	Specific Conductance	—	150.2	—	—	—	uS/cm	—	—	0	FU071000FLC201	FLD
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.52	—	—	1.00E-01	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.94	—	—	1.00E-01	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	49.7	—	—	3.70E+00	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	124	—	—	8.38E+00	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	164	—	—	2.40E+00	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	136	—	—	2.38E+00	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.517	—	—	2.90E-02	mg/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.02	—	—	2.90E-02	mg/L	—	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.9	—	—	2.90E-02	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	11.5	—	—	3.30E-01	mg/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	15	—	—	6.60E-01	mg/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.103	—	—	2.40E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	UJ, R	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	4.75	—	—	1.00E-01	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	9.86	—	—	1.04E-01	ug/L	—	J-, J	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.146	—	—	1.30E-01	ug/L	J	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	UJ	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	12100	—	—	6.80E+01	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	4060	—	—	6.80E+01	ug/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	33100	—	—	6.80E+01	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	14200	—	—	6.80E+01	ug/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	184	—	—	1.00E+00	ug/L	—	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	218	—	—	1.00E+00	ug/L	—	J+	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	299	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	355	—	—	1.00E+00	ug/L	—	J+	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	—	1.4	—	—	1.00E+00	ug/L	J	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	<	1	—	—	1.00E+00	ug/L	U	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	25	—	—	1.00E+01	ug/L	J	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	44.2	—	—	1.00E+01	ug/L	J	J+	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	28.4	—	—	1.00E+01	ug/L	J	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	46.8	—	—	1.00E+01	ug/L	J	J+	196433	GU071000FLC201	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.18	—	—	1.10E-01	ug/L	J	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.24	—	—	1.10E-01	ug/L	J	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.15	—	—	1.10E-01	ug/L	J	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.28	—	—	1.10E-01	ug/L	J	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.9	—	—	2.50E+00	ug/L	J	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.00E+00	ug/L	J	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.2	—	—	2.50E+00	ug/L	J	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.7	—	—	1.00E+00	ug/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	8.2	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	18	—	—	1.00E+00	ug/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	8.7	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	13.1	—	—	1.00E+00	ug/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	4.3	—	—	3.00E+00	ug/L	J	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	7.1	—	—	3.00E+00	ug/L	J	JN-, J-	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	10.2	—	—	3.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	10.8	—	—	3.00E+00	ug/L	—	JN-, J-	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	7210	—	—	2.50E+01	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	2770	—	—	2.50E+01	ug/L	—	J+	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	18900	—	—	2.50E+01	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	8840	—	—	2.50E+01	ug/L	—	J+	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Lead	—	3.3	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.9	—	—	5.00E-01	ug/L	J	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	3.9	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	6.1	—	—	5.00E-01	ug/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	565	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	1030	—	—	2.00E+00	ug/L	—	J+	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	709	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1100	—	—	2.00E+00	ug/L	—	J+	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.93	—	—	1.00E-01	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.56	—	—	1.00E-01	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.5	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	10	—	—	5.00E-01	ug/L	—	J	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5	—	—	5.00E-01	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	13.3	—	—	5.00E-01	ug/L	—	J	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.4	—	—	3.20E-02	mg/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6020	Silver	—	0.27	—	—	2.00E-01	ug/L	J	J	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.61	—	—	2.00E-01	ug/L	J	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.37	—	—	2.00E-01	ug/L	J	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	41.1	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	66.7	—	—	1.00E+00	ug/L	—	J+	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	54.8	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	76.2	—	—	1.00E+00	ug/L	—	J+	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.22	—	—	5.00E-02	ug/L	—	J	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	ug/L	—	J	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.66	—	—	5.00E-02	ug/L	—	J	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	12.5	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	8.4	—	—	1.00E+00	ug/L	—	U	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	28.5	—	—	1.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	16.5	—	—	1.00E+00	ug/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	25.2	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11602	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	14.6	—	—	2.00E+00	ug/L	—	—	196433	GF071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	55.2	—	—	2.00E+00	ug/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	31.4	—	—	2.00E+00	ug/L	—	—	196433	GU071000FLC201	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.888	2.00E-01	3.80E-01	—	pCi/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	2.56	3.86E-01	3.68E-01	—	pCi/L	—	—	196433	GU071000FLC201	GELC
FLC-16-25279	Single	2.7	4/10/2008	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.41	3.80E-01	9.00E-01	—	pCi/L	—	—	08-984	CAWA-08-11601	GELC
FLC-16-25279	Single	2.7	10/24/2007	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.919	2.13E-01	4.58E-01	—	pCi/L	—	J	196433	GU071000FLC201	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	31.8	—	—	7.30E-01	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.65	—	—	3.00E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.83	—	—	3.00E-02	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	3.39	—	—	6.60E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.213	—	—	3.30E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	30.3	—	—	4.30E-01	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.3	—	—	4.30E-01	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.72	—	—	8.50E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.43	—	—	8.50E-02	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.36	—	—	1.00E-02	SU	H	J-	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.56	—	—	5.00E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.42	—	—	5.00E-02	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.2	—	—	4.50E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.1	—	—	4.50E-02	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	94.4	—	—	1.00E+00	uS/cm	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.87	—	—	1.00E-01	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	24	—	—	1.10E+00	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	194	—	—	2.40E+00	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.573	—	—	2.90E-02	mg/L	—	J+	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	13.3	—	—	6.60E-01	mg/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.116	—	—	2.40E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	DL	—	Hexp	SW-846:8321	HMX	—	33.3	—	—	5.20E-01	ug/L	—	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	7.47	—	—	1.30E-01	ug/L	—	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	14000	—	—	6.80E+01	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	29900	—	—	6.80E+01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	462	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	708	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	—	1.3	—	—	1.00E+00	ug/L	J	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	34.7	—	—	1.00E+01	ug/L	J	J	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	36.8	—	—	1.00E+01	ug/L	J	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.13	—	—	1.10E-01	ug/L	J	J	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.35	—	—	1.10E-01	ug/L	J	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	10.2	—	—	2.50E+00	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	17.4	—	—	2.50E+00	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	5.7	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	2.1	—	—	1.00E+00	ug/L	J	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	7900	—	—	2.50E+01	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	16700	—	—	2.50E+01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Lead	—	5.2	—	—	5.00E-01	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	11.4	—	—	5.00E-01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	73.1	—	—	2.00E+00	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	109	—	—	2.00E+00	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	EPA:245.2	Mercury	—	0.032	—	—	3.00E-02	ug/L	J	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.9	—	—	1.00E-01	ug/L	—	J	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2.4	—	—	1.00E-01	ug/L	—	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.2	—	—	5.00E-01	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	11.8	—	—	5.00E-01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	78.3	—	—	3.20E-02	mg/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Silver	—	0.34	—	—	2.00E-01	ug/L	JN	J-	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.76	—	—	2.00E-01	ug/L	JN	J-	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.1	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	64.2	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11605	GELC

Table D-1 Previously Unreported Data

Location	Port	Port Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-s TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.49	—	—	5.00E-02	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.91	—	—	5.00E-02	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	16.6	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	32	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	30.5	—	—	2.00E+00	ug/L	—	J	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	59.4	—	—	2.00E+00	ug/L	—	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00851	4.40E-03	4.40E-02	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000428	2.50E-03	5.00E-02	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.49	1.70E+00	4.40E+00	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.486	1.10E+00	3.80E+00	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.118	1.40E+00	4.90E+00	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.12	1.30E+00	3.40E+00	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	90.4	9.10E+01	2.90E+02	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	116	7.60E+01	3.30E+02	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	8.22	1.00E+01	3.20E+01	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.844	7.90E+00	2.70E+01	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0048	6.20E-03	2.90E-02	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00524	8.00E-03	3.20E-02	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0064	5.10E-03	2.90E-02	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0105	6.10E-03	3.10E-02	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	7.14	1.80E+01	6.30E+01	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	6.4	1.50E+01	5.10E+01	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.114	1.70E-01	6.10E-01	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.863	2.50E-01	5.70E-01	—	pCi/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.86	1.30E+00	4.30E+00	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.44	1.10E+00	3.60E+00	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.542	1.70E-01	4.90E-01	—	pCi/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.112	1.00E-01	3.60E-01	—	pCi/L	U	U	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	127.72	4.15E+00	2.87E-01	—	pCi/L	—	—	08-951	CAWA-08-11605	UMTL
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.218	2.20E-02	5.50E-02	—	pCi/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.42	3.60E-02	6.10E-02	—	pCi/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0093	6.70E-03	2.80E-02	—	pCi/L	U	U	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0431	9.70E-03	3.00E-02	—	pCi/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.187	2.00E-02	3.70E-02	—	pCi/L	—	—	08-930	CAWA-08-11604	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.47	3.90E-02	4.10E-02	—	pCi/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Voa	SW-846:8260B	Dichloroethene[cis-1,2-]	—	9.55	—	—	3.00E-01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	DL	—	Voa	SW-846:8260B	Dichloroethene[cis-1,2-]	—	8.25	—	—	7.50E-01	ug/L	—	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	2/16/2006	WG	UF	CS	—	Voa	SW-846:8260B	Dichloroethene[cis-1,2-]	—	26.7	—	—	3.00E-01	ug/L	—	—	156396	GU06020FLC101	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	DL	—	Voa	SW-846:8260B	Tetrachloroethene	—	193	—	—	6.30E-01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	2/16/2006	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	6.09	—	—	2.50E-01	ug/L	—	—	156396	GU06020FLC101	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	11.8	—	—	2.50E-01	ug/L	—	—	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	4/3/2008	WG	UF	DL	—	Voa	SW-846:8260B	Trichloroethene	—	9.97	—	—	6.30E-01	ug/L	—	J	08-930	CAWA-08-11605	GELC
FLC-16-25280	Single	2.6	2/16/2006	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	3.99	—	—	2.50E-01	ug/L	—	—	156396	GU06020FLC101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	04/04/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	165	—	—	1.00E+00	uS/cm	—	—	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	178	—	—	1.00E+00	uS/cm	—	—	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	172	—	—	1.00E+00	uS/cm	—	—	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	uS/cm	—	—	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.61	—	—	3.30E-01	mg/L	—	—	09-177	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	04/04/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.64	—	—	3.30E-01	mg/L	—	—	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.52	—	—	3.30E-01	mg/L	—	—	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.26	—	—	3.30E-01	mg/L	—	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.06	—	—	3.30E-01	mg/L	—	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	04/04/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.79	—	—	1.00E-02	SU	H	J-	08-937	CAWA-08-11549	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.71	—	—	1.00E-02	SU	H	J	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.79	—	—	1.00E-02	SU	H	J	187064	GF07050P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.68	—	—	1.00E-02	SU	H	J	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.203	—	—	1.20E-01	ug/L	J	J	09-177	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	04/04/08	WS	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	<	0.325	—	—	1.20E-01	ug/L	U	U	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.251	—	—	1.17E-01	ug/L	J	J	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.121	—	—	1.17E-01	ug/L	J	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.178	—	—	1.17E-01	ug/L	J	—	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.184	—	—	1.00E-01	ug/L	J	J	09-177	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	04/04/08	WS	UF	CS	—	Hexp	SW-846:8321	HMX	<	0.325	—	—	1.00E-01	ug/L	U	U	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.186	—	—	1.04E-01	ug/L	J	J	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	HMX	<	0.325	—	—	1.04E-01	ug/L	U	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.142	—	—	1.04E-01	ug/L	J	J+	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.13	—	—	1.30E-01	ug/L	J	J	09-177	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	04/04/08	WS	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	U	08-937	CAWA-08-11550	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.13	—	—	1.30E-01	ug/L	J	J	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	—	187064	GU07050P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	—	179921	GU07010P252W01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00667	4.33E-03	7.80E-02	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00715	3.37E-03	5.07E-02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00141	6.70E-04	2.22E-02	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00342	1.50E-03	3.20E-02	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00924	3.12E-03	4.86E-02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0116	1.58E-03	2.10E-02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.34	4.00E-01	3.50E+00	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.673	3.93E-01	3.75E+00	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.79	4.47E-01	4.00E+00	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.31	4.33E-01	4.40E+00	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.718	4.57E-01	4.48E+00	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.57	3.80E-01	3.97E+00	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.57	4.67E-01	4.80E+00	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.338	3.97E-01	3.86E+00	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.217	4.20E-01	4.03E+00	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.218	5.00E-01	4.70E+00	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.807	5.60E-01	5.41E+00	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.731	3.93E-01	3.63E+00	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	31.8	1.73E+01	4.20E+01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	84.6	1.51E+01	2.26E+02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	60.1	1.53E+01	2.63E+02	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	15.5	5.33E+00	3.10E+01	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	79.2	1.07E+02	2.62E+02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	87.5	3.90E+01	2.82E+02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-6.86	2.93E+00	2.90E+01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.195	3.32E+00	3.17E+01	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.725	3.05E+00	3.03E+01	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-10.7	2.17E+00	1.80E+01	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	19.5	3.77E+00	3.77E+01	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.93	3.63E+00	3.08E+01	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0213	5.67E-03	7.70E-02	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0119	2.66E-03	3.19E-02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0061	2.03E-03	2.23E-02	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00348	1.83E-03	2.50E-02	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00441	2.75E-03	3.53E-02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00404	1.65E-03	2.22E-02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00531	5.33E-03	9.00E-02	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00398	1.33E-03	3.76E-02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00609	2.03E-03	1.48E-02	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00348	1.83E-03	3.00E-02	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00881	2.55E-03	4.16E-02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00808	2.33E-03	1.48E-02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-45.7	6.00E+00	5.60E+01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	34.1	5.10E+00	5.91E+01	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	26.9	5.60E+00	5.80E+01	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-23.3	6.00E+00	5.40E+01	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-9.43	5.93E+00	5.97E+01	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-12.3	5.63E+00	5.40E+01	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.88	4.67E-01	4.00E+00	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.63	4.10E-01	4.50E+00	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.45	3.97E-01	3.41E+00	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.69	4.33E-01	4.70E+00	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.155	4.57E-01	4.52E+00	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.986	3.83E-01	3.47E+00	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.138	5.00E-02	5.00E-01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.583	4.20E-02	3.64E-01	—	pCi/L	—	J	196148	GF07100P252W01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0345	4.03E-02	4.14E-01	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.154	4.67E-02	4.90E-01	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.143	3.67E-02	3.63E-01	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0686	3.97E-02	4.03E-01	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Uranium-234	<	-0.0414	1.67E-02	4.80E-01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0443	4.27E-03	5.56E-02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	—	0.0498	3.70E-03	4.23E-02	—	pCi/L	—	J	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	-0.00484	9.00E-03	1.70E-01	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0125	4.37E-03	4.69E-02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0379	3.10E-03	3.83E-02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0171	1.00E-02	2.50E-01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0	2.48E-03	4.31E-02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00985	1.65E-03	4.31E-02	—	pCi/L	U	U	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.012	6.33E-03	8.90E-02	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0231	4.13E-03	3.63E-02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0112	1.68E-03	3.91E-02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0553	1.83E-02	2.60E-01	—	pCi/L	U	U	09-179	CAWA-08-15932	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0295	3.33E-03	4.87E-02	—	pCi/L	U	U	196148	GF07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0418	3.15E-03	2.99E-02	—	pCi/L	—	J	179921	GF07010P252W01	GELC
Between E252 and Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0194	6.33E-03	9.00E-02	—	pCi/L	U	U	09-179	CAWA-08-15933	GELC
Between E252 and Water at Beta	—	—	10/18/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0083	4.37E-03	4.10E-02	—	pCi/L	U	U	196148	GU07100P252W01	GELC
Between E252 and Water at Beta	—	—	01/30/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0181	1.93E-03	2.71E-02	—	pCi/L	U	U	179921	GU07010P252W01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.4	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.4	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.9	—	—	7.30E-01	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.8	—	—	7.25E-01	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	48.9	—	—	7.25E-01	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.7	—	—	7.25E-01	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	17.9	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.1	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.9	—	—	3.00E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.00E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.60E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.5	—	—	3.60E-02	mg/L	—	—	179923	GF070100GSGB01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	18.7	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.4	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.8	—	—	3.00E-02	mg/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.3	—	—	3.00E-02	mg/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.4	—	—	3.60E-02	mg/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.6	—	—	3.60E-02	mg/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	18.6	—	—	6.60E-02	mg/L	—	J+	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.7	—	—	6.60E-02	mg/L	—	J+	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	23.1	—	—	1.30E-01	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.2	—	—	6.60E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	13.9	—	—	6.60E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	24.6	—	—	1.32E-01	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.177	—	—	3.30E-02	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.179	—	—	3.30E-02	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.147	—	—	3.30E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.252	—	—	3.30E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.184	—	—	3.30E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.187	—	—	3.30E-02	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	67.5	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	68.6	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	63.1	—	—	4.30E-01	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	66.1	—	—	4.25E-01	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	52.1	—	—	4.40E-01	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	72.6	—	—	4.40E-01	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	70.2	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	69.2	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	63.4	—	—	4.30E-01	mg/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	68.9	—	—	4.25E-01	mg/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.7	—	—	4.40E-01	mg/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	73.2	—	—	4.40E-01	mg/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	5.56	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.7	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.06	—	—	8.50E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.43	—	—	8.50E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.3	—	—	8.50E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.83	—	—	8.50E-02	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	5.72	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.66	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.2	—	—	8.50E-02	mg/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.67	—	—	8.50E-02	mg/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.55	—	—	8.50E-02	mg/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.9	—	—	8.50E-02	mg/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.98	—	—	5.00E-02	mg/L	—	J	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.995	—	—	5.00E-02	mg/L	—	J	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.7	—	—	5.00E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.975	—	—	5.00E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.735	—	—	5.00E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.935	—	—	1.40E-02	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.631	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.654	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.518	—	—	5.00E-02	ug/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.557	—	—	5.00E-02	ug/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.562	—	—	5.00E-02	ug/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.542	—	—	5.00E-02	ug/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	179923	GF070100GSGB01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	3.08	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.15	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.23	—	—	5.00E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.02	—	—	5.00E-02	mg/L	E	J	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.97	—	—	5.00E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.24	—	—	5.00E-02	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	3.26	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.22	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.29	—	—	5.00E-02	mg/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.09	—	—	5.00E-02	mg/L	E	J	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3	—	—	5.00E-02	mg/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.23	—	—	5.00E-02	mg/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	42	—	—	3.20E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	40.7	—	—	3.20E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	42.4	—	—	3.20E-02	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	16.2	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.5	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.1	—	—	4.50E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14	—	—	4.50E-02	mg/L	E	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18	—	—	4.50E-02	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	16.7	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.3	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.8	—	—	4.50E-02	mg/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.3	—	—	4.50E-02	mg/L	E	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.3	—	—	4.50E-02	mg/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.1	—	—	4.50E-02	mg/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	218	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	221	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	208	—	—	1.00E+00	uS/cm	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	193	—	—	1.00E+00	uS/cm	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	184	—	—	1.00E+00	uS/cm	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	232	—	—	1.00E+00	uS/cm	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	7.74	—	—	1.00E-01	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.77	—	—	1.00E-01	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.9	—	—	1.00E-01	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.66	—	—	1.00E-01	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.4	—	—	1.00E-01	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.02	—	—	1.00E-01	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	8.2	—	—	1.10E+00	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	7	—	—	1.10E+00	mg/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	5	—	—	1.10E+00	mg/L	U	U	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	—	—	2.28E+00	mg/L	U	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	1.14	—	—	1.14E+00	mg/L	U	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	—	—	2.28E+00	mg/L	U	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	154	—	—	2.40E+00	mg/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.40E+00	mg/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	172	—	—	2.40E+00	mg/L	—	J	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	151	—	—	2.38E+00	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	119	—	—	2.38E+00	mg/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	137	—	—	2.38E+00	mg/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.114	—	—	2.90E-02	mg/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.019	—	—	1.00E-02	mg/L	J	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.124	—	—	2.90E-02	mg/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.286	—	—	2.90E-02	mg/L	—	—	Sep-53	CAWA-08-15956	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.151	—	—	2.90E-02	mg/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.136	—	—	2.90E-02	mg/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.06	—	—	2.90E-02	mg/L	J	JN-	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.087	—	—	1.00E-02	mg/L	J	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.19	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.24	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.08	—	—	1.00E-02	SU	H	J-	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.26	—	—	1.00E-02	SU	H	J	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.82	—	—	1.00E-02	SU	H	J	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.27	—	—	1.00E-02	SU	H	J	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.32	—	—	1.30E-01	ug/L	J	J	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.343	—	—	1.30E-01	ug/L	—	—	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.29	—	—	1.30E-01	ug/L	J	J-	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.477	—	—	1.30E-01	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.188	—	—	1.30E-01	ug/L	J	J	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.33	—	—	1.30E-01	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.356	—	—	1.20E-01	ug/L	—	—	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.375	—	—	1.20E-01	ug/L	—	—	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.352	—	—	1.20E-01	ug/L	—	J-	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.32	—	—	1.17E-01	ug/L	J	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.23	—	—	1.17E-01	ug/L	J	J	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.297	—	—	1.17E-01	ug/L	J	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Hexp	SW-846:8321	HMX	—	1.96	—	—	1.00E-01	ug/L	—	J+	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.27	—	—	1.00E-01	ug/L	—	J+	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.43	—	—	1.00E-01	ug/L	—	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.81	—	—	1.04E-01	ug/L	—	J-	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.28	—	—	1.04E-01	ug/L	—	J, J+	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.97	—	—	1.04E-01	ug/L	—	J+	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	DL	FD	Hexp	SW-846:8321	RDX	—	22.7	—	—	6.50E-01	ug/L	—	J+	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	24.2	—	—	3.30E-01	ug/L	—	J+	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	24.7	—	—	6.50E-01	ug/L	—	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	21.8	—	—	6.49E-01	ug/L	—	J+	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	17.1	—	—	3.25E-01	ug/L	—	J+, J	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	23.3	—	—	3.25E-01	ug/L	—	J, J+	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.58	—	—	1.00E-01	ug/L	—	—	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.517	—	—	1.00E-01	ug/L	—	—	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	1.13	—	—	1.00E-01	ug/L	—	J-	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	1.18	—	—	1.04E-01	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.618	—	—	1.04E-01	ug/L	—	J	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.802	—	—	1.04E-01	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Aluminum	—	144	—	—	6.80E+01	ug/L	J	J	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	189	—	—	6.80E+01	ug/L	J	J	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	2010	—	—	6.80E+01	ug/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	481	—	—	6.80E+01	ug/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	972	—	—	6.80E+01	ug/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	145	—	—	6.80E+01	ug/L	J	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	624	—	—	6.80E+01	ug/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	697	—	—	6.80E+01	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	3460	—	—	6.80E+01	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	722	—	—	6.80E+01	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1580	—	—	6.80E+01	ug/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	316	—	—	6.80E+01	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	189	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	190	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	211	—	—	1.00E+00	ug/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	198	—	—	1.00E+00	ug/L	—	—	196215	GF071000GSGB01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	166	—	—	1.00E+00	ug/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	192	—	—	1.00E+00	ug/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	197	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	201	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	211	—	—	1.00E+00	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	207	—	—	1.00E+00	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	175	—	—	1.00E+00	ug/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	194	—	—	1.00E+00	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Boron	—	16.7	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	16.9	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.9	—	—	1.00E+01	ug/L	J	J	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	24.3	—	—	1.00E+01	ug/L	J	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	15.8	—	—	1.00E+01	ug/L	J	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.5	—	—	1.00E+01	ug/L	J	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Boron	—	18.2	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	18.3	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	19.9	—	—	1.00E+01	ug/L	J	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.4	—	—	1.00E+01	ug/L	J	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	15.2	—	—	1.00E+01	ug/L	J	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	14.9	—	—	1.00E+01	ug/L	J	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.7	—	—	2.50E+00	ug/L	J	J	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	5.4	—	—	1.00E+00	ug/L	—	U	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.00E+00	ug/L	J	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.9	—	—	1.50E+00	ug/L	J	J	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.9	—	—	2.50E+00	ug/L	J	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	5.4	—	—	1.00E+00	ug/L	—	U	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.9	—	—	1.00E+00	ug/L	J	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Iron	—	86	—	—	2.50E+01	ug/L	J	J	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	113	—	—	2.50E+01	ug/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	871	—	—	2.50E+01	ug/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	252	—	—	2.50E+01	ug/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	430	—	—	1.80E+01	ug/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	59.6	—	—	1.80E+01	ug/L	J	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	—	339	—	—	2.50E+01	ug/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	380	—	—	2.50E+01	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1500	—	—	2.50E+01	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	390	—	—	2.50E+01	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	694	—	—	1.80E+01	ug/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	123	—	—	1.80E+01	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.5	—	—	2.00E+00	ug/L	J	J	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.3	—	—	2.00E+00	ug/L	J	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	6.7	—	—	2.00E+00	ug/L	J	J	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	10.3	—	—	2.00E+00	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.9	—	—	2.00E+00	ug/L	J	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	ug/L	J	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.7	—	—	2.00E+00	ug/L	J	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.65	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.63	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.37	—	—	1.00E-01	ug/L	J	J	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186218	GF070500GSGB01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.64	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.64	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.39	—	—	1.00E-01	ug/L	J	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2.2	—	—	5.00E-01	ug/L	—	U	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	ug/L	J	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	3.2	—	—	5.00E-01	ug/L	—	U	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	ug/L	J	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.4	—	—	5.00E-01	ug/L	—	U	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	ug/L	J	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.5	—	—	5.00E-01	ug/L	—	U	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	ug/L	J	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	ug/L	U	U	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	ug/L	U	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6020	Selenium	—	1.3	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1.5	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1.6	—	—	1.00E+00	ug/L	J	J	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	ug/L	U	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	41.3	—	—	3.20E-02	mg/L	N	J-	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.9	—	—	3.20E-02	mg/L	N	J-	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	43.7	—	—	3.20E-02	mg/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	114	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	116	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	112	—	—	1.00E+00	ug/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	113	—	—	1.00E+00	ug/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	92.5	—	—	1.00E+00	ug/L	—	—	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	124	—	—	1.00E+00	ug/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	119	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	117	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	111	—	—	1.00E+00	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	117	—	—	1.00E+00	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	96.2	—	—	1.00E+00	ug/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	124	—	—	1.00E+00	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.29	—	—	5.00E-02	ug/L	—	—	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.35	—	—	5.00E-02	ug/L	*	J	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	ug/L	—	U	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.36	—	—	5.00E-02	ug/L	—	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.66	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	ug/L	*	J	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.25	—	—	5.00E-02	ug/L	—	U	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	ug/L	—	—	179923	GU070100GSGB01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	2.8	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15957	GELC
Burning Ground Spring	—	—	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.1	—	—	1.00E+00	ug/L	J	J	08-895	CAWA-08-11568	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	4.6	—	—	1.00E+00	ug/L	J	J+, U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3	—	—	1.00E+00	ug/L	J	U	186218	GF070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.1	—	—	1.00E+00	ug/L	J	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	3.2	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.6	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.8	—	—	1.00E+00	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4	—	—	1.00E+00	ug/L	J	J+, U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.2	—	—	1.00E+00	ug/L	J	U	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.5	—	—	1.00E+00	ug/L	J	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	HASL-300	Americium-241	<	0.00476	3.67E-03	3.00E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0117	4.00E-03	2.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00221	1.45E-03	3.90E-02	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00398	2.13E-03	1.91E-02	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	HASL-300	Americium-241	<	-0.0108	4.00E-03	3.00E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000126	4.33E-03	3.00E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00447	2.50E-03	3.71E-02	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0141	2.24E-03	1.98E-02	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	-6.76	9.67E-01	9.60E+00	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-0.646	4.67E-01	4.40E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.966	4.67E-01	4.20E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.24	5.27E-01	5.14E+00	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.651	2.40E-01	2.39E+00	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	-0.407	4.00E-01	3.90E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.662	3.33E-01	3.30E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.937	5.20E-01	4.87E+00	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.22	2.15E-01	2.06E+00	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.36	1.43E-01	1.50E+00	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	1.47	5.00E-01	5.30E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.14	4.67E-01	5.30E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.732	5.20E-01	5.33E+00	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.492	2.25E-01	2.28E+00	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.0728	4.33E-01	4.40E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.34	3.67E-01	4.10E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.282	4.53E-01	4.59E+00	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.136	2.41E-01	2.39E+00	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.616	1.50E-01	1.70E+00	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	4.46	5.00E+00	2.10E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	29.5	1.10E+01	7.00E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	69.7	1.92E+01	2.16E+02	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	56.2	1.58E+01	1.88E+02	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	9.3	4.67E+00	2.60E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	17	3.67E+00	2.80E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	95.1	1.63E+01	2.58E+02	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	52.5	1.24E+01	1.28E+02	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	5.48	3.30E+00	3.20E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.01	2.70E+00	2.80E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.3	3.50E+00	3.47E+01	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.35	1.62E+00	1.59E+01	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-23.2	3.33E+00	3.10E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.2	3.33E+00	3.40E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-6.74	3.73E+00	3.13E+01	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.4	1.56E+00	1.47E+01	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00369	1.23E-03	2.80E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00166	1.23E-03	2.50E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00551	4.70E-03	4.81E-02	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00229	3.14E-03	2.51E-02	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00479	1.07E-03	2.40E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00871	2.67E-03	2.60E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0131	2.86E-03	3.26E-02	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00433	4.10E-03	2.38E-02	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00552	3.20E-03	5.10E-02	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00369	2.13E-03	3.20E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00166	1.23E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.011	2.91E-03	4.52E-02	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00686	2.02E-03	1.67E-02	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00638	1.30E-03	2.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0157	1.93E-03	3.00E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0056	1.39E-03	3.06E-02	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0108	2.17E-03	1.58E-02	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00551	1.83E-03	4.10E-02	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	7.98	6.33E+00	7.10E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	45.5	5.67E+00	3.40E+01	—	pCi/L	UI	R	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-6.88	5.93E+00	5.63E+01	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	4.39	4.23E+00	2.26E+01	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	31.7	7.00E+00	4.90E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-20.7	5.67E+00	5.60E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	9.38	6.23E+00	6.55E+01	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	18.8	4.23E+00	2.12E+01	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	5.25	3.27E+00	1.40E+01	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	-2.3	4.33E-01	3.20E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.127	4.67E-01	4.50E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.18	4.67E-01	4.66E+00	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.00388	2.17E-01	2.12E+00	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	1.02	4.33E-01	4.40E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.39	3.67E-01	4.20E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.51	5.00E-01	4.59E+00	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.294	2.39E-01	2.31E+00	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.568	1.43E-01	1.40E+00	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.207	5.00E-02	4.80E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.25	5.00E-02	4.80E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.147	4.63E-02	4.79E-01	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.073	4.27E-02	4.34E-01	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.264	5.00E-02	4.90E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.254	5.00E-02	4.80E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.128	3.63E-02	4.92E-01	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.005	4.20E-02	4.30E-01	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.142	2.67E-02	2.50E-01	—	pCi/L	U	U	358S	RE16-01-3338	GEL
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	LLEE	Tritium	<	28.23	1.48E+00	3.31E+00	—	pCi/L	—	U	Sep-85	CAWA-08-15958	ARSL
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	31.4	1.64E+00	3.41E+00	—	pCi/L	—	U	Sep-85	CAWA-08-15956	ARSL
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	59.39	6.39E-01	2.87E-01	—	pCi/L	—	—	2415	UU071000GSGB01	UMTL
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	68.65	7.45E-01	2.87E-01	—	pCi/L	—	—	2345	UU070500GSGB01	UMTL
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	54.6	6.39E-01	2.87E-01	—	pCi/L	—	—	2305	UU070100GSGB01	UMTL
Burning Ground Spring	—	—	04/03/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	60.02	6.39E-01	2.87E-01	—	pCi/L	—	—	2198	UU06020GSGB01	UMTL
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	—	0.183	7.33E-03	6.50E-02	—	pCi/L	—	—	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.133	1.07E-02	1.90E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.214	8.20E-03	4.47E-02	—	pCi/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.2	7.70E-03	3.92E-02	—	pCi/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	—	0.263	8.67E-03	5.90E-02	—	pCi/L	—	—	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.455	1.87E-02	1.60E-01	—	pCi/L	—	—	Sep-54	CAWA-08-15956	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.223	8.47E-03	4.66E-02	—	pCi/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.221	8.23E-03	3.98E-02	—	pCi/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.00685	2.03E-03	3.40E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0	3.10E-03	9.80E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00734	2.16E-03	3.46E-02	—	pCi/L	U	U	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00229	2.29E-03	4.00E-02	—	pCi/L	U	U	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0229	2.33E-03	3.10E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0284	5.67E-03	8.40E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	3.04E-10	1.70E-03	3.61E-02	—	pCi/L	U	U	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0186	2.21E-03	4.06E-02	—	pCi/L	U	U	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	—	0.122	5.67E-03	3.60E-02	—	pCi/L	—	—	Sep-54	CAWA-08-15959	GELC
Burning Ground Spring	—	—	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0961	9.00E-03	1.00E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15957	GELC
Burning Ground Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.141	6.27E-03	3.91E-02	—	pCi/L	—	—	196215	GF071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.115	5.47E-03	2.78E-02	—	pCi/L	—	—	179923	GF070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	—	0.153	6.33E-03	3.30E-02	—	pCi/L	—	—	Sep-54	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.188	1.13E-02	8.90E-02	—	pCi/L	—	—	Sep-54	CAWA-08-15956	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.116	5.80E-03	4.08E-02	—	pCi/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.141	6.17E-03	2.82E-02	—	pCi/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	—	2.8	—	—	1.50E+00	ug/L	J	J	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	3.43	—	—	1.50E+00	ug/L	J	J	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	U	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	UJ	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.48	—	—	1.25E+00	ug/L	J	J-	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Voa	SW-846:8260B	Tetrachloroethene	—	1.4	—	—	4.50E-01	ug/L	—	—	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.6	—	—	4.50E-01	ug/L	—	—	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.35	—	—	2.50E-01	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.37	—	—	2.50E-01	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.38	—	—	2.50E-01	ug/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.61	—	—	2.50E-01	ug/L	—	—	179923	GU070100GSGB01	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	FD	Voa	SW-846:8260B	Trichloroethene	—	1.62	—	—	2.50E-01	ug/L	—	—	Sep-52	CAWA-08-15958	GELC
Burning Ground Spring	—	—	10/07/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.61	—	—	2.50E-01	ug/L	—	—	Sep-52	CAWA-08-15956	GELC
Burning Ground Spring	—	—	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.24	—	—	2.50E-01	ug/L	—	—	08-895	CAWA-08-11567	GELC
Burning Ground Spring	—	—	10/19/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.66	—	—	2.50E-01	ug/L	—	—	196215	GU071000GSGB01	GELC
Burning Ground Spring	—	—	05/15/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.64	—	—	2.50E-01	ug/L	—	—	186218	GU070500GSGB01	GELC
Burning Ground Spring	—	—	01/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.62	—	—	2.50E-01	ug/L	—	—	179923	GU070100GSGB01	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	73.3	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64	—	—	7.30E-01	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	70.6	—	—	7.25E-01	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	67.1	—	—	7.25E-01	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.9	—	—	7.25E-01	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.072	—	—	6.70E-02	mg/L	J	J	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.071	—	—	6.70E-02	mg/L	J	J	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.3	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.3	—	—	3.00E-02	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.4	—	—	3.00E-02	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.2	—	—	3.60E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.7	—	—	3.60E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.7	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.5	—	—	3.00E-02	mg/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.9	—	—	3.00E-02	mg/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.1	—	—	3.60E-02	mg/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.2	—	—	3.60E-02	mg/L	—	—	179596	GU07010CDV5601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	14.2	—	—	6.60E-02	mg/L	—	J+	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20.8	—	—	1.30E-01	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	14.3	—	—	6.60E-02	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	13.2	—	—	6.60E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.4	—	—	6.60E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.21	—	—	3.30E-02	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.155	—	—	3.30E-02	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.227	—	—	3.30E-02	mg/L	—	J+	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.194	—	—	3.30E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.185	—	—	3.30E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	70.4	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	69.4	—	—	4.30E-01	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	65.7	—	—	4.25E-01	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	65.6	—	—	4.40E-01	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	56.7	—	—	4.40E-01	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	68.5	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	70.6	—	—	4.30E-01	mg/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	70.5	—	—	4.25E-01	mg/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	61.4	—	—	4.40E-01	mg/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	59.5	—	—	4.40E-01	mg/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.38	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.15	—	—	8.50E-02	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.82	—	—	8.50E-02	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.91	—	—	8.50E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.24	—	—	8.50E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.29	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.33	—	—	8.50E-02	mg/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.65	—	—	8.50E-02	mg/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.52	—	—	8.50E-02	mg/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.59	—	—	8.50E-02	mg/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.275	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.395	—	—	5.00E-02	ug/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.158	—	—	5.00E-02	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.387	—	—	5.00E-02	ug/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.338	—	—	5.00E-02	ug/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.68	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.26	—	—	5.00E-02	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.33	—	—	5.00E-02	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.59	—	—	5.00E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.58	—	—	5.00E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.69	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.37	—	—	5.00E-02	mg/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.36	—	—	5.00E-02	mg/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.99	—	—	5.00E-02	mg/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.93	—	—	5.00E-02	mg/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	38.6	—	—	3.20E-02	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	45.2	—	—	3.20E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	36.3	—	—	3.20E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.3	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.5	—	—	4.50E-02	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.5	—	—	4.50E-02	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.3	—	—	4.50E-02	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.6	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15975	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.7	—	—	4.50E-02	mg/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.6	—	—	4.50E-02	mg/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.3	—	—	4.50E-02	mg/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14	—	—	4.50E-02	mg/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	213	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	221	—	—	1.00E+00	uS/cm	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	207	—	—	1.00E+00	uS/cm	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	223	—	—	1.00E+00	uS/cm	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	198	—	—	1.00E+00	uS/cm	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.68	—	—	1.00E-01	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.7	—	—	1.00E-01	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.28	—	—	1.00E-01	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.6	—	—	1.00E-01	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.42	—	—	1.00E-01	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	170	—	—	2.40E+00	mg/L	—	J	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	133	—	—	2.38E+00	mg/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	161	—	—	2.38E+00	mg/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	132	—	—	2.38E+00	mg/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.339	—	—	2.90E-02	mg/L	—	J-, J+	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.117	—	—	2.90E-02	mg/L	—	JN-	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.06	—	—	1.00E-02	mg/L	J	J+	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.129	—	—	2.90E-02	mg/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.158	—	—	2.90E-02	mg/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.283	—	—	2.90E-02	mg/L	—	J+, J-	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.059	—	—	2.90E-02	mg/L	J	JN-	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.136	—	—	1.00E-02	mg/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.52	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.91	—	—	1.00E-02	SU	H	J-	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.81	—	—	1.00E-02	SU	H	J	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.73	—	—	1.00E-02	SU	H	J	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.61	—	—	1.00E-02	SU	H	J	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.975	—	—	1.00E-01	ug/L	—	J+	Sep-52	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.49	—	—	1.00E-01	ug/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.553	—	—	1.04E-01	ug/L	—	J-, J	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.85	—	—	1.04E-01	ug/L	—	J+, J-	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.584	—	—	1.04E-01	ug/L	—	J+	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	1.05	—	—	1.30E-01	ug/L	—	J+	Sep-52	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	9.2	—	—	1.30E-01	ug/L	—	J	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.737	—	—	1.30E-01	ug/L	—	J, J-	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	6.32	—	—	1.30E-01	ug/L	—	J+, J, J-	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.543	—	—	1.30E-01	ug/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	291	—	—	6.80E+01	ug/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1180	—	—	6.80E+01	ug/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	133	—	—	6.80E+01	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1230	—	—	6.80E+01	ug/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	877	—	—	6.80E+01	ug/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1490	—	—	6.80E+01	ug/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1900	—	—	6.80E+01	ug/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	9350	—	—	6.80E+01	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1140	—	—	6.80E+01	ug/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1790	—	—	6.80E+01	ug/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	3680	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	4080	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	3560	—	—	1.00E+00	ug/L	—	J	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	3950	—	—	1.00E+00	ug/L	—	—	185932	GF07050CDV5601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	2620	—	—	1.00E+00	ug/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	3650	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	4160	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	3860	—	—	1.00E+00	ug/L	—	J	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	3810	—	—	1.00E+00	ug/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	2620	—	—	1.00E+00	ug/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	16.3	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.1	—	—	1.00E+01	ug/L	J	J	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	20.6	—	—	1.00E+01	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	19.8	—	—	1.00E+01	ug/L	J	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.2	—	—	1.00E+01	ug/L	J	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	17	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.1	—	—	1.00E+01	ug/L	J	J	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	18.5	—	—	1.00E+01	ug/L	J	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	20.7	—	—	1.00E+01	ug/L	J	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.3	—	—	1.00E+01	ug/L	J	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	176	—	—	2.50E+01	ug/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	527	—	—	2.50E+01	ug/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	65.9	—	—	2.50E+01	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	556	—	—	1.80E+01	ug/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	389	—	—	1.80E+01	ug/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	839	—	—	2.50E+01	ug/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	870	—	—	2.50E+01	ug/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	4570	—	—	2.50E+01	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	548	—	—	1.80E+01	ug/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	878	—	—	1.80E+01	ug/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.7	—	—	5.00E-01	ug/L	J	J	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.55	—	—	5.00E-01	ug/L	J	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.53	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.72	—	—	5.00E-01	ug/L	J	J	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	3.7	—	—	5.00E-01	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.83	—	—	5.00E-01	ug/L	J	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.56	—	—	5.00E-01	ug/L	J	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.6	—	—	2.00E+00	ug/L	J	J	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.8	—	—	2.00E+00	ug/L	J	J	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.7	—	—	2.00E+00	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.7	—	—	2.00E+00	ug/L	J	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	ug/L	J	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7.9	—	—	2.00E+00	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.3	—	—	2.00E+00	ug/L	J	J	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	63	—	—	2.00E+00	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.7	—	—	2.00E+00	ug/L	J	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.2	—	—	2.00E+00	ug/L	J	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.53	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.36	—	—	1.00E-01	ug/L	J	U	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.2	—	—	2.00E+00	ug/L	J	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.39	—	—	1.00E-01	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.58	—	—	1.00E-01	ug/L	—	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	ug/L	—	—	Sep-53	CAWA-08-15976	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.9	—	—	5.00E-01	ug/L	*	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.98	—	—	5.00E-01	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	1.3	—	—	5.00E-01	ug/L	J	U	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.6	—	—	5.00E-01	ug/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.9	—	—	5.00E-01	ug/L	*	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	1.5	—	—	5.00E-01	ug/L	J	U	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	ug/L	J	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1.1	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	ug/L	U	U	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	ug/L	U	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	ug/L	U	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	ug/L	U	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.8	—	—	3.20E-02	mg/L	N	J-	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	37.5	—	—	3.20E-02	mg/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	ug/L	UN	UJ	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.23	—	—	2.00E-01	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.22	—	—	2.00E-01	ug/L	JN	J-	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	1.5	—	—	2.00E-01	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	ug/L	U	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.29	—	—	2.00E-01	ug/L	J	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	153	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	156	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	151	—	—	1.00E+00	ug/L	—	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	153	—	—	1.00E+00	ug/L	—	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	125	—	—	1.00E+00	ug/L	—	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	149	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	158	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	157	—	—	1.00E+00	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	143	—	—	1.00E+00	ug/L	—	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	123	—	—	1.00E+00	ug/L	—	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.051	—	—	5.00E-02	ug/L	J	J	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.052	—	—	5.00E-02	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.076	—	—	5.00E-02	ug/L	J	J	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.25	—	—	5.00E-02	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.053	—	—	5.00E-02	ug/L	J	U	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.053	—	—	5.00E-02	ug/L	J	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.8	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.7	—	—	1.00E+00	ug/L	J	U	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.3	—	—	1.00E+00	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.3	—	—	1.00E+00	ug/L	J	U	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1	—	—	1.00E+00	ug/L	J	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	ug/L	J	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.3	—	—	1.00E+00	ug/L	J	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.8	—	—	1.00E+00	ug/L	—	—	196688	GU07100CDV5601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2.9	—	—	1.00E+00	ug/L	J	U	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2.9	—	—	1.00E+00	ug/L	J	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	26.7	—	—	2.00E+00	ug/L	—	J	Sep-53	CAWA-08-15976	GELC
CDV-16-02656	5911	3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	20.1	—	—	2.00E+00	ug/L	—	—	08-901	CAWA-08-11588	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2	—	—	2.00E+00	ug/L	J	—	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	185932	GF07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.8	—	—	2.00E+00	ug/L	J	—	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	18.2	—	—	2.00E+00	ug/L	—	J	Sep-53	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.2	—	—	2.00E+00	ug/L	J	J	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	15.9	—	—	2.00E+00	ug/L	—	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	ug/L	J	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	5.6	—	—	2.00E+00	ug/L	J	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00102	9.00E-04	2.60E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00539	1.12E-03	3.30E-02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00558	1.06E-03	2.04E-02	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0008	4.33E-03	3.20E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00123	7.73E-04	3.11E-02	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0167	1.96E-03	2.23E-02	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.839	3.67E-01	3.50E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.876	4.17E-01	4.36E+00	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.75	4.47E-01	4.19E+00	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.13	4.33E-01	4.20E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.61	4.50E-01	3.85E+00	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2	6.90E-01	2.91E+00	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.55	6.00E-01	4.60E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.343	4.27E-01	4.08E+00	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	4.07	4.60E-01	5.45E+00	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.65	5.00E-01	4.50E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.699	4.40E-01	4.59E+00	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.23	3.53E-01	3.80E+00	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	7.33	8.00E+00	1.70E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	93	2.29E+01	2.68E+02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	53	1.65E+01	2.59E+02	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	17.7	6.00E+00	3.10E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	109	2.73E+01	3.34E+02	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	85.1	3.60E+01	3.64E+02	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.17	3.67E+00	3.30E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.83	3.08E+00	3.04E+01	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.27	3.80E+00	3.72E+01	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-6.38	1.93E+00	1.90E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.93	3.60E+00	3.10E+01	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-12.7	3.60E+00	2.46E+01	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00776	1.37E-03	2.40E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00193	2.49E-03	3.37E-02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	6.63E-04	2.19E-02	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00754	1.53E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	2.37E-03	3.58E-02	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00234	7.80E-04	2.57E-02	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0171	1.90E-03	2.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0289	2.84E-03	3.17E-02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0139	1.77E-03	1.45E-02	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00188	1.10E-03	3.20E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00205	1.19E-03	3.37E-02	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.021	2.60E-03	1.71E-02	—	pCi/L	—	J	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	6.41	5.67E+00	6.00E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	14.5	5.43E+00	3.93E+01	—	pCi/L	U	U	196688	GF07100CDV5601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	31.1	4.87E+00	5.44E+01	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	32.3	5.67E+00	3.40E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	28.5	5.90E+00	3.26E+01	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	13.9	4.17E+00	4.00E+01	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.842	6.33E-02	3.90E-01	—	pCi/L	—	—	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.524	7.33E-02	6.50E-01	—	pCi/L	U	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	3.59	1.56E-01	4.09E-01	—	pCi/L	—	—	196688	GU07100CDV5602	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.16	9.00E-02	5.40E-01	—	pCi/L	—	—	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	2.56	1.40E-01	4.70E-01	—	pCi/L	—	—	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	2.23	1.60E-01	1.06E+00	—	pCi/L	—	J	196688	GU07100CDV5602	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.223	4.33E-01	4.20E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.44	3.33E-01	3.10E+00	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.884	3.97E-01	4.12E+00	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.68	4.67E-01	3.90E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	2.95	4.57E-01	5.15E+00	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.65	3.33E-01	3.05E+00	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.137	4.67E-02	4.90E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.00896	3.73E-02	4.31E-01	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.232	3.57E-02	3.49E-01	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.21	4.33E-02	4.20E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.484	5.70E-02	4.99E-01	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0998	4.70E-02	4.82E-01	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	41.62	2.14E+00	3.46E+00	—	pCi/L	—	U	Sep-85	CAWA-08-15975	ARSL
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	81.42	8.51E-01	2.87E-01	—	pCi/L	—	—	2340	UU07050CDV5601	UMTL
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	83.96	9.58E-01	2.87E-01	—	pCi/L	—	—	2305	UU07010CDV5601	UMTL
CDV-16-02656	5911	3	07/27/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	108.56	1.17E+00	2.87E-01	—	pCi/L	—	—	2238	UU06070CDV5601	UMTL
CDV-16-02656	5911	3	03/31/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	97.07	1.06E+00	2.87E-01	—	pCi/L	—	—	2198	UU0602CDV5601	UMTL
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0321	2.53E-03	5.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0229	2.73E-03	6.01E-02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.0552	4.50E-03	4.50E-02	—	pCi/L	—	J	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0207	4.33E-03	6.60E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.0847	4.93E-03	5.81E-02	—	pCi/L	—	J	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.0657	4.70E-03	4.50E-02	—	pCi/L	—	J	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00418	1.97E-03	3.10E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0258	3.02E-03	3.56E-02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0157	2.16E-03	4.59E-02	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0	1.10E-03	3.50E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0199	2.38E-03	3.45E-02	—	pCi/L	U	U	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0105	2.15E-03	4.59E-02	—	pCi/L	U	U	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.022	2.23E-03	3.30E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15976	GELC
CDV-16-02656	5911	3	10/29/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0292	2.84E-03	4.00E-02	—	pCi/L	U	U	196688	GF07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0297	3.05E-03	3.19E-02	—	pCi/L	U	U	179596	GF07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0283	3.30E-03	3.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15975	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0544	4.23E-03	3.87E-02	—	pCi/L	—	J	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0784	4.87E-03	3.18E-02	—	pCi/L	—	J	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	2.42	—	—	1.50E+00	ug/L	J	J	Sep-52	CAWA-08-15975	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	1.89	—	—	1.30E+00	ug/L	J	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	R	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.67	—	—	3.00E-01	ug/L	J	J	Sep-52	CAWA-08-15974	GELC
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	179596	GU07010CDV5601	GELC
CDV-16-02656	5911	3	10/07/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	3.68	—	—	2.50E-01	ug/L	—	—	Sep-52	CAWA-08-15975	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02656	5911	3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	08-901	CAWA-08-11587	GELC
CDV-16-02656	5911	3	10/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	196688	GU07100CDV5601	GELC
CDV-16-02656	5911	3	05/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	R	185932	GU07050CDV5601	GELC
CDV-16-02656	5911	3	01/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	179596	GU07010CDV5601	GELC
CDV-16-02658	5931	1.9	04/01/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	203	—	—	1.00E+00	uS/cm	—	—	08-901	CAWA-08-11637	GELC
CDV-16-02658	5931	1.9	05/08/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	270	—	—	1.00E+00	uS/cm	—	—	185790	GF07050CDV5801	GELC
CDV-16-02658	5931	1.9	04/01/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.62	—	—	1.00E-02	SU	H	J-	08-901	CAWA-08-11637	GELC
CDV-16-02658	5931	1.9	05/08/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.65	—	—	1.00E-02	SU	H	J	185790	GF07050CDV5801	GELC
CDV-16-02658	5931	1.9	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.174	—	—	1.30E-01	ug/L	J	J	Sep-60	CAWA-08-15981	GELC
CDV-16-02658	5931	1.9	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	<	0.325	—	—	1.30E-01	ug/L	U	U	08-901	CAWA-08-11635	GELC
CDV-16-02658	5931	1.9	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	<	0.325	—	—	1.30E-01	ug/L	U	—	196781	GU07100CDV5801	GELC
CDV-16-02658	5931	1.9	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	10.9	—	—	1.00E-01	ug/L	—	J	Sep-60	CAWA-08-15981	GELC
CDV-16-02658	5931	1.9	04/01/08	WG	UF	DL	—	Hexp	SW-846:8321	HMX	—	73.2	—	—	1.30E+00	ug/L	—	—	08-901	CAWA-08-11635	GELC
CDV-16-02658	5931	1.9	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	7.67	—	—	1.04E-01	ug/L	—	J-	196781	GU07100CDV5801	GELC
CDV-16-02658	5931	1.9	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.562	—	—	1.30E-01	ug/L	—	—	Sep-60	CAWA-08-15981	GELC
CDV-16-02658	5931	1.9	04/01/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	15.7	—	—	1.60E+00	ug/L	—	J	08-901	CAWA-08-11635	GELC
CDV-16-02658	5931	1.9	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.464	—	—	1.30E-01	ug/L	—	J-	196781	GU07100CDV5801	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	207	—	—	1.00E+00	uS/cm	—	—	08-888	CAWA-08-11643	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	250	—	—	1.00E+00	uS/cm	—	—	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	212	—	—	1.00E+00	uS/cm	—	—	185790	GF07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	216	—	—	1.00E+00	uS/cm	—	—	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.087	—	—	2.90E-02	mg/L	J	JN-	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.137	—	—	2.90E-02	mg/L	—	JN-	185790	GF07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.131	—	—	1.00E-02	mg/L	—	J+, U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.262	—	—	2.90E-02	mg/L	—	J+	Sep-60	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.161	—	—	2.90E-02	mg/L	—	J+	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.064	—	—	2.90E-02	mg/L	J	JN-	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.029	—	—	2.90E-02	mg/L	J	JN-	185790	GU07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.142	—	—	1.00E-02	mg/L	—	U, J+	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.21	—	—	3.30E-01	mg/L	—	—	Sep-60	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.29	—	—	3.30E-01	mg/L	—	—	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.03	—	—	3.30E-01	mg/L	—	—	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.69	—	—	3.30E-01	mg/L	—	—	185790	GU07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.39	—	—	3.30E-01	mg/L	—	—	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.92	—	—	1.00E-02	SU	H	J-	08-888	CAWA-08-11643	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.87	—	—	1.00E-02	SU	H	J	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.88	—	—	1.00E-02	SU	H	J	185790	GF07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.76	—	—	1.00E-02	SU	H	J	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	3.06	—	—	1.30E-01	ug/L	—	—	Sep-60	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.39	—	—	1.30E-01	ug/L	—	—	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	3.54	—	—	1.30E-01	ug/L	—	—	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	2.04	—	—	1.30E-01	ug/L	—	J-, J+	185790	GU07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	2.8	—	—	1.30E-01	ug/L	—	—	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	2.63	—	—	1.20E-01	ug/L	—	—	Sep-60	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.5	—	—	1.20E-01	ug/L	—	—	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	3.37	—	—	1.17E-01	ug/L	—	—	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.91	—	—	1.17E-01	ug/L	—	J-, J+	185790	GU07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	2.08	—	—	1.17E-01	ug/L	—	J+	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Hexp	SW-846:8330	DNX	—	0.87	—	—	6.90E-02	ug/L	—	J	Sep-59	CAWA-08-15985	STSL
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Hexp	SW-846:8330	DNX	<	0.5	—	—	6.90E-02	ug/L	U	U	08-887	CAWA-08-11641	STSL
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8330	DNX	—	0.69	—	—	6.90E-02	ug/L	—	—	F7E100299	SU07050CDV5901	STSL
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8330	DNX	<	0.5	—	—	6.90E-02	ug/L	U	—	F7A270169	SU07010CDV5901	STSL
CDV-16-02659	5941	1.7	01/26/05	WG	UF	CS	—	Hexp	SW-846:8330	DNX	<	0.5	—	—	3.50E-01	ug/L	U	U	2819S	RE16-05-57442	STSL
CDV-16-02659	5941	1.7	10/08/08	WG	UF	DL	—	Hexp	SW-846:8321	HMX	—	33.8	—	—	5.20E-01	ug/L	—	J	Sep-60	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	DL	—	Hexp	SW-846:8321	HMX	—	33.1	—	—	5.20E-01	ug/L	—	J	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	27.6	—	—	5.19E-01	ug/L	—	—	196781	GU07100CDV5901	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	35.7	—	—	1.04E+00	ug/L	—	J+, J	185790	GU07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	13.2	—	—	2.08E-01	ug/L	—	J+	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	1.8	—	—	9.10E-02	ug/L	—	J	Sep-59	CAWA-08-15985	STSL
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	1.5	—	—	9.10E-02	ug/L	P	—	08-887	CAWA-08-11641	STSL
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	1.9	—	—	9.10E-02	ug/L	P	J	F7E100299	SU07050CDV5901	STSL
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8330	MNX	<	0.67	—	—	9.10E-02	ug/L	X	U	F7A270169	SU07010CDV5901	STSL
CDV-16-02659	5941	1.7	01/26/05	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	1.4	—	—	1.70E-01	ug/L	—	—	2819S	RE16-05-57442	STSL
CDV-16-02659	5941	1.7	10/08/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	22.1	—	—	6.50E-01	ug/L	—	—	Sep-60	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	28.6	—	—	6.50E-01	ug/L	—	—	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	20	—	—	6.49E-01	ug/L	—	—	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	34.3	—	—	1.30E+00	ug/L	—	J+, J	185790	GU07050CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	11.4	—	—	1.30E-01	ug/L	—	J+	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Hexp	SW-846:8330	TNX	—	1.7	—	—	8.20E-02	ug/L	—	J	Sep-59	CAWA-08-15985	STSL
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Hexp	SW-846:8330	TNX	<	0.5	—	—	8.20E-02	ug/L	U	U	08-887	CAWA-08-11641	STSL
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Hexp	SW-846:8330	TNX	—	0.64	—	—	8.20E-02	ug/L	P	J	F7E100299	SU07050CDV5901	STSL
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Hexp	SW-846:8330	TNX	<	0.5	—	—	8.20E-02	ug/L	U	—	F7A270169	SU07010CDV5901	STSL
CDV-16-02659	5941	1.7	01/26/05	WG	UF	CS	—	Hexp	SW-846:8330	TNX	<	0.27	—	—	1.60E-01	ug/L	JX	U	2819S	RE16-05-57442	STSL
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0115	1.67E-03	3.90E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00335	2.85E-03	3.00E-02	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0037	1.53E-03	1.76E-02	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000892	3.03E-03	4.30E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0207	3.11E-03	3.57E-02	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.011	2.07E-03	1.99E-02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.298	4.33E-01	4.50E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.674	3.50E-01	3.18E+00	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.14	3.83E-01	3.45E+00	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.964	4.00E-01	4.00E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.738	4.33E-01	4.04E+00	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.638	2.57E-01	2.27E+00	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.18	4.33E-01	4.80E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.83	4.73E-01	3.93E+00	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.45	5.03E-01	3.77E+00	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.659	5.00E-01	4.80E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.291	3.97E-01	3.97E+00	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.237	2.81E-01	2.70E+00	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	6.54	1.23E+00	6.20E+00	—	pCi/L	—	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	42	1.53E+01	1.31E+02	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	81.1	1.82E+01	2.73E+02	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	17.2	6.67E+00	4.00E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	72.5	2.01E+01	1.88E+02	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	75.4	2.42E+01	2.51E+02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	6.91	3.00E+00	3.10E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-17.4	2.60E+00	2.37E+01	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	14	3.63E+00	3.30E+01	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.79	3.30E+00	3.30E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-5.91	2.64E+00	2.63E+01	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.51	2.71E+00	2.25E+01	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00205	1.80E-03	3.10E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00705	3.23E-03	4.10E-02	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.71E-03	1.78E-02	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00383	9.00E-04	2.90E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0263	3.40E-03	3.53E-02	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00334	1.58E-03	1.83E-02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00205	1.20E-03	3.50E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0047	2.48E-03	3.85E-02	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0227	2.05E-03	1.18E-02	—	pCi/L	—	J	179805	GF07010CDV5901	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00383	1.27E-03	3.30E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0162	2.54E-03	3.32E-02	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00501	1.67E-03	1.22E-02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-43	6.33E+00	5.30E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	7.56	4.33E+00	3.55E+01	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	13.2	5.50E+00	6.08E+01	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	40.5	5.67E+00	5.80E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	43.1	5.80E+00	3.87E+01	—	pCi/L	UI	R	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	23.9	5.50E+00	2.10E+01	—	pCi/L	UI	R	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.485	7.33E-02	6.50E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.85	9.33E-02	7.20E-01	—	pCi/L	—	U	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.791	6.67E-02	4.30E-01	—	pCi/L	—	—	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	03/31/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.609	5.67E-02	4.10E-01	—	pCi/L	—	—	08-888	CAWA-08-11641	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.44	9.27E-02	4.98E-01	—	pCi/L	—	J	196781	GU07100CDV5902	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.455	4.00E-01	4.00E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.31	3.43E-01	2.68E+00	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.579	4.43E-01	4.49E+00	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	2.5	3.67E-01	4.30E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-2.36	4.13E-01	3.05E+00	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.934	2.37E-01	2.49E+00	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.169	4.33E-02	4.30E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.287	4.47E-02	4.18E-01	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.103	3.22E-02	3.39E-01	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0112	4.33E-02	4.70E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.25	5.00E-02	4.88E-01	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0119	3.30E-02	3.86E-01	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	32.88	1.71E+00	3.42E+00	—	pCi/L	—	U	Sep-85	CAWA-08-15985	ARSL
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	59.07	6.39E-01	2.87E-01	—	pCi/L	—	—	2421	UU07100CDV5901	UMTL
CDV-16-02659	5941	1.7	05/08/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	80.14	8.51E-01	2.87E-01	—	pCi/L	—	—	2337	UU07050CDV5901	UMTL
CDV-16-02659	5941	1.7	05/08/07	WG	UF	RE	—	Rad	LLEE	Tritium	—	80.14	8.51E-01	2.87E-01	—	pCi/L	—	—	2337	UU07050CDV5901	UMTL
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	58.75	6.39E-01	2.87E-01	—	pCi/L	—	—	2305	UU07010CDV5901	UMTL
CDV-16-02659	5941	1.7	07/27/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	75.35	8.51E-01	2.87E-01	—	pCi/L	—	—	2238	UU06070CDV5901	UMTL
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.0695	4.00E-03	6.10E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.276	9.57E-03	6.46E-02	—	pCi/L	—	R	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	RE	—	Rad	HASL-300	Uranium-234	<	0.0519	6.53E-03	1.74E-01	—	pCi/L	U	U	199357	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0238	2.98E-03	3.37E-02	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0433	3.13E-03	5.80E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0553	3.70E-03	4.68E-02	—	pCi/L	—	R	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	RE	—	Rad	HASL-300	Uranium-234	<	0.0446	5.30E-03	1.25E-01	—	pCi/L	U	U	199357	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0172	2.72E-03	3.31E-02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0	1.43E-03	3.20E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0249	3.37E-03	3.83E-02	—	pCi/L	U	U	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	RE	—	Rad	HASL-300	Uranium-235/236	<	0.00641	2.14E-03	8.96E-02	—	pCi/L	U	U	199357	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00982	1.97E-03	3.44E-02	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00412	1.37E-03	3.00E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00804	1.65E-03	2.78E-02	—	pCi/L	U	U	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	RE	—	Rad	HASL-300	Uranium-235/236	<	0.00919	3.07E-03	6.42E-02	—	pCi/L	U	U	199357	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00579	1.12E-03	3.38E-02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0191	2.57E-03	3.40E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15986	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.578	1.55E-02	4.31E-02	—	pCi/L	—	R	196781	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	F	RE	—	Rad	HASL-300	Uranium-238	<	0.0156	3.87E-03	1.08E-01	—	pCi/L	U	U	199357	GF07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.00795	2.06E-03	2.39E-02	—	pCi/L	U	U	179805	GF07010CDV5901	GELC
CDV-16-02659	5941	1.7	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0316	2.50E-03	3.20E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15985	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0244	2.27E-03	3.12E-02	—	pCi/L	U	R	196781	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	10/30/07	WG	UF	RE	—	Rad	HASL-300	Uranium-238	<	0.0112	3.28E-03	7.75E-02	—	pCi/L	U	U	199357	GU07100CDV5901	GELC
CDV-16-02659	5941	1.7	01/26/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.014	2.03E-03	2.34E-02	—	pCi/L	U	U	179805	GU07010CDV5901	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	43.3	—	—	7.30E-01	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.5	—	—	3.00E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.00E-02	mg/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.02	—	—	6.60E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.104	—	—	3.30E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.2	—	—	3.50E-01	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.4	—	—	3.50E-01	mg/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.63	—	—	8.50E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.6	—	—	8.50E-02	mg/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.624	—	—	1.00E-01	mg/L	—	J-	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.414	—	—	5.00E-02	ug/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.12	—	—	5.00E-02	mg/L	—	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.1	—	—	5.00E-02	mg/L	—	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.39	—	—	4.50E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.19	—	—	4.50E-02	mg/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	117	—	—	1.00E+00	uS/cm	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.58	—	—	1.00E-01	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	4.8	—	—	2.30E+00	mg/L	J	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	96	—	—	2.40E+00	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.729	—	—	2.90E-02	mg/L	—	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.1	—	—	3.30E-01	mg/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.294	—	—	2.40E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.81	—	—	1.00E-02	SU	H	J-	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.5	—	—	1.50E+00	ug/L	J	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	33.5	—	—	1.00E+00	ug/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	33.8	—	—	1.00E+00	ug/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.50E+00	ug/L	J	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.5	—	—	1.50E+00	ug/L	J	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	74.5	—	—	2.50E+01	ug/L	J	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	220	—	—	2.50E+01	ug/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.7	—	—	2.00E+00	ug/L	J	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.22	—	—	1.00E-01	ug/L	J	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.21	—	—	1.00E-01	ug/L	J	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1.4	—	—	1.00E+00	ug/L	J	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	45.6	—	—	3.20E-02	mg/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	89.1	—	—	1.00E+00	ug/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	85.9	—	—	1.00E+00	ug/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.082	—	—	5.00E-02	ug/L	J	J	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.11	—	—	5.00E-02	ug/L	J	J	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0143	3.67E-03	3.10E-02	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0261	3.33E-03	2.30E-02	—	pCi/L	—	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.726	4.67E-01	4.60E+00	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.385	4.33E-01	4.20E+00	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.69	4.67E-01	5.00E+00	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.64	4.67E-01	5.30E+00	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	17.6	5.00E+00	1.70E+01	—	pCi/L	—	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	19.8	4.33E+00	1.60E+01	—	pCi/L	—	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	12	4.00E+00	3.40E+01	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-18.1	3.10E+00	2.90E+01	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00332	9.67E-04	2.50E-02	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00177	1.33E-03	2.70E-02	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00664	1.10E-03	2.90E-02	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00354	1.17E-03	3.00E-02	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	6.28	5.67E+00	5.60E+01	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-0.72	5.00E+00	5.20E+01	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.35	4.00E-01	3.60E+00	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.599	4.67E-01	4.80E+00	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.333	4.67E-02	4.20E-01	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0021	2.53E-02	2.90E-01	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.103	4.67E-03	5.90E-02	—	pCi/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.112	5.33E-03	5.90E-02	—	pCi/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0104	1.87E-03	3.10E-02	—	pCi/L	U	U	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0289	2.63E-03	3.10E-02	—	pCi/L	U	U	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.049	3.27E-03	3.30E-02	—	pCi/L	—	—	09-155	CAWA-08-15942	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0651	4.00E-03	3.30E-02	—	pCi/L	—	—	09-155	CAWA-08-15941	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.302	—	—	3.00E-01	ug/L	J	J	09-155	CAWA-08-15943	GELC
CDV-5.0 SPRING	—	—	10/22/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	0.348	—	—	2.50E-01	ug/L	J	J	09-155	CAWA-08-15941	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	81.6	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.9	—	—	7.30E-01	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	93.6	—	—	7.25E-01	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.6	—	—	7.25E-01	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68	—	—	7.25E-01	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.3	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.2	—	—	3.00E-02	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.7	—	—	3.00E-02	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.8	—	—	3.60E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.5	—	—	3.60E-02	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.3	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.1	—	—	3.00E-02	mg/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.1	—	—	3.00E-02	mg/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.9	—	—	3.60E-02	mg/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.8	—	—	3.60E-02	mg/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.2	—	—	6.60E-02	mg/L	—	J+	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.9	—	—	6.60E-01	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	16.8	—	—	6.60E-02	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	13.5	—	—	6.60E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.1	—	—	1.32E-01	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.187	—	—	3.30E-02	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.177	—	—	3.30E-02	mg/L	—	—	08-892	CAWA-08-11545	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.248	—	—	3.30E-02	mg/L	—	J+	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.201	—	—	3.30E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.195	—	—	3.30E-02	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	79.8	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	66.3	—	—	4.30E-01	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SM:A2340B	Hardness	—	87.6	—	—	4.25E-01	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	61.3	—	—	4.40E-01	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SM:A2340B	Hardness	—	75.3	—	—	4.40E-01	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	80.4	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	66.2	—	—	4.30E-01	mg/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	89.4	—	—	4.25E-01	mg/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	62	—	—	4.40E-01	mg/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	76.5	—	—	4.40E-01	mg/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.87	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.08	—	—	8.50E-02	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.32	—	—	8.50E-02	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.71	—	—	8.50E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.83	—	—	8.50E-02	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.03	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.08	—	—	8.50E-02	mg/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.45	—	—	8.50E-02	mg/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.8	—	—	8.50E-02	mg/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.95	—	—	8.50E-02	mg/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.171	—	—	5.00E-02	ug/L	J	J	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.347	—	—	5.00E-02	ug/L	—	J+	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.166	—	—	5.00E-02	ug/L	J	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.33	—	—	5.00E-02	ug/L	—	—	187064	GF070500P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.33	—	—	5.00E-02	ug/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.19	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.94	—	—	5.00E-02	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.44	—	—	5.00E-02	mg/L	E	J	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.48	—	—	5.00E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.29	—	—	5.00E-02	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.22	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3	—	—	5.00E-02	mg/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.52	—	—	5.00E-02	mg/L	E	J	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.57	—	—	5.00E-02	mg/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.41	—	—	5.00E-02	mg/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	33.7	—	—	3.20E-02	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	37.4	—	—	3.20E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	39.5	—	—	3.20E-02	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.2	—	—	4.50E-02	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.2	—	—	4.50E-02	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.2	—	—	4.50E-02	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.5	—	—	4.50E-02	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.2	—	—	4.50E-02	mg/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.2	—	—	4.50E-02	mg/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.6	—	—	4.50E-02	mg/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.2	—	—	4.50E-02	mg/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	239	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	214	—	—	1.00E+00	uS/cm	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	233	—	—	1.00E+00	uS/cm	—	—	196538	GF071000P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	214	—	—	1.00E+00	uS/cm	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	248	—	—	1.00E+00	uS/cm	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.79	—	—	1.00E-01	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.1	—	—	1.00E-01	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.45	—	—	1.00E-01	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.7	—	—	1.00E-01	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.22	—	—	1.00E-01	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	158	—	—	2.40E+00	mg/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	157	—	—	2.40E+00	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	171	—	—	2.38E+00	mg/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	160	—	—	2.38E+00	mg/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	130	—	—	2.38E+00	mg/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.4	—	—	3.30E-01	mg/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.58	—	—	3.30E-01	mg/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.34	—	—	3.30E-01	mg/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.54	—	—	3.30E-01	mg/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.41	—	—	3.30E-01	mg/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.64	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.71	—	—	1.00E-02	SU	H	J-	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.87	—	—	1.00E-02	SU	H	J	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.99	—	—	1.00E-02	SU	H	J	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.27	—	—	1.00E-02	SU	H	J	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.172	—	—	1.30E-01	ug/L	J	J	Sep-52	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1	—	—	1.30E-01	ug/L	—	J-	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.222	—	—	1.30E-01	ug/L	J	J+	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.87	—	—	1.30E-01	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.269	—	—	1.30E-01	ug/L	J	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.152	—	—	1.20E-01	ug/L	J	J	Sep-52	CAWA-08-15928	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.07	—	—	1.20E-01	ug/L	—	J-	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.132	—	—	1.17E-01	ug/L	J	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.78	—	—	1.17E-01	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.202	—	—	1.17E-01	ug/L	J	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Hexp	SW-846:8321	HMX	—	8.03	—	—	1.00E-01	ug/L	—	J	Sep-52	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	DL	—	Hexp	SW-846:8321	HMX	—	30.3	—	—	5.20E-01	ug/L	—	J	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Hexp	SW-846:8321	HMX	—	7.07	—	—	1.04E-01	ug/L	—	J+	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	HMX	—	12.8	—	—	1.04E-01	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Hexp	SW-846:8321	HMX	—	4.47	—	—	1.04E-01	ug/L	—	J+	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Hexp	SW-846:8321	RDX	—	12.5	—	—	1.30E-01	ug/L	—	J	Sep-52	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	DL	—	Hexp	SW-846:8321	RDX	—	29.6	—	—	6.50E-01	ug/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Hexp	SW-846:8321	RDX	—	14.9	—	—	2.60E-01	ug/L	—	J+	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	RDX	—	17.3	—	—	3.25E-01	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Hexp	SW-846:8321	RDX	—	14.5	—	—	3.25E-01	ug/L	—	J+	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	554	—	—	6.80E+01	ug/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	182	—	—	6.80E+01	ug/L	J	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	71.6	—	—	6.80E+01	ug/L	J	J	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1250	—	—	6.80E+01	ug/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	175	—	—	6.80E+01	ug/L	J	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	682	—	—	6.80E+01	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	113	—	—	6.80E+01	ug/L	J	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	3140	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	2590	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Barium	—	2970	—	—	1.00E+00	ug/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	2070	—	—	1.00E+00	ug/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Barium	—	2250	—	—	1.00E+00	ug/L	—	—	179921	GF070100P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	3070	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	2620	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Barium	—	3070	—	—	1.00E+00	ug/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	2110	—	—	1.00E+00	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Barium	—	2340	—	—	1.00E+00	ug/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	43.6	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	35.7	—	—	1.00E+01	ug/L	J	J	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Boron	—	53.2	—	—	1.00E+01	ug/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	21.6	—	—	1.00E+01	ug/L	J	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Boron	—	23.9	—	—	1.00E+01	ug/L	J	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	46.2	—	—	1.00E+01	ug/L	J	J	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	34	—	—	1.00E+01	ug/L	J	J	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Boron	—	53.4	—	—	1.00E+01	ug/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.3	—	—	1.00E+01	ug/L	J	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Boron	—	25.6	—	—	1.00E+01	ug/L	J	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	61.8	—	—	2.50E+01	ug/L	J	J	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	332	—	—	2.50E+01	ug/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Iron	—	45.2	—	—	2.50E+01	ug/L	J	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	139	—	—	1.80E+01	ug/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Iron	—	125	—	—	1.80E+01	ug/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	171	—	—	2.50E+01	ug/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	741	—	—	2.50E+01	ug/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Iron	—	263	—	—	2.50E+01	ug/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	469	—	—	1.80E+01	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Iron	—	256	—	—	1.80E+01	ug/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	39.6	—	—	2.00E+00	ug/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	56.6	—	—	2.00E+00	ug/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Manganese	—	94	—	—	2.00E+00	ug/L	—	—	196538	GF071000P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	45	—	—	2.00E+00	ug/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Manganese	—	67.2	—	—	2.00E+00	ug/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	33.4	—	—	2.00E+00	ug/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	62	—	—	2.00E+00	ug/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Manganese	—	166	—	—	2.00E+00	ug/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	53.3	—	—	2.00E+00	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Manganese	—	72.9	—	—	2.00E+00	ug/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.62	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.84	—	—	1.00E-01	ug/L	—	J	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.65	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.61	—	—	1.00E-01	ug/L	—	U	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	ug/L	J	J	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6020	Nickel	—	0.92	—	—	5.00E-01	ug/L	J	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	0.89	—	—	5.00E-01	ug/L	J	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6020	Nickel	—	0.87	—	—	5.00E-01	ug/L	J	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	J	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	ug/L	J	J	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.99	—	—	5.00E-01	ug/L	J	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	34.2	—	—	3.20E-02	mg/L	N	J-	Sep-53	CAWA-08-15930	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	33.1	—	—	3.20E-02	mg/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	158	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	135	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	175	—	—	1.00E+00	ug/L	—	—	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	122	—	—	1.00E+00	ug/L	—	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	144	—	—	1.00E+00	ug/L	—	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	158	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	136	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	179	—	—	1.00E+00	ug/L	—	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	124	—	—	1.00E+00	ug/L	—	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	149	—	—	1.00E+00	ug/L	—	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6020	Thallium	<	0.54	—	—	3.00E-01	ug/L	J	U	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6020	Thallium	<	0.64	—	—	3.00E-01	ug/L	J	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6020	Thallium	—	0.59	—	—	4.00E-01	ug/L	J	—	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.69	—	—	3.00E-01	ug/L	J	J	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.58	—	—	4.00E-01	ug/L	J	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.085	—	—	5.00E-02	ug/L	J	J	Sep-53	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.14	—	—	5.00E-02	ug/L	J	J	08-892	CAWA-08-11545	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Metals	SW-846:6020	Uranium	<	0.15	—	—	5.00E-02	ug/L	J	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	187064	GF070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	ug/L	J	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.096	—	—	5.00E-02	ug/L	J	J	Sep-53	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.15	—	—	5.00E-02	ug/L	J	J	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.12	—	—	5.00E-02	ug/L	J	U	196538	GU071000P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.059	—	—	5.00E-02	ug/L	J	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.11	—	—	5.00E-02	ug/L	J	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000557	4.00E-03	2.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	0.0103	2.97E-03	3.43E-02	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	0.00448	1.66E-03	2.20E-02	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Americium-241	<	0.0321	5.30E-03	5.40E-02	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00265	1.43E-03	2.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0144	1.98E-03	3.81E-02	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00465	9.27E-04	3.07E-02	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000561	3.93E-03	5.00E-02	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.43	4.33E-01	4.40E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.28	5.10E-01	4.73E+00	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.08	4.40E-01	3.98E+00	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.737	4.00E-01	4.52E+00	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.808	5.00E-01	4.50E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	3.75	4.77E-01	5.01E+00	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.25	4.00E-01	3.60E+00	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.673	3.47E-01	3.85E+00	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.29	4.33E-01	3.80E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.523	5.00E-01	4.80E+00	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.977	4.43E-01	4.60E+00	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.06	4.50E-01	4.78E+00	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.261	4.67E-01	4.70E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.23	5.37E-01	5.09E+00	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.35	4.93E-01	5.12E+00	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.0413	3.63E-01	4.10E+00	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	1.76	5.33E-01	3.70E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	115	2.05E+01	2.53E+02	—	pCi/L	U	U	196538	GF071000P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	82	1.85E+02	2.46E+02	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	100	2.45E+01	3.32E+02	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	13.5	4.00E+00	2.90E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	103	2.43E+01	3.18E+02	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	74.1	2.60E+01	3.05E+02	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	421	1.20E+02	7.59E+02	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.92	3.33E+00	3.40E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	8.05	4.07E+00	3.65E+01	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.174	3.00E+00	2.98E+01	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.55	3.33E+00	3.38E+01	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.02	2.73E+00	2.80E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.95	4.40E+00	3.64E+01	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-12.2	3.50E+00	3.17E+01	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	9.12	2.74E+00	2.88E+01	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.80E-03	2.60E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0037	8.73E-04	2.96E-02	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00434	3.07E-03	2.38E-02	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00256	8.53E-04	5.30E-02	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00335	8.00E-04	2.50E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.13E-03	3.82E-02	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	4.97E-10	1.97E-03	2.29E-02	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0129	2.85E-03	5.30E-02	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00514	1.00E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00554	1.63E-03	3.49E-02	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00433	2.04E-03	1.58E-02	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00256	1.48E-03	4.50E-02	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00335	1.13E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00478	1.95E-03	4.52E-02	—	pCi/L	U	U	196538	GU071000P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00417	1.70E-03	1.52E-02	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.018	2.59E-03	4.50E-02	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	26.4	5.33E+00	5.60E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	5.54	4.07E+00	4.20E+01	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-6.6	5.93E+00	6.04E+01	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	38.5	7.40E+00	4.97E+01	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-20.5	5.67E+00	5.70E+01	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-15.4	6.67E+00	6.10E+01	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	24.2	4.63E+00	5.10E+01	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	4.06	5.33E+00	4.29E+01	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.78	4.33E-01	3.60E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.69	4.70E-01	5.18E+00	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.37	4.17E-01	3.62E+00	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.679	4.30E-01	5.01E+00	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.12	4.00E-01	3.40E+00	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.633	4.57E-01	4.76E+00	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.99	4.23E-01	3.53E+00	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.2	3.23E-01	3.28E+00	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.12	4.67E-02	4.90E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.177	2.64E-02	2.54E-01	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0802	4.87E-02	4.95E-01	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.113	2.20E-02	2.47E-01	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0187	4.33E-02	4.80E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0812	3.21E-02	3.33E-01	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.237	4.73E-02	4.66E-01	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.185	3.23E-02	3.65E-01	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0499	7.00E-03	1.60E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	—	0.0487	3.77E-03	3.93E-02	—	pCi/L	—	J	196538	GF071000P25601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	—	0.062	4.70E-03	4.11E-02	—	pCi/L	—	J	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Uranium-234	—	0.172	9.17E-03	1.11E-01	—	pCi/L	—	J	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0572	9.33E-03	1.70E-01	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.0496	4.03E-03	4.15E-02	—	pCi/L	—	J	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.104	5.23E-03	4.01E-02	—	pCi/L	—	J	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0519	6.27E-03	8.30E-02	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00561	3.23E-03	8.30E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0129	2.04E-03	3.05E-02	—	pCi/L	U	U	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0144	1.97E-03	4.19E-02	—	pCi/L	U	U	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0226	4.53E-03	8.40E-02	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0	5.67E-03	8.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00454	1.86E-03	3.21E-02	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00467	2.20E-03	4.09E-02	—	pCi/L	U	U	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0135	3.57E-03	6.30E-02	—	pCi/L	U	U	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0136	4.67E-03	8.80E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15930	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0348	2.80E-03	3.44E-02	—	pCi/L	—	J	196538	GF071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	—	0.062	4.03E-03	2.91E-02	—	pCi/L	—	J	179921	GF070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0512	4.93E-03	7.90E-02	—	pCi/L	U	U	141561	GF05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0429	5.33E-03	9.30E-02	—	pCi/L	U	U	Sep-54	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0294	2.66E-03	3.63E-02	—	pCi/L	U	U	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.068	4.27E-03	2.84E-02	—	pCi/L	—	J	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0682	5.30E-03	5.90E-02	—	pCi/L	—	J	141561	GU05070P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	1.75	—	—	1.50E+00	ug/L	J	J	Sep-52	CAWA-08-15929	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	UJ	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	<	1.51	—	—	1.25E+00	ug/L	J	J+, U	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.425	—	—	3.00E-01	ug/L	J	J	Sep-52	CAWA-08-15929	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	179921	GU070100P25601	GELC
Canon de Valle below MDA P	—	—	10/07/08	WS	UF	CS	—	Voa	SW-846:8260B	Toluene	—	1.55	—	—	2.50E-01	ug/L	—	—	Sep-52	CAWA-08-15928	GELC
Canon de Valle below MDA P	—	—	03/31/08	WS	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	08-892	CAWA-08-11547	GELC
Canon de Valle below MDA P	—	—	10/25/07	WP	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	196538	GU071000P25601	GELC
Canon de Valle below MDA P	—	—	06/01/07	WS	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	187064	GU070500P25601	GELC
Canon de Valle below MDA P	—	—	01/29/07	WP	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	179921	GU070100P25601	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.6	—	—	7.30E-01	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.2	—	—	7.30E-01	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.6	—	—	7.25E-01	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	76.9	—	—	7.25E-01	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58	—	—	7.25E-01	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.3	—	—	3.00E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.8	—	—	3.00E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.4	—	—	3.00E-02	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.8	—	—	3.60E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.5	—	—	3.60E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.9	—	—	3.00E-02	mg/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13	—	—	3.00E-02	mg/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.1	—	—	3.00E-02	mg/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.7	—	—	3.60E-02	mg/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13	—	—	3.60E-02	mg/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.77	—	—	6.60E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.6	—	—	6.60E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.49	—	—	6.60E-02	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.63	—	—	6.60E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.71	—	—	5.30E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.112	—	—	3.30E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.109	—	—	3.30E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.215	—	—	3.30E-02	mg/L	—	J+	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.116	—	—	3.30E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.121	—	—	3.00E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	55.4	—	—	3.50E-01	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	53.3	—	—	4.30E-01	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	51.5	—	—	4.25E-01	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54	—	—	4.40E-01	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57	—	—	8.50E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.1	—	—	3.50E-01	mg/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.3	—	—	4.30E-01	mg/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	50.7	—	—	4.25E-01	mg/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.6	—	—	4.40E-01	mg/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	55.3	—	—	8.50E-02	mg/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.4	—	—	8.50E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.21	—	—	8.50E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.99	—	—	8.50E-02	mg/L	—	—	196275	GF07100GC16i01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.36	—	—	8.50E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.69	—	—	8.50E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.3	—	—	8.50E-02	mg/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.31	—	—	8.50E-02	mg/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.94	—	—	8.50E-02	mg/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.33	—	—	8.50E-02	mg/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.52	—	—	8.50E-02	mg/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.73	—	—	5.00E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.74	—	—	5.00E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.925	—	—	5.00E-02	mg/L	—	J	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.07	—	—	5.00E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.735	—	—	1.70E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.507	—	—	5.00E-02	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.538	—	—	5.00E-02	ug/L	—	J+	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.486	—	—	5.00E-02	ug/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.512	—	—	5.00E-02	ug/L	—	J-	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.487	—	—	5.00E-02	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.4	—	—	5.00E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.38	—	—	5.00E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.58	—	—	5.00E-02	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.49	—	—	5.00E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.54	—	—	5.00E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.34	—	—	5.00E-02	mg/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.42	—	—	5.00E-02	mg/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.52	—	—	5.00E-02	mg/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.47	—	—	5.00E-02	mg/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.44	—	—	5.00E-02	mg/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	57.1	—	—	3.20E-02	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	57.6	—	—	3.20E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	61.4	—	—	3.20E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.9	—	—	4.50E-02	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.7	—	—	4.50E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.9	—	—	4.50E-02	mg/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.4	—	—	4.50E-02	mg/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.2	—	—	4.50E-02	mg/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.2	—	—	4.50E-02	mg/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	167	—	—	1.00E+00	uS/cm	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	158	—	—	1.00E+00	uS/cm	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	157	—	—	1.00E+00	uS/cm	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	179	—	—	1.00E+00	uS/cm	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	184	—	—	1.00E+00	uS/cm	—	J	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.66	—	—	1.00E-01	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.51	—	—	1.00E-01	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.56	—	—	1.00E-01	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.2	—	—	5.70E-02	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	J	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	150	—	—	2.38E+00	mg/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	177	—	—	2.38E+00	mg/L	—	—	186556	GF07050GC16i01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	151	—	—	2.38E+00	mg/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.03	—	—	3.30E-01	mg/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.998	—	—	3.30E-01	mg/L	J	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.24	—	—	3.30E-01	mg/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.639	—	—	3.30E-01	mg/L	J	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.834	—	—	7.40E-02	mg/L	J	J-	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.08	—	—	1.00E-02	SU	H	J-	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.04	—	—	1.00E-02	SU	H	J-	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.15	—	—	1.00E-02	SU	H	J	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.23	—	—	1.00E-02	SU	H	J	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.4	—	—	1.00E-02	SU	H	J	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.224	—	—	1.30E-01	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.182	—	—	1.30E-01	ug/L	J	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.228	—	—	1.30E-01	ug/L	J	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.229	—	—	1.30E-01	ug/L	J	J	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.292	—	—	1.30E-01	ug/L	J	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.207	—	—	1.20E-01	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.165	—	—	1.20E-01	ug/L	J	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.193	—	—	1.17E-01	ug/L	J	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.133	—	—	1.17E-01	ug/L	J	J	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.158	—	—	1.17E-01	ug/L	J	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.85	—	—	1.00E-01	ug/L	—	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.73	—	—	1.00E-01	ug/L	—	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.23	—	—	1.04E-01	ug/L	—	J-	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.83	—	—	1.04E-01	ug/L	—	J, J+	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.53	—	—	1.04E-01	ug/L	—	J+	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	30.5	—	—	6.50E-01	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	27.7	—	—	6.50E-01	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	29.9	—	—	6.49E-01	ug/L	—	J	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	29.5	—	—	6.49E-01	ug/L	—	J	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	29.4	—	—	6.49E-01	ug/L	—	J+	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	ug/L	U	U	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	78.9	—	—	6.80E+01	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	ug/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	15.9	—	—	1.00E+00	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	15.6	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	16.3	—	—	1.00E+00	ug/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	16.6	—	—	1.00E+00	ug/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	17.4	—	—	1.00E+00	ug/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.9	—	—	1.00E+00	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	16	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	16	—	—	1.00E+00	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	16.8	—	—	1.00E+00	ug/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	16.7	—	—	1.00E+00	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	55.8	—	—	1.00E+01	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	53.6	—	—	1.00E+01	ug/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	60.3	—	—	1.00E+01	ug/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	58	—	—	1.00E+01	ug/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	65.4	—	—	1.00E+01	ug/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	54.6	—	—	1.00E+01	ug/L	—	—	09-129	CAWA-08-16020	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	53.6	—	—	1.00E+01	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	57	—	—	1.00E+01	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	59	—	—	1.00E+01	ug/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	60.7	—	—	1.00E+01	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.5	—	—	2.50E+00	ug/L	J	J	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.2	—	—	1.00E+00	ug/L	J	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	2.3	—	—	1.00E+00	ug/L	J	U	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.3	—	—	1.50E+00	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.5	—	—	2.50E+00	ug/L	J	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.3	—	—	1.00E+00	ug/L	J	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	2.6	—	—	1.00E+00	ug/L	J	U	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	6.9	—	—	3.00E+00	ug/L	J	J	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	9.3	—	—	3.00E+00	ug/L	J	J	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	11.3	—	—	3.00E+00	ug/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	17.2	—	—	3.00E+00	ug/L	—	J-	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	8.9	—	—	3.00E+00	ug/L	J	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	12.3	—	—	3.00E+00	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	16.6	—	—	3.00E+00	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	20.8	—	—	3.00E+00	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	22	—	—	3.00E+00	ug/L	—	J-	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	11.3	—	—	3.00E+00	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	36.3	—	—	2.50E+01	ug/L	J	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	42.3	—	—	1.80E+01	ug/L	J	U	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	63	—	—	2.50E+01	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	97.3	—	—	1.80E+01	ug/L	J	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	110	—	—	1.80E+01	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	ug/L	UN	UJ	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.91	—	—	5.00E-01	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	ug/L	UN	UJ	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.84	—	—	5.00E-01	ug/L	J	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.5	—	—	2.00E+00	ug/L	J	J	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	ug/L	U	U	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	ug/L	J	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	ug/L	J	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.6	—	—	2.00E+00	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	ug/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.5	—	—	2.00E+00	ug/L	J	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.8	—	—	2.00E+00	ug/L	J	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.1	—	—	1.00E-01	ug/L	—	J	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.3	—	—	2.00E+00	ug/L	J	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	3.4	—	—	2.00E+00	ug/L	J	—	157901	GF0602GC16i01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2.1	—	—	1.00E-01	ug/L	—	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.6	—	—	2.00E+00	ug/L	J	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	3.2	—	—	2.00E+00	ug/L	J	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	7.4	—	—	5.00E-01	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.7	—	—	5.00E-01	ug/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.7	—	—	5.00E-01	ug/L	*	J	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.4	—	—	5.00E-01	ug/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.4	—	—	5.00E-01	ug/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	9.6	—	—	5.00E-01	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5	—	—	5.00E-01	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.6	—	—	5.00E-01	ug/L	*	J	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.9	—	—	5.00E-01	ug/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.8	—	—	5.00E-01	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.6	—	—	3.20E-02	mg/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.6	—	—	3.20E-02	mg/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	90.6	—	—	1.00E+00	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	90.6	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	92.8	—	—	1.00E+00	ug/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	94.1	—	—	1.00E+00	ug/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	97.2	—	—	1.00E+00	ug/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	88.4	—	—	1.00E+00	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	92.2	—	—	1.00E+00	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	90.8	—	—	1.00E+00	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	93	—	—	1.00E+00	ug/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	93.9	—	—	1.00E+00	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.45	—	—	3.00E-01	ug/L	J	J	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.71	—	—	3.00E-01	ug/L	J	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.51	—	—	4.00E-01	ug/L	J	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.62	—	—	5.00E-02	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.54	—	—	5.00E-02	ug/L	—	—	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.49	—	—	5.00E-02	ug/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.62	—	—	5.00E-02	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.54	—	—	5.00E-02	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	ug/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.6	—	—	1.00E+00	ug/L	J	J	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	4	—	—	1.00E+00	ug/L	J	U	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	ug/L	J	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.5	—	—	1.00E+00	ug/L	J	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.1	—	—	1.00E+00	ug/L	J	—	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.2	—	—	1.00E+00	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.1	—	—	1.00E+00	ug/L	J	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	ug/L	J	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.3	—	—	1.00E+00	ug/L	J	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	ug/L	J	—	157901	GU0602GC16i01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	25.5	—	—	2.00E+00	ug/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.5	—	—	2.00E+00	ug/L	J	J	08-892	CAWA-08-11645	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.8	—	—	2.00E+00	ug/L	J	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.9	—	—	2.00E+00	ug/L	J	—	186556	GF07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	13.1	—	—	2.00E+00	ug/L	—	U	157901	GF0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	34.2	—	—	2.00E+00	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.9	—	—	2.00E+00	ug/L	J	J	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.4	—	—	2.00E+00	ug/L	J	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	8.2	—	—	2.00E+00	ug/L	J	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	14.7	—	—	2.00E+00	ug/L	—	U	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00669	2.60E-03	2.60E-02	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0107	2.42E-03	3.12E-02	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0069	2.87E-03	2.60E-02	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00317	1.68E-03	3.14E-02	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.9	5.33E-01	4.30E+00	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-3.75	4.93E-01	3.93E+00	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.81	4.33E-01	4.60E+00	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.02	5.27E-01	4.61E+00	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.54	4.33E-01	4.60E+00	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.58	5.93E-01	3.91E+00	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.301	4.67E-01	4.60E+00	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.334	4.87E-01	4.88E+00	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	0.73	3.03E+00	9.60E+00	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	87.6	2.22E+01	2.47E+02	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	12.5	1.00E+01	9.10E+01	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	58.1	1.80E+01	1.81E+02	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-9.19	3.33E+00	3.30E+01	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	8.33	4.40E+00	3.72E+01	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	10.4	4.00E+00	4.00E+01	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	17.3	3.63E+00	3.43E+01	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00185	1.07E-03	2.80E-02	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00678	2.12E-03	2.71E-02	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00174	8.33E-04	2.60E-02	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00994	1.75E-03	2.65E-02	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.93E-03	3.20E-02	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00339	1.13E-03	3.20E-02	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00868	1.73E-03	3.00E-02	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00166	5.53E-04	3.13E-02	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-46.1	6.67E+00	6.10E+01	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-24.3	6.70E+00	6.82E+01	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-2.12	5.67E+00	5.70E+01	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	11	6.23E+00	6.42E+01	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.211	6.33E-02	6.80E-01	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.353	5.67E-02	5.20E-01	—	pCi/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.255	5.33E-02	5.24E-01	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.457	6.67E-02	6.00E-01	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.251	7.67E-02	7.60E-01	—	pCi/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.377	6.57E-02	6.21E-01	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.36	3.33E-01	3.40E+00	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1	4.63E-01	4.26E+00	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.501	3.33E-01	3.30E+00	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-2.45	4.37E-01	3.25E+00	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0777	3.67E-02	4.70E-01	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.151	4.10E-02	4.23E-01	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.141	4.67E-02	4.90E-01	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.291	5.07E-02	4.87E-01	—	pCi/L	U	U	196275	GU07100GC16i01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.462	1.37E-02	7.30E-02	—	pCi/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.408	1.30E-02	5.06E-02	—	pCi/L	—	—	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.429	1.43E-02	9.20E-02	—	pCi/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.401	1.35E-02	5.36E-02	—	pCi/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00519	2.13E-03	3.90E-02	—	pCi/L	U	U	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0139	3.08E-03	3.92E-02	—	pCi/L	U	U	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0293	3.67E-03	4.90E-02	—	pCi/L	U	U	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0147	4.03E-03	4.15E-02	—	pCi/L	U	U	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.16	7.33E-03	3.90E-02	—	pCi/L	—	—	09-129	CAWA-08-16018	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.13	7.23E-03	4.43E-02	—	pCi/L	—	J	196275	GF07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.15	7.33E-03	4.90E-02	—	pCi/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.135	8.00E-03	4.69E-02	—	pCi/L	—	J	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Svoa	SW-846:8270C	Benzoic Acid	—	10.9	—	—	6.70E+00	ug/L	J	J	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Svoa	SW-846:8270C	Benzoic Acid	<	20.5	—	—	6.15E+00	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Svoa	SW-846:8270C	Benzoic Acid	<	21.7	—	—	6.52E+00	ug/L	U	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Svoa	SW-846:8270C	Benzoic Acid	<	19.2	—	—	5.77E+00	ug/L	U	R	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	1.27	—	—	2.50E-01	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	1.15	—	—	2.50E-01	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	1.05	—	—	2.50E-01	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.13	—	—	4.50E-01	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.13	—	—	2.50E-01	ug/L	—	—	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.49	—	—	2.50E-01	ug/L	—	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.17	—	—	2.50E-01	ug/L	—	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.09	—	—	2.50E-01	ug/L	—	—	157901	GU0602GC16i01	GELC
CdV-16-1(i)	5421	624	10/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	21.1	—	—	2.50E-01	ug/L	—	—	09-129	CAWA-08-16020	GELC
CdV-16-1(i)	5421	624	03/31/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	08-892	CAWA-08-11646	GELC
CdV-16-1(i)	5421	624	10/22/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	196275	GU07100GC16i01	GELC
CdV-16-1(i)	5421	624	05/21/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	186556	GU07050GC16i01	GELC
CdV-16-1(i)	5421	624	03/09/06	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	157901	GU0602GC16i01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	47.6	—	—	7.30E-01	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	47	—	—	7.30E-01	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46.2	—	—	7.25E-01	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	50.8	—	—	7.25E-01	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	50.4	—	—	7.25E-01	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.9	—	—	1.45E+00	mg/L	—	—	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	9.1	—	—	3.00E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.22	—	—	3.00E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.43	—	—	3.60E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.68	—	—	3.60E-02	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.08	—	—	3.60E-02	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.0802	—	—	3.00E-02	mg/L	J	J	09-138	CAWA-08-16024	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	9.57	—	—	3.00E-02	mg/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.54	—	—	3.00E-02	mg/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.8	—	—	3.60E-02	mg/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.82	—	—	3.60E-02	mg/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.77	—	—	3.60E-02	mg/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	2.17	—	—	6.60E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.26	—	—	6.60E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.14	—	—	6.60E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.07	—	—	6.60E-02	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.03	—	—	6.60E-02	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.17	—	—	5.30E-02	mg/L	—	—	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.236	—	—	3.30E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.253	—	—	3.30E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.191	—	—	3.30E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.106	—	—	3.30E-02	mg/L	—	—	180371	GF07010162IR01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	<	0.24	—	—	3.30E-02	mg/L	—	U	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.204	—	—	3.00E-02	mg/L	—	—	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	32.8	—	—	3.50E-01	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	33.1	—	—	3.50E-01	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	33.8	—	—	4.40E-01	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	30.9	—	—	4.40E-01	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	28.7	—	—	8.50E-02	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	34.5	—	—	3.50E-01	mg/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	34.4	—	—	3.50E-01	mg/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.1	—	—	4.40E-01	mg/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	34.5	—	—	4.40E-01	mg/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	31.2	—	—	8.50E-02	mg/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	2.45	—	—	8.50E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.45	—	—	8.50E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.49	—	—	8.50E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.25	—	—	8.50E-02	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.07	—	—	8.50E-02	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	2.58	—	—	8.50E-02	mg/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.57	—	—	8.50E-02	mg/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.11	—	—	8.50E-02	mg/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.43	—	—	8.50E-02	mg/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.27	—	—	8.50E-02	mg/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.868	—	—	1.00E-01	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.837	—	—	1.00E-01	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.598	—	—	1.00E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.53	—	—	1.40E-02	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.536	—	—	1.40E-02	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.57	—	—	1.70E-02	mg/L	—	—	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.291	—	—	5.00E-02	ug/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.303	—	—	5.00E-02	ug/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.295	—	—	5.00E-02	ug/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.287	—	—	5.00E-02	ug/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.249	—	—	5.00E-02	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	UF	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.252	—	—	5.00E-02	ug/L	—	—	158271	GU0602162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	158271	GU0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	0.306	—	—	5.00E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.292	—	—	5.00E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.364	—	—	5.00E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.371	—	—	5.00E-02	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.354	—	—	5.00E-02	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	0.317	—	—	5.00E-02	mg/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.348	—	—	5.00E-02	mg/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.25	—	—	5.00E-02	mg/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.413	—	—	5.00E-02	mg/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.403	—	—	5.00E-02	mg/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	68.3	—	—	3.20E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	64.4	—	—	3.20E-02	mg/L	—	J	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	57	—	—	3.20E-02	mg/L	—	J	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	68.7	—	—	3.20E-02	mg/L	—	J	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	12.5	—	—	4.50E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.3	—	—	4.50E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.6	—	—	4.50E-02	mg/L	—	—	180371	GF07010162IR01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.6	—	—	4.50E-02	mg/L	E	J	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.338	—	—	4.50E-02	mg/L	—	—	09-138	CAWA-08-16024	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	12.6	—	—	4.50E-02	mg/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.3	—	—	4.50E-02	mg/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.3	—	—	4.50E-02	mg/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.6	—	—	4.50E-02	mg/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	E	J	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	115	—	—	1.00E+00	uS/cm	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	114	—	—	1.00E+00	uS/cm	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	122	—	—	1.00E+00	uS/cm	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	113	—	—	1.00E+00	uS/cm	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	3.41	—	—	1.00E-01	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.22	—	—	1.00E-01	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.06	—	—	1.00E-01	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.21	—	—	1.00E-01	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.32	—	—	1.00E-01	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.75	—	—	5.70E-02	mg/L	—	—	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	109	—	—	2.40E+00	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	113	—	—	2.40E+00	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	118	—	—	2.38E+00	mg/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	107	—	—	2.38E+00	mg/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	135	—	—	2.38E+00	mg/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	98	—	—	2.38E+00	mg/L	—	—	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	UJ	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.011	—	—	1.00E-02	mg/L	J	JN-, J-	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.057	—	—	1.00E-02	mg/L	J	J-, U	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.439	—	—	2.90E-02	mg/L	—	J	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	UJ	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	1.33	—	—	3.30E-01	mg/L	—	—	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.67	—	—	3.30E-01	mg/L	J	J	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.839	—	—	3.30E-01	mg/L	J	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.676	—	—	3.30E-01	mg/L	J	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.456	—	—	3.30E-01	mg/L	J	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.582	—	—	7.40E-02	mg/L	J	—	158271	GU0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.068	—	—	2.40E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.057	—	—	2.40E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.081	—	—	2.40E-02	mg/L	—	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.079	—	—	1.00E-02	mg/L	—	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.039	—	—	1.00E-02	mg/L	J	U	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	03/15/06	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.042	—	—	1.00E-02	mg/L	J	U	158271	GF0602162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.23	—	—	1.00E-02	SU	H	J-	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.29	—	—	1.00E-02	SU	H	J-	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.23	—	—	1.00E-02	SU	H	J	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.83	—	—	1.00E-02	SU	H	J	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Hexp	SW-846:8321	HMX	—	0.168	—	—	1.00E-01	ug/L	J	J	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	RE	FD	Hexp	SW-846:8321	HMX	—	0.252	—	—	1.00E-01	ug/L	J	J-	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.205	—	—	1.00E-01	ug/L	J	J	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.295	—	—	1.00E-01	ug/L	J	J	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.254	—	—	1.04E-01	ug/L	J	J-	196376	GU07100162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Hexp	SW-846:8321	RDX	—	44.2	—	—	6.50E-01	ug/L	—	J	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	RE	FD	Hexp	SW-846:8321	RDX	—	60.8	—	—	1.30E+00	ug/L	—	J-	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	57	—	—	1.30E+00	ug/L	—	—	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	56	—	—	1.30E+00	ug/L	—	—	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	56.4	—	—	1.30E-01	ug/L	—	J	196376	GU07100162IR01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	10/23/07	WG	UF	RE	—	Hexp	SW-846:8321	RDX	—	61.1	—	—	1.62E+00	ug/L	—	—	196376	GU07100162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	RE	FD	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.121	—	—	1.00E-01	ug/L	J	J-	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.00E-01	ug/L	U	U	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.04E-01	ug/L	U	—	196376	GU07100162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	UN	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	126	—	—	6.80E+01	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	261	—	—	6.80E+01	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	14000	—	—	6.80E+01	ug/L	N	J+	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	330	—	—	6.80E+01	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	507	—	—	6.80E+01	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	3	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	3.1	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	4.3	—	—	1.00E+00	ug/L	J	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	3.2	—	—	1.00E+00	ug/L	J	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	3.8	—	—	1.00E+00	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	4.4	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	5.7	—	—	1.00E+00	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	67.9	—	—	1.00E+00	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	8.6	—	—	1.00E+00	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	6.9	—	—	1.00E+00	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Boron	—	19.6	—	—	1.00E+01	ug/L	J	J	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	23.3	—	—	1.00E+01	ug/L	J	J	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	15.4	—	—	1.00E+01	ug/L	J	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	17.5	—	—	1.00E+01	ug/L	J	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	22.1	—	—	1.00E+01	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Boron	—	20.5	—	—	1.00E+01	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.2	—	—	1.00E+01	ug/L	J	J	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	28.5	—	—	1.00E+01	ug/L	J	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	17.6	—	—	1.00E+01	ug/L	J	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	18	—	—	1.00E+01	ug/L	J	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U*	UJ	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.3	—	—	1.50E+00	ug/L	J	J	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	19.2	—	—	1.00E+00	ug/L	*	J	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.9	—	—	1.00E+00	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	—	15.3	—	—	1.00E+00	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	ug/L	U	R, UJ	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	4.7	—	—	3.00E+00	ug/L	J	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	6.7	—	—	3.00E+00	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Copper	—	10.6	—	—	3.00E+00	ug/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	21.3	—	—	3.00E+00	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	30.1	—	—	3.00E+00	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	11.2	—	—	3.00E+00	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	54.9	—	—	3.00E+00	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	19.9	—	—	1.80E+01	ug/L	JN	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	18.8	—	—	1.80E+01	ug/L	J	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	23.5	—	—	1.80E+01	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	—	152	—	—	2.50E+01	ug/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	339	—	—	2.50E+01	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	9840	—	—	1.80E+01	ug/L	N	J+	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	304	—	—	1.80E+01	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	506	—	—	1.80E+01	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	185980	GF07050162IR01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6020	Lead	—	0.65	—	—	5.00E-01	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	2	—	—	5.00E-01	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	15.7	—	—	5.00E-01	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	1	—	—	5.00E-01	ug/L	J	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.92	—	—	5.00E-01	ug/L	J	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	—	3.7	—	—	2.00E+00	ug/L	J	J	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	ug/L	J	J	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6	—	—	2.00E+00	ug/L	J	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.9	—	—	2.00E+00	ug/L	J	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.7	—	—	2.00E+00	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	5.8	—	—	2.00E+00	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	11.2	—	—	2.00E+00	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	100	—	—	2.00E+00	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	16.4	—	—	2.00E+00	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	12.2	—	—	2.00E+00	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	ug/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	ug/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.5	—	—	2.00E+00	ug/L	J	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.9	—	—	2.00E+00	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	ug/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	4.2	—	—	2.00E+00	ug/L	J	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.8	—	—	2.00E+00	ug/L	J	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	J	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	ug/L	J	J	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	UJ	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.7	—	—	5.00E-01	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	10.6	—	—	5.00E-01	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.6	—	—	5.00E-01	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.9	—	—	5.00E-01	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	61.1	—	—	3.20E-02	mg/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	61.6	—	—	3.20E-02	mg/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	58.9	—	—	1.00E+00	ug/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.6	—	—	1.00E+00	ug/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	60.9	—	—	1.00E+00	ug/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	55.2	—	—	1.00E+00	ug/L	—	—	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49	—	—	1.00E+00	ug/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	62.4	—	—	1.00E+00	ug/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	61.9	—	—	1.00E+00	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	94.3	—	—	1.00E+00	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	63.3	—	—	1.00E+00	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	53	—	—	1.00E+00	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.25	—	—	5.00E-02	ug/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.25	—	—	5.00E-02	ug/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.27	—	—	5.00E-02	ug/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.27	—	—	5.00E-02	ug/L	—	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	ug/L	—	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.32	—	—	5.00E-02	ug/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	ug/L	—	—	09-138	CAWA-08-16022	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	3.1	—	—	5.00E-02	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.33	—	—	5.00E-02	ug/L	—	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	2	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.9	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.1	—	—	1.00E+00	ug/L	J	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1	—	—	1.00E+00	ug/L	U	UJ	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.2	—	—	1.00E+00	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	1.9	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.2	—	—	1.00E+00	ug/L	J	J	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.4	—	—	1.00E+00	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.1	—	—	1.00E+00	ug/L	J	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.9	—	—	1.00E+00	ug/L	J	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	—	11.8	—	—	2.00E+00	ug/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12.1	—	—	2.00E+00	ug/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	5.5	—	—	2.00E+00	ug/L	J	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	7.8	—	—	2.00E+00	ug/L	J	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.6	—	—	2.00E+00	ug/L	J	—	163344	GF06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FB	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	ug/L	J	J	09-138	CAWA-08-16024	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	14.8	—	—	2.00E+00	ug/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	45.1	—	—	2.00E+00	ug/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	97.4	—	—	2.00E+00	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	18.6	—	—	2.00E+00	ug/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	27.5	—	—	2.00E+00	ug/L	—	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	HASL-300	Americium-241	<	-0.0203	2.87E-03	2.60E-02	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0124	3.33E-03	2.80E-02	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0111	3.77E-03	5.30E-02	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0119	2.91E-03	2.68E-02	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	HASL-300	Americium-241	<	-0.00456	3.27E-03	2.70E-02	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0069	2.47E-03	3.00E-02	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0165	5.23E-03	5.98E-02	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00742	2.04E-03	2.59E-02	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-1.07	4.33E-01	3.90E+00	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.94	4.00E-01	4.50E+00	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.1	3.70E-01	3.37E+00	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.25	3.60E-01	3.75E+00	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	1.44	7.00E-01	3.80E+00	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.215	4.00E-01	3.90E+00	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.68	4.07E-01	3.61E+00	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-2.02	4.47E-01	4.00E+00	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-2.13	5.33E-01	4.50E+00	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.04	4.00E-01	4.40E+00	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.35	4.23E-01	2.99E+00	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.544	4.40E-01	3.49E+00	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-1.55	4.00E-01	3.50E+00	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.23	4.67E-01	5.20E+00	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.25	4.57E-01	4.15E+00	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.493	4.03E-01	4.04E+00	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	12.7	9.67E+00	3.60E+01	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	8.55	5.00E+00	2.40E+01	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	142	2.86E+01	4.57E+02	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	84.8	1.98E+01	3.09E+02	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	22.1	5.33E+00	3.50E+01	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	10.1	3.20E+00	2.30E+01	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	104	2.53E+01	2.67E+02	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	70.8	3.87E+01	2.66E+02	—	pCi/L	U	U	180371	GU07010162IR01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	4.91	3.33E+00	3.10E+01	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	8.49	3.33E+00	3.00E+01	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	20.3	3.77E+00	3.42E+01	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	13.6	2.95E+00	2.77E+01	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	0.68	3.00E+00	3.00E+01	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.59	2.83E+00	2.90E+01	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	10.3	4.20E+00	3.10E+01	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.584	3.37E+00	2.96E+01	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00839	2.63E-03	3.20E-02	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00391	1.13E-03	3.00E-02	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00215	1.24E-03	3.13E-02	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00651	3.07E-03	3.57E-02	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0.00184	1.07E-03	2.80E-02	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00202	1.17E-03	3.10E-02	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.005	1.67E-03	2.42E-02	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	2.64E-03	2.51E-02	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00419	1.00E-03	3.60E-02	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	9.33E-04	3.40E-02	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	2.27E-03	3.67E-02	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00325	1.88E-03	2.38E-02	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.0165	1.87E-03	3.20E-02	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0162	2.87E-03	3.50E-02	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0117	1.48E-03	2.84E-02	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00687	1.33E-03	1.67E-02	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	-39.6	6.33E+00	5.60E+01	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-14.9	4.67E+00	4.50E+01	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	15.4	7.40E+00	2.98E+01	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	5.5	5.33E+00	2.82E+01	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	-13	5.33E+00	4.90E+01	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-0.248	5.33E+00	5.50E+01	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	25.5	4.47E+00	3.25E+01	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	8.38	5.77E+00	3.92E+01	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.995	1.13E-01	8.90E-01	—	pCi/L	—	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.467	5.67E-02	4.50E-01	—	pCi/L	—	U	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.557	5.33E-02	3.70E-01	—	pCi/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.6	8.00E-02	7.00E-01	—	pCi/L	U	U	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	-0.104	3.33E-01	3.40E+00	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.65	4.00E-01	4.30E+00	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.72	3.73E-01	3.11E+00	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.297	3.43E-01	3.44E+00	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	2.02	4.00E-01	4.60E+00	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.34	3.67E-01	4.20E+00	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.0552	3.29E-01	3.22E+00	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.897	3.80E-01	3.49E+00	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.0853	3.67E-02	4.00E-01	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0925	2.00E-02	2.60E-01	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.117	4.17E-02	4.32E-01	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0436	3.28E-02	3.32E-01	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.0658	4.00E-02	4.30E-01	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0505	2.77E-02	3.10E-01	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0465	2.58E-02	3.16E-01	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0377	3.53E-02	3.62E-01	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	—	0.178	8.00E-03	7.80E-02	—	pCi/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.139	6.67E-03	7.30E-02	—	pCi/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.196	8.33E-03	5.61E-02	—	pCi/L	—	—	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.186	8.83E-03	5.34E-02	—	pCi/L	—	—	180371	GF07010162IR01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	—	0.216	8.33E-03	7.40E-02	—	pCi/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.201	9.00E-03	8.70E-02	—	pCi/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.348	1.15E-02	5.88E-02	—	pCi/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.229	9.17E-03	4.96E-02	—	pCi/L	—	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0195	2.80E-03	4.20E-02	—	pCi/L	U	U	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.013	2.30E-03	3.90E-02	—	pCi/L	U	U	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0129	3.11E-03	3.29E-02	—	pCi/L	U	U	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00622	2.08E-03	5.45E-02	—	pCi/L	U	U	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0131	1.97E-03	3.90E-02	—	pCi/L	U	U	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00931	2.73E-03	4.60E-02	—	pCi/L	U	U	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0162	2.87E-03	3.45E-02	—	pCi/L	U	U	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0202	4.20E-03	5.06E-02	—	pCi/L	U	U	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	—	0.072	5.00E-03	4.20E-02	—	pCi/L	—	—	09-138	CAWA-08-16027	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0714	4.67E-03	3.90E-02	—	pCi/L	—	—	09-138	CAWA-08-16021	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.127	6.27E-03	5.28E-02	—	pCi/L	—	J	185980	GF07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0856	6.60E-03	3.78E-02	—	pCi/L	—	J	180371	GF07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	—	0.119	5.67E-03	3.90E-02	—	pCi/L	—	—	09-138	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.148	7.33E-03	4.60E-02	—	pCi/L	—	—	09-138	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.16	7.17E-03	5.53E-02	—	pCi/L	—	J	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.105	6.87E-03	3.51E-02	—	pCi/L	—	J	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	—	3.98	—	—	2.10E+00	ug/L	J	J	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	9.71	—	—	1.94E+00	ug/L	U	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	RE	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	10.6	—	—	2.13E+00	ug/L	U	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	02/05/07	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	11.2	—	—	2.25E+00	ug/L	U	—	180371	GU07010162IR01	GELC
CdV-16-2(i)r	6431	850	05/17/06	WG	UF	CS	—	Svoa	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	10.4	—	—	2.08E+00	ug/L	U	—	163344	GU06050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Voa	SW-846:8260B	Tetrachloroethene	—	0.98	—	—	4.50E-01	ug/L	J	J	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	0.902	—	—	4.50E-01	ug/L	J	J	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	<	1	—	—	2.50E-01	ug/L	U	U	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	0.487	—	—	2.50E-01	ug/L	J	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Voa	SW-846:8260B	Toluene	—	8.71	—	—	2.50E-01	ug/L	—	—	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	4.81	—	—	2.50E-01	ug/L	—	—	09-137	CAWA-08-16022	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	1.24	—	—	2.50E-01	ug/L	—	—	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	1.57	—	—	2.50E-01	ug/L	—	—	185980	GU07050162IR01	GELC
CdV-16-2(i)r	6431	850	10/21/08	WG	UF	CS	FD	Voa	SW-846:8260B	Trichloroethene	—	0.271	—	—	2.50E-01	ug/L	J	J	09-137	CAWA-08-16026	GELC
CdV-16-2(i)r	6431	850	04/10/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	<	1	—	—	2.50E-01	ug/L	U	U	08-983	CAWA-08-11667	GELC
CdV-16-2(i)r	6431	850	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.293	—	—	2.50E-01	ug/L	J	—	185980	GU07050162IR01	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	3.17	—	—	7.30E-01	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.12	—	—	7.30E-01	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	5.23	—	—	7.25E-01	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.5	—	—	7.30E-01	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.6	—	—	7.30E-01	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.1	—	—	7.25E-01	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.9	—	—	7.25E-01	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.11	—	—	7.30E-01	mg/L	—	—	Sep-73	CAWA-08-16065	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.6	—	—	3.00E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10	—	—	3.00E-02	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.18	—	—	3.00E-02	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.60E-02	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.8	—	—	3.60E-02	mg/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.7	—	—	3.00E-02	mg/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.00E-02	mg/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.00E-02	mg/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.5	—	—	3.60E-02	mg/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.8	—	—	3.60E-02	mg/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.55	—	—	6.60E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	<	0.2	—	—	6.60E-02	mg/L	U	U	08-927	CAWA-08-11700	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.44	—	—	6.60E-02	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.146	—	—	3.30E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	<	0.1	—	—	3.30E-02	mg/L	U	U	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.195	—	—	3.30E-02	mg/L	—	J+	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.2	—	—	3.50E-01	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	37.8	—	—	4.30E-01	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	35.3	—	—	4.25E-01	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	39.4	—	—	4.40E-01	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.3	—	—	4.40E-01	mg/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41.4	—	—	3.50E-01	mg/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	38.6	—	—	4.30E-01	mg/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	38.4	—	—	4.25E-01	mg/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.3	—	—	4.40E-01	mg/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41.3	—	—	4.40E-01	mg/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.36	—	—	8.50E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.08	—	—	8.50E-02	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.02	—	—	8.50E-02	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.36	—	—	8.50E-02	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.49	—	—	8.50E-02	mg/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.58	—	—	8.50E-02	mg/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.16	—	—	8.50E-02	mg/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.24	—	—	8.50E-02	mg/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.39	—	—	8.50E-02	mg/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.49	—	—	8.50E-02	mg/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.286	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.274	—	—	5.00E-02	ug/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.248	—	—	5.00E-02	ug/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.44	—	—	5.00E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.41	—	—	5.00E-02	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.34	—	—	5.00E-02	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.55	—	—	5.00E-02	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.5	—	—	5.00E-02	mg/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.45	—	—	5.00E-02	mg/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.43	—	—	5.00E-02	mg/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.58	—	—	5.00E-02	mg/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.45	—	—	5.00E-02	mg/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.54	—	—	5.00E-02	mg/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59.7	—	—	3.20E-02	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	67.3	—	—	3.20E-02	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.62	—	—	4.50E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.84	—	—	4.50E-02	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.9	—	—	4.50E-02	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.5	—	—	4.50E-02	mg/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.91	—	—	4.50E-02	mg/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.73	—	—	4.50E-02	mg/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.6	—	—	4.50E-02	mg/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	121	—	—	1.00E+00	uS/cm	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	121	—	—	1.00E+00	uS/cm	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	112	—	—	1.00E+00	uS/cm	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	130	—	—	1.00E+00	uS/cm	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.11	—	—	1.00E+00	uS/cm	—	—	Sep-73	CAWA-08-16065	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.79	—	—	1.00E-01	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	<	0.4	—	—	1.00E-01	mg/L	U	U	08-927	CAWA-08-11700	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.71	—	—	1.00E-01	mg/L	—	J+	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	108	—	—	2.40E+00	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	94	—	—	2.40E+00	mg/L	—	J	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	116	—	—	2.38E+00	mg/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	126	—	—	2.38E+00	mg/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	EQB	Geninorg	EPA:160.1	Total Dissolved Solids	—	4	—	—	2.40E+00	mg/L	J	J	Sep-73	CAWA-08-16065	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.335	—	—	3.30E-01	mg/L	J	J	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.461	—	—	3.30E-01	mg/L	J	J	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.959	—	—	3.30E-01	mg/L	J	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.21	—	—	3.30E-01	mg/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.07	—	—	2.40E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.04	—	—	2.40E-02	mg/L	J	J	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	UJ	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.084	—	—	2.40E-02	mg/L	—	U	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.46	—	—	1.00E-02	SU	H	J-	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.47	—	—	1.00E-02	SU	H	J-	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.51	—	—	1.00E-02	SU	H	J	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.5	—	—	1.00E-02	SU	H	J	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.27	—	—	1.00E-02	SU	H	J-	Sep-73	CAWA-08-16065	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	22.9	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	20.6	—	—	1.00E+00	ug/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	19.1	—	—	1.00E+00	ug/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	23.5	—	—	1.00E+00	ug/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	24.7	—	—	1.00E+00	ug/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	22.8	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	22	—	—	1.00E+00	ug/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	23.8	—	—	1.00E+00	ug/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	24.9	—	—	1.00E+00	ug/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	24.6	—	—	1.00E+00	ug/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.50E+00	ug/L	J	J	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.4	—	—	2.50E+00	ug/L	J	J	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.00E+00	ug/L	J	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	1.00E+00	ug/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.5	—	—	1.00E+00	ug/L	J	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.1	—	—	2.50E+00	ug/L	J	J	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.9	—	—	1.00E+00	ug/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.7	—	—	1.00E+00	ug/L	J	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.2	—	—	1.00E+00	ug/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	UJ	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	24.1	—	—	1.80E+01	ug/L	J	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	50.1	—	—	2.50E+01	ug/L	J	J	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	UJ	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.47	—	—	1.00E-01	ug/L	J	J	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.43	—	—	1.00E-01	ug/L	J	U	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	0.59	—	—	1.00E-01	ug/L	—	U	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	180010	GU07010G153401	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.51	—	—	5.00E-01	ug/L	J	J	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.86	—	—	5.00E-01	ug/L	J	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.75	—	—	5.00E-01	ug/L	J	U	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1	—	—	5.00E-01	ug/L	J	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.62	—	—	5.00E-01	ug/L	J	J	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	ug/L	J	J	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	ug/L	J	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.4	—	—	5.00E-01	ug/L	—	U	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	ug/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	62.5	—	—	3.20E-02	mg/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	59.7	—	—	3.20E-02	mg/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.038	—	—	3.20E-02	mg/L	J	J	Sep-73	CAWA-08-16065	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	53.5	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	53.1	—	—	1.00E+00	ug/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	51.3	—	—	1.00E+00	ug/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	54.9	—	—	1.00E+00	ug/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	57.4	—	—	1.00E+00	ug/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	53.8	—	—	1.00E+00	ug/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	56.4	—	—	1.00E+00	ug/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	56.4	—	—	1.00E+00	ug/L	—	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	57.7	—	—	1.00E+00	ug/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.46	—	—	5.00E-02	ug/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.49	—	—	5.00E-02	ug/L	—	J+	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	ug/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	ug/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	ug/L	—	J+	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	ug/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.9	—	—	1.00E+00	ug/L	J	J	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.1	—	—	1.00E+00	ug/L	—	—	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.5	—	—	1.00E+00	ug/L	J	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.1	—	—	1.00E+00	ug/L	—	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.7	—	—	1.00E+00	ug/L	J	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.9	—	—	1.00E+00	ug/L	—	—	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.7	—	—	1.00E+00	ug/L	J	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.7	—	—	1.00E+00	ug/L	J	U	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.1	—	—	1.00E+00	ug/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2.9	—	—	2.00E+00	ug/L	J	U	08-927	CAWA-08-11700	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	ug/L	J	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	185924	GF07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2.3	—	—	2.00E+00	ug/L	J	UJ	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.6	—	—	2.00E+00	ug/L	J	J	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	3.5	—	—	2.00E+00	ug/L	J	U	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.5	—	—	2.00E+00	ug/L	J	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.6	—	—	2.00E+00	ug/L	J	—	185924	GU07050G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	4.2	—	—	2.00E+00	ug/L	J	UJ	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00597	1.87E-03	2.50E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0094	2.80E-03	3.56E-02	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00172	1.43E-03	2.11E-02	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0014	1.37E-03	2.40E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0114	2.71E-03	3.35E-02	—	pCi/L	U	U	196378	GU07100G153401	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00369	8.90E-04	2.07E-02	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.46	4.00E-01	3.70E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	6.13	7.20E-01	3.48E+00	—	pCi/L	UI	R	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.216	3.47E-01	3.27E+00	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.836	4.00E-01	3.70E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.956	4.37E-01	4.49E+00	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.316	5.73E-01	4.89E+00	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.541	3.67E-01	3.90E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.152	5.50E-01	5.26E+00	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.01	4.23E-01	4.28E+00	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.943	4.67E-01	4.90E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0529	4.03E-01	3.93E+00	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.43	5.20E-01	5.45E+00	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	3.62	1.33E+00	6.60E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	86.4	1.83E+01	2.39E+02	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	65.2	2.15E+01	2.96E+02	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	15.5	5.00E+00	2.40E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	90.9	1.93E+01	2.73E+02	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	79.5	2.69E+01	3.81E+02	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.57	3.33E+00	2.80E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-9.8	3.80E+00	3.30E+01	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	7.16	2.84E+00	2.73E+01	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.91	1.97E+00	1.80E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	6.52	3.47E+00	3.42E+01	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-6.39	2.66E+00	2.52E+01	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00231	1.73E-03	3.50E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0127	2.60E-03	2.54E-02	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00204	1.18E-03	2.24E-02	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00599	1.50E-03	3.00E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0116	2.29E-03	2.66E-02	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0127	1.98E-03	1.74E-02	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0162	2.57E-03	4.00E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00476	2.18E-03	3.00E-02	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00204	2.04E-03	1.49E-02	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.014	2.40E-03	3.40E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00166	1.66E-03	3.14E-02	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00475	1.40E-03	1.16E-02	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	29.5	5.00E+00	5.60E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-21.4	6.47E+00	6.68E+01	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	2.36	5.73E+00	2.83E+01	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	12.3	5.33E+00	5.70E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	17.8	6.10E+00	6.44E+01	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	11.1	8.50E+00	5.17E+01	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.456	7.33E-02	6.80E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0	5.33E-02	6.60E-01	—	pCi/L	U	U	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.785	6.43E-02	4.15E-01	—	pCi/L	—	J	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.319	5.33E-02	4.80E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.63	7.67E-02	6.10E-01	—	pCi/L	—	U	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.134	6.90E-02	7.15E-01	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-2.41	4.00E-01	2.90E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.77	4.93E-01	4.30E+00	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.691	3.13E-01	3.29E+00	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.541	4.67E-01	4.50E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.12	4.97E-01	5.25E+00	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.54	4.97E-01	4.39E+00	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0283	4.67E-02	4.90E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.114	4.50E-02	4.73E-01	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0429	4.67E-02	4.93E-01	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.233	3.00E-02	4.10E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.406	5.20E-02	4.90E-01	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0206	3.01E-02	3.09E-01	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-5.79	4.21E-01	3.40E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16068	ARSL
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2415	UU07100G153401	UMTL
CdV-R-15-3	1942	1254.4	05/08/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	—	pCi/L	—	U	2340	UU07050G153401	UMTL
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2305	UU07010G153401	UMTL
CdV-R-15-3	1942	1254.4	03/27/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.09579	9.58E-02	2.87E-01	—	pCi/L	—	U	2196	UU0603G153401	UMTL
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.351	1.03E-02	5.80E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.273	9.80E-03	4.92E-02	—	pCi/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.224	9.03E-03	4.03E-02	—	pCi/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.268	9.33E-03	6.30E-02	—	pCi/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.25	9.23E-03	4.79E-02	—	pCi/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.28	9.67E-03	4.25E-02	—	pCi/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0182	2.47E-03	3.00E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0162	2.56E-03	3.82E-02	—	pCi/L	U	U	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00705	2.08E-03	4.11E-02	—	pCi/L	U	U	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0289	2.93E-03	3.30E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0157	2.16E-03	3.71E-02	—	pCi/L	U	U	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0322	3.04E-03	4.34E-02	—	pCi/L	U	U	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.175	6.67E-03	3.20E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16066	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.153	7.00E-03	4.31E-02	—	pCi/L	—	—	196378	GF07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.167	6.87E-03	2.85E-02	—	pCi/L	—	—	180010	GF07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.178	7.00E-03	3.50E-02	—	pCi/L	—	—	Sep-73	CAWA-08-16068	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.199	7.90E-03	4.19E-02	—	pCi/L	—	—	196378	GU07100G153401	GELC
CdV-R-15-3	1942	1254.4	01/25/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.1	5.10E-03	3.01E-02	—	pCi/L	—	—	180010	GU07010G153401	GELC
CdV-R-15-3	1942	1254.4	10/09/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.33	—	—	3.00E-01	ug/L	J	J	Sep-74	CAWA-08-16067	GELC
CdV-R-15-3	1942	1254.4	04/03/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	08-927	CAWA-08-11699	GELC
CdV-R-15-3	1942	1254.4	10/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196378	GU07100G153401	GELC
CdV-R-15-3	2012	1350.1	05/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	149	—	—	1.00E+00	uS/cm	—	—	185924	GF07050G153501	GELC
CdV-R-15-3	2012	1350.1	01/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	141	—	—	1.00E+00	uS/cm	—	—	180110	GF07010G153501	GELC
CdV-R-15-3	2012	1350.1	05/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.32	—	—	1.00E-02	SU	H	J	185924	GF07050G153501	GELC
CdV-R-15-3	2012	1350.1	01/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.14	—	—	1.00E-02	SU	H	J	180110	GF07010G153501	GELC
CdV-R-15-3	2012	1350.1	10/14/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.604	7.67E-02	6.20E-01	—	pCi/L	U	U	Sep-89	CAWA-08-16095	GELC
CdV-R-15-3	2012	1350.1	04/03/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.049	6.33E-02	7.50E-01	—	pCi/L	U	U	08-937	CAWA-08-11706	GELC
CdV-R-15-3	2012	1350.1	10/14/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.512	6.33E-02	5.40E-01	—	pCi/L	U	U	Sep-89	CAWA-08-16095	GELC
CdV-R-15-3	2012	1350.1	04/03/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.321	6.00E-02	5.90E-01	—	pCi/L	U	U	08-937	CAWA-08-11706	GELC
CdV-R-15-3	2062	1640.1	04/04/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	120	—	—	1.00E+00	uS/cm	—	—	08-937	CAWA-08-11674	GELC
CdV-R-15-3	2062	1640.1	10/23/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	112	—	—	1.00E+00	uS/cm	—	—	196433	GF07100G153601	GELC
CdV-R-15-3	2062	1640.1	05/10/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	130	—	—	1.00E+00	uS/cm	—	—	185982	GF07050G153601	GELC
CdV-R-15-3	2062	1640.1	04/04/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.81	—	—	1.00E-02	SU	H	J-	08-937	CAWA-08-11674	GELC
CdV-R-15-3	2062	1640.1	10/23/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.92	—	—	1.00E-02	SU	H	J	196433	GF07100G153601	GELC
CdV-R-15-3	2062	1640.1	05/10/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.71	—	—	1.00E-02	SU	H	J	185982	GF07050G153601	GELC
CdV-R-15-3	2062	1640.1	10/10/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.696	8.67E-02	7.00E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16088	GELC
CdV-R-15-3	2062	1640.1	04/04/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.281	6.33E-02	6.20E-01	—	pCi/L	U	U	08-937	CAWA-08-11675	GELC
CdV-R-15-3	2062	1640.1	10/23/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.697	6.20E-02	4.18E-01	—	pCi/L	—	J	196433	GU07100G153601	GELC
CdV-R-15-3	2062	1640.1	10/10/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.34	5.00E-02	4.30E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16088	GELC
CdV-R-15-3	2062	1640.1	04/04/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.265	5.67E-02	5.50E-01	—	pCi/L	U	U	08-937	CAWA-08-11675	GELC
CdV-R-15-3	2062	1640.1	10/23/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.675	7.20E-02	5.76E-01	—	pCi/L	—	J	196433	GU07100G153601	GELC
CdV-R-15-3	2062	1640.1	10/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-6.37	4.30E-01	3.25E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16088	ARSL
CdV-R-15-3	2062	1640.1	05/10/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.06386	9.58E-02	2.87E-01	—	pCi/L	—	U	2340	UU07050G153601	UMTL
CdV-R-15-3	2062	1640.1	02/01/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	—	pCi/L	—	U	2307	UU07010G153601	UMTL
CdV-R-15-3	2062	1640.1	03/29/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2198	UU0603G153601	UMTL
CdV-R-15-3	2062	1640.1	01/20/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.38	9.58E-02	2.87E-01	—	pCi/L	—	U	2170	UU0601G153601	UMTL

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-15-3	2062	1640.1	10/10/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.389	—	—	3.00E-01	ug/L	J	J	Sep-79	CAWA-08-16085	GELC
CdV-R-15-3	2062	1640.1	04/04/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-937	CAWA-08-11675	GELC
CdV-R-15-3	2062	1640.1	10/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196433	GU07100G153601	GELC
CdV-R-37-2	2172	1200.3	10/10/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.37	7.00E-02	6.60E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16089	GELC
CdV-R-37-2	2172	1200.3	04/09/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.4	5.00E-02	4.10E-01	—	pCi/L	U	U	08-970	CAWA-08-11709	GELC
CdV-R-37-2	2172	1200.3	10/10/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.953	7.33E-02	4.30E-01	—	pCi/L	—	—	Sep-80	CAWA-08-16089	GELC
CdV-R-37-2	2172	1200.3	04/09/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.749	8.67E-02	6.90E-01	—	pCi/L	—	U	08-970	CAWA-08-11709	GELC
CdV-R-37-2	2172	1200.3	10/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-5.35	4.01E-01	3.31E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16089	ARSL
CdV-R-37-2	2172	1200.3	04/09/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.22351	9.58E-02	2.87E-01	—	pCi/L	U	U	08-998	CAWA-08-11709	UMTL
CdV-R-37-2	2172	1200.3	11/05/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.06386	9.58E-02	2.87E-01	—	pCi/L	—	U	2421	UU07100G37R201	UMTL
CdV-R-37-2	2172	1200.3	05/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.19158	9.58E-02	2.87E-01	—	pCi/L	—	U	2345	UU07050G37R201	UMTL
CdV-R-37-2	2172	1200.3	01/24/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.3193	9.58E-02	2.87E-01	—	pCi/L	—	U	2305	UU07010G37R201	UMTL
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.9	—	—	7.30E-01	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.5	—	—	7.30E-01	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.8	—	—	7.25E-01	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	91.2	—	—	7.25E-01	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.6	—	—	7.25E-01	mg/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	Sep-73	CAWA-08-16062	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.00E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.00E-02	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.00E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.58	—	—	3.60E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.60E-02	mg/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.3	—	—	3.00E-02	mg/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.3	—	—	3.00E-02	mg/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.7	—	—	3.00E-02	mg/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.74	—	—	3.60E-02	mg/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.60E-02	mg/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.59	—	—	6.60E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.7	—	—	6.60E-02	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.58	—	—	6.60E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.67	—	—	6.60E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.228	—	—	3.30E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.217	—	—	3.30E-02	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.253	—	—	3.30E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.229	—	—	3.30E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	38.4	—	—	3.50E-01	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	37.7	—	—	4.30E-01	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	37.2	—	—	4.25E-01	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	35.7	—	—	4.40E-01	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	38.7	—	—	4.40E-01	mg/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	38.6	—	—	3.50E-01	mg/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	38.4	—	—	4.30E-01	mg/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	35.7	—	—	4.25E-01	mg/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	36.4	—	—	4.40E-01	mg/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	38.8	—	—	4.40E-01	mg/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.16	—	—	8.50E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.02	—	—	8.50E-02	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.94	—	—	8.50E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.85	—	—	8.50E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.1	—	—	8.50E-02	mg/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.16	—	—	8.50E-02	mg/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.11	—	—	8.50E-02	mg/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.79	—	—	8.50E-02	mg/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.94	—	—	8.50E-02	mg/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.11	—	—	8.50E-02	mg/L	—	—	179923	GU07010G37R301	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.291	—	—	5.00E-02	ug/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.275	—	—	5.00E-02	ug/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.276	—	—	5.00E-02	ug/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.05	—	—	5.00E-02	ug/L	U	UJ	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.32	—	—	5.00E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.41	—	—	5.00E-02	mg/L	—	J	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.5	—	—	5.00E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.29	—	—	5.00E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.39	—	—	5.00E-02	mg/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.34	—	—	5.00E-02	mg/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.43	—	—	5.00E-02	mg/L	—	J	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.54	—	—	5.00E-02	mg/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.29	—	—	5.00E-02	mg/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.39	—	—	5.00E-02	mg/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	66.8	—	—	3.20E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	64.3	—	—	3.20E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.4	—	—	4.50E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.4	—	—	4.50E-02	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.5	—	—	4.50E-02	mg/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.4	—	—	4.50E-02	mg/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.5	—	—	4.50E-02	mg/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	995	—	—	4.50E-01	mg/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	118	—	—	1.00E+00	uS/cm	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	122	—	—	1.00E+00	uS/cm	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	119	—	—	1.00E+00	uS/cm	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	130	—	—	1.00E+00	uS/cm	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	120	—	—	1.00E+00	uS/cm	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	4.22	—	—	1.00E+00	uS/cm	—	—	Sep-73	CAWA-08-16062	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.61	—	—	1.00E-01	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.69	—	—	1.00E-01	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.46	—	—	1.00E-01	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.65	—	—	1.00E-01	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	121	—	—	2.40E+00	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	117	—	—	2.40E+00	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	183	—	—	2.38E+00	mg/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	137	—	—	2.38E+00	mg/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.381	—	—	3.30E-01	mg/L	J	J	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.599	—	—	3.30E-01	mg/L	J	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.452	—	—	3.30E-01	mg/L	J	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.72	—	—	1.00E-02	SU	H	J-	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.13	—	—	1.00E-02	SU	H	J-	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.09	—	—	1.00E-02	SU	H	J	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.1	—	—	1.00E-02	SU	H	J	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.25	—	—	1.00E-02	SU	H	J-	Sep-73	CAWA-08-16062	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	4	—	—	1.50E+00	ug/L	J	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	3.6	—	—	1.50E+00	ug/L	J	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	179923	GF07010G37R301	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.4	—	—	1.50E+00	ug/L	J	J	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	3	—	—	1.50E+00	ug/L	J	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	4.4	—	—	1.50E+00	ug/L	J	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	9.6	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	<	9.7	—	—	1.00E+00	ug/L	—	U	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	9.7	—	—	1.00E+00	ug/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	9.2	—	—	1.00E+00	ug/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	9.7	—	—	1.00E+00	ug/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	10.6	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	<	10.7	—	—	1.00E+00	ug/L	—	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	9.3	—	—	1.00E+00	ug/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	11.2	—	—	1.00E+00	ug/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	11.3	—	—	1.00E+00	ug/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	20.3	—	—	1.80E+01	ug/L	J	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	164	—	—	2.50E+01	ug/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	127	—	—	2.50E+01	ug/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	48.6	—	—	2.50E+01	ug/L	J	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	62.1	—	—	1.80E+01	ug/L	J	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	118	—	—	1.80E+01	ug/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.1	—	—	2.00E+00	ug/L	J	J	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.8	—	—	2.00E+00	ug/L	J	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7.5	—	—	2.00E+00	ug/L	J	J	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	8	—	—	2.00E+00	ug/L	J	J	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	ug/L	U	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.3	—	—	2.00E+00	ug/L	J	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.9	—	—	2.00E+00	ug/L	J	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	ug/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	ug/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.5	—	—	2.00E+00	ug/L	J	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	ug/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	ug/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.7	—	—	2.00E+00	ug/L	J	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.61	—	—	5.00E-01	ug/L	J	J	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.59	—	—	5.00E-01	ug/L	J	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.55	—	—	5.00E-01	ug/L	J	J	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	ug/L	J	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	64.1	—	—	3.20E-02	mg/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	63.8	—	—	3.20E-02	mg/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	55.5	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16063	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	54.5	—	—	1.00E+00	ug/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	56.3	—	—	1.00E+00	ug/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	54.4	—	—	1.00E+00	ug/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	57.3	—	—	1.00E+00	ug/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	56.7	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55.7	—	—	1.00E+00	ug/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55.8	—	—	1.00E+00	ug/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55.2	—	—	1.00E+00	ug/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	57.1	—	—	1.00E+00	ug/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.76	—	—	3.00E-01	ug/L	J	J	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	ug/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.43	—	—	5.00E-02	ug/L	—	U	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	ug/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	ug/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	ug/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	ug/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.44	—	—	5.00E-02	ug/L	—	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	ug/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.1	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.3	—	—	1.00E+00	ug/L	—	—	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.3	—	—	1.00E+00	ug/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.5	—	—	1.00E+00	ug/L	—	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.2	—	—	1.00E+00	ug/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.1	—	—	1.00E+00	ug/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.5	—	—	1.00E+00	ug/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	9.2	—	—	1.00E+00	ug/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8	—	—	1.00E+00	ug/L	—	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.7	—	—	1.00E+00	ug/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.3	—	—	2.00E+00	ug/L	J	J	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.8	—	—	2.00E+00	ug/L	J	J	08-976	CAWA-08-11697	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	4.1	—	—	2.00E+00	ug/L	J	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.9	—	—	2.00E+00	ug/L	J	—	186556	GF07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	8.2	—	—	2.00E+00	ug/L	J	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.4	—	—	2.00E+00	ug/L	J	J	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.9	—	—	2.00E+00	ug/L	J	J	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	3	—	—	2.00E+00	ug/L	J	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	7.9	—	—	2.00E+00	ug/L	J	—	186556	GU07050G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	7.3	—	—	2.00E+00	ug/L	J	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00331	1.40E-03	2.30E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00034	1.83E-03	3.58E-02	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00375	2.63E-03	2.06E-02	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0142	1.80E-03	2.20E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00715	1.03E-03	2.82E-02	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0109	1.42E-03	1.93E-02	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.736	5.33E-01	4.80E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	2.13	5.27E-01	5.46E+00	—	pCi/L	U	U	197062	GF07100G37R301	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.255	2.19E-01	2.15E+00	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.872	3.67E-01	3.90E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.319	3.60E-01	3.48E+00	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.1	5.03E-01	5.07E+00	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.48	5.00E-01	4.90E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.921	5.47E-01	5.50E+00	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0771	2.13E-01	2.06E+00	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.15	3.23E-01	3.20E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.35	3.80E-01	3.37E+00	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.931	4.90E-01	5.02E+00	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	12.5	5.33E+00	2.70E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	109	3.31E+01	3.78E+02	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	58.5	1.56E+01	1.72E+02	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	10.8	3.67E+00	1.10E+01	—	pCi/L	—	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	95.2	2.96E+01	2.30E+02	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	72.1	2.59E+01	2.56E+02	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.96	3.67E+00	3.50E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.21	2.24E+00	2.20E+01	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.18	1.99E+00	1.60E+01	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-14.7	3.33E+00	2.90E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	15.6	2.73E+00	2.79E+01	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.15	2.40E+00	2.25E+01	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	9.33E-04	3.00E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0136	4.70E-03	4.74E-02	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0282	6.13E-03	2.82E-02	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00195	2.33E-03	3.00E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00984	3.67E-03	4.29E-02	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	3.74E-09	4.33E-03	2.15E-02	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00199	1.77E-03	3.40E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00544	2.56E-03	4.46E-02	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0077	1.92E-03	1.88E-02	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00779	2.43E-03	3.30E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00246	1.83E-03	4.03E-02	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0196	2.79E-03	1.43E-02	—	pCi/L	—	J	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-16.7	6.33E+00	6.50E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-4.88	5.90E+00	5.93E+01	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-27.5	3.43E+00	2.66E+01	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	13.2	4.67E+00	5.10E+01	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	15.6	5.10E+00	5.01E+01	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	35.3	1.05E+01	4.07E+01	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.55	7.33E-02	6.30E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.385	4.00E-02	2.80E-01	—	pCi/L	—	—	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.669	8.17E-02	6.75E-01	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.237	4.67E-02	4.60E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	04/09/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.316	5.00E-02	4.40E-01	—	pCi/L	U	U	08-976	CAWA-08-11696	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	3.02	1.66E-01	5.67E-01	—	pCi/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.574	4.67E-01	4.30E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.479	5.57E-01	5.49E+00	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.292	2.14E-01	2.04E+00	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.62	4.00E-01	4.50E+00	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	2.51	2.92E-01	2.93E+00	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	2.05	3.53E-01	4.09E+00	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0195	3.10E-02	3.70E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.164	3.97E-02	4.99E-01	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.00868	3.57E-02	3.69E-01	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.144	4.00E-02	4.10E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.171	4.13E-02	4.17E-01	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.145	3.83E-02	3.83E-01	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-5.84	4.23E-01	3.39E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16064	ARSL
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	—	U	2421	UU07100G37R301	UMTL
CdV-R-37-2	2212	1359.3	05/21/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.19158	9.58E-02	2.87E-01	—	pCi/L	—	U	2347	UU07050G37R301	UMTL
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	—	U	2305	UU07010G37R301	UMTL
CdV-R-37-2	2212	1359.3	03/22/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01	—	pCi/L	—	U	2196	UU0603G37R301	UMTL
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.323	1.00E-02	6.10E-02	—	pCi/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.257	9.37E-03	5.78E-02	—	pCi/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.235	8.33E-03	3.56E-02	—	pCi/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.262	8.33E-03	5.70E-02	—	pCi/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.291	9.73E-03	4.99E-02	—	pCi/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.292	9.40E-03	3.67E-02	—	pCi/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0256	2.50E-03	3.20E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00744	2.48E-03	3.43E-02	—	pCi/L	U	U	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00207	1.20E-03	3.63E-02	—	pCi/L	U	U	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0141	2.03E-03	3.00E-02	—	pCi/L	U	U	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0107	2.38E-03	2.96E-02	—	pCi/L	U	U	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0171	2.28E-03	3.75E-02	—	pCi/L	U	U	179923	GU07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.169	6.67E-03	3.40E-02	—	pCi/L	—	—	Sep-73	CAWA-08-16063	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.153	7.17E-03	3.86E-02	—	pCi/L	—	—	197062	GF07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.129	5.80E-03	2.52E-02	—	pCi/L	—	—	179923	GF07010G37R301	GELC
CdV-R-37-2	2212	1359.3	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.124	5.33E-03	3.20E-02	—	pCi/L	—	—	Sep-73	CAWA-08-16064	GELC
CdV-R-37-2	2212	1359.3	11/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.194	7.27E-03	3.33E-02	—	pCi/L	—	—	197062	GU07100G37R301	GELC
CdV-R-37-2	2212	1359.3	01/25/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.14	6.03E-03	2.60E-02	—	pCi/L	—	—	179923	GU07010G37R301	GELC
CdV-R-37-2	2252	1550.6	10/09/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.376	7.33E-02	7.20E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16094	GELC
CdV-R-37-2	2252	1550.6	04/08/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.0678	4.67E-02	5.50E-01	—	pCi/L	U	U	08-962	CAWA-08-11712	GELC
CdV-R-37-2	2252	1550.6	10/09/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.449	6.33E-02	5.40E-01	—	pCi/L	U	U	Sep-73	CAWA-08-16094	GELC
CdV-R-37-2	2252	1550.6	04/08/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.35	7.33E-02	7.00E-01	—	pCi/L	U	U	08-962	CAWA-08-11712	GELC
CdV-R-37-2	2252	1550.6	10/09/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-5.93	4.14E-01	3.24E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16094	ARSL
CdV-R-37-2	2252	1550.6	04/08/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.06386	9.58E-02	2.87E-01	—	pCi/L	U	U	08-963	CAWA-08-11712	UMTL
CdV-R-37-2	2252	1550.6	11/05/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2421	UU07100G37R401	UMTL
CdV-R-37-2	2252	1550.6	05/22/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	—	U	2347	UU07050G37R401	UMTL
CdV-R-37-2	2252	1550.6	01/30/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	1.56	9.58E-02	2.87E-01	—	pCi/L	—	—	2307	UU07010G37R401	UMTL
CdV-R-37-2	2252	1550.6	01/30/07	WG	UF	RE	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2307	UU07010G37R401	UMTL
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	66.6	—	—	7.30E-01	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.9	—	—	7.30E-01	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	115	—	—	7.25E-01	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.9	—	—	7.25E-01	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.055	—	—	3.00E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.05	—	—	3.00E-02	mg/L	U	U	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.128	—	—	3.00E-02	mg/L	—	JN-	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.03	—	—	3.00E-02	mg/L	U	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.6	—	—	3.00E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12	—	—	3.00E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	27.9	—	—	3.00E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15	—	—	3.60E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.8	—	—	3.60E-02	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.8	—	—	3.00E-02	mg/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.7	—	—	3.00E-02	mg/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	29.3	—	—	3.00E-02	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.9	—	—	3.60E-02	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.4	—	—	3.60E-02	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.72	—	—	6.60E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.06	—	—	6.60E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.41	—	—	6.60E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.79	—	—	6.60E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.182	—	—	3.30E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.199	—	—	3.30E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.306	—	—	3.30E-02	mg/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.229	—	—	3.30E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.7	—	—	3.50E-01	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.5	—	—	4.30E-01	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	96.5	—	—	4.25E-01	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	51.6	—	—	4.40E-01	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	62.9	—	—	4.40E-01	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	55.5	—	—	3.50E-01	mg/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	44.6	—	—	4.30E-01	mg/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	102	—	—	4.25E-01	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	51.4	—	—	4.40E-01	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	61.5	—	—	4.40E-01	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.84	—	—	8.50E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.78	—	—	8.50E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.55	—	—	8.50E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.42	—	—	8.50E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.91	—	—	8.50E-02	mg/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.15	—	—	8.50E-02	mg/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.94	—	—	8.50E-02	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.78	—	—	8.50E-02	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.43	—	—	5.00E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.65	—	—	5.00E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.83	—	—	5.00E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.03	—	—	5.00E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.57	—	—	5.00E-02	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.6	—	—	5.00E-02	mg/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.09	—	—	5.00E-02	mg/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.89	—	—	5.00E-02	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.11	—	—	5.00E-02	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.57	—	—	5.00E-02	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	36.2	—	—	3.20E-02	mg/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	35.1	—	—	3.20E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.1	—	—	4.50E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.4	—	—	4.50E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.3	—	—	4.50E-02	mg/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.3	—	—	4.50E-02	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.7	—	—	4.50E-02	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	162	—	—	1.00E+00	uS/cm	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	uS/cm	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	228	—	—	1.00E+00	uS/cm	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	164	—	—	1.00E+00	uS/cm	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.38	—	—	1.00E-01	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.49	—	—	1.00E-01	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.28	—	—	1.00E-01	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.39	—	—	1.00E-01	mg/L	—	—	186075	GF07050MSC9501	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	144	—	—	2.40E+00	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	122	—	—	2.40E+00	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	198	—	—	2.38E+00	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	152	—	—	2.38E+00	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.876	—	—	2.90E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.358	—	—	2.90E-02	mg/L	—	U	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.456	—	—	1.00E-02	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.623	—	—	2.90E-02	mg/L	—	J+	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.419	—	—	2.90E-02	mg/L	—	J+	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.877	—	—	2.90E-02	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.421	—	—	2.90E-02	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.548	—	—	1.00E-02	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	18.5	—	—	3.30E-01	mg/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	13.5	—	—	3.30E-01	mg/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	25	—	—	6.60E-01	mg/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	19.8	—	—	3.30E-01	mg/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	14.3	—	—	6.60E-01	mg/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.195	—	—	2.40E-02	mg/L	—	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.162	—	—	2.40E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.39	—	—	2.40E-02	mg/L	—	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.253	—	—	2.40E-02	mg/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.109	—	—	1.00E-02	mg/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.5	—	—	1.00E-02	SU	H	J-	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.74	—	—	1.00E-02	SU	H	J-	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.58	—	—	1.00E-02	SU	H	J	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.52	—	—	1.00E-02	SU	H	J	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.8	—	—	1.00E-01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.26	—	—	1.00E-01	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.82	—	—	1.04E-01	ug/L	—	J, J-	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.957	—	—	1.04E-01	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.421	—	—	1.30E-01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.352	—	—	1.30E-01	ug/L	—	J	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	UJ	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	579	—	—	6.80E+01	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1750	—	—	6.80E+01	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	381	—	—	6.80E+01	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	687	—	—	6.80E+01	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1080	—	—	6.80E+01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	3520	—	—	6.80E+01	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	223	—	—	6.80E+01	ug/L	—	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	872	—	—	6.80E+01	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1060	—	—	6.80E+01	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	ug/L	J	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	2.6	—	—	1.50E+00	ug/L	J	U	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	4.3	—	—	1.50E+00	ug/L	J	U	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	UJ	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.5	—	—	1.50E+00	ug/L	J	J	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	3.9	—	—	1.50E+00	ug/L	J	U	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	3.9	—	—	1.50E+00	ug/L	J	U	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	UJ	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	188	—	—	1.00E+00	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	131	—	—	1.00E+00	ug/L	—	J	08-970	CAWA-08-11594	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	218	—	—	1.00E+00	ug/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	141	—	—	1.00E+00	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	133	—	—	1.00E+00	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	195	—	—	1.00E+00	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	156	—	—	1.00E+00	ug/L	—	J	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	237	—	—	1.00E+00	ug/L	—	J+	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	146	—	—	1.00E+00	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	137	—	—	1.00E+00	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	247	—	—	1.00E+01	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	185	—	—	1.00E+01	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	192	—	—	1.00E+01	ug/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	211	—	—	1.00E+01	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	161	—	—	1.00E+01	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	246	—	—	1.00E+01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	191	—	—	1.00E+01	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	198	—	—	1.00E+01	ug/L	—	J+	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	212	—	—	1.00E+01	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	155	—	—	1.00E+01	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.50E+00	ug/L	J	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	ug/L	U	U	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.3	—	—	1.00E+00	ug/L	J	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	2.2	—	—	1.00E+00	ug/L	J	U	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.5	—	—	1.00E+00	ug/L	J	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.50E+00	ug/L	J	J	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	ug/L	U	U	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.9	—	—	1.00E+00	ug/L	J	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	2.4	—	—	1.00E+00	ug/L	J	U	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.3	—	—	1.00E+00	ug/L	J	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2.8	—	—	1.00E+00	ug/L	J	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	ug/L	U	U	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	10	—	—	1.00E+00	ug/L	—	U	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2	—	—	1.00E+00	ug/L	J	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	ug/L	U	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	2.3	—	—	1.00E+00	ug/L	J	J	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	ug/L	U	U	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5.1	—	—	1.00E+00	ug/L	—	U	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	1.2	—	—	1.00E+00	ug/L	J	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	ug/L	U	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	1640	—	—	2.50E+01	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	1090	—	—	2.50E+01	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	3380	—	—	2.50E+01	ug/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	561	—	—	1.80E+01	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	434	—	—	1.80E+01	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	2060	—	—	2.50E+01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	2340	—	—	2.50E+01	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	3980	—	—	2.50E+01	ug/L	—	J+	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	935	—	—	1.80E+01	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	693	—	—	1.80E+01	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.74	—	—	5.00E-01	ug/L	J	J	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.57	—	—	5.00E-01	ug/L	J	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.76	—	—	5.00E-01	ug/L	J	J	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	1.6	—	—	5.00E-01	ug/L	J	J	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	ug/L	U	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.94	—	—	5.00E-01	ug/L	J	—	186075	GU07050MSC9501	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.89	—	—	5.00E-01	ug/L	J	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	627	—	—	2.00E+00	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	108	—	—	2.00E+00	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	1160	—	—	2.00E+00	ug/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	273	—	—	2.00E+00	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	17.2	—	—	2.00E+00	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	618	—	—	2.00E+00	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	138	—	—	2.00E+00	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1140	—	—	2.00E+00	ug/L	—	J+	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	284	—	—	2.00E+00	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	21.2	—	—	2.00E+00	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.7	—	—	1.00E-01	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.2	—	—	1.00E-01	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	4.5	—	—	2.00E+00	ug/L	J	JN-	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	6.5	—	—	2.00E+00	ug/L	J	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.7	—	—	1.00E-01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2.4	—	—	1.00E-01	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	7.3	—	—	2.00E+00	ug/L	J	JN-	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	5.1	—	—	2.00E+00	ug/L	J	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	ug/L	J	J	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.4	—	—	5.00E-01	ug/L	*	J	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4	—	—	5.00E-01	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.9	—	—	5.00E-01	ug/L	*	J	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	ug/L	J	J	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6	—	—	5.00E-01	ug/L	*	J	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.1	—	—	5.00E-01	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3	—	—	5.00E-01	ug/L	*	J	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	37.6	—	—	3.20E-02	mg/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	32.2	—	—	3.20E-02	mg/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	97.5	—	—	1.00E+00	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	69.9	—	—	1.00E+00	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	166	—	—	1.00E+00	ug/L	—	J+	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	90.3	—	—	1.00E+00	ug/L	—	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	111	—	—	1.00E+00	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	99.7	—	—	1.00E+00	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	74.6	—	—	1.00E+00	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	175	—	—	1.00E+00	ug/L	—	J+	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	89.4	—	—	1.00E+00	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.51	—	—	3.00E-01	ug/L	J	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.49	—	—	4.00E-01	ug/L	J	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.32	—	—	3.00E-01	ug/L	J	J	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.18	—	—	5.00E-02	ug/L	J	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.3	—	—	5.00E-02	ug/L	—	U	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.21	—	—	5.00E-02	ug/L	*	J	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.34	—	—	5.00E-02	ug/L	—	U	186075	GF07050MSC9501	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.33	—	—	5.00E-02	ug/L	—	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.23	—	—	5.00E-02	ug/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	J	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.2	—	—	5.00E-02	ug/L	*	J	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.4	—	—	5.00E-02	ug/L	—	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	ug/L	—	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.7	—	—	1.00E+00	ug/L	J	J	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.1	—	—	1.00E+00	ug/L	J	J	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3.4	—	—	1.00E+00	ug/L	J	U	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.2	—	—	1.00E+00	ug/L	J	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	ug/L	J	—	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.1	—	—	1.00E+00	ug/L	J	J	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	5.7	—	—	1.00E+00	ug/L	—	U	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	ug/L	J	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.2	—	—	1.00E+00	ug/L	J	—	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	10.3	—	—	2.00E+00	ug/L	—	—	09-107	CAWA-08-16013	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	11.2	—	—	2.00E+00	ug/L	—	—	08-970	CAWA-08-11594	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.9	—	—	2.00E+00	ug/L	J	—	196534	GF07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	6.5	—	—	2.00E+00	ug/L	J	—	186075	GF07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	8.4	—	—	2.00E+00	ug/L	J	U	179773	GF07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	9	—	—	2.00E+00	ug/L	J	J	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	13	—	—	2.00E+00	ug/L	—	—	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.3	—	—	2.00E+00	ug/L	J	—	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	7.5	—	—	2.00E+00	ug/L	J	—	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	01/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	16.8	—	—	2.00E+00	ug/L	—	U	179773	GU07010MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.73	7.00E-02	4.50E-01	—	pCi/L	—	—	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.245	4.33E-02	4.00E-01	—	pCi/L	U	U	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.716	5.73E-02	3.43E-01	—	pCi/L	—	J	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.432	6.33E-02	5.50E-01	—	pCi/L	U	U	09-107	CAWA-08-16014	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.289	5.33E-02	4.80E-01	—	pCi/L	U	U	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.875	7.07E-02	4.86E-01	—	pCi/L	—	J	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	1.82	—	—	1.50E+00	ug/L	J	J	09-107	CAWA-08-16012	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	UJ	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	UJ	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	10.1	—	—	1.25E+00	ug/L	—	J-	186075	GU07050MSC9501	GELC
MSC-16-06295	5971	1.5	10/16/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.41	—	—	3.00E-01	ug/L	J	J	09-107	CAWA-08-16012	GELC
MSC-16-06295	5971	1.5	04/09/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	08-970	CAWA-08-11593	GELC
MSC-16-06295	5971	1.5	10/25/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	196534	GU07100MSC9501	GELC
MSC-16-06295	5971	1.5	05/11/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	186075	GU07050MSC9501	GELC
Martin Spring	—	—	04/02/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	244	—	—	1.00E+00	uS/cm	—	—	08-909	CAWA-08-11575	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	287	—	—	1.00E+00	uS/cm	—	—	196215	GF071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	377	—	—	1.00E+00	uS/cm	—	—	185932	GF070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	354	—	—	1.00E+00	uS/cm	—	—	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.2	—	—	2.90E-02	mg/L	—	—	196215	GF071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	185932	GF070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.235	—	—	1.00E-02	mg/L	—	—	180010	GF070100GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	RE	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.156	—	—	1.00E-02	mg/L	H	U	182743	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.424	—	—	2.90E-02	mg/L	—	J+	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.297	—	—	2.90E-02	mg/L	—	—	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.648	—	—	2.90E-02	mg/L	—	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.07	—	—	2.90E-02	mg/L	J	JN-	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.093	—	—	1.00E-02	mg/L	J	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	RE	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.11	—	—	1.00E-02	mg/L	H	U	182743	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.04	—	—	3.30E-01	mg/L	—	—	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.09	—	—	3.30E-01	mg/L	—	J-	08-909	CAWA-08-11576	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.39	—	—	3.30E-01	mg/L	—	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.99	—	—	3.30E-01	mg/L	—	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.26	—	—	3.30E-01	mg/L	—	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	04/02/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.48	—	—	1.00E-02	SU	H	J-	08-909	CAWA-08-11575	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.34	—	—	1.00E-02	SU	H	J	196215	GF071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J	185932	GF070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.93	—	—	1.00E-02	SU	H	J	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	3,5-Dinitroaniline	—	0.808	—	—	6.10E-01	ug/L	J	J	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Hexp	SW-846:8321	3,5-Dinitroaniline	—	0.782	—	—	6.10E-01	ug/L	J	J	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	3,5-Dinitroaniline	<	1.3	—	—	6.10E-01	ug/L	U	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	3,5-Dinitroaniline	<	1.3	—	—	6.10E-01	ug/L	U	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8321	3,5-Dinitroaniline	<	1.3	—	—	6.10E-01	ug/L	U	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	2.03	—	—	1.30E-01	ug/L	—	—	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.13	—	—	1.30E-01	ug/L	—	—	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.67	—	—	1.30E-01	ug/L	—	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.9	—	—	1.30E-01	ug/L	—	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.53	—	—	1.30E-01	ug/L	—	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.73	—	—	1.20E-01	ug/L	—	—	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.05	—	—	1.20E-01	ug/L	—	—	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.47	—	—	1.17E-01	ug/L	—	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.66	—	—	1.17E-01	ug/L	—	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	1.24	—	—	1.17E-01	ug/L	—	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	DL	—	Hexp	SW-846:8321	HMX	—	16.8	—	—	1.00E+00	ug/L	—	J	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	DL	—	Hexp	SW-846:8321	HMX	—	13.3	—	—	1.30E+00	ug/L	—	J	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	19.8	—	—	1.30E+00	ug/L	—	J, J-	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	18.4	—	—	5.19E-01	ug/L	—	J+	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	21.1	—	—	2.60E+00	ug/L	—	J+	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	0.57	—	—	9.10E-02	ug/L	—	J	Sep-59	CAWA-08-15964	STSL
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	0.66	—	—	9.10E-02	ug/L	P	J	08-908	CAWA-08-11576	STSL
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	0.91	—	—	9.10E-02	ug/L	P	J	F7E110163	SU070500GSTM01	STSL
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8330	MNX	—	0.56	—	—	9.10E-02	ug/L	—	J	F7B020301	SU070100GSTM01	STSL
Martin Spring	—	—	01/18/05	WG	UF	CS	—	Hexp	SW-846:8330	MNX	<	0.5	—	—	1.70E-01	ug/L	U	U	2779S	RE16-05-57368	STSL
Martin Spring	—	—	10/08/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	114	—	—	1.30E+00	ug/L	—	—	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	89.1	—	—	1.60E+00	ug/L	—	J	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	117	—	—	1.62E+00	ug/L	—	J	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	137	—	—	2.60E+00	ug/L	—	J, J+	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	130	—	—	3.25E+00	ug/L	—	J+	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.277	—	—	1.00E-01	ug/L	J	J	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.00E-01	ug/L	U	U	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.04E-01	ug/L	U	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.138	—	—	1.04E-01	ug/L	J	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.133	—	—	1.04E-01	ug/L	J	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00135	1.43E-03	2.70E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00485	1.08E-03	3.62E-02	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.004	9.87E-04	1.89E-02	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.000745	1.23E-03	2.70E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00383	2.79E-03	3.59E-02	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00563	1.19E-03	1.98E-02	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	-2.82	8.33E-01	8.60E+00	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.211	4.67E-01	4.50E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.881	5.03E-01	5.12E+00	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.394	4.10E-01	3.54E+00	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.128	5.00E-01	4.80E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.29	4.37E-01	4.55E+00	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.42	3.97E-01	3.59E+00	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.235	1.50E-01	1.60E+00	—	pCi/L	U	U	379S	RE16-01-3336	GEL

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.448	5.00E-01	4.90E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.854	5.07E-01	4.74E+00	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.28	4.10E-01	3.93E+00	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.19	4.33E-01	4.90E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.18	5.73E-01	4.59E+00	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.846	3.97E-01	3.65E+00	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.293	1.60E-01	1.70E+00	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	11.1	6.67E+00	1.10E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	58.8	2.08E+01	2.12E+02	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	68.8	2.12E+01	2.92E+02	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	4.1	4.33E+00	1.30E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	124	2.23E+01	3.10E+02	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	78.5	2.75E+01	2.96E+02	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.657	2.93E+00	2.90E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-11	3.90E+00	3.39E+01	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.53	2.89E+00	2.62E+01	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.98	3.27E+00	3.40E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.98	4.40E+00	3.71E+01	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	4	5.07E+00	2.61E+01	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0054	1.33E-03	2.70E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0249	3.40E-03	3.61E-02	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0059	1.14E-03	2.16E-02	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00189	1.40E-03	2.90E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00561	4.77E-03	4.89E-02	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00976	2.16E-03	2.14E-02	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00361	2.10E-03	2.70E-02	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0018	1.03E-03	3.10E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00622	1.55E-03	3.40E-02	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00393	2.07E-03	1.44E-02	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00568	1.67E-03	3.30E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0196	2.48E-03	4.60E-02	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00586	1.13E-03	1.43E-02	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0144	3.67E-03	3.90E-02	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	4.01	6.00E+00	6.30E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-31.2	6.07E+00	6.04E+01	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	0.907	6.60E+00	3.89E+01	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	43.1	5.00E+00	6.30E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	6.71	6.03E+00	6.46E+01	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	43.2	3.77E+00	4.51E+01	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	5.75	3.67E+00	1.70E+01	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.14	2.93E-01	3.40E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.192	4.73E-01	4.64E+00	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.688	3.53E-01	3.26E+00	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.425	4.67E-01	4.30E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-3.13	5.07E-01	3.69E+00	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.04	3.93E-01	4.10E+00	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.112	1.53E-01	1.60E+00	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.115	3.30E-02	3.40E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0956	2.86E-02	3.46E-01	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.202	3.57E-02	3.50E-01	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.293	4.67E-02	4.30E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.338	4.93E-02	4.51E-01	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.117	3.40E-02	3.41E-01	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	12/12/01	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0989	2.13E-02	2.00E-01	—	pCi/L	U	U	379S	RE16-01-3336	GEL
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	52.8	2.70E+00	3.47E+00	—	pCi/L	—	U	Sep-85	CAWA-08-15964	ARSL
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	64.82	7.45E-01	2.87E-01	—	pCi/L	—	—	2415	UU071000GSTM01	UMTL

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	74.71	8.51E-01	2.87E-01	—	pCi/L	—	—	2340	UU070500GSTM01	UMTL
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	52.68	8.51E-01	2.87E-01	—	pCi/L	—	—	2305	UU070100GSTM01	UMTL
Martin Spring	—	—	01/30/07	WG	UF	RE	—	Rad	LLEE	Tritium	—	55.24	8.51E-01	2.87E-01	—	pCi/L	—	—	2305	UU070100GSTM01	UMTL
Martin Spring	—	—	07/28/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	81.74	8.51E-01	2.87E-01	—	pCi/L	—	—	2238	UU060700GSTM01	UMTL
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.647	1.63E-02	5.60E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.286	9.63E-03	4.30E-02	—	pCi/L	—	—	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.533	1.53E-02	4.51E-02	—	pCi/L	—	—	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.699	1.73E-02	5.70E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.344	1.11E-02	4.41E-02	—	pCi/L	—	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.556	1.69E-02	5.43E-02	—	pCi/L	—	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0394	3.17E-03	2.90E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00471	1.93E-03	3.34E-02	—	pCi/L	U	U	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0263	3.07E-03	4.60E-02	—	pCi/L	U	U	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0383	3.30E-03	3.00E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0169	2.15E-03	3.42E-02	—	pCi/L	U	U	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0222	4.37E-03	5.54E-02	—	pCi/L	U	U	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.408	1.13E-02	3.10E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15963	GELC
Martin Spring	—	—	10/19/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.204	7.63E-03	3.77E-02	—	pCi/L	—	—	196215	GF071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.348	1.15E-02	3.19E-02	—	pCi/L	—	—	180010	GF070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.492	1.33E-02	3.20E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15964	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.242	8.77E-03	3.86E-02	—	pCi/L	—	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.405	1.35E-02	3.85E-02	—	pCi/L	—	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.381	—	—	3.00E-01	ug/L	J	J	Sep-60	CAWA-08-15965	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	180010	GU070100GSTM01	GELC
Martin Spring	—	—	10/08/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.391	—	—	2.50E-01	ug/L	J	J	Sep-60	CAWA-08-15964	GELC
Martin Spring	—	—	04/02/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	<	1	—	—	2.50E-01	ug/L	U	U	08-909	CAWA-08-11576	GELC
Martin Spring	—	—	10/19/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.259	—	—	2.50E-01	ug/L	J	—	196215	GU071000GSTM01	GELC
Martin Spring	—	—	05/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	<	1	—	—	2.50E-01	ug/L	U	—	185932	GU070500GSTM01	GELC
Martin Spring	—	—	01/30/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.328	—	—	2.50E-01	ug/L	J	—	180010	GU070100GSTM01	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.2	—	—	7.30E-01	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.4	—	—	1.45E+00	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	49.3	—	—	1.45E+00	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.7	—	—	1.45E+00	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.8	—	—	1.45E+00	mg/L	—	—	103447	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	102	—	—	1.45E+00	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	102	—	—	1.45E+00	mg/L	—	—	65141	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.072	—	—	6.70E-02	mg/L	J	J	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.083	—	—	4.10E-02	mg/L	J	—	142482	GF0508G25R101	GELC
R-25	932	754.8	02/04/02	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.1	—	—	2.00E-02	mg/L	U	U	491S	GW25-02-0002	GEL
R-25	932	754.8	08/13/01	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	—	mg/L	U	U	9576R	GW25-01-0018	PARA
R-25	932	754.8	05/03/01	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	—	mg/L	U	U	8736R	GW25-01-0002	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.7	—	—	3.00E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.2	—	—	3.60E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.8	—	—	3.00E-02	mg/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.7	—	—	3.60E-02	mg/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.9	—	—	5.54E-03	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	5.54E-03	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	21.5	—	—	5.54E-03	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	SW-846:6010B	Calcium	—	21.6	—	—	5.54E-03	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	26.1	—	—	5.54E-03	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	12	—	—	6.60E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	13.5	—	—	5.30E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	16.6	—	—	3.22E-02	mg/L	—	J+	120735	GU0408G25R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	EPA:300.0	Chloride	—	16.6	—	—	3.22E-02	mg/L	—	—	120020	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	12.1	—	—	3.22E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:300.0	Chloride	—	12.1	—	—	3.22E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	12.2	—	—	3.22E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:300.0	Chloride	—	12.2	—	—	3.22E-02	mg/L	—	—	65141	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.145	—	—	3.30E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.118	—	—	3.00E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.132	—	—	5.53E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	EPA:300.0	Fluoride	—	0.166	—	—	5.53E-02	mg/L	—	—	120020	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.087	—	—	5.53E-02	mg/L	J	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:300.0	Fluoride	—	0.088	—	—	5.53E-02	mg/L	J	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.148	—	—	5.53E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:300.0	Fluoride	—	0.155	—	—	5.53E-02	mg/L	—	—	65141	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	65.9	—	—	3.50E-01	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	70.6	—	—	8.50E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	66.3	—	—	3.50E-01	mg/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	68.5	—	—	8.50E-02	mg/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:200.7	Hardness	—	66	—	—	5.54E-03	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:200.7	Hardness	—	76.9	—	—	5.54E-03	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:200.7	Hardness	—	89.4	—	—	5.54E-03	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.91	—	—	8.50E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.08	—	—	8.50E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.94	—	—	8.50E-02	mg/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.91	—	—	8.50E-02	mg/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.16	—	—	5.18E-03	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Magnesium	—	5.02	—	—	5.18E-03	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.62	—	—	5.18E-03	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	SW-846:6010B	Magnesium	—	5.64	—	—	5.18E-03	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.9	—	—	5.18E-03	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.09	—	—	5.00E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	1.04	—	—	1.70E-02	mg/L	—	J	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	1.06	—	—	3.00E-03	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	1.15	—	—	1.00E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	1.13	—	—	1.00E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	1.07	—	—	1.00E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	1.1	—	—	1.00E-02	mg/L	—	—	65141	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.566	—	—	5.00E-02	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.577	—	—	5.00E-02	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.645	—	—	5.00E-02	ug/L	—	J	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	1.45	—	—	1.45E+00	ug/L	U	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:314.0	Perchlorate	<	1.45	—	—	1.45E+00	ug/L	U	—	65139	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.34	—	—	5.00E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.33	—	—	5.00E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.31	—	—	5.00E-02	mg/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.23	—	—	5.00E-02	mg/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.12	—	—	1.65E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Potassium	—	1.1	—	—	1.65E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.25	—	—	1.65E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	SW-846:6010B	Potassium	—	1.25	—	—	1.65E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.3	—	—	1.65E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	35.1	—	—	3.20E-02	mg/L	N*	J-, J	142482	GF0508G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	38.4	—	—	3.20E-02	mg/L	N*	J-, J	142482	GU0508G25R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	45.7	—	—	2.12E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	44.6	—	—	2.12E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	46.8	—	—	2.12E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	47	—	—	2.12E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	47.9	—	—	2.12E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.9	—	—	4.50E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.77	—	—	4.50E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.99	—	—	4.50E-02	mg/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.59	—	—	4.50E-02	mg/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.85	—	—	1.44E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Sodium	—	8.73	—	—	1.44E-02	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	1.44E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	1.44E-02	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.8	—	—	1.44E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	192	—	—	1.00E+00	uS/cm	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	190	—	—	1.00E+00	uS/cm	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	SW-846:9050A	Specific Conductance	—	166	—	—	1.00E+00	uS/cm	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.87	—	—	1.00E-01	mg/L	—	J	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.48	—	—	5.70E-02	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.7	—	—	1.93E-01	mg/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Geninorg	EPA:300.0	Sulfate	—	10.6	—	—	1.93E-01	mg/L	—	—	120020	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.32	—	—	1.93E-01	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:300.0	Sulfate	—	8.35	—	—	1.93E-01	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.51	—	—	1.93E-01	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:300.0	Sulfate	—	9.54	—	—	1.93E-01	mg/L	—	—	65141	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	141	—	—	2.40E+00	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	153	—	—	2.38E+00	mg/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	140	—	—	3.07E+00	mg/L	H	J	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	F	DUP	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	144	—	—	3.07E+00	mg/L	H	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	83	—	—	3.07E+00	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	F	DUP	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	85	—	—	3.07E+00	mg/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	182	—	—	3.07E+00	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.57	—	—	3.30E-01	mg/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.943	—	—	2.50E-02	mg/L	—	J-	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.08	—	—	2.50E-02	mg/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:415.1	Total Organic Carbon	—	1.11	—	—	2.50E-02	mg/L	—	—	65558	GU0207G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.41	—	—	4.10E-02	mg/L	—	—	488S	GW25-02-0001	GEL
R-25	932	754.8	08/13/01	WG	UF	CS	—	Geninorg	EPA:415.1	Total Organic Carbon	<	1	—	—	—	mg/L	U	U	9575R	GW25-01-0017	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.08	—	—	2.40E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.041	—	—	1.00E-02	mg/L	J	U	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	1.10E-02	mg/L	J	U	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.011	—	—	1.10E-02	mg/L	U	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.03	—	—	1.10E-02	mg/L	J	—	103447	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.09	—	—	1.10E-02	mg/L	—	U	65016	GU0207G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	DUP	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.08	—	—	1.10E-02	mg/L	—	—	65141	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.2	—	—	1.00E-02	SU	H	J-	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.33	—	—	1.00E-02	SU	H	J	142482	GF0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	6.62	—	—	—	SU	H	J	120735	GU0408G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	3.23	—	—	1.30E-01	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	3.46	—	—	1.30E-01	ug/L	—	J, J+	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	3.82	—	—	1.30E-01	ug/L	—	—	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	<	0.325	—	—	1.30E-01	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	4.33	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	2.58	—	—	1.20E-01	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	2.95	—	—	1.17E-01	ug/L	—	J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	3.14	—	—	1.17E-01	ug/L	—	—	185924	GU07050G25R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	<	0.325	—	—	1.17E-01	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	3.99	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	Dinitrotoluene[2,4-]	—	0.617	—	—	1.30E-01	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	Dinitrotoluene[2,4-]	—	0.837	—	—	1.30E-01	ug/L	—	J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Dinitrotoluene[2,4-]	—	1.15	—	—	1.30E-01	ug/L	—	—	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Dinitrotoluene[2,4-]	<	0.325	—	—	1.30E-01	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	Dinitrotoluene[2,4-]	—	0.527	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.289	—	—	1.00E-01	ug/L	J	J	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	HMX	—	10.8	—	—	1.00E-01	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	10.2	—	—	1.04E-01	ug/L	—	J+, J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	9.56	—	—	1.04E-01	ug/L	—	—	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.249	—	—	1.04E-01	ug/L	J	J, J+	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	11.9	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	Nitrotoluene[2-]	—	0.257	—	—	1.40E-01	ug/L	J	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	Nitrotoluene[2-]	—	0.278	—	—	1.43E-01	ug/L	J	J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Nitrotoluene[2-]	—	0.217	—	—	1.43E-01	ug/L	J	—	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Nitrotoluene[2-]	<	0.325	—	—	1.43E-01	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	Nitrotoluene[2-]	<	0.325	—	—	—	ug/L	U	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	1.59	—	—	1.30E-01	ug/L	—	J	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/22/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	41.7	—	—	6.50E-01	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	47.2	—	—	6.49E-01	ug/L	—	J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	56.7	—	—	6.49E-01	ug/L	—	J, J+	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	<	0.325	—	—	1.30E-01	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	52.2	—	—	—	ug/L	H	J	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	1.13	—	—	1.00E-01	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.859	—	—	1.04E-01	ug/L	—	J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.877	—	—	1.04E-01	ug/L	—	—	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.04E-01	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	1.01	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.0991	—	—	7.80E-02	ug/L	J	J	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/22/08	WG	UF	RE	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	7.75	—	—	7.80E-02	ug/L	—	J-	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/18/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	8.22	—	—	7.79E-02	ug/L	—	J+, J	196149	GU07100G25R101	GELC
R-25	932	754.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	8.68	—	—	7.79E-02	ug/L	—	—	185924	GU07050G25R101	GELC
R-25	932	754.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	<	0.325	—	—	7.79E-02	ug/L	U	UJ	180486	GU07010G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	9.36	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	6	—	—	1.00E+00	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	7.8	—	—	1.00E+00	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	6.6	—	—	1.00E+00	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	8.4	—	—	1.00E+00	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	10	—	—	2.22E-01	ug/L	—	J-	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Barium	—	9.2	—	—	2.22E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	9.74	—	—	2.22E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Barium	—	9.63	—	—	2.22E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	9.6	—	—	2.22E-01	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	95.5	—	—	1.00E+01	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	163	—	—	1.00E+01	ug/L	—	J+	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	98.2	—	—	1.00E+01	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	164	—	—	1.00E+01	ug/L	—	J+	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	196	—	—	4.88E+00	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Boron	—	190	—	—	4.88E+00	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	191	—	—	4.88E+00	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Boron	—	195	—	—	4.88E+00	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	219	—	—	4.88E+00	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.7	—	—	1.50E+00	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Chromium	—	6.2	—	—	1.00E+00	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	97.3	—	—	1.50E+00	ug/L	—	—	09-169	CAWA-08-16016	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	—	153	—	—	1.00E+00	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	—	44.8	—	—	5.03E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Chromium	—	42	—	—	5.03E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	—	23	—	—	5.03E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Chromium	—	23.8	—	—	5.03E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	—	30.7	—	—	5.03E-01	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	4.3	—	—	1.00E+00	ug/L	J	J	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	11.1	—	—	1.00E+00	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	6.7	—	—	1.00E+00	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	12.7	—	—	1.00E+00	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	18.4	—	—	5.41E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Cobalt	—	18.5	—	—	5.41E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	10.1	—	—	5.41E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Cobalt	—	10.6	—	—	5.41E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	7.81	—	—	5.41E-01	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	26.7	—	—	2.50E+01	ug/L	J	J	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	192	—	—	1.80E+01	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1490	—	—	2.50E+01	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	3770	—	—	1.80E+01	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	4410	—	—	1.26E+01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Iron	—	4230	—	—	1.26E+01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1080	—	—	1.26E+01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Iron	—	1090	—	—	1.26E+01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1100	—	—	1.26E+01	ug/L	*	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	61.8	—	—	2.00E+00	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	183	—	—	2.00E+00	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	88.8	—	—	2.00E+00	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	198	—	—	2.00E+00	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	409	—	—	2.96E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Manganese	—	394	—	—	2.96E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	237	—	—	2.96E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Manganese	—	239	—	—	2.96E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	188	—	—	2.96E-01	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	338	—	—	5.00E-01	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	723	—	—	5.00E-01	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	442	—	—	5.00E-01	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	742	—	—	5.00E-01	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Nickel	—	1720	—	—	6.90E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Nickel	—	1670	—	—	6.90E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Nickel	—	1060	—	—	6.90E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Nickel	—	1060	—	—	6.90E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Nickel	—	812	—	—	6.90E-01	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	48.6	—	—	3.20E-02	mg/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	101	—	—	1.00E+00	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	105	—	—	1.00E+00	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	90.9	—	—	1.78E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Strontium	—	87.9	—	—	1.78E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.78E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.78E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	112	—	—	1.78E-01	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.46	—	—	3.00E-01	ug/L	J	J	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	142482	GF0508G25R101	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.44	—	—	2.00E-02	ug/L	J	—	120735	GU0408G25R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6020	Thallium	—	0.153	—	—	2.00E-02	ug/L	J	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.435	—	—	2.00E-02	ug/L	B	U	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6020	Thallium	—	0.134	—	—	2.00E-02	ug/L	B	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.022	—	—	2.00E-02	ug/L	B	U	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.92	—	—	5.00E-02	ug/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.74	—	—	5.00E-02	ug/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.95	—	—	5.00E-02	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.71	—	—	5.00E-02	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	2.00E-02	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6020	Uranium	—	0.418	—	—	2.00E-02	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.672	—	—	2.00E-02	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6020	Uranium	—	0.699	—	—	2.00E-02	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Uranium	<	15.6	—	—	1.56E+01	ug/L	U	R	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.7	—	—	2.00E+00	ug/L	J	J	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	12.6	—	—	2.00E+00	ug/L	*	J, U	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.9	—	—	2.00E+00	ug/L	J	J	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	21.6	—	—	2.00E+00	ug/L	*	U, J	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	17.6	—	—	8.83E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	DUP	—	Metals	SW-846:6010B	Zinc	—	16.6	—	—	8.83E-01	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	9.48	—	—	8.83E-01	ug/L	—	U	103702	GU0312G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	DUP	—	Metals	SW-846:6010B	Zinc	—	8.83	—	—	8.83E-01	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	8.86	—	—	8.83E-01	ug/L	—	U	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00474	6.00E-03	4.50E-02	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.022	5.87E-03	5.40E-02	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Americium-241	—	71	2.33E+00	7.60E+00	—	pCi/L	TI	—	7999R	GWCV-00-0004	PARA
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.027	5.00E-03	2.40E-02	—	pCi/L	LT	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0295	5.33E-03	3.40E-02	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0221	3.33E-03	5.40E-02	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	Alpha-Spec	Americium-241	<	0.00817	2.55E-03	3.20E-02	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	1.11	—	9.90E+00	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Americium-241	<	-1	1.83E+00	9.20E+00	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.063	7.67E-03	4.10E-02	—	pCi/L	LT	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.0486	4.33E-01	4.20E+00	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.159	2.23E-01	2.34E+00	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Cesium-137	<	-1.1	5.17E-01	2.60E+00	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.07	4.33E-01	4.40E+00	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.17	3.60E-01	3.11E+00	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.464	3.47E-01	3.83E+00	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.689	—	1.90E+00	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Cesium-137	<	0	2.33E-01	1.20E+00	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.31	4.67E-01	3.50E+00	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.13	2.04E-01	2.46E+00	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Cobalt-60	<	0.6	5.50E-01	2.70E+00	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.41	4.00E-01	3.10E+00	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.22	3.53E-01	4.17E+00	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.917	2.78E-01	2.90E+00	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.255	—	1.60E+00	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Cobalt-60	<	-0.2	2.33E-01	1.20E+00	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	12.8	5.67E+00	2.10E+01	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	79	2.21E+01	2.48E+02	—	pCi/L	U	U, J-	142482	GF0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	13.3	8.33E+00	4.40E+01	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	77.6	2.85E+01	3.19E+02	—	pCi/L	U	U, J-	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	62.3	2.39E+01	3.37E+02	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	64.3	—	1.90E+02	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	08/13/01	WG	UF	CS	—	Rad	Gross Gamma	Gross gamma	—	174	4.50E+00	5.80E+01	—	pCi/L	—	—	9577R	GW25-01-0017	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.17	3.00E+00	3.10E+01	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.27	1.78E+00	1.86E+01	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Neptunium-237	<	-1	2.83E+00	1.50E+01	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	9.69	3.23E+00	3.40E+01	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	6.04	2.67E+00	2.77E+01	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.79	3.50E+00	2.56E+01	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Neptunium-237	<	0	2.17E+00	1.10E+01	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0051	1.27E-03	2.60E-02	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0166	3.20E-03	5.70E-02	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.039	6.83E-03	5.10E-02	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.17E-03	2.70E-02	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0026	2.29E-03	5.40E-02	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-238	<	0.018	4.93E-03	4.00E-02	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.02	4.67E-03	4.80E-02	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0034	8.00E-04	2.90E-02	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0083	4.60E-03	4.80E-02	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.01	4.67E-03	2.80E-02	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00526	1.77E-03	3.00E-02	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00519	3.24E-03	4.50E-02	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-239/240	<	0.0206	4.03E-03	4.10E-02	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.008	3.67E-03	2.20E-02	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	28.3	6.67E+00	7.90E+01	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	1.26	3.87E+00	2.10E+01	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Potassium-40	<	-52	1.35E+01	4.20E+01	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	43.8	6.67E+00	7.90E+01	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	11.7	3.87E+00	4.44E+01	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	22.7	6.17E+00	4.20E+01	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	12.8	—	1.50E+01	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Potassium-40	<	-53	1.05E+01	2.60E+01	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Radium-226	<	-30	2.50E+01	6.60E+01	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.266	4.33E-02	3.80E-01	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.0546	2.88E-02	3.28E-01	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	7.27	—	3.10E+00	—	pCi/L	—	U	495S	GW25-02-0001	GEL
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Radium-226	<	70	2.17E+01	3.80E+01	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.658	7.67E-02	6.40E-01	—	pCi/L	—	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	3.8	—	7.30E+00	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.58	4.33E-01	4.00E+00	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.2	2.22E-01	2.42E+00	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Gamma Spec	Sodium-22	<	-0.3	5.17E-01	2.50E+00	—	pCi/L	U	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.332	4.00E-01	3.60E+00	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.263	2.94E-01	3.24E+00	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.28	3.33E-01	3.67E+00	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.567	—	1.80E+00	—	pCi/L	U	U	495S	GW25-02-0001	GEL
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Gamma Spec	Sodium-22	<	0	2.33E-01	1.20E+00	—	pCi/L	U	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0426	4.33E-02	4.80E-01	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.148	3.63E-02	3.75E-01	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	11/14/00	WG	F	CS	—	Rad	Beta Counting	Strontium-90	<	0.7	2.83E-01	2.80E+00	—	pCi/L	—	U	7999R	GWCV-00-0004	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0252	4.33E-02	4.90E-01	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0922	2.48E-02	2.58E-01	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	GFPC	Strontium-90	<	0.183	2.89E-02	3.14E-01	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	11/14/00	WG	UF	CS	—	Rad	Beta Counting	Strontium-90	<	1.4	3.17E-01	3.10E+00	—	pCi/L	—	U	7999R	GWCV-00-0003	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.429	1.23E-02	6.00E-02	—	pCi/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.466	1.50E-02	9.70E-02	—	pCi/L	—	JN+	142482	GF0508G25R101	GELC
R-25	932	754.8	02/04/02	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.519	—	5.40E-02	—	pCi/L	—	—	495S	GW25-02-0002	GEL
R-25	932	754.8	08/13/01	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.83	3.50E-02	6.70E-02	—	pCi/L	—	—	9577R	GW25-01-0018	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.475	1.43E-02	6.90E-02	—	pCi/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.476	1.70E-02	1.25E-01	—	pCi/L	—	JN+	142482	GU0508G25R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-234	<	0.0521	3.93E-03	6.10E-02	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.751	—	5.70E-02	—	pCi/L	—	—	495S	GW25-02-0001	GEL
R-25	932	754.8	08/13/01	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	1.02	4.17E-02	6.90E-02	—	pCi/L	—	—	9577R	GW25-01-0017	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0297	3.67E-03	3.10E-02	—	pCi/L	U	U	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0353	4.73E-03	7.30E-02	—	pCi/L	U	U	142482	GF0508G25R101	GELC
R-25	932	754.8	02/04/02	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00509	—	3.10E-02	—	pCi/L	U	U	495S	GW25-02-0002	GEL
R-25	932	754.8	08/13/01	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.008	2.83E-03	5.80E-02	—	pCi/L	U	U	9577R	GW25-01-0018	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0169	2.93E-03	3.60E-02	—	pCi/L	U	U	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0862	7.13E-03	9.40E-02	—	pCi/L	U	U	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-235/236	<	0.00426	1.74E-03	4.00E-02	—	pCi/L	U	U	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.043	—	4.10E-02	—	pCi/L	—	U	495S	GW25-02-0001	GEL
R-25	932	754.8	08/13/01	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.112	1.30E-02	8.50E-02	—	pCi/L	—	U	9577R	GW25-01-0017	PARA
R-25	932	754.8	10/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.297	9.67E-03	3.30E-02	—	pCi/L	—	—	09-169	CAWA-08-16015	GELC
R-25	932	754.8	08/02/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.286	1.17E-02	6.90E-02	—	pCi/L	—	—	142482	GF0508G25R101	GELC
R-25	932	754.8	02/04/02	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.375	—	1.60E-02	—	pCi/L	—	—	495S	GW25-02-0002	GEL
R-25	932	754.8	08/13/01	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.53	2.67E-02	8.10E-02	—	pCi/L	—	—	9577R	GW25-01-0018	PARA
R-25	932	754.8	10/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.303	1.00E-02	3.80E-02	—	pCi/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.291	1.28E-02	8.90E-02	—	pCi/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-238	—	0.0501	3.53E-03	4.30E-02	—	pCi/L	—	J	120735	GU0408G25R101	GELC
R-25	932	754.8	02/04/02	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.413	—	3.30E-02	—	pCi/L	—	—	495S	GW25-02-0001	GEL
R-25	932	754.8	08/13/01	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.53	2.83E-02	8.90E-02	—	pCi/L	—	—	9577R	GW25-01-0017	PARA
R-25	932	754.8	08/02/05	WG	UF	CS	—	Svoa	SW-846:8270C	Dinitrotoluene[2,4-]	<	11.8	—	—	—	ug/L	U	—	142482	GU0508G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	0.541	—	—	2.50E-01	ug/L	J	J	09-169	CAWA-08-16016	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.62	—	—	4.50E-01	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.4	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.4	—	—	—	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.1	—	—	—	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.2	—	—	—	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	932	754.8	10/22/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.2	—	—	2.50E-01	ug/L	—	—	09-169	CAWA-08-16016	GELC
R-25	932	754.8	08/02/05	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.6	—	—	—	ug/L	—	—	142482	GU0508G25R101	GELC
R-25	932	754.8	09/01/04	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.7	—	—	—	ug/L	—	—	120735	GU0408G25R101	GELC
R-25	932	754.8	12/11/03	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.6	—	—	—	ug/L	—	—	103702	GU0312G25R101	GELC
R-25	932	754.8	08/07/02	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.7	—	—	—	ug/L	—	—	65016	GU0207G25R101	GELC
R-25	982	891.8	08/03/05	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	242	—	—	1.00E+00	uS/cm	—	—	142609	GF0508G25R201	GELC
R-25	982	891.8	08/03/05	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.57	—	—	1.00E-02	SU	H	J	142609	GF0508G25R201	GELC
R-25	982	891.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	2,4-Diamino-6-nitrotoluene	—	0.831	—	—	2.60E-01	ug/L	J	J	09-159	CAWA-08-16048	GELC
R-25	982	891.8	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	2,4-Diamino-6-nitrotoluene	—	0.917	—	—	2.60E-01	ug/L	J	—	196275	GU07100G25R201	GELC
R-25	982	891.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	2,4-Diamino-6-nitrotoluene	<	1.3	—	—	2.60E-01	ug/L	U	UJ	185924	GU07050G25R201	GELC
R-25	982	891.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	2,4-Diamino-6-nitrotoluene	—	0.355	—	—	2.60E-01	ug/L	J	J+, J	180486	GU07010G25R201	GELC
R-25	982	891.8	08/03/05	WG	UF	CS	—	Hexp	SW-846:8321	2,4-Diamino-6-nitrotoluene	<	1.3	—	—	—	ug/L	U	—	142609	GU0508G25R201	GELC
R-25	982	891.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.06	—	—	1.30E-01	ug/L	—	—	09-159	CAWA-08-16048	GELC
R-25	982	891.8	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	<	0.325	—	—	1.30E-01	ug/L	U	—	196275	GU07100G25R201	GELC
R-25	982	891.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	<	0.325	—	—	1.30E-01	ug/L	U	—	185924	GU07050G25R201	GELC
R-25	982	891.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	3.27	—	—	1.30E-01	ug/L	—	J	180486	GU07010G25R201	GELC
R-25	982	891.8	08/03/05	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	<	0.325	—	—	—	ug/L	UH	UJ	142609	GU0508G25R201	GELC
R-25	982	891.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.588	—	—	1.20E-01	ug/L	—	J	09-159	CAWA-08-16048	GELC
R-25	982	891.8	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	<	0.325	—	—	1.17E-01	ug/L	U	—	196275	GU07100G25R201	GELC
R-25	982	891.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	<	0.325	—	—	1.17E-01	ug/L	U	—	185924	GU07050G25R201	GELC
R-25	982	891.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	2.73	—	—	1.17E-01	ug/L	—	J	180486	GU07010G25R201	GELC
R-25	982	891.8	08/03/05	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	<	0.325	—	—	—	ug/L	UH	UJ	142609	GU0508G25R201	GELC
R-25	982	891.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	6.71	—	—	1.00E-01	ug/L	—	J	09-159	CAWA-08-16048	GELC
R-25	982	891.8	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.41	—	—	1.04E-01	ug/L	—	J-	196275	GU07100G25R201	GELC
R-25	982	891.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.04	—	—	1.04E-01	ug/L	—	J+	185924	GU07050G25R201	GELC
R-25	982	891.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	10.8	—	—	1.04E-01	ug/L	—	J+, J	180486	GU07010G25R201	GELC
R-25	982	891.8	08/03/05	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.501	—	—	—	ug/L	H	J	142609	GU0508G25R201	GELC
R-25	982	891.8	10/22/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	25.7	—	—	6.50E-01	ug/L	—	J	09-159	CAWA-08-16048	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	982	891.8	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	2.99	—	—	1.30E-01	ug/L	—	J	196275	GU07100G25R201	GELC
R-25	982	891.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	3.43	—	—	1.30E-01	ug/L	—	J+, J	185924	GU07050G25R201	GELC
R-25	982	891.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	38.4	—	—	1.30E+00	ug/L	—	J	180486	GU07010G25R201	GELC
R-25	982	891.8	08/03/05	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.809	—	—	—	ug/L	H	J	142609	GU0508G25R201	GELC
R-25	982	891.8	10/22/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.162	—	—	7.80E-02	ug/L	J	J	09-159	CAWA-08-16048	GELC
R-25	982	891.8	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	<	0.325	—	—	7.79E-02	ug/L	U	—	196275	GU07100G25R201	GELC
R-25	982	891.8	05/09/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	<	0.325	—	—	7.79E-02	ug/L	U	—	185924	GU07050G25R201	GELC
R-25	982	891.8	02/07/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	7.44	—	—	7.79E-02	ug/L	—	J	180486	GU07010G25R201	GELC
R-25	982	891.8	08/03/05	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	<	0.325	—	—	—	ug/L	UH	UJ	142609	GU0508G25R201	GELC
R-25	982	891.8	11/15/00	WG	F	CS	—	Rad	Gamma Spec	Radium-226	<	30	2.67E+01	6.20E+01	—	pCi/L	U	U	8016R	GWCV-00-0006	PARA
R-25	982	891.8	10/22/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.435	5.00E-02	4.10E-01	—	pCi/L	—	U	09-159	CAWA-08-16048	GELC
R-25	982	891.8	02/05/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	4.63	—	4.60E+00	—	pCi/L	—	U	503S	GW25-02-0003	GEL
R-25	982	891.8	11/15/00	WG	UF	CS	—	Rad	Gamma Spec	Radium-226	<	92	1.65E+01	5.40E+01	—	pCi/L	U	U	8016R	GWCV-00-0005	PARA
R-25	982	891.8	10/22/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.794	9.33E-02	7.80E-01	—	pCi/L	—	U	09-159	CAWA-08-16048	GELC
R-25	982	891.8	02/05/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	5.67	—	8.90E+00	—	pCi/L	U	U	503S	GW25-02-0003	GEL
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	38.1	—	—	7.30E-01	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	286	—	—	7.30E-01	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	2.66	—	—	1.50E-01	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.154	—	—	6.70E-02	mg/L	J	J	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	100	—	—	3.00E-02	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	101	—	—	3.00E-02	mg/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Geninorg	SW-846:6010	Calcium	—	50	—	—	—	mg/L	—	—	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	9.09	—	—	6.60E-02	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.277	—	—	3.30E-02	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	251	—	—	3.50E-01	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	253	—	—	3.50E-01	mg/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.497	—	—	5.00E-02	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.3	—	—	5.00E-02	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.5	—	—	5.00E-02	mg/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Geninorg	SW-846:6010	Potassium	—	8.2	—	—	—	mg/L	—	—	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.6	—	—	4.50E-02	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.8	—	—	4.50E-02	mg/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Geninorg	SW-846:6010	Sodium	—	18	—	—	—	mg/L	—	—	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1200	—	—	1.00E+00	uS/cm	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.1	—	—	1.00E-01	mg/L	—	J-	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	339	—	—	2.40E+00	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	4.26	—	—	2.90E-02	mg/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	40.1	—	—	1.70E+00	mg/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.035	—	—	2.40E-02	mg/L	J	J	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	11.8	—	—	1.00E-02	SU	H	J-	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	604	—	—	6.80E+01	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	587	—	—	6.80E+01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Aluminum	—	150	—	—	—	ug/L	B	J	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Antimony	—	0.67	—	—	5.00E-01	ug/L	J	J	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Antimony	—	0.65	—	—	5.00E-01	ug/L	J	J	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Antimony	<	2.5	—	—	—	ug/L	U	U	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	40.4	—	—	1.00E+00	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	41.3	—	—	1.00E+00	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Barium	—	6.3	—	—	—	ug/L	BE	J	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	61.6	—	—	1.00E+01	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	60.3	—	—	1.00E+01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Boron	—	160	—	—	—	ug/L	—	—	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	7.4	—	—	1.00E-01	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	7.8	—	—	1.00E-01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Molybdenum	<	3.1	—	—	—	ug/L	U	U	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.8	—	—	5.00E-01	ug/L	—	—	09-159	CAWA-09-187	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6	—	—	5.00E-01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Nickel	—	9.5	—	—	—	ug/L	B	J	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	12.5	—	—	3.20E-02	mg/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	366	—	—	1.00E+00	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	368	—	—	1.00E+00	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Strontium	—	210	—	—	—	ug/L	—	—	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.65	—	—	3.00E-01	ug/L	J	J	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Thallium	—	5.1	—	—	—	ug/L	B	J	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.7	—	—	1.00E+00	ug/L	—	—	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.7	—	—	1.00E+00	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Vanadium	—	28	—	—	—	ug/L	—	—	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.3	—	—	2.00E+00	ug/L	J	J	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.3	—	—	2.00E+00	ug/L	J	J	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Metals	SW-846:6010	Zinc	<	5.5	—	—	—	ug/L	B	U	8061R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0162	3.67E-03	3.00E-02	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0111	4.00E-03	3.30E-02	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	2.07	4.00E-01	4.30E+00	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.47	4.33E-01	4.80E+00	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.42	4.00E-01	4.50E+00	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.149	4.67E-01	4.20E+00	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	6.35	6.00E+00	1.10E+01	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	8.84	3.67E+00	1.80E+01	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.63	3.23E+00	3.10E+01	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.16	2.00E+00	2.00E+01	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00367	1.93E-03	2.80E-02	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0021	2.33E-03	3.20E-02	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00917	2.03E-03	3.20E-02	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0042	1.73E-03	3.60E-02	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-14	4.67E+00	4.40E+01	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-22.3	5.67E+00	5.10E+01	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.894	1.27E-01	1.10E+00	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.927	9.00E-02	6.60E-01	—	pCi/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.838	4.67E-01	4.70E+00	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.93	4.33E-01	4.00E+00	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0696	2.83E-02	3.00E-01	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.143	2.20E-02	2.90E-01	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0213	3.13E-03	6.80E-02	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0458	3.30E-03	6.40E-02	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0096	1.97E-03	3.60E-02	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0181	2.17E-03	3.40E-02	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.00776	1.60E-03	3.80E-02	—	pCi/L	U	U	09-159	CAWA-09-187	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.011	1.50E-03	3.60E-02	—	pCi/L	U	U	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	DL	—	Svoa	SW-846:8270C	Benzoic Acid	—	146	—	—	2.50E+01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Svoa	SW-846:8270C	Phenol	—	30.2	—	—	1.00E+00	ug/L	—	J-	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	DL	—	Svoa	SW-846:8270C	Phenol	—	38.3	—	—	4.20E+00	ug/L	J	J	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	27	—	—	1.50E+00	ug/L	—	J	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Voa	SW-846:8260	Acetone	<	30	—	—	—	ug/L	U	U	8060R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	—	14.5	—	—	1.30E+00	ug/L	—	J	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Voa	SW-846:8260	Butanone[2-]	<	20	—	—	—	ug/L	U	U	8060R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Carbon Disulfide	—	107	—	—	1.30E+00	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Voa	SW-846:8260	Carbon Disulfide	<	5	—	—	—	ug/L	U	U	8060R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	1.35	—	—	2.50E-01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Styrene	—	1.82	—	—	2.50E-01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Voa	SW-846:8260	Styrene	—	1	—	—	—	ug/L	J	J	8060R	GWCV-00-0007	PARA
R-25	1032	1063.4	10/21/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	—	41.9	—	—	2.50E-01	ug/L	—	—	09-159	CAWA-09-188	GELC
R-25	1032	1063.4	12/01/00	WG	UF	CS	—	Voa	SW-846:8260	Toluene	—	15	—	—	—	ug/L	—	—	8060R	GWCV-00-0007	PARA

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.7	—	—	7.30E-01	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.4	—	—	7.25E-01	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.4	—	—	7.25E-01	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	65.8	—	—	1.45E+00	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.2	—	—	3.00E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.6	—	—	3.60E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.5	—	—	3.60E-02	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	106	—	—	3.60E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.6	—	—	3.00E-02	mg/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.4	—	—	3.60E-02	mg/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.9	—	—	3.60E-02	mg/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	104	—	—	3.60E-02	mg/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19	—	—	5.54E-03	mg/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.72	—	—	6.60E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.45	—	—	6.60E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.53	—	—	6.60E-02	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.52	—	—	5.30E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.153	—	—	3.30E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.114	—	—	3.30E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	<	0.033	—	—	3.30E-02	mg/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.103	—	—	3.00E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	72.7	—	—	3.50E-01	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	66	—	—	4.40E-01	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	68.7	—	—	4.40E-01	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	285	—	—	8.50E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	70.6	—	—	3.50E-01	mg/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	68.8	—	—	4.40E-01	mg/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	83.1	—	—	4.40E-01	mg/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	279	—	—	8.50E-02	mg/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	EPA:200.7	Hardness	—	67.2	—	—	5.54E-03	mg/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.43	—	—	8.50E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.77	—	—	8.50E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.87	—	—	8.50E-02	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.95	—	—	8.50E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.23	—	—	8.50E-02	mg/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.94	—	—	8.50E-02	mg/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.06	—	—	8.50E-02	mg/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.91	—	—	8.50E-02	mg/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.79	—	—	5.18E-03	mg/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.23	—	—	1.00E-01	mg/L	—	J-	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.826	—	—	1.00E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.847	—	—	1.40E-02	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.701	—	—	1.70E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.497	—	—	5.00E-02	ug/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.452	—	—	5.00E-02	ug/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.477	—	—	5.00E-02	ug/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.511	—	—	5.00E-02	ug/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.785	—	—	5.00E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.713	—	—	5.00E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.719	—	—	5.00E-02	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.682	—	—	5.00E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.752	—	—	5.00E-02	mg/L	—	—	09-140	CAWA-08-16050	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.758	—	—	5.00E-02	mg/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.704	—	—	5.00E-02	mg/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.68	—	—	5.00E-02	mg/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.672	—	—	1.65E-02	mg/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	51.2	—	—	3.20E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	55.4	—	—	3.20E-02	mg/L	—	J-	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	54.7	—	—	3.20E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	55	—	—	3.20E-02	mg/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.45	—	—	4.50E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.84	—	—	4.50E-02	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.51	—	—	4.50E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.5	—	—	4.50E-02	mg/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.75	—	—	4.50E-02	mg/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.6	—	—	4.50E-02	mg/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.46	—	—	4.50E-02	mg/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.74	—	—	1.44E-02	mg/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	180	—	—	1.00E+00	uS/cm	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	189	—	—	1.00E+00	uS/cm	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.59	—	—	1.00E-01	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.31	—	—	1.00E-01	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.36	—	—	1.00E-01	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	207	—	—	5.70E-01	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.40E+00	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	161	—	—	2.38E+00	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	125	—	—	2.38E+00	mg/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	459	—	—	2.38E+00	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.06	—	—	3.30E-01	mg/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.04	—	—	3.30E-01	mg/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.966	—	—	2.50E-02	mg/L	—	J-	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.122	—	—	2.40E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.143	—	—	2.40E-02	mg/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.094	—	—	1.00E-02	mg/L	—	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.092	—	—	1.00E-02	mg/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	3.35	—	—	1.10E-02	mg/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.41	—	—	1.00E-02	SU	H	J-	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.11	—	—	1.00E-02	SU	H	J	186109	GF07050G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	14.4	—	—	3.30E-01	ug/L	—	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	10/20/08	WG	UF	RE	—	Hexp	SW-846:8321	RDX	—	16.9	—	—	6.50E-01	ug/L	—	J-	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	03/31/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	15.3	—	—	3.30E-01	ug/L	—	J	08-895	CAWA-08-11707	GELC
R-25	1082	1192.4	10/22/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	6.5	—	—	1.30E-01	ug/L	—	J	196275	GU07100G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	9.96	—	—	1.30E-01	ug/L	—	J+	186109	GU07050G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	ug/L	U	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2	—	—	1.50E+00	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	ug/L	U	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	2.24	—	—	2.24E+00	ug/L	U	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	20.4	—	—	1.00E+00	ug/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	18.7	—	—	1.00E+00	ug/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	18.8	—	—	1.00E+00	ug/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	20.6	—	—	1.00E+00	ug/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	19.3	—	—	1.00E+00	ug/L	—	—	09-140	CAWA-08-16050	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	19.8	—	—	1.00E+00	ug/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	19.1	—	—	1.00E+00	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	21.3	—	—	1.00E+00	ug/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	20.2	—	—	2.22E-01	ug/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	28.8	—	—	1.00E+01	ug/L	J	J	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	23.6	—	—	1.00E+01	ug/L	J	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	23	—	—	1.00E+01	ug/L	J	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	21.3	—	—	1.00E+01	ug/L	J	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	29.3	—	—	1.00E+01	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	24.5	—	—	1.00E+01	ug/L	J	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	25.5	—	—	1.00E+01	ug/L	J	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	20.4	—	—	1.00E+01	ug/L	J	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.3	—	—	4.88E+00	ug/L	B	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	6.1	—	—	1.00E+00	ug/L	—	U	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Chromium	<	1	—	—	1.00E+00	ug/L	U	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.9	—	—	1.50E+00	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10.7	—	—	1.00E+00	ug/L	—	U	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.6	—	—	1.00E+00	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	—	4	—	—	1.00E+00	ug/L	J	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Chromium	<	1.93	—	—	5.03E-01	ug/L	B	U	103685	GU0312G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	27.3	—	—	2.50E+01	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	30.9	—	—	1.80E+01	ug/L	J	U	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	172	—	—	1.80E+01	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	153	—	—	1.80E+01	ug/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	210	—	—	1.26E+01	ug/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2	—	—	2.00E+00	ug/L	J	J	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6.5	—	—	2.00E+00	ug/L	J	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.6	—	—	2.00E+00	ug/L	J	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	8	—	—	2.00E+00	ug/L	J	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.5	—	—	2.00E+00	ug/L	J	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	15.7	—	—	2.00E+00	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	9.9	—	—	2.00E+00	ug/L	J	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7.77	—	—	2.96E-01	ug/L	B	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1	—	—	5.00E-01	ug/L	J	J	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	1.4	—	—	5.00E-01	ug/L	J	U	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.75	—	—	5.00E-01	ug/L	J	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.7	—	—	5.00E-01	ug/L	—	J+	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.7	—	—	5.00E-01	ug/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.1	—	—	5.00E-01	ug/L	—	J+	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Nickel	<	2.65	—	—	6.90E-01	ug/L	B	U	103685	GU0312G25R401	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1.2	—	—	1.00E+00	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Selenium	<	2.81	—	—	2.81E+00	ug/L	U	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.7	—	—	3.20E-02	mg/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	110	—	—	1.00E+00	ug/L	—	—	09-140	CAWA-08-16052	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	96.9	—	—	1.00E+00	ug/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	105	—	—	1.00E+00	ug/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	281	—	—	1.00E+00	ug/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	107	—	—	1.00E+00	ug/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	101	—	—	1.00E+00	ug/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	115	—	—	1.00E+00	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	277	—	—	1.00E+00	ug/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	108	—	—	1.78E-01	ug/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.67	—	—	5.00E-02	ug/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.8	—	—	5.00E-02	ug/L	—	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.67	—	—	5.00E-02	ug/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.72	—	—	5.00E-02	ug/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.68	—	—	5.00E-02	ug/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.67	—	—	5.00E-02	ug/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.67	—	—	5.00E-02	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.72	—	—	5.00E-02	ug/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.703	—	—	2.00E-02	ug/L	—	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.5	—	—	1.00E+00	ug/L	J	J	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1.4	—	—	1.00E+00	ug/L	J	U	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1	—	—	1.00E+00	ug/L	U	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.1	—	—	1.00E+00	ug/L	J	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.9	—	—	1.00E+00	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1.3	—	—	1.00E+00	ug/L	J	U	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1.4	—	—	1.00E+00	ug/L	J	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.2	—	—	1.00E+00	ug/L	J	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1.3	—	—	6.06E-01	ug/L	B	U	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.4	—	—	2.00E+00	ug/L	J	J	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.8	—	—	2.00E+00	ug/L	J	—	186109	GF07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.9	—	—	2.00E+00	ug/L	J	JN-	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	7.8	—	—	2.00E+00	ug/L	J	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.7	—	—	2.00E+00	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.4	—	—	2.00E+00	ug/L	J	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	9.9	—	—	2.00E+00	ug/L	J	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	7.9	—	—	2.00E+00	ug/L	J	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	9.27	—	—	8.83E-01	ug/L	—	U	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00392	4.00E-03	3.20E-02	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00435	1.38E-03	1.70E-02	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0123	3.70E-03	2.70E-02	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0	5.33E-03	3.20E-02	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Americium-241	<	-5	2.83E+00	1.40E+01	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00174	4.00E-03	3.10E-02	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.005	2.27E-03	2.68E-02	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0069	3.10E-03	3.60E-02	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.045	8.33E-03	7.00E-02	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Americium-241	<	-0.2	8.83E-01	4.40E+00	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.594	4.67E-01	4.30E+00	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.57	3.60E-01	3.23E+00	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.428	2.80E-01	3.14E+00	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Cesium-137	<	-1	4.67E-01	2.30E+00	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.383	4.00E-01	3.80E+00	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.292	3.15E-01	3.17E+00	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.8	3.19E-01	3.55E+00	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Cesium-137	<	-0.5	5.50E-01	2.80E+00	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.84	5.00E-01	5.30E+00	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.25	4.23E-01	3.89E+00	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.255	3.32E-01	3.79E+00	—	pCi/L	U	U	142820	GF0508G25R401	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Cobalt-60	<	-1	5.17E-01	2.60E+00	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.27	4.33E-01	4.10E+00	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.477	3.19E-01	3.29E+00	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.78	3.47E-01	3.99E+00	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Cobalt-60	<	1.5	6.00E-01	2.90E+00	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	9.73	6.00E+00	2.40E+01	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	85.3	2.76E+01	2.81E+02	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	75.2	2.37E+01	2.49E+02	—	pCi/L	U	J-, U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	12	1.57E+00	1.10E+01	—	pCi/L	—	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	66.4	2.63E+01	3.20E+02	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	113	3.57E+01	3.06E+02	—	pCi/L	U	J-, U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	102	—	2.00E+02	—	pCi/L	U	U	521S	GW25-02-0005	GEL
R-25	1082	1192.4	08/15/01	WG	UF	CS	—	Rad	Gross Gamma	Gross gamma	—	153	4.33E+00	5.60E+01	—	pCi/L	—	—	9597R	GW25-01-0023	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-5.56	3.17E+00	3.20E+01	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-15	3.23E+00	2.82E+01	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.85	2.21E+00	2.31E+01	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Neptunium-237	<	61	9.00E+00	1.90E+01	—	pCi/L	SI	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.92	3.03E+00	3.00E+01	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-15.4	3.14E+00	2.38E+01	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.05	2.54E+00	2.70E+01	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Neptunium-237	<	8	2.17E+00	1.10E+01	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	3.33E-03	3.00E-02	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0039	1.84E-03	2.14E-02	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	5.00E-03	4.30E-02	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.027	6.50E-03	7.60E-02	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00326	2.03E-03	2.50E-02	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.011	2.44E-03	2.42E-02	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00368	2.88E-03	3.80E-02	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.017	6.17E-03	8.50E-02	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00589	1.97E-03	3.40E-02	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00195	1.45E-03	1.42E-02	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0125	3.40E-03	3.70E-02	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	4.33E-03	2.60E-02	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00163	9.33E-04	2.80E-02	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00661	1.64E-03	1.61E-02	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00368	2.12E-03	3.20E-02	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.006	4.67E-03	5.80E-02	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	17.8	6.00E+00	6.70E+01	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-12.5	5.47E+00	4.63E+01	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	33.6	3.40E+00	4.58E+01	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Potassium-40	<	135	1.62E+01	4.40E+01	—	pCi/L	—	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-15.5	5.00E+00	4.60E+01	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	17.7	7.77E+00	3.71E+01	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	36.3	7.23E+00	3.35E+01	—	pCi/L	UI	R	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Potassium-40	<	70	1.27E+01	4.50E+01	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Radium-226	<	110	2.00E+01	6.10E+01	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.161	3.33E-02	3.30E-01	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	03/31/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.237	7.33E-02	7.70E-01	—	pCi/L	U	U	08-895	CAWA-08-11707	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Radium-226	<	-26	1.52E+01	5.20E+01	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	-0.0681	3.33E-02	4.40E-01	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	03/31/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	-0.0446	5.00E-02	5.60E-01	—	pCi/L	U	U	08-895	CAWA-08-11707	GELC
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.778	4.33E-01	3.80E+00	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.45	3.73E-01	3.30E+00	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.602	3.13E-01	3.37E+00	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Gamma Spec	Sodium-22	<	-0.2	4.83E-01	2.40E+00	—	pCi/L	U	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.19	4.00E-01	3.80E+00	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.65	3.77E-01	3.42E+00	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.957	3.09E-01	3.20E+00	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Gamma Spec	Sodium-22	<	-3.3	6.33E-01	3.00E+00	—	pCi/L	U	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0101	3.30E-02	3.60E-01	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0361	4.07E-02	4.22E-01	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.00996	2.54E-02	2.57E-01	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	F	CS	—	Rad	Beta Counting	Strontium-90	<	0.3	2.00E-01	2.00E+00	—	pCi/L	—	U	8082R	GWCV-00-0010	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.077	3.10E-02	3.60E-01	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.143	3.90E-02	4.16E-01	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0792	2.59E-02	2.67E-01	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/04/00	WG	UF	CS	—	Rad	Beta Counting	Strontium-90	<	0.09	1.63E-01	1.69E+00	—	pCi/L	—	U	8082R	GWCV-00-0009	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.38	1.70E-02	1.60E-01	—	pCi/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.376	1.29E-02	5.18E-02	—	pCi/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.365	1.33E-02	9.50E-02	—	pCi/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.315	—	4.50E-02	—	pCi/L	—	—	521S	GW25-02-0006	GEL
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.328	1.13E-02	7.60E-02	—	pCi/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.408	1.52E-02	7.80E-02	—	pCi/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.733	1.88E-02	7.30E-02	—	pCi/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.319	—	2.20E-02	—	pCi/L	—	—	521S	GW25-02-0005	GEL
R-25	1082	1192.4	08/15/01	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.47	2.33E-02	4.20E-02	—	pCi/L	—	—	9597R	GW25-01-0023	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0174	4.33E-03	8.60E-02	—	pCi/L	U	U	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0362	3.83E-03	5.29E-02	—	pCi/L	U	U	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0231	3.67E-03	7.20E-02	—	pCi/L	U	U	142820	GF0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.013	—	3.10E-02	—	pCi/L	U	U	521S	GW25-02-0006	GEL
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0297	3.03E-03	4.00E-02	—	pCi/L	U	U	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0545	5.33E-03	7.96E-02	—	pCi/L	U	U	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00296	5.30E-03	5.50E-02	—	pCi/L	U	U	142820	GU0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00413	—	1.90E-02	—	pCi/L	U	U	521S	GW25-02-0005	GEL
R-25	1082	1192.4	08/15/01	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.038	6.33E-03	4.20E-02	—	pCi/L	U	U	9597R	GW25-01-0023	PARA
R-25	1082	1192.4	10/20/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.15	1.10E-02	8.70E-02	—	pCi/L	—	—	09-140	CAWA-08-16052	GELC
R-25	1082	1192.4	02/05/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.212	1.03E-02	3.67E-02	—	pCi/L	—	—	180420	GF07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.293	1.14E-02	6.70E-02	—	pCi/L	—	—	142820	GF0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.169	—	2.20E-02	—	pCi/L	—	—	521S	GW25-02-0006	GEL
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.229	8.67E-03	4.00E-02	—	pCi/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.228	1.07E-02	5.52E-02	—	pCi/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.455	1.41E-02	5.20E-02	—	pCi/L	—	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	02/06/02	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.181	—	1.50E-02	—	pCi/L	—	—	521S	GW25-02-0005	GEL
R-25	1082	1192.4	08/15/01	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.34	1.83E-02	3.40E-02	—	pCi/L	—	—	9597R	GW25-01-0023	PARA
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	1.45	—	—	2.50E-01	ug/L	—	—	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Voa	SW-846:8260B	Methyl tert-Butyl Ether	—	1.24	—	—	2.50E-01	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	0.732	—	—	4.50E-01	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.21	—	—	2.50E-01	ug/L	—	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.04	—	—	2.50E-01	ug/L	—	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	0.74	—	—	—	ug/L	J	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	0.92	—	—	—	ug/L	J	—	103685	GU0312G25R401	GELC
R-25	1082	1192.4	10/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.792	—	—	2.50E-01	ug/L	J	J	09-140	CAWA-08-16050	GELC
R-25	1082	1192.4	05/14/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.798	—	—	2.50E-01	ug/L	J	—	186109	GU07050G25R401	GELC
R-25	1082	1192.4	02/05/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.827	—	—	2.50E-01	ug/L	J	—	180420	GU07010G25R401	GELC
R-25	1082	1192.4	08/04/05	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.66	—	—	—	ug/L	J	—	142820	GU0508G25R401	GELC
R-25	1082	1192.4	12/10/03	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.89	—	—	—	ug/L	J	—	103685	GU0312G25R401	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.2	—	—	7.30E-01	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64	—	—	7.30E-01	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	65.4	—	—	7.25E-01	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	61	—	—	7.25E-01	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.7	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.1	—	—	3.00E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16	—	—	3.00E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.9	—	—	3.60E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.4	—	—	3.60E-02	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.7	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.9	—	—	3.00E-02	mg/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.2	—	—	3.00E-02	mg/L	—	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.5	—	—	3.60E-02	mg/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.3	—	—	3.60E-02	mg/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.28	—	—	6.60E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.25	—	—	6.60E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.23	—	—	6.60E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.25	—	—	6.60E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.101	—	—	3.30E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.072	—	—	3.30E-02	mg/L	J	J	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.199	—	—	3.30E-02	mg/L	—	J+	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.106	—	—	3.30E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	52.6	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.9	—	—	4.30E-01	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.5	—	—	4.25E-01	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	53.9	—	—	4.40E-01	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	62	—	—	4.40E-01	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.1	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54	—	—	4.30E-01	mg/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	55	—	—	4.25E-01	mg/L	—	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	52.5	—	—	4.40E-01	mg/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	54.8	—	—	4.40E-01	mg/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.28	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.54	—	—	8.50E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.52	—	—	8.50E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.45	—	—	8.50E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.89	—	—	8.50E-02	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.38	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.49	—	—	8.50E-02	mg/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.57	—	—	8.50E-02	mg/L	—	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.36	—	—	8.50E-02	mg/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.44	—	—	8.50E-02	mg/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.318	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.327	—	—	5.00E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.365	—	—	5.00E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.302	—	—	1.00E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.256	—	—	1.40E-02	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.252	—	—	5.00E-02	ug/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.239	—	—	5.00E-02	ug/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.215	—	—	5.00E-02	ug/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.252	—	—	5.00E-02	ug/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.882	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.964	—	—	5.00E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.84	—	—	5.00E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.922	—	—	5.00E-02	mg/L	N	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.964	—	—	5.00E-02	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.886	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.931	—	—	5.00E-02	mg/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.844	—	—	5.00E-02	mg/L	—	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.9	—	—	5.00E-02	mg/L	N	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.88	—	—	5.00E-02	mg/L	—	—	180551	GU07010G25R601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	57.7	—	—	3.20E-02	mg/L	—	J+	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	63.2	—	—	3.20E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	7.89	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.66	—	—	4.50E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.62	—	—	4.50E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.19	—	—	4.50E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.2	—	—	4.50E-02	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	7.88	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.61	—	—	4.50E-02	mg/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.76	—	—	4.50E-02	mg/L	—	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.56	—	—	4.50E-02	mg/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.98	—	—	4.50E-02	mg/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	139	—	—	1.00E+00	uS/cm	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	129	—	—	1.00E+00	uS/cm	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	129	—	—	1.00E+00	uS/cm	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	151	—	—	1.00E+00	uS/cm	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.77	—	—	1.00E-01	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.65	—	—	1.00E-01	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.66	—	—	1.00E-01	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.67	—	—	1.00E-01	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	J	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	122	—	—	2.40E+00	mg/L	—	J	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	121	—	—	2.38E+00	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	138	—	—	2.38E+00	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.55	—	—	3.30E-01	mg/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.674	—	—	3.30E-01	mg/L	J	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.459	—	—	3.30E-01	mg/L	J	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.05	—	—	3.30E-01	mg/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.861	—	—	2.40E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.923	—	—	2.40E-02	mg/L	—	J	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.14	—	—	2.40E-02	mg/L	—	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.22	—	—	2.40E-02	mg/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.36	—	—	1.00E-02	mg/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.06	—	—	1.00E-02	SU	H	J-	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J-	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.07	—	—	1.00E-02	SU	H	J	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.04	—	—	1.00E-02	SU	H	J	185982	GF07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.142	—	—	1.00E-01	ug/L	J	J	09-124	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.143	—	—	1.00E-01	ug/L	J	J	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.123	—	—	1.04E-01	ug/L	J	J, J-	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.17	—	—	1.04E-01	ug/L	J	J+	185982	GU07050G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.524	—	—	1.30E-01	ug/L	—	—	09-124	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.548	—	—	1.30E-01	ug/L	—	J	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.584	—	—	1.30E-01	ug/L	—	J	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	0.714	—	—	1.30E-01	ug/L	—	J+, J	185982	GU07050G25R601	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	4.3	—	—	1.50E+00	ug/L	J	U	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	ug/L	J	J	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.2	—	—	1.50E+00	ug/L	J	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5.2	—	—	1.50E+00	ug/L	—	U	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	40.2	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	39.2	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11682	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	36.6	—	—	1.00E+00	ug/L	—	J+	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	35	—	—	1.00E+00	ug/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	40.2	—	—	1.00E+00	ug/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	40.5	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	37.6	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	34.7	—	—	1.00E+00	ug/L	—	J+	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	33	—	—	1.00E+00	ug/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	35	—	—	1.00E+00	ug/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	UN	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	30.8	—	—	2.50E+01	ug/L	J	J	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	44.5	—	—	2.50E+01	ug/L	J	J+	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	30.2	—	—	1.80E+01	ug/L	JN	J+	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	160	—	—	1.80E+01	ug/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U*	U	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	J	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.65	—	—	5.00E-01	ug/L	J	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.86	—	—	5.00E-01	ug/L	J	J	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	10	—	—	2.50E+00	ug/L	U*	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.2	—	—	5.00E-01	ug/L	—	J	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	ug/L	J	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	14.8	—	—	5.00E-01	ug/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56	—	—	3.20E-02	mg/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	57.7	—	—	3.20E-02	mg/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	81.1	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	88.6	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	87.5	—	—	1.00E+00	ug/L	—	J+	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	90.9	—	—	1.00E+00	ug/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	105	—	—	1.00E+00	ug/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	81.3	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	87.4	—	—	1.00E+00	ug/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	88.1	—	—	1.00E+00	ug/L	—	J+	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	87.6	—	—	1.00E+00	ug/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	93.5	—	—	1.00E+00	ug/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.63	—	—	5.00E-02	ug/L	—	—	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.63	—	—	5.00E-02	ug/L	—	—	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.57	—	—	5.00E-02	ug/L	—	J	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	ug/L	—	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.71	—	—	5.00E-02	ug/L	—	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.62	—	—	5.00E-02	ug/L	—	—	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	ug/L	—	—	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.56	—	—	5.00E-02	ug/L	—	J	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.58	—	—	5.00E-02	ug/L	—	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.67	—	—	5.00E-02	ug/L	—	—	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.3	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3.7	—	—	1.00E+00	ug/L	J	U	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.5	—	—	1.00E+00	ug/L	J	U	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.6	—	—	1.00E+00	ug/L	J	U	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.1	—	—	1.00E+00	ug/L	J	U	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.3	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.6	—	—	1.00E+00	ug/L	J	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.5	—	—	1.00E+00	ug/L	J	U	196433	GU07100G25R601	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.3	—	—	1.00E+00	ug/L	J	—	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2.6	—	—	1.00E+00	ug/L	J	U	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.3	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-16075	GELC
R-25	1182	1406.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.8	—	—	2.00E+00	ug/L	J	J	08-901	CAWA-08-11682	GELC
R-25	1182	1406.3	10/23/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.1	—	—	2.00E+00	ug/L	J	—	196433	GF07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U*	—	185982	GF07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4	—	—	2.00E+00	ug/L	J	—	180551	GF07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.9	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	8	—	—	2.00E+00	ug/L	J	J	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.1	—	—	2.00E+00	ug/L	J	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	ug/L	J*	J	185982	GU07050G25R601	GELC
R-25	1182	1406.3	02/08/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	17.1	—	—	2.00E+00	ug/L	—	J+	180551	GU07010G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.393	5.00E-02	4.10E-01	—	pCi/L	U	U	09-123	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.439	6.67E-02	5.90E-01	—	pCi/L	U	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	1.13	7.47E-02	4.07E-01	—	pCi/L	—	J	196433	GU07100G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.253	5.67E-02	5.50E-01	—	pCi/L	U	U	09-123	CAWA-08-16074	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	-0.204	8.33E-02	9.60E-01	—	pCi/L	U	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.152	4.73E-02	4.83E-01	—	pCi/L	U	U	196433	GU07100G25R601	GELC
R-25	1182	1406.3	10/17/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.32	—	—	3.00E-01	ug/L	J	J	09-124	CAWA-08-16073	GELC
R-25	1182	1406.3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-901	CAWA-08-11681	GELC
R-25	1182	1406.3	10/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196433	GU07100G25R601	GELC
R-25	1182	1406.3	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	185982	GU07050G25R601	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.8	—	—	7.30E-01	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.9	—	—	7.30E-01	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.3	—	—	7.25E-01	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.1	—	—	7.25E-01	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53	—	—	7.25E-01	mg/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.11	—	—	7.30E-01	mg/L	—	—	09-111	CAWA-08-16079	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.96	—	—	3.00E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.00E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.84	—	—	3.00E-02	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.60E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.60E-02	mg/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10	—	—	3.00E-02	mg/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.00E-02	mg/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.86	—	—	3.00E-02	mg/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.60E-02	mg/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.60E-02	mg/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.47	—	—	6.60E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.45	—	—	6.60E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.38	—	—	6.60E-02	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.43	—	—	6.60E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.138	—	—	3.30E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.157	—	—	3.30E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.212	—	—	3.30E-02	mg/L	—	J+	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.184	—	—	3.30E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	37	—	—	3.50E-01	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	37.4	—	—	4.30E-01	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	35.4	—	—	4.25E-01	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	37	—	—	4.40E-01	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	38	—	—	4.40E-01	mg/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	37.3	—	—	3.50E-01	mg/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	37.7	—	—	4.30E-01	mg/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	35.5	—	—	4.25E-01	mg/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	37.3	—	—	4.40E-01	mg/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	36.7	—	—	4.40E-01	mg/L	—	—	180690	GU07010G25R701	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.95	—	—	8.50E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.81	—	—	8.50E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.64	—	—	8.50E-02	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.87	—	—	8.50E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.91	—	—	8.50E-02	mg/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.98	—	—	8.50E-02	mg/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.87	—	—	8.50E-02	mg/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.65	—	—	8.50E-02	mg/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.92	—	—	8.50E-02	mg/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.8	—	—	8.50E-02	mg/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.274	—	—	5.00E-02	ug/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.268	—	—	5.00E-02	ug/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.226	—	—	5.00E-02	ug/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	185982	GF07050G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.247	—	—	5.00E-02	ug/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.49	—	—	5.00E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.47	—	—	5.00E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.29	—	—	5.00E-02	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.44	—	—	5.00E-02	mg/L	N	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.41	—	—	5.00E-02	mg/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.47	—	—	5.00E-02	mg/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.48	—	—	5.00E-02	mg/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.3	—	—	5.00E-02	mg/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.54	—	—	5.00E-02	mg/L	N	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.36	—	—	5.00E-02	mg/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	60.2	—	—	3.20E-02	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	64.5	—	—	3.20E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.85	—	—	4.50E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.53	—	—	4.50E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.22	—	—	4.50E-02	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.84	—	—	4.50E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.67	—	—	4.50E-02	mg/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.85	—	—	4.50E-02	mg/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.54	—	—	4.50E-02	mg/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.18	—	—	4.50E-02	mg/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.63	—	—	4.50E-02	mg/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	115	—	—	1.00E+00	uS/cm	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	117	—	—	1.00E+00	uS/cm	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	115	—	—	1.00E+00	uS/cm	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	120	—	—	1.00E+00	uS/cm	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	120	—	—	1.00E+00	uS/cm	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.06	—	—	1.00E+00	uS/cm	—	—	09-111	CAWA-08-16079	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.46	—	—	1.00E-01	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.46	—	—	1.00E-01	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.54	—	—	1.00E-01	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.55	—	—	1.00E-01	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	112	—	—	2.40E+00	mg/L	—	J	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	137	—	—	2.40E+00	mg/L	—	J	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	103	—	—	2.38E+00	mg/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	133	—	—	2.38E+00	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ, R	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	—	—	1.45E-01	mg/L	U	UJ	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.02	—	—	1.00E-02	mg/L	J	U	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.055	—	—	2.90E-02	mg/L	J	J+	09-110	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	U	08-918	CAWA-08-11685	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ, R	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.617	—	—	2.90E-02	mg/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.018	—	—	1.00E-02	mg/L	J	U	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.882	—	—	3.30E-01	mg/L	J	J	09-110	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.491	—	—	3.30E-01	mg/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.508	—	—	3.30E-01	mg/L	J	JN-	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.05	—	—	3.30E-01	mg/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.177	—	—	2.40E-02	mg/L	—	J	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.263	—	—	2.40E-02	mg/L	—	J	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.169	—	—	2.40E-02	mg/L	—	J-	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.249	—	—	2.40E-02	mg/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.02	—	—	1.00E-02	SU	H	J-	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.99	—	—	1.00E-02	SU	H	J-	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.91	—	—	1.00E-02	SU	H	J	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.96	—	—	1.00E-02	SU	H	J	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.25	—	—	1.00E-02	SU	H	J	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.53	—	—	1.00E-02	SU	H	J-	09-111	CAWA-08-16079	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.156	—	—	7.80E-02	ug/L	J	J	09-110	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.173	—	—	7.80E-02	ug/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.159	—	—	7.79E-02	ug/L	J	J+	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.162	—	—	7.79E-02	ug/L	J	—	185982	GU07050G25R701	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	ug/L	J	J	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.9	—	—	1.50E+00	ug/L	J	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	38.4	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	38.5	—	—	1.00E+00	ug/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	42.2	—	—	1.00E+00	ug/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	43	—	—	1.00E+00	ug/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	47	—	—	1.00E+00	ug/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	38.3	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	37.3	—	—	1.00E+00	ug/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	40.7	—	—	1.00E+00	ug/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	40.8	—	—	1.00E+00	ug/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	43.7	—	—	1.00E+00	ug/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.2	—	—	1.00E+01	ug/L	J	J	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	21	—	—	1.00E+01	ug/L	J	J	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	12.2	—	—	1.00E+01	ug/L	J	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.4	—	—	1.00E+01	ug/L	J	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	15.3	—	—	1.00E+01	ug/L	J	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	11.8	—	—	1.00E+01	ug/L	J	J	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	15.4	—	—	1.00E+01	ug/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	10.2	—	—	1.00E+01	ug/L	J	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	10.8	—	—	1.00E+01	ug/L	J	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.1	—	—	1.00E+01	ug/L	J	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.50E+00	ug/L	J	J	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	ug/L	U	U	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	1.00E+00	ug/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	ug/L	U	UJ	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	5	—	—	5.00E+00	ug/L	U	—	180690	GF07010G25R701	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.7	—	—	1.50E+00	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.7	—	—	2.50E+00	ug/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.5	—	—	1.00E+00	ug/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.2	—	—	1.00E+00	ug/L	J	JN-	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	5	—	—	5.00E+00	ug/L	U	—	180690	GU07010G25R701	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	UN	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	33.1	—	—	1.80E+01	ug/L	J	U	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	37	—	—	2.50E+01	ug/L	J	J	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	28.6	—	—	2.50E+01	ug/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	31.8	—	—	2.50E+01	ug/L	J	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	24.8	—	—	1.80E+01	ug/L	JN	J+	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	63.7	—	—	1.80E+01	ug/L	J	U	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.8	—	—	1.00E-01	ug/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.81	—	—	1.00E-01	ug/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.4	—	—	2.00E+00	ug/L	J	U	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	ug/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.2	—	—	2.00E+00	ug/L	J	U	180690	GU07010G25R701	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.93	—	—	5.00E-01	ug/L	J	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2.5	—	—	2.50E+00	ug/L	U	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	ug/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.7	—	—	5.00E-01	ug/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	ug/L	J	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.5	—	—	2.50E+00	ug/L	U	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	60.1	—	—	3.20E-02	mg/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	60	—	—	3.20E-02	mg/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	57	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.4	—	—	1.00E+00	ug/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	60.9	—	—	1.00E+00	ug/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.1	—	—	1.00E+00	ug/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	62.2	—	—	1.00E+00	ug/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	57.1	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.5	—	—	1.00E+00	ug/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	61.2	—	—	1.00E+00	ug/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	58.9	—	—	1.00E+00	ug/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	60.3	—	—	1.00E+00	ug/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	—	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.33	—	—	5.00E-02	ug/L	—	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	ug/L	—	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	ug/L	—	—	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	ug/L	—	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.33	—	—	5.00E-02	ug/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.38	—	—	5.00E-02	ug/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16078	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	6	—	—	1.00E+00	ug/L	—	U	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.6	—	—	1.00E+00	ug/L	J	JN-	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5.1	—	—	1.00E+00	ug/L	—	U	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.8	—	—	1.00E+00	ug/L	J	—	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.9	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	6	—	—	1.00E+00	ug/L	—	U	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4	—	—	1.00E+00	ug/L	J	JN-	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	ug/L	—	—	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.5	—	—	1.00E+00	ug/L	J	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.4	—	—	2.00E+00	ug/L	J	J	09-111	CAWA-08-16078	GELC
R-25	1232	1606	04/02/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	ug/L	J	J	08-918	CAWA-08-11684	GELC
R-25	1232	1606	10/25/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.3	—	—	2.00E+00	ug/L	J	—	196605	GF07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U*	—	185982	GF07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	5.4	—	—	2.00E+00	ug/L	J	U	180690	GF07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.7	—	—	2.00E+00	ug/L	J	J	09-111	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	ug/L	J	J	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.3	—	—	2.00E+00	ug/L	J	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.5	—	—	2.00E+00	ug/L	J*	J	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	13.4	—	—	2.00E+00	ug/L	—	—	180690	GU07010G25R701	GELC
R-25	1232	1606	12/11/00	WG	F	CS	—	Rad	Gamma Spec	Radium-226	<	-30	2.00E+01	5.90E+01	—	pCi/L	U	U	8103R	GWCV-00-0016	PARA
R-25	1232	1606	10/16/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.57	7.33E-02	6.10E-01	—	pCi/L	U	U	09-110	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.204	5.33E-02	5.50E-01	—	pCi/L	U	U	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.917	7.37E-02	4.78E-01	—	pCi/L	—	J	196605	GU07100G25R701	GELC
R-25	1232	1606	12/11/00	WG	UF	CS	—	Rad	Gamma Spec	Radium-226	<	31	1.03E+01	3.90E+01	—	pCi/L	U	U	8103R	GWCV-00-0015	PARA
R-25	1232	1606	10/16/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.483	5.67E-02	4.50E-01	—	pCi/L	—	U	09-110	CAWA-08-16080	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.483	6.33E-02	5.60E-01	—	pCi/L	U	U	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.511	6.33E-02	5.52E-01	—	pCi/L	U	U	196605	GU07100G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	EQB	Voa	SW-846:8260B	Acetone	—	5.47	—	—	1.50E+00	ug/L	—	—	09-110	CAWA-08-16079	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	UJ	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	UJ	185982	GU07050G25R701	GELC
R-25	1232	1606	02/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	180690	GU07010G25R701	GELC
R-25	1232	1606	10/16/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.34	—	—	3.00E-01	ug/L	J	J	09-110	CAWA-08-16077	GELC
R-25	1232	1606	04/02/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-918	CAWA-08-11685	GELC
R-25	1232	1606	10/25/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196605	GU07100G25R701	GELC
R-25	1232	1606	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	185982	GU07050G25R701	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.11	—	—	7.30E-01	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	2.12	—	—	7.30E-01	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	1.95	—	—	7.25E-01	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	1.42	—	—	7.25E-01	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.5	—	—	7.30E-01	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.2	—	—	7.30E-01	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.7	—	—	7.25E-01	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.9	—	—	7.25E-01	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	08/10/05	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.8	—	—	1.45E+00	mg/L	—	—	143033	GF0508G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.11	—	—	7.30E-01	mg/L	—	—	09-111	CAWA-08-16082	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.5	—	—	3.00E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.8	—	—	3.00E-02	mg/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.60E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.9	—	—	3.00E-02	mg/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12	—	—	3.00E-02	mg/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.60E-02	mg/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.8	—	—	3.60E-02	mg/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.5	—	—	6.60E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.45	—	—	6.60E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.36	—	—	6.60E-02	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.47	—	—	6.60E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.173	—	—	3.30E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.167	—	—	3.30E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.235	—	—	3.30E-02	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.173	—	—	3.30E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.9	—	—	3.50E-01	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.2	—	—	4.30E-01	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.1	—	—	4.25E-01	mg/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.2	—	—	4.40E-01	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.6	—	—	3.50E-01	mg/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.6	—	—	4.30E-01	mg/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41.9	—	—	4.25E-01	mg/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.3	—	—	4.40E-01	mg/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	32.4	—	—	4.40E-01	mg/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.04	—	—	8.50E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.79	—	—	8.50E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.81	—	—	8.50E-02	mg/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.92	—	—	8.50E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.14	—	—	8.50E-02	mg/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.85	—	—	8.50E-02	mg/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.9	—	—	8.50E-02	mg/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.86	—	—	8.50E-02	mg/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.34	—	—	8.50E-02	mg/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.309	—	—	5.00E-02	ug/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.279	—	—	5.00E-02	ug/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.266	—	—	5.00E-02	ug/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.23	—	—	5.00E-02	ug/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.66	—	—	5.00E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.57	—	—	5.00E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.6	—	—	5.00E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.7	—	—	5.00E-02	mg/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.6	—	—	5.00E-02	mg/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.67	—	—	5.00E-02	mg/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.53	—	—	5.00E-02	mg/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.766	—	—	5.00E-02	mg/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	60.5	—	—	3.20E-02	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	57.8	—	—	3.20E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.88	—	—	4.50E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.34	—	—	4.50E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.19	—	—	4.50E-02	mg/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.65	—	—	4.50E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.38	—	—	4.50E-02	mg/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.34	—	—	4.50E-02	mg/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.69	—	—	4.50E-02	mg/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.74	—	—	4.50E-02	mg/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	121	—	—	1.00E+00	uS/cm	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	124	—	—	1.00E+00	uS/cm	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	123	—	—	1.00E+00	uS/cm	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	128	—	—	1.00E+00	uS/cm	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	08/10/05	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	129	—	—	1.00E+00	uS/cm	—	—	143033	GF0508G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.07	—	—	1.00E+00	uS/cm	—	—	09-111	CAWA-08-16082	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.78	—	—	1.00E-01	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.77	—	—	1.00E-01	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.54	—	—	1.00E-01	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.72	—	—	1.00E-01	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	121	—	—	2.40E+00	mg/L	—	J	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	109	—	—	2.40E+00	mg/L	—	J	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	116	—	—	2.38E+00	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	130	—	—	2.38E+00	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.042	—	—	2.90E-02	mg/L	J	JN-	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	—	—	1.45E-01	mg/L	U	UJ	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.032	—	—	2.90E-02	mg/L	J	J+	09-110	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.099	—	—	2.90E-02	mg/L	J	JN-	197062	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	—	—	1.45E-01	mg/L	U	UJ	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.944	—	—	3.30E-01	mg/L	J	J	09-110	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.355	—	—	3.30E-01	mg/L	J	J	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.661	—	—	3.30E-01	mg/L	J	—	197062	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.1	—	—	3.30E-01	mg/L	—	U	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.214	—	—	2.40E-02	mg/L	—	J	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.174	—	—	2.40E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.214	—	—	2.40E-02	mg/L	—	—	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.285	—	—	2.40E-02	mg/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.46	—	—	1.00E-02	SU	H	J-	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.44	—	—	1.00E-02	SU	H	J-	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.35	—	—	1.00E-02	SU	H	J	197062	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.36	—	—	1.00E-02	SU	H	J	186075	GF07050G25R801	GELC
R-25	1282	1796	08/10/05	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.43	—	—	1.00E-02	SU	H	J	143033	GF0508G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.5	—	—	1.00E-02	SU	H	J-	09-111	CAWA-08-16082	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.3	—	—	1.50E+00	ug/L	J	J	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	3.6	—	—	1.50E+00	ug/L	J	U	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.7	—	—	1.50E+00	ug/L	J	J	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	3.5	—	—	1.50E+00	ug/L	J	U	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	38.3	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	35.4	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	37.3	—	—	1.00E+00	ug/L	—	J	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	35.8	—	—	1.00E+00	ug/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	40.2	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	35.9	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	38.9	—	—	1.00E+00	ug/L	—	J	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	34.1	—	—	1.00E+00	ug/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	11.7	—	—	1.00E+00	ug/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	10.4	—	—	1.00E+01	ug/L	J	J	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	12.8	—	—	1.00E+01	ug/L	J	J	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.5	—	—	1.00E+01	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.2	—	—	1.00E+01	ug/L	J	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	10.9	—	—	1.00E+01	ug/L	J	J	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.4	—	—	1.00E+01	ug/L	J	J	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.8	—	—	1.00E+01	ug/L	J	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	11.5	—	—	1.00E+01	ug/L	J	—	186075	GU07050G25R801	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	330	—	—	1.00E+01	ug/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2	—	—	1.50E+00	ug/L	J	J	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.1	—	—	2.50E+00	ug/L	J	J	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.8	—	—	1.00E+00	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	2.4	—	—	1.00E+00	ug/L	J	U	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.6	—	—	1.50E+00	ug/L	J	J	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.1	—	—	2.50E+00	ug/L	J	J	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	38.2	—	—	1.00E+00	ug/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	3	—	—	1.00E+00	ug/L	—	U	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.8	—	—	1.00E+00	ug/L	J	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	44.7	—	—	2.50E+01	ug/L	J	J	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	59.1	—	—	2.50E+01	ug/L	J	J	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	26.2	—	—	2.50E+01	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	27.7	—	—	1.80E+01	ug/L	J	—	186075	GF07050G25R801	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	66.2	—	—	2.50E+01	ug/L	J	J	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	208	—	—	2.50E+01	ug/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	109	—	—	1.80E+01	ug/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	277	—	—	1.80E+01	ug/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.92	—	—	1.00E-01	ug/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	0.86	—	—	1.00E-01	ug/L	—	U	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.96	—	—	1.00E-01	ug/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.1	—	—	1.00E-01	ug/L	—	U	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.3	—	—	2.00E+00	ug/L	J	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	180977	GU07010G25R801	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.51	—	—	5.00E-01	ug/L	J	J	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.73	—	—	5.00E-01	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.55	—	—	5.00E-01	ug/L	J	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J	J	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	J	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	23.5	—	—	5.00E-01	ug/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	35.2	—	—	5.00E-01	ug/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.3	—	—	5.00E-01	ug/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	58.8	—	—	3.20E-02	mg/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.7	—	—	3.20E-02	mg/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	89	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	88.5	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	93.9	—	—	1.00E+00	ug/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	92.9	—	—	1.00E+00	ug/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	93.3	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	89.4	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	95.2	—	—	1.00E+00	ug/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	90	—	—	1.00E+00	ug/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	60.5	—	—	1.00E+00	ug/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	—	09-111	CAWA-08-16083	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.4	—	—	5.00E-02	ug/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	ug/L	—	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	ug/L	—	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	ug/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	ug/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	ug/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	ug/L	—	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	180977	GU07010G25R801	GELC
R-25	1282	1796	10/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16083	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.9	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.6	—	—	1.00E+00	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.9	—	—	1.00E+00	ug/L	J	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.9	—	—	1.00E+00	ug/L	—	—	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.1	—	—	1.00E+00	ug/L	—	—	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.6	—	—	1.00E+00	ug/L	J	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.9	—	—	1.00E+00	ug/L	J	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1	—	—	1.00E+00	ug/L	U	—	180977	GU07010G25R801	GELC
R-25	1282	1796	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	ug/L	U	U	08-930	CAWA-08-11688	GELC
R-25	1282	1796	10/29/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	ug/L	J	—	196687	GF07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	186075	GF07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.1	—	—	2.00E+00	ug/L	J	J	09-111	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	3	—	—	2.00E+00	ug/L	J	U	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	18.7	—	—	2.00E+00	ug/L	—	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.2	—	—	2.00E+00	ug/L	J	—	186075	GU07050G25R801	GELC
R-25	1282	1796	02/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	7090	—	—	1.00E+01	ug/L	—	—	180977	GU07010G25R801	GELC
R-25	1282	1796	12/12/00	WG	F	CS	—	Rad	Gamma Spec	Radium-226	<	12	1.45E+01	3.70E+01	—	pCi/L	U	U	8126R	GWCV-00-0018	PARA
R-25	1282	1796	10/15/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.694	7.33E-02	5.60E-01	—	pCi/L	—	—	09-110	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.549	7.33E-02	6.30E-01	—	pCi/L	U	U	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.333	7.00E-02	6.83E-01	—	pCi/L	U	U	197062	GU07100G25R801	GELC
R-25	1282	1796	12/12/00	WG	UF	CS	—	Rad	Gamma Spec	Radium-226	<	-110	7.17E+01	5.00E+01	—	pCi/L	U	U	8126R	GWCV-00-0017	PARA
R-25	1282	1796	10/15/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.428	6.33E-02	5.80E-01	—	pCi/L	U	U	09-110	CAWA-08-16084	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.266	5.33E-02	5.30E-01	—	pCi/L	U	U	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	14.5	6.70E-01	1.15E+00	—	pCi/L	—	—	197062	GU07100G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	1.64	—	—	1.50E+00	ug/L	J	J	09-110	CAWA-08-16081	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	U	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	UJ	186075	GU07050G25R801	GELC
R-25	1282	1796	10/15/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.33	—	—	3.00E-01	ug/L	J	J	09-110	CAWA-08-16081	GELC
R-25	1282	1796	04/03/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	08-930	CAWA-08-11686	GELC
R-25	1282	1796	10/29/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196687	GU07100G25R801	GELC
R-25	1282	1796	05/11/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	186075	GU07050G25R801	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	45.5	—	—	7.30E-01	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46	—	—	7.25E-01	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46.7	—	—	7.25E-01	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46.3	—	—	7.25E-01	mg/L	—	—	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	1.57	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-09-190	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.09	—	—	7.30E-01	mg/L	—	—	Sep-53	CAWA-09-189	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.67	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.33	—	—	3.00E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.4	—	—	3.00E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.25	—	—	3.60E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.52	—	—	3.00E-02	mg/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.18	—	—	3.00E-02	mg/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.28	—	—	3.00E-02	mg/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.49	—	—	3.60E-02	mg/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.21	—	—	6.60E-02	mg/L	—	J+	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.2	—	—	6.60E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.18	—	—	6.60E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.21	—	—	6.60E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.137	—	—	3.30E-02	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.12	—	—	3.30E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.225	—	—	3.30E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.141	—	—	3.30E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	31.6	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-16045	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	29.7	—	—	4.30E-01	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	30.4	—	—	4.25E-01	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	29.9	—	—	4.40E-01	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	30.9	—	—	3.50E-01	mg/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	28.9	—	—	4.30E-01	mg/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	29.9	—	—	4.25E-01	mg/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	30.9	—	—	4.40E-01	mg/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.03	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.75	—	—	8.50E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.88	—	—	8.50E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.87	—	—	8.50E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.95	—	—	8.50E-02	mg/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.66	—	—	8.50E-02	mg/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.83	—	—	8.50E-02	mg/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.97	—	—	8.50E-02	mg/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.389	—	—	5.00E-02	mg/L	—	J	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.409	—	—	5.00E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.415	—	—	5.00E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.425	—	—	5.00E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.228	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.244	—	—	5.00E-02	ug/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.235	—	—	5.00E-02	ug/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.246	—	—	5.00E-02	ug/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.25	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.13	—	—	5.00E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.16	—	—	5.00E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.29	—	—	5.00E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.2	—	—	5.00E-02	mg/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.07	—	—	5.00E-02	mg/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.12	—	—	5.00E-02	mg/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.32	—	—	5.00E-02	mg/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	57.7	—	—	3.20E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	56.3	—	—	3.20E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.65	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.26	—	—	4.50E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.65	—	—	4.50E-02	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.39	—	—	4.50E-02	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.5	—	—	4.50E-02	mg/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.12	—	—	4.50E-02	mg/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.56	—	—	4.50E-02	mg/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.65	—	—	4.50E-02	mg/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	99	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	96.1	—	—	1.00E+00	uS/cm	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	101	—	—	1.00E+00	uS/cm	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	103	—	—	1.00E+00	uS/cm	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	99.6	—	—	1.00E+00	uS/cm	—	—	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.05	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-09-190	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	1.99	—	—	1.00E+00	uS/cm	—	—	Sep-53	CAWA-09-189	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.25	—	—	1.00E-01	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.2	—	—	1.00E-01	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.28	—	—	1.00E-01	mg/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.22	—	—	1.00E-01	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	98	—	—	2.40E+00	mg/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	97	—	—	2.40E+00	mg/L	—	J	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	<	108	—	—	2.38E+00	mg/L	—	U	196171	GF07100G26R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	126	—	—	2.38E+00	mg/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	SW-846:9060	Total Organic Carbon	—	0.873	—	—	3.30E-01	mg/L	J	J	Sep-53	CAWA-09-189	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.436	—	—	3.30E-01	mg/L	J	J	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.633	—	—	3.30E-01	mg/L	J	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.384	—	—	3.30E-01	mg/L	J	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.333	—	—	3.30E-01	mg/L	J	—	180173	GU07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.75	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.96	—	—	1.00E-02	SU	H	J-	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.71	—	—	1.00E-02	SU	H	J	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.92	—	—	1.00E-02	SU	H	J	186218	GF07050G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.33	—	—	1.00E-02	SU	H	J	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.43	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-09-190	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.16	—	—	1.00E-02	SU	H	J-	Sep-53	CAWA-09-189	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	7.7	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	7.8	—	—	1.00E+00	ug/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	7.5	—	—	1.00E+00	ug/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	8.6	—	—	1.00E+00	ug/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	7.6	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	7.7	—	—	1.00E+00	ug/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	7.5	—	—	1.00E+00	ug/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	9.1	—	—	1.00E+00	ug/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.6	—	—	1.50E+00	ug/L	J	J	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.5	—	—	2.50E+00	ug/L	J	J	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	2	—	—	1.00E+00	ug/L	J	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	6.4	—	—	1.00E+00	ug/L	—	U	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.5	—	—	1.50E+00	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.2	—	—	2.50E+00	ug/L	J	J	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	25.1	—	—	1.00E+00	ug/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	7.2	—	—	1.00E+00	ug/L	—	U	186218	GU07050G26R101	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	55.5	—	—	2.50E+01	ug/L	J	J	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	ug/L	U	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	32.9	—	—	2.50E+01	ug/L	J	J	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	ug/L	U	U	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	66.9	—	—	2.50E+01	ug/L	J	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	ug/L	U	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.87	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.78	—	—	1.00E-01	ug/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.96	—	—	1.00E-01	ug/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.86	—	—	5.00E-01	ug/L	J	U	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	1.3	—	—	5.00E-01	ug/L	J	U	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	14.9	—	—	5.00E-01	ug/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	1.6	—	—	5.00E-01	ug/L	J	U	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	57.4	—	—	3.20E-02	mg/L	N	J-	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	55.2	—	—	3.20E-02	mg/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	44.7	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	43.9	—	—	1.00E+00	ug/L	—	—	08-905	CAWA-08-11679	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	45.6	—	—	1.00E+00	ug/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	44.2	—	—	1.00E+00	ug/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	44.2	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	43	—	—	1.00E+00	ug/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	45.1	—	—	1.00E+00	ug/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	45.3	—	—	1.00E+00	ug/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.32	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	ug/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.32	—	—	5.00E-02	ug/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.36	—	—	5.00E-02	ug/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.33	—	—	5.00E-02	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.35	—	—	5.00E-02	ug/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.3	—	—	5.00E-02	ug/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.33	—	—	5.00E-02	ug/L	—	U	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.1	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-16045	GELC
R-26	1421	659.3	04/01/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.5	—	—	1.00E+00	ug/L	—	—	08-905	CAWA-08-11679	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.6	—	—	1.00E+00	ug/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.4	—	—	1.00E+00	ug/L	—	—	186218	GF07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.8	—	—	1.00E+00	ug/L	—	—	Sep-53	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	9.4	—	—	1.00E+00	ug/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.8	—	—	1.00E+00	ug/L	—	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.9	—	—	1.00E+00	ug/L	—	—	186218	GU07050G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00579	1.50E-03	2.80E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000998	6.83E-04	3.24E-02	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00362	8.63E-04	2.04E-02	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0044	1.57E-03	2.50E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00304	9.67E-04	3.24E-02	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000184	1.97E-04	2.11E-02	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00119	1.49E-03	2.67E-02	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	-0.448	2.02E+00	1.54E+01	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0119	2.69E-03	4.42E-02	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.778	4.33E-01	4.10E+00	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	2	4.17E-01	4.53E+00	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.37	4.37E-01	3.99E+00	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.0893	4.33E-01	4.10E+00	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.25	4.33E-01	4.51E+00	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.542	4.20E-01	3.96E+00	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.137	2.48E-01	2.63E+00	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.882	2.98E-01	3.07E+00	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.588	4.67E-01	4.50E+00	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.14	4.73E-01	4.96E+00	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.9	3.63E-01	4.55E+00	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.73	4.33E-01	4.70E+00	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.68	4.17E-01	3.34E+00	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.1	5.33E-01	4.44E+00	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.473	3.08E-01	3.00E+00	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.779	3.33E-01	3.44E+00	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	14	3.10E+00	1.70E+01	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	101	3.02E+01	3.25E+02	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	79.4	1.90E+01	2.92E+02	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	6.77	1.93E+01	4.20E+01	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	76.6	2.37E+01	2.10E+02	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	57.8	2.16E+01	2.42E+02	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	60.7	3.50E+01	1.85E+02	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.989	3.03E+00	2.90E+01	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.2	4.33E+00	3.35E+01	—	pCi/L	U	U	196171	GF07100G26R101	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.1	3.60E+00	3.25E+01	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.59	2.80E+00	2.80E+01	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-14.5	2.73E+00	2.48E+01	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.414	3.40E+00	3.19E+01	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.25	2.37E+00	2.09E+01	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00502	9.67E-04	2.50E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00765	1.81E-03	3.33E-02	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00488	9.43E-04	1.79E-02	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00155	1.17E-03	2.40E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0111	2.31E-03	3.22E-02	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00691	2.00E-03	1.89E-02	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-4.21E-09	3.60E-03	2.65E-02	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00658	3.80E-03	6.83E-02	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00836	1.47E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.27E-03	3.13E-02	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.013	1.89E-03	1.19E-02	—	pCi/L	U	R	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.014	1.63E-03	2.70E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.23E-03	3.03E-02	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0069	1.41E-03	1.26E-02	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00661	2.85E-03	2.90E-02	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00329	2.45E-03	5.76E-02	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-16.8	5.67E+00	5.80E+01	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-12.3	6.47E+00	5.59E+01	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	11.3	5.27E+00	5.16E+01	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-11.1	6.67E+00	6.70E+01	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-3.82	6.17E+00	6.37E+01	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	16.3	5.17E+00	5.38E+01	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	41.1	3.29E+00	4.13E+01	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	38.1	4.30E+00	4.62E+01	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.431	3.67E-02	1.80E-01	—	pCi/L	—	—	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.234	5.33E-02	5.20E-01	—	pCi/L	U	U	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.274	4.73E-02	4.43E-01	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	13.8	1.49E+00	6.17E+00	—	pCi/L	—	J	149533	GU0510G26R101	GELC
R-26	1421	659.3	07/27/05	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	5.93	1.14E+00	6.53E+00	—	pCi/L	U	U	141892	GU0507G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.559	6.33E-02	4.70E-01	—	pCi/L	—	—	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.646	6.67E-02	5.10E-01	—	pCi/L	—	—	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.384	4.80E-02	4.07E-01	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.923	4.67E-01	4.80E+00	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.769	4.53E-01	4.28E+00	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.804	5.00E-01	4.46E+00	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.17	3.67E-01	3.80E+00	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.699	3.80E-01	3.97E+00	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.6	3.67E-01	4.08E+00	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.15	2.57E-01	3.04E+00	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.12	3.24E-01	3.70E+00	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0309	4.33E-02	4.60E-01	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.14	3.17E-02	4.26E-01	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.211	4.60E-02	4.56E-01	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0268	4.33E-02	4.80E-01	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0611	4.73E-02	4.87E-01	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.036	4.40E-02	4.51E-01	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0596	2.51E-02	3.55E-01	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.164	2.28E-02	3.97E-01	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-6.64	4.43E-01	3.32E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16044	ARSL
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.09579	9.58E-02	2.87E-01	—	pCi/L	—	U	2415	UU07100G26R101	UMTL
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2345	UU07050G26R101	UMTL

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.22351	9.58E-02	2.87E-01	—	pCi/L	—	U	2307	UU07010G26R101	UMTL
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.06386	9.58E-02	2.87E-01	—	pCi/L	—	U	2189	UU0602G26R101	UMTL
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.201	7.33E-03	5.50E-02	—	pCi/L	—	—	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.197	7.80E-03	5.92E-02	—	pCi/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.142	7.23E-03	5.11E-02	—	pCi/L	—	J	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.192	7.00E-03	5.60E-02	—	pCi/L	—	—	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.187	7.97E-03	6.55E-02	—	pCi/L	—	J	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.219	8.43E-03	4.55E-02	—	pCi/L	—	—	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.205	9.07E-03	8.39E-02	—	pCi/L	—	J	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.233	1.01E-02	9.34E-02	—	pCi/L	—	J	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0154	1.83E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00508	2.08E-03	3.51E-02	—	pCi/L	U	U	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00298	2.22E-03	5.21E-02	—	pCi/L	U	U	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0137	2.20E-03	2.90E-02	—	pCi/L	U	U	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00562	1.88E-03	3.89E-02	—	pCi/L	U	U	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0159	2.19E-03	4.64E-02	—	pCi/L	U	U	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00651	2.66E-03	4.07E-02	—	pCi/L	U	U	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0114	6.80E-03	7.03E-02	—	pCi/L	U	U	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.111	5.00E-03	3.00E-02	—	pCi/L	—	—	Sep-54	CAWA-08-16045	GELC
R-26	1421	659.3	10/17/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.121	6.00E-03	3.94E-02	—	pCi/L	—	—	196171	GF07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.145	7.30E-03	3.62E-02	—	pCi/L	—	—	180173	GF07010G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0922	4.33E-03	3.10E-02	—	pCi/L	—	—	Sep-54	CAWA-08-16044	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.1	5.73E-03	4.37E-02	—	pCi/L	—	J	196171	GU07100G26R101	GELC
R-26	1421	659.3	02/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.129	6.47E-03	3.22E-02	—	pCi/L	—	—	180173	GU07010G26R101	GELC
R-26	1421	659.3	02/22/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.105	6.70E-03	4.70E-02	—	pCi/L	—	J	156838	GU0602G26R101	GELC
R-26	1421	659.3	11/02/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.15	9.93E-03	6.62E-02	—	pCi/L	—	J	149533	GU0510G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	2.25	—	—	1.50E+00	ug/L	J	J	Sep-52	CAWA-08-16046	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	UJ	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.46	—	—	3.00E-01	ug/L	J	J	Sep-52	CAWA-08-16046	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	10/07/08	WG	UF	CS	EQB	Voa	SW-846:8260B	Toluene	—	0.68	—	—	2.50E-01	ug/L	J	J	Sep-52	CAWA-09-189	GELC
R-26	1421	659.3	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	08-905	CAWA-08-11678	GELC
R-26	1421	659.3	10/17/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	196171	GU07100G26R101	GELC
R-26	1421	659.3	05/15/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	186218	GU07050G26R101	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.5	—	—	7.30E-01	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55	—	—	7.30E-01	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55	—	—	7.30E-01	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.5	—	—	7.25E-01	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	41.8	—	—	7.25E-01	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	17.6	—	—	7.25E-01	mg/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	10.5	—	—	3.00E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.5	—	—	3.00E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.3	—	—	3.00E-02	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.83	—	—	3.00E-02	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.66	—	—	3.60E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	10.6	—	—	3.00E-02	mg/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.6	—	—	3.00E-02	mg/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.1	—	—	3.00E-02	mg/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.74	—	—	3.00E-02	mg/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.60E-02	mg/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	1.61	—	—	6.60E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.61	—	—	6.60E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.58	—	—	6.60E-02	mg/L	—	J+	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.59	—	—	6.60E-02	mg/L	—	—	196605	GF071000GR2701	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.57	—	—	6.60E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.59	—	—	6.60E-02	mg/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.239	—	—	3.30E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.256	—	—	3.30E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.22	—	—	3.30E-02	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.28	—	—	3.30E-02	mg/L	—	J+	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.251	—	—	3.30E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.24	—	—	3.30E-02	mg/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	38.5	—	—	3.50E-01	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	39.1	—	—	3.50E-01	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	38.3	—	—	4.30E-01	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	35.8	—	—	4.25E-01	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	35.8	—	—	4.40E-01	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	39.1	—	—	3.50E-01	mg/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	38.7	—	—	3.50E-01	mg/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	37.8	—	—	4.30E-01	mg/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	35.5	—	—	4.25E-01	mg/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	37.7	—	—	4.40E-01	mg/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	2.97	—	—	8.50E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.09	—	—	8.50E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.06	—	—	8.50E-02	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.73	—	—	8.50E-02	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.83	—	—	8.50E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.06	—	—	8.50E-02	mg/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.98	—	—	8.50E-02	mg/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.04	—	—	8.50E-02	mg/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.71	—	—	8.50E-02	mg/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.99	—	—	8.50E-02	mg/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.232	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.259	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.222	—	—	5.00E-02	ug/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.204	—	—	5.00E-02	ug/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.201	—	—	5.00E-02	ug/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	183494	GF070300GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.207	—	—	5.00E-02	ug/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.33	—	—	5.00E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.34	—	—	5.00E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.38	—	—	5.00E-02	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.21	—	—	5.00E-02	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.28	—	—	5.00E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.36	—	—	5.00E-02	mg/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.36	—	—	5.00E-02	mg/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.37	—	—	5.00E-02	mg/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.2	—	—	5.00E-02	mg/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.36	—	—	5.00E-02	mg/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	68.1	—	—	3.20E-02	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	63.5	—	—	3.20E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	64.5	—	—	3.20E-02	mg/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	9.76	—	—	4.50E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.73	—	—	4.50E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.2	—	—	4.50E-02	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.71	—	—	4.50E-02	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	9.89	—	—	4.50E-02	mg/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.85	—	—	4.50E-02	mg/L	—	—	Sep-80	CAWA-08-16054	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	04/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10	—	—	4.50E-02	mg/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.3	—	—	4.50E-02	mg/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	120	—	—	1.00E+00	uS/cm	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	120	—	—	1.00E+00	uS/cm	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	116	—	—	1.00E+00	uS/cm	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	119	—	—	1.00E+00	uS/cm	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	122	—	—	1.00E+00	uS/cm	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	130	—	—	1.00E+00	uS/cm	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	1.41	—	—	1.00E-01	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.42	—	—	1.00E-01	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.43	—	—	1.00E-01	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.53	—	—	1.00E-01	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.42	—	—	1.00E-01	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.42	—	—	1.00E-01	mg/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	112	—	—	2.40E+00	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	112	—	—	2.40E+00	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	118	—	—	2.40E+00	mg/L	—	J	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	107	—	—	2.38E+00	mg/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	138	—	—	2.38E+00	mg/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	142	—	—	2.38E+00	mg/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	0.334	—	—	3.30E-01	mg/L	J	J	Sep-79	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.375	—	—	3.30E-01	mg/L	J	J	Sep-79	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.412	—	—	3.30E-01	mg/L	J	J	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.481	—	—	3.30E-01	mg/L	J	JN-	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.09	—	—	3.30E-01	mg/L	—	U	186075	GU070500GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.63	—	—	3.30E-01	mg/L	J	—	183494	GU070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.054	—	—	2.40E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.048	—	—	2.40E-02	mg/L	J	J	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.038	—	—	2.40E-02	mg/L	J	U	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.1	—	—	2.40E-02	mg/L	—	J-, J, JN-	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.055	—	—	2.40E-02	mg/L	—	U	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.052	—	—	2.40E-02	mg/L	—	U	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.97	—	—	1.00E-02	SU	H	J-	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.94	—	—	1.00E-02	SU	H	J-	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.91	—	—	1.00E-02	SU	H	J-	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.98	—	—	1.00E-02	SU	H	J	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J	186075	GF070500GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.54	—	—	1.00E-02	SU	H	J	183494	GF070300GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	77	—	—	6.80E+01	ug/L	J	J	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	ug/L	U	U	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	71.4	—	—	6.80E+01	ug/L	J	J	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	ug/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	ug/L	U	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	ug/L	J	J	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.1	—	—	1.50E+00	ug/L	J	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	2.6	—	—	1.50E+00	ug/L	J	U	186075	GF070500GR2701	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2	—	—	1.50E+00	ug/L	J	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	2.6	—	—	1.50E+00	ug/L	J	U	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	26.4	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	26.9	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16056	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	26.8	—	—	1.00E+00	ug/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	28.1	—	—	1.00E+00	ug/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	26	—	—	1.00E+00	ug/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	26	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	26.1	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	26.3	—	—	1.00E+00	ug/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	27.6	—	—	1.00E+00	ug/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	27.8	—	—	1.00E+00	ug/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.9	—	—	1.00E+01	ug/L	J	J	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	10.8	—	—	1.00E+01	ug/L	J	U	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.5	—	—	1.00E+01	ug/L	J	J	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	11	—	—	1.00E+01	ug/L	J	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	ug/L	U	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.97	—	—	1.00E-01	ug/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.94	—	—	1.00E-01	ug/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.91	—	—	1.00E-01	ug/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	3	—	—	2.00E+00	ug/L	J	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.94	—	—	1.00E-01	ug/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.96	—	—	1.00E-01	ug/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.9	—	—	1.00E-01	ug/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	ug/L	U	UJ	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.5	—	—	2.00E+00	ug/L	J	—	186075	GU070500GR2701	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.71	—	—	5.00E-01	ug/L	J	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.58	—	—	5.00E-01	ug/L	J	J	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	ug/L	U	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	ug/L	J	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	65.8	—	—	3.20E-02	mg/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	65.8	—	—	3.20E-02	mg/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.7	—	—	3.20E-02	mg/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	47.2	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	47.4	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49.1	—	—	1.00E+00	ug/L	—	—	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	51.3	—	—	1.00E+00	ug/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	45.4	—	—	1.00E+00	ug/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	47.8	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	47.7	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	48.5	—	—	1.00E+00	ug/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.5	—	—	1.00E+00	ug/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	47.9	—	—	1.00E+00	ug/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.56	—	—	3.00E-01	ug/L	J	J	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	ug/L	U	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	ug/L	U	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.54	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.49	—	—	5.00E-02	ug/L	—	—	08-991	CAWA-08-11691	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	ug/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.46	—	—	5.00E-02	ug/L	—	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.52	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	ug/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.51	—	—	5.00E-02	ug/L	—	—	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	ug/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	ug/L	—	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	04/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.6	—	—	1.00E+00	ug/L	—	J	08-991	CAWA-08-11691	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.7	—	—	1.00E+00	ug/L	J	JN-	196605	GF071000GR2701	GELC
R-27	6991	852	05/11/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.4	—	—	1.00E+00	ug/L	J	—	186075	GF070500GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	ug/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	ug/L	—	J	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.2	—	—	1.00E+00	ug/L	J	JN-	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.9	—	—	1.00E+00	ug/L	J	—	186075	GU070500GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	HASL-300	Americium-241	<	0.00226	2.20E-03	2.50E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0086	1.23E-03	1.90E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00112	1.56E-03	3.17E-02	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.032	5.57E-03	6.53E-02	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00152	1.96E-03	1.98E-02	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00743	1.51E-03	5.11E-02	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	HASL-300	Americium-241	<	-0.00221	1.73E-03	2.20E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00897	2.27E-03	2.40E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00934	1.64E-03	3.46E-02	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0109	3.31E-03	4.56E-02	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00328	1.44E-03	1.98E-02	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00333	2.97E-03	5.31E-02	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	-0.29	4.00E-01	3.70E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.227	5.33E-01	5.10E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.64	4.17E-01	4.43E+00	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.108	5.23E-01	4.60E+00	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.289	4.77E-01	3.89E+00	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.255	3.93E-01	4.29E+00	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	0.194	4.67E-01	4.60E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-4.01	5.00E-01	3.70E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.45	2.75E-01	2.91E+00	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	3.47	3.90E-01	4.21E+00	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.55	3.70E-01	3.70E+00	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.422	3.01E-01	3.16E+00	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	0.0236	4.67E-01	4.50E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.24	4.00E-01	4.70E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.69	4.63E-01	5.05E+00	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.02	4.57E-01	4.73E+00	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.85	4.10E-01	4.48E+00	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.195	3.33E-01	3.87E+00	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.761	4.67E-01	4.20E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.49	4.67E-01	5.00E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.42	3.33E-01	2.69E+00	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.967	4.03E-01	3.61E+00	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.5	3.63E-01	3.91E+00	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.22	7.33E-01	3.97E+00	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	9.38	5.67E+00	2.10E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	15.2	7.33E+00	3.60E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	53.7	1.72E+01	1.83E+02	—	pCi/L	U	U	196605	GF071000GR2701	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	70.7	3.05E+01	2.85E+02	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	85	1.60E+01	2.88E+02	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	59.8	2.50E+01	2.40E+02	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	3.06	3.33E-01	1.20E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	3.92	7.33E+00	1.80E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	57	1.60E+01	1.87E+02	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	71	2.28E+01	2.60E+02	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	341	9.63E+01	4.25E+02	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	108	4.80E+01	3.42E+02	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	0.437	3.33E+00	3.60E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-10.4	3.00E+00	2.70E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.28	3.53E+00	3.17E+01	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	7.15	3.21E+00	3.25E+01	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.0171	3.11E+00	2.65E+01	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	11.3	2.81E+00	2.83E+01	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	1.56	3.17E+00	3.20E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.68	3.67E+00	3.60E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.01	3.05E+00	2.83E+01	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	12.1	3.67E+00	3.41E+01	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	17.7	3.47E+00	3.16E+01	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.24	3.16E+00	2.35E+01	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-238	<	0.00721	1.47E-03	2.70E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00167	9.67E-04	2.50E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0209	2.47E-03	3.31E-02	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00213	2.36E-03	2.19E-02	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0132	2.09E-03	2.42E-02	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	9.70E-04	2.80E-02	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0.00567	2.27E-03	2.90E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00409	1.67E-03	3.10E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00391	2.26E-03	3.41E-02	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00807	2.34E-03	1.75E-02	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0039	1.30E-03	2.14E-02	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00173	8.13E-04	1.70E-02	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	HASL-300	Plutonium-239/240	—	0.0378	2.93E-03	3.10E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00334	1.57E-03	2.90E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0019	1.68E-03	3.12E-02	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0064	1.23E-03	3.16E-02	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0022	1.94E-03	1.61E-02	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00291	9.70E-04	3.30E-02	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00189	1.40E-03	3.20E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00204	1.80E-03	3.50E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00195	1.13E-03	3.20E-02	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00902	2.14E-03	2.56E-02	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	9.17E-04	1.42E-02	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00518	1.00E-03	1.90E-02	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	62.7	6.33E+00	7.60E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	9.44	5.67E+00	6.50E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-23	4.90E+00	4.57E+01	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-6.5	6.00E+00	6.00E+01	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	4.84	4.13E+00	4.13E+01	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	—	70.9	4.67E+00	6.41E+01	—	pCi/L	—	J	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	23	6.00E+00	6.90E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-24.7	6.67E+00	6.40E+01	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-29.7	4.90E+00	3.62E+01	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	1.2	5.40E+00	5.86E+01	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	7.79	5.07E+00	4.51E+01	—	pCi/L	U	U	180371	GU070100GR2701	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	4.14	3.70E+00	4.16E+01	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.877	1.00E-01	7.80E-01	—	pCi/L	—	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.572	7.67E-02	6.60E-01	—	pCi/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	1.41	8.40E-02	4.14E-01	—	pCi/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.117	5.00E-02	5.30E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.244	6.33E-02	6.40E-01	—	pCi/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.268	5.67E-02	5.53E-01	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	-2.9	4.67E-01	3.50E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.55	4.33E-01	3.60E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.768	4.63E-01	3.49E+00	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.94	4.83E-01	5.21E+00	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	2.47	3.93E-01	4.47E+00	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.08	4.60E-01	4.16E+00	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	2.46	4.33E-01	5.00E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.37	4.67E-01	5.20E+00	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.477	3.87E-01	3.91E+00	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.876	4.03E-01	4.19E+00	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.297	3.30E-01	3.14E+00	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.08	3.57E-01	3.10E+00	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.0282	4.00E-02	4.80E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0418	4.33E-02	4.80E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.103	2.24E-02	2.21E-01	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.174	3.17E-02	4.13E-01	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0979	3.93E-02	3.95E-01	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0277	1.66E-02	2.35E-01	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.0614	4.67E-02	4.90E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.26	5.00E-02	4.90E-01	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.00561	2.13E-02	2.19E-01	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0111	4.30E-02	4.84E-01	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0499	4.13E-02	4.22E-01	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.042	2.05E-02	2.88E-01	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	LLEE	Tritium	<	-6.65	4.48E-01	3.39E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16059	ARSL
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-6.45	4.45E-01	3.45E+00	—	pCi/L	U	U	Sep-85	CAWA-08-16054	ARSL
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.09579	9.58E-02	2.87E-01	—	pCi/L	—	U	2324	UU070300GR2701	UMTL
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.35123	9.58E-02	2.87E-01	—	pCi/L	—	U	2307	UU070100GR2701	UMTL
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01	—	pCi/L	—	U	2227	UU060600GR2701	UMTL
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	EPA:906.0	Tritium	<	23	1.66E+01	1.68E+02	—	pCi/L	U	J-, U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	HASL-300	Uranium-234	—	0.298	1.03E-02	6.40E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.397	1.10E-02	5.10E-02	—	pCi/L	—	J-	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.289	1.04E-02	6.17E-02	—	pCi/L	—	—	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.357	1.14E-02	5.46E-02	—	pCi/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.263	1.01E-02	4.94E-02	—	pCi/L	—	—	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.312	1.11E-02	5.04E-02	—	pCi/L	—	—	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-234	—	0.326	1.00E-02	6.00E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.266	9.33E-03	6.00E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.34	1.17E-02	6.57E-02	—	pCi/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.359	1.13E-02	5.34E-02	—	pCi/L	—	—	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.269	1.08E-02	5.60E-02	—	pCi/L	—	—	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.385	1.31E-02	5.31E-02	—	pCi/L	—	—	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0112	2.50E-03	3.30E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0108	1.90E-03	2.70E-02	—	pCi/L	U	UJ	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00265	2.93E-03	3.66E-02	—	pCi/L	U	U	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0271	2.78E-03	3.47E-02	—	pCi/L	U	U	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0259	3.50E-03	5.04E-02	—	pCi/L	U	U	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00598	2.82E-03	4.25E-02	—	pCi/L	U	U	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0212	2.27E-03	3.10E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16059	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.019	2.73E-03	3.10E-02	—	pCi/L	U	U	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0141	2.50E-03	3.90E-02	—	pCi/L	U	U	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0314	3.17E-03	3.39E-02	—	pCi/L	U	U	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00652	3.08E-03	5.71E-02	—	pCi/L	U	U	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0157	2.37E-03	4.48E-02	—	pCi/L	U	U	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	F	CS	FD	Rad	HASL-300	Uranium-238	—	0.151	7.00E-03	3.50E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16058	GELC
R-27	6991	852	10/10/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.19	6.67E-03	2.80E-02	—	pCi/L	—	J-	Sep-80	CAWA-08-16056	GELC
R-27	6991	852	10/26/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0964	5.80E-03	4.11E-02	—	pCi/L	—	J	196605	GF071000GR2701	GELC
R-27	6991	852	03/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.168	6.93E-03	4.16E-02	—	pCi/L	—	—	183494	GF070300GR2701	GELC
R-27	6991	852	02/02/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0931	6.17E-03	3.50E-02	—	pCi/L	—	J	180371	GF070100GR2701	GELC
R-27	6991	852	07/01/06	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.179	7.93E-03	5.36E-02	—	pCi/L	—	—	166561	GF060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FD	Rad	HASL-300	Uranium-238	—	0.149	6.00E-03	3.30E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16059	GELC
R-27	6991	852	10/10/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.164	6.33E-03	3.30E-02	—	pCi/L	—	—	Sep-80	CAWA-08-16054	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.162	7.30E-03	4.38E-02	—	pCi/L	—	—	196605	GU071000GR2701	GELC
R-27	6991	852	03/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.168	7.07E-03	4.07E-02	—	pCi/L	—	—	183494	GU070300GR2701	GELC
R-27	6991	852	02/02/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.15	8.07E-03	3.96E-02	—	pCi/L	—	—	180371	GU070100GR2701	GELC
R-27	6991	852	07/01/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.166	7.77E-03	5.65E-02	—	pCi/L	—	J	166561	GU060600GR2701	GELC
R-27	6991	852	10/10/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Toluene	—	0.262	—	—	2.50E-01	ug/L	J	J	Sep-79	CAWA-08-16055	GELC
R-27	6991	852	04/11/08	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	08-991	CAWA-08-11690	GELC
R-27	6991	852	10/26/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	196605	GU071000GR2701	GELC
R-27	6991	852	05/11/07	WG	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	186075	GU070500GR2701	GELC
SWSC Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	208	—	—	1.00E+00	uS/cm	—	—	08-895	CAWA-08-11565	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	194	—	—	1.00E+00	uS/cm	—	—	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	189	—	—	1.00E+00	uS/cm	—	—	185981	GF07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	173	—	—	1.00E+00	uS/cm	—	—	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	04/01/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J-	08-895	CAWA-08-11565	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.87	—	—	1.00E-02	SU	H	J	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.34	—	—	1.00E-02	SU	H	J	185981	GF07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	7.44	—	—	1.00E-02	SU	H	J	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.909	—	—	1.30E-01	ug/L	—	—	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.81	—	—	1.30E-01	ug/L	—	—	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	1.04	—	—	1.30E-01	ug/L	—	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.562	—	—	1.30E-01	ug/L	—	J-	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Hexp	SW-846:8321	Amino-2,6-dinitrotoluene[4-]	—	0.418	—	—	1.30E-01	ug/L	—	J-	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.684	—	—	1.20E-01	ug/L	—	—	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.725	—	—	1.20E-01	ug/L	—	J+	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.699	—	—	1.17E-01	ug/L	—	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.453	—	—	1.17E-01	ug/L	—	J-	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Hexp	SW-846:8321	Amino-4,6-dinitrotoluene[2-]	—	0.597	—	—	1.17E-01	ug/L	—	—	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.7	—	—	1.00E-01	ug/L	—	J	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	5.21	—	—	1.00E-01	ug/L	—	J-	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	3.11	—	—	1.04E-01	ug/L	—	J-	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.2	—	—	1.04E-01	ug/L	—	J-	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Hexp	SW-846:8321	HMX	—	2.62	—	—	1.04E-01	ug/L	—	J-, J+	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	40.6	—	—	6.50E-01	ug/L	—	—	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	DL	—	Hexp	SW-846:8321	RDX	—	61	—	—	1.60E+00	ug/L	—	—	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	39.8	—	—	6.49E-01	ug/L	—	J+	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	27.2	—	—	1.30E+00	ug/L	—	J	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Hexp	SW-846:8321	RDX	—	26	—	—	3.25E-01	ug/L	—	J+	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.217	—	—	1.00E-01	ug/L	J	J	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.414	—	—	1.00E-01	ug/L	—	J-	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.04E-01	ug/L	U	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	—	0.205	—	—	1.04E-01	ug/L	J	J-	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrobenzene[1,3,5-]	<	0.325	—	—	1.04E-01	ug/L	U	—	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.0853	—	—	7.80E-02	ug/L	J	J	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.147	—	—	7.80E-02	ug/L	J	J	08-895	CAWA-08-11564	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.0957	—	—	7.79E-02	ug/L	J	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.165	—	—	7.79E-02	ug/L	J	J-	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Hexp	SW-846:8321	Trinitrotoluene[2,4,6-]	—	0.106	—	—	7.79E-02	ug/L	J	—	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0108	1.93E-03	2.90E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00237	4.53E-03	3.79E-02	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00658	9.67E-04	2.70E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00801	3.50E-03	3.99E-02	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.0334	3.67E-01	3.60E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.2	4.73E-01	4.97E+00	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.83	4.33E-01	4.40E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.1	4.63E-01	4.34E+00	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.7	3.67E-01	3.20E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.42	5.67E-01	5.17E+00	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.547	4.67E-01	4.40E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.14	4.80E-01	5.12E+00	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	6.08	1.23E+00	2.90E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	86.3	4.30E+01	2.68E+02	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	26.7	1.20E+01	3.90E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	67	2.32E+01	2.92E+02	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	7.42	4.00E+00	4.00E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-11.4	3.11E+00	2.71E+01	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-21.9	3.30E+00	3.00E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-26.9	3.53E+00	2.59E+01	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0104	2.13E-03	3.90E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0112	2.33E-03	2.98E-02	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00512	1.27E-03	2.60E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0121	1.74E-03	2.76E-02	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0104	2.13E-03	4.50E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00558	1.86E-03	3.51E-02	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0137	1.80E-03	2.90E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00173	1.52E-03	3.26E-02	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	8.44	6.00E+00	6.20E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-48	6.73E+00	5.79E+01	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	19.6	5.00E+00	5.60E+01	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-7.48	6.97E+00	7.06E+01	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0246	4.00E-01	3.90E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.423	5.13E-01	4.56E+00	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0339	4.67E-01	4.40E+00	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.472	4.27E-01	4.06E+00	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.269	4.33E-02	4.30E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.148	4.77E-02	4.86E-01	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.128	2.80E-02	3.70E-01	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.342	5.10E-02	4.82E-01	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	32.73	1.70E+00	3.37E+00	—	pCi/L	—	U	Sep-85	CAWA-08-15954	ARSL
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	62.58	6.39E-01	2.87E-01	—	pCi/L	—	—	2415	UU07100SWSCS01	UMTL
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	67.69	7.45E-01	2.87E-01	—	pCi/L	—	—	2340	UU07050SWSCS01	UMTL
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Rad	LLEE	Tritium	—	83.66	9.58E-01	2.87E-01	—	pCi/L	—	—	2143	UU0510SWSCS01	UMTL
SWSC Spring	—	—	08/26/05	WG	UF	CS	—	Rad	LLEE	Tritium	—	75.67	8.51E-01	2.87E-01	—	pCi/L	—	—	2111	UU0507SWSCS01	UMTL
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.163	6.33E-03	5.70E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.172	6.87E-03	4.22E-02	—	pCi/L	—	—	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.232	8.00E-03	6.10E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.359	1.13E-02	4.46E-02	—	pCi/L	—	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0222	2.27E-03	3.00E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0139	1.90E-03	3.27E-02	—	pCi/L	U	U	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0107	2.13E-03	3.20E-02	—	pCi/L	U	U	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0146	2.01E-03	3.46E-02	—	pCi/L	U	U	196376	GU07100SWSCS01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
SWSC Spring	—	—	10/08/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.119	5.33E-03	3.20E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15953	GELC
SWSC Spring	—	—	10/23/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0916	5.10E-03	3.69E-02	—	pCi/L	—	J	196376	GF07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.142	6.00E-03	3.40E-02	—	pCi/L	—	—	Sep-62	CAWA-08-15954	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.235	8.60E-03	3.90E-02	—	pCi/L	—	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.17	—	—	4.50E-01	ug/L	—	—	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.38	—	—	2.50E-01	ug/L	—	—	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	<	1	—	—	2.50E-01	ug/L	U	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	1.33	—	—	2.50E-01	ug/L	—	—	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Voa	SW-846:8260B	Tetrachloroethene	—	0.784	—	—	2.50E-01	ug/L	J	—	150020	GU0510SWSCS01	GELC
SWSC Spring	—	—	10/08/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.28	—	—	2.50E-01	ug/L	—	—	Sep-60	CAWA-08-15954	GELC
SWSC Spring	—	—	04/01/08	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.23	—	—	2.50E-01	ug/L	—	—	08-895	CAWA-08-11564	GELC
SWSC Spring	—	—	10/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	<	1	—	—	2.50E-01	ug/L	U	—	196376	GU07100SWSCS01	GELC
SWSC Spring	—	—	05/10/07	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	1.17	—	—	2.50E-01	ug/L	—	—	185981	GU07050SWSCS01	GELC
SWSC Spring	—	—	11/09/05	WG	UF	CS	—	Voa	SW-846:8260B	Trichloroethene	—	0.987	—	—	2.50E-01	ug/L	J	—	150020	GU0510SWSCS01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	44.4	—	—	7.30E-01	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	37	—	—	7.30E-01	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	41.8	—	—	7.25E-01	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	32.4	—	—	7.25E-01	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	42.9	—	—	7.25E-01	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.27	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	9.61	—	—	3.00E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.27	—	—	3.00E-02	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.74	—	—	3.60E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.09	—	—	3.60E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.21	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.00E-02	mg/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.31	—	—	3.00E-02	mg/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	8.19	—	—	3.60E-02	mg/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	7.54	—	—	3.60E-02	mg/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	0.904	—	—	6.60E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.98	—	—	6.60E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	0.934	—	—	6.60E-02	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.69	—	—	6.60E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.03	—	—	6.60E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.109	—	—	3.30E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.076	—	—	3.30E-02	mg/L	J	J	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.19	—	—	3.30E-02	mg/L	—	J+	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.104	—	—	3.30E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.12	—	—	3.30E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	31.4	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	39.9	—	—	4.30E-01	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	32.1	—	—	4.25E-01	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	33.8	—	—	4.40E-01	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	31.5	—	—	4.40E-01	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	31	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.1	—	—	4.30E-01	mg/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	32.2	—	—	4.25E-01	mg/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	35.9	—	—	4.40E-01	mg/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	33.6	—	—	4.40E-01	mg/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.21	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.86	—	—	8.50E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.38	—	—	8.50E-02	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.52	—	—	8.50E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.36	—	—	8.50E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.15	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.07	—	—	8.50E-02	mg/L	—	—	08-923	CAWA-08-11562	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.39	—	—	8.50E-02	mg/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.74	—	—	8.50E-02	mg/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.59	—	—	8.50E-02	mg/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.356	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.269	—	—	5.00E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.36	—	—	5.00E-02	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.278	—	—	1.00E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.237	—	—	1.40E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.234	—	—	5.00E-02	ug/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.331	—	—	5.00E-02	ug/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.203	—	—	5.00E-02	ug/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.345	—	—	5.00E-02	ug/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.192	—	—	5.00E-02	ug/L	J	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.62	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.55	—	—	5.00E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.62	—	—	5.00E-02	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.95	—	—	5.00E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.73	—	—	5.00E-02	mg/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.62	—	—	5.00E-02	mg/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.05	—	—	5.00E-02	mg/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.77	—	—	5.00E-02	mg/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	<	43.6	—	—	3.20E-02	mg/L	—	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	37	—	—	3.20E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	44.6	—	—	3.20E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.46	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.63	—	—	4.50E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.03	—	—	4.50E-02	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	4.98	—	—	4.50E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.06	—	—	4.50E-02	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.4	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.93	—	—	4.50E-02	mg/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.05	—	—	4.50E-02	mg/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	5.23	—	—	4.50E-02	mg/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	6.32	—	—	4.50E-02	mg/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	92.4	—	—	1.00E+00	uS/cm	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	112	—	—	1.00E+00	uS/cm	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	92.5	—	—	1.00E+00	uS/cm	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	102	—	—	1.00E+00	uS/cm	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	95.6	—	—	1.00E+00	uS/cm	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.79	—	—	1.00E-01	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.98	—	—	1.00E-01	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.01	—	—	1.00E-01	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.64	—	—	1.00E-01	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.38	—	—	1.00E-01	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	89	—	—	2.40E+00	mg/L	—	J	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	106	—	—	2.40E+00	mg/L	—	J	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	89	—	—	2.38E+00	mg/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	123	—	—	2.38E+00	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	60	—	—	2.38E+00	mg/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.01	—	—	3.30E-01	mg/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.5	—	—	3.30E-01	mg/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.02	—	—	3.30E-01	mg/L	—	—	196149	GU071000GGCW01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.1	—	—	3.30E-01	mg/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.11	—	—	3.30E-01	mg/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.06	—	—	2.40E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.061	—	—	2.40E-02	mg/L	—	U	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	UJ	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.056	—	—	2.40E-02	mg/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.101	—	—	1.00E-02	mg/L	—	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.72	—	—	1.00E-02	SU	H	J-	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.47	—	—	1.00E-02	SU	H	J-	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.55	—	—	1.00E-02	SU	H	J	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.37	—	—	1.00E-02	SU	H	J	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.7	—	—	1.00E-02	SU	H	J	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	2390	—	—	6.80E+01	ug/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	129	—	—	6.80E+01	ug/L	J	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	681	—	—	6.80E+01	ug/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	374	—	—	6.80E+01	ug/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	96.8	—	—	6.80E+01	ug/L	J	J	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	2960	—	—	6.80E+01	ug/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	85.2	—	—	6.80E+01	ug/L	J	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	930	—	—	6.80E+01	ug/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	384	—	—	6.80E+01	ug/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.3	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	28.8	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.4	—	—	1.00E+00	ug/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	18	—	—	1.00E+00	ug/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.8	—	—	1.00E+00	ug/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.2	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	31	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.1	—	—	1.00E+00	ug/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	19.8	—	—	1.00E+00	ug/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.3	—	—	1.00E+00	ug/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	41.1	—	—	2.50E+01	ug/L	J	J	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	878	—	—	2.50E+01	ug/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	33.1	—	—	2.50E+01	ug/L	J	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	262	—	—	1.80E+01	ug/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	144	—	—	1.80E+01	ug/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	45	—	—	2.50E+01	ug/L	J	J	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1060	—	—	2.50E+01	ug/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	36.6	—	—	2.50E+01	ug/L	J	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	361	—	—	1.80E+01	ug/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	167	—	—	1.80E+01	ug/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	43.6	—	—	3.20E-02	mg/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	44.8	—	—	3.20E-02	mg/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.7	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	73.4	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	54	—	—	1.00E+00	ug/L	—	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	56.1	—	—	1.00E+00	ug/L	—	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	ug/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.8	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	77.3	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	54.3	—	—	1.00E+00	ug/L	—	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.7	—	—	1.00E+00	ug/L	—	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	55	—	—	1.00E+00	ug/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.15	—	—	5.00E-02	ug/L	J	J	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.28	—	—	5.00E-02	ug/L	—	—	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.12	—	—	5.00E-02	ug/L	J	U	196149	GF071000GGCW01	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	ug/L	J	U	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.21	—	—	5.00E-02	ug/L	—	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.17	—	—	5.00E-02	ug/L	J	J	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.26	—	—	5.00E-02	ug/L	—	—	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.11	—	—	5.00E-02	ug/L	J	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.14	—	—	5.00E-02	ug/L	J	U	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.14	—	—	5.00E-02	ug/L	J	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	4.7	—	—	1.00E+00	ug/L	J	U	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.7	—	—	1.00E+00	ug/L	J	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3	—	—	1.00E+00	ug/L	J	U	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.2	—	—	1.00E+00	ug/L	J	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.8	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	5.5	—	—	1.00E+00	ug/L	—	U	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.5	—	—	1.00E+00	ug/L	J	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3.1	—	—	1.00E+00	ug/L	J	U	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.4	—	—	1.00E+00	ug/L	J	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	04/03/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	ug/L	J*	J	08-923	CAWA-08-11563	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.1	—	—	2.00E+00	ug/L	J	—	186109	GF070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2.2	—	—	2.00E+00	ug/L	J	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.7	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4	—	—	2.00E+00	ug/L	J*	J	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.9	—	—	2.00E+00	ug/L	J	—	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2.4	—	—	2.00E+00	ug/L	J	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00847	1.60E-03	2.60E-02	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00715	1.93E-03	3.50E-02	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00168	1.13E-03	2.12E-02	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00339	2.27E-03	3.50E-02	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000482	3.20E-04	3.01E-02	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000619	1.02E-03	2.23E-02	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	-2.43	2.76E+00	2.81E+01	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	Alpha-Spec	Americium-241	<	0.0203	2.55E-03	2.90E-02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Americium-241	<	-13	4.37E+00	3.76E+01	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	Alpha-Spec	Americium-241	<	0.00232	1.73E-03	3.30E-02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.396	4.00E-01	4.00E+00	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.915	3.70E-01	3.49E+00	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.11	5.03E-01	3.93E+00	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.51	4.67E-01	5.00E+00	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.601	4.57E-01	4.33E+00	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.553	4.27E-01	4.02E+00	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.51	6.03E-01	6.64E+00	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Cesium-137	<	0.021	5.73E-01	6.24E+00	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.0171	4.00E-01	4.00E+00	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.163	4.03E-01	3.92E+00	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.55	3.77E-01	2.60E+00	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.46	5.00E-01	4.80E+00	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.66	4.30E-01	3.66E+00	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.36	4.83E-01	5.05E+00	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.139	6.17E-01	6.95E+00	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Cobalt-60	<	0.608	6.23E-01	7.28E+00	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	10.7	5.00E+00	3.40E+01	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	77.8	3.83E+01	2.31E+02	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	71.8	2.31E+01	2.31E+02	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	14.6	4.00E+00	1.60E+01	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	78.7	2.56E+01	2.17E+02	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	113	4.37E+01	5.40E+02	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	101	3.33E+01	4.51E+02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Gross gamma	<	101	5.27E+01	3.41E+02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-8.44	2.77E+00	2.70E+01	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.63	3.26E+00	2.91E+01	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.58	4.20E+00	3.60E+01	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.18	3.33E+00	3.40E+01	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	19	3.67E+00	3.34E+01	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	26.9	4.63E+00	4.10E+01	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	13.7	3.83E+00	3.98E+01	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Neptunium-237	<	-8.46	3.47E+00	3.62E+01	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00188	2.27E-03	2.70E-02	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00798	2.31E-03	3.48E-02	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00196	1.13E-03	2.15E-02	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00484	1.63E-03	3.50E-02	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00197	1.74E-03	3.44E-02	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	—	0.0273	3.77E-03	2.30E-02	—	pCi/L	—	J	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-238	<	-1.02E-09	2.27E-03	3.00E-02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	Alpha-Spec	Plutonium-238	<	-0.00511	1.48E-03	3.50E-02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00751	1.53E-03	3.20E-02	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00399	1.88E-03	3.27E-02	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00196	1.46E-03	1.43E-02	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.60E-03	4.10E-02	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00197	1.47E-03	3.23E-02	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	2.5E-10	1.40E-03	1.53E-02	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-239/240	<	-1.02E-09	2.03E-03	2.60E-02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	Alpha-Spec	Plutonium-239/240	<	0.00255	2.25E-03	3.10E-02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	15.8	6.00E+00	3.30E+01	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-5.74	5.20E+00	5.46E+01	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-16.3	5.07E+00	4.38E+01	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	1.33	6.33E+00	6.50E+01	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	38.1	5.20E+00	4.37E+01	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-8.17	5.37E+00	4.83E+01	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	35.6	9.10E+00	5.95E+01	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Potassium-40	<	9.5	8.87E+00	6.14E+01	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	2.35	4.33E-01	5.00E+00	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.04	4.37E-01	4.56E+00	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.815	4.30E-01	3.94E+00	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.15	4.33E-01	4.10E+00	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.36	4.20E-01	3.78E+00	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.68	4.23E-01	3.64E+00	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.11	6.77E-01	7.25E+00	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Sodium-22	<	-1.32	4.53E-01	4.89E+00	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0305	2.10E-02	2.50E-01	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.129	3.97E-02	4.10E-01	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.00147	4.40E-02	4.56E-01	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.012	2.00E-02	2.30E-01	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.289	4.87E-02	4.63E-01	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0661	3.97E-02	4.12E-01	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	GFPC	Strontium-90	<	0.109	2.56E-02	3.21E-01	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	GFPC	Strontium-90	<	0.166	2.78E-02	3.19E-01	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.0931	5.67E-03	7.50E-02	—	pCi/L	—	—	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.082	5.53E-03	6.22E-02	—	pCi/L	—	J	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.198	7.43E-03	3.73E-02	—	pCi/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.147	7.33E-03	7.90E-02	—	pCi/L	—	—	09-123	CAWA-08-15944	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.103	5.63E-03	6.34E-02	—	pCi/L	—	J	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.168	6.73E-03	3.75E-02	—	pCi/L	—	—	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-234	<	0.0498	4.67E-03	5.80E-02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	Alpha-Spec	Uranium-234	—	0.0865	5.60E-03	5.00E-02	—	pCi/L	—	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00268	2.37E-03	4.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00534	2.52E-03	3.69E-02	—	pCi/L	U	U	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.013	1.79E-03	3.80E-02	—	pCi/L	U	U	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0028	9.33E-04	4.20E-02	—	pCi/L	U	U	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0109	2.23E-03	3.76E-02	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0131	1.80E-03	3.83E-02	—	pCi/L	U	U	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-235/236	<	0.01	2.89E-03	3.30E-02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	Alpha-Spec	Uranium-235/236	<	0.0109	3.47E-03	2.90E-02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0303	3.13E-03	4.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15946	GELC
Water Canyon Gallery	—	—	10/18/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0561	4.10E-03	4.15E-02	—	pCi/L	—	J	196149	GF071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.079	4.20E-03	2.64E-02	—	pCi/L	—	—	179921	GF070100GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0543	4.67E-03	4.20E-02	—	pCi/L	—	—	09-123	CAWA-08-15944	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0396	3.83E-03	4.22E-02	—	pCi/L	U	U	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0672	4.03E-03	2.66E-02	—	pCi/L	—	J	179921	GU070100GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	EPA:901.1	Uranium-238	<	38	3.70E+01	2.53E+02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-238	<	0.0224	3.25E-03	3.70E-02	—	pCi/L	U	U	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	Alpha-Spec	Uranium-238	<	0.0281	3.20E-03	3.20E-02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	08/26/03	WG	UF	DUP	—	Rad	EPA:901.1	Uranium-238	<	18.7	3.57E+01	3.21E+02	—	pCi/L	U	—	86936	GU03080GGCW01	GELC
Water Canyon Gallery	—	—	10/17/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.325	—	—	3.00E-01	ug/L	J	J	09-124	CAWA-08-15945	GELC
Water Canyon Gallery	—	—	04/03/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-923	CAWA-08-11562	GELC
Water Canyon Gallery	—	—	10/18/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	UH	R	196149	GU071000GGCW01	GELC
Water Canyon Gallery	—	—	05/14/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	UJ	186109	GU070500GGCW01	GELC
Water Canyon Gallery	—	—	01/30/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	179921	GU070100GGCW01	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.9	—	—	7.30E-01	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.5	—	—	7.30E-01	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	36	—	—	7.30E-01	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.4	—	—	7.25E-01	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	42.3	—	—	7.25E-01	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	37.2	—	—	7.25E-01	mg/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:300.0	Bromide	—	0.202	—	—	6.70E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.8	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.3	—	—	3.00E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.60E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Geninorg	EPA:200.7	Calcium	—	8.86	—	—	3.60E-02	mg/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.9	—	—	3.00E-02	mg/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	12.6	—	—	3.00E-02	mg/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.3	—	—	3.60E-02	mg/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Geninorg	EPA:200.7	Calcium	—	8.93	—	—	3.60E-02	mg/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	4.24	—	—	6.60E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.17	—	—	6.60E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	11.8	—	—	6.60E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	3.92	—	—	6.60E-02	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.11	—	—	6.60E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.91	—	—	6.60E-02	mg/L	—	—	179738	GF070100P25201	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.23	—	—	3.30E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.133	—	—	3.30E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.105	—	—	3.30E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.214	—	—	3.30E-02	mg/L	—	J+	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.136	—	—	3.30E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.146	—	—	3.30E-02	mg/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	44.3	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.5	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.1	—	—	4.30E-01	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SM:A2340B	Hardness	—	44.8	—	—	4.25E-01	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.2	—	—	4.40E-01	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Geninorg	SM:A2340B	Hardness	—	34.9	—	—	4.40E-01	mg/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	44.5	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.4	—	—	3.50E-01	mg/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.3	—	—	4.30E-01	mg/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	44.9	—	—	4.25E-01	mg/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.8	—	—	4.40E-01	mg/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	35	—	—	4.40E-01	mg/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.83	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.91	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.24	—	—	8.50E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.06	—	—	8.50E-02	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.6	—	—	8.50E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Geninorg	EPA:200.7	Magnesium	—	3.1	—	—	8.50E-02	mg/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.86	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.03	—	—	8.50E-02	mg/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.34	—	—	8.50E-02	mg/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.04	—	—	8.50E-02	mg/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.67	—	—	8.50E-02	mg/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Geninorg	EPA:200.7	Magnesium	—	3.08	—	—	8.50E-02	mg/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.06	—	—	5.00E-02	mg/L	J	J	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.121	—	—	5.00E-02	mg/L	J	J	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	UJ	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.036	—	—	1.00E-02	mg/L	J	JN-	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.251	—	—	1.40E-02	mg/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.221	—	—	5.00E-02	ug/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.225	—	—	5.00E-02	ug/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.402	—	—	5.00E-02	ug/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.201	—	—	5.00E-02	ug/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.326	—	—	5.00E-02	ug/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	ug/L	U	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.18	—	—	5.00E-02	ug/L	J	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	3.37	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.5	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.12	—	—	5.00E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.23	—	—	5.00E-02	mg/L	E	J	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.18	—	—	5.00E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Geninorg	EPA:200.7	Potassium	—	2.87	—	—	5.00E-02	mg/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	3.4	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.55	—	—	5.00E-02	mg/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.24	—	—	5.00E-02	mg/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.22	—	—	5.00E-02	mg/L	E	J	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.34	—	—	5.00E-02	mg/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Geninorg	EPA:200.7	Potassium	—	2.81	—	—	5.00E-02	mg/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	48	—	—	3.20E-02	mg/L	—	—	195926	GF071000P25201	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	46.6	—	—	3.20E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	46.9	—	—	3.20E-02	mg/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	7.74	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	7.98	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.49	—	—	4.50E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	7.44	—	—	4.50E-02	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.29	—	—	4.50E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Geninorg	EPA:200.7	Sodium	—	7.8	—	—	4.50E-02	mg/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	7.73	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	8.02	—	—	4.50E-02	mg/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.71	—	—	4.50E-02	mg/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	7.51	—	—	4.50E-02	mg/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.68	—	—	4.50E-02	mg/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Geninorg	EPA:200.7	Sodium	—	7.8	—	—	4.50E-02	mg/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	133	—	—	1.00E+00	uS/cm	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	132	—	—	1.00E+00	uS/cm	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	153	—	—	1.00E+00	uS/cm	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	131	—	—	1.00E+00	uS/cm	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	140	—	—	1.00E+00	uS/cm	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	103	—	—	1.00E+00	uS/cm	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	3.56	—	—	1.00E-01	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.11	—	—	1.00E-01	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.9	—	—	1.00E-01	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.15	—	—	1.00E-01	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.88	—	—	1.00E-01	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.64	—	—	1.00E-01	mg/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	114	—	—	2.40E+00	mg/L	—	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	118	—	—	2.40E+00	mg/L	—	J	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	J	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	82	—	—	2.38E+00	mg/L	—	J	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.38E+00	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	92	—	—	2.38E+00	mg/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	2.74	—	—	3.30E-01	mg/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.57	—	—	3.30E-01	mg/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.79	—	—	3.30E-01	mg/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.1	—	—	3.30E-01	mg/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.62	—	—	3.30E-01	mg/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.89	—	—	3.30E-01	mg/L	—	—	179738	GU070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.056	—	—	2.40E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.05	—	—	2.40E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.091	—	—	2.40E-02	mg/L	—	U	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.065	—	—	2.40E-02	mg/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.137	—	—	2.40E-02	mg/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.059	—	—	1.00E-02	mg/L	—	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.05	—	—	1.00E-02	SU	H	J-	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.11	—	—	1.00E-02	SU	H	J-	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.37	—	—	1.00E-02	SU	H	J-	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.48	—	—	1.00E-02	SU	H	J	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.8	—	—	1.00E-02	SU	H	J	187064	GF070500P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Aluminum	—	232	—	—	6.80E+01	ug/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	249	—	—	6.80E+01	ug/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1390	—	—	6.80E+01	ug/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Aluminum	—	221	—	—	6.80E+01	ug/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	961	—	—	6.80E+01	ug/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Aluminum	—	1230	—	—	6.80E+01	ug/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	628	—	—	6.80E+01	ug/L	—	—	09-122	CAWA-08-15926	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	703	—	—	6.80E+01	ug/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1800	—	—	6.80E+01	ug/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	501	—	—	6.80E+01	ug/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1330	—	—	6.80E+01	ug/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Aluminum	—	767	—	—	6.80E+01	ug/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6020	Arsenic	—	1.5	—	—	1.50E+00	ug/L	J	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	ug/L	J	J	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Arsenic	<	6	—	—	6.00E+00	ug/L	U	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6020	Arsenic	—	2.9	—	—	1.50E+00	ug/L	J	J	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	ug/L	U	U	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	ug/L	U	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Arsenic	<	6	—	—	6.00E+00	ug/L	U	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Barium	—	28.1	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	28.6	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	32.7	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Barium	—	28.3	—	—	1.00E+00	ug/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	28.4	—	—	1.00E+00	ug/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Barium	—	26.8	—	—	1.00E+00	ug/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Barium	—	29.7	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	30.3	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	34.1	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.9	—	—	1.00E+00	ug/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.3	—	—	1.00E+00	ug/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Barium	—	27.4	—	—	1.00E+00	ug/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	ug/L	U	U	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.11	—	—	1.10E-01	ug/L	U	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	ug/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.8	Cadmium	<	0.1	—	—	1.00E-01	ug/L	U	UJ	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.14	—	—	1.10E-01	ug/L	J	J	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	ug/L	U	U	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.11	—	—	1.10E-01	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	ug/L	U	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.8	Cadmium	<	0.1	—	—	1.00E-01	ug/L	U	UJ	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Iron	—	96.2	—	—	2.50E+01	ug/L	J	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	101	—	—	2.50E+01	ug/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	549	—	—	2.50E+01	ug/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Iron	—	114	—	—	2.50E+01	ug/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	410	—	—	1.80E+01	ug/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Iron	—	550	—	—	1.80E+01	ug/L	—	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Iron	—	248	—	—	2.50E+01	ug/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	293	—	—	2.50E+01	ug/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	762	—	—	2.50E+01	ug/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Iron	—	221	—	—	2.50E+01	ug/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	568	—	—	1.80E+01	ug/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Iron	—	357	—	—	1.80E+01	ug/L	—	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	ug/L	U	U	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.8	—	—	2.00E+00	ug/L	J	J	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.1	—	—	2.00E+00	ug/L	J	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.9	—	—	2.00E+00	ug/L	J	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Manganese	—	5.3	—	—	2.00E+00	ug/L	J	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15926	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.5	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.2	—	—	2.00E+00	ug/L	J	J	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.5	—	—	2.00E+00	ug/L	J	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.2	—	—	2.00E+00	ug/L	J	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Manganese	—	5	—	—	2.00E+00	ug/L	J	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6020	Nickel	—	0.53	—	—	5.00E-01	ug/L	J	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	ug/L	U	U	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	ug/L	J*	J	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6020	Nickel	—	0.59	—	—	5.00E-01	ug/L	J	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	0.63	—	—	5.00E-01	ug/L	J	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.8	Nickel	<	0.78	—	—	5.00E-01	ug/L	J	U, J	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6020	Nickel	—	0.55	—	—	5.00E-01	ug/L	J	J	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.61	—	—	5.00E-01	ug/L	J	J	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	9	—	—	5.00E-01	ug/L	*	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.67	—	—	5.00E-01	ug/L	J	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.63	—	—	5.00E-01	ug/L	J	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.8	Nickel	<	0.76	—	—	5.00E-01	ug/L	J	U, J	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6020	Selenium	—	2.1	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	ug/L	U	U	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	ug/L	U	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.8	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	UJ	182191	GF070300M25201	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	ug/L	U	U	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.8	Selenium	<	2.5	—	—	2.50E+00	ug/L	U	UJ	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	46.2	—	—	3.20E-02	mg/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	46.7	—	—	3.20E-02	mg/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	43.1	—	—	3.20E-02	mg/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Strontium	—	78.5	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	81	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	88.2	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	81.2	—	—	1.00E+00	ug/L	—	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	74.3	—	—	1.00E+00	ug/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	61.5	—	—	1.00E+00	ug/L	—	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	78.4	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	81.2	—	—	1.00E+00	ug/L	—	—	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	90.4	—	—	1.00E+00	ug/L	—	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	83.5	—	—	1.00E+00	ug/L	—	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	75.2	—	—	1.00E+00	ug/L	—	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	62	—	—	1.00E+00	ug/L	—	—	179738	GU070100P25201	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	0.084	—	—	5.00E-02	ug/L	J	J	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	179738	GF070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.054	—	—	5.00E-02	ug/L	J	J	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.1	—	—	5.00E-02	ug/L	J	J	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.05	—	—	5.00E-02	ug/L	U	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.074	—	—	5.00E-02	ug/L	J	—	179738	GU070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	4.4	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.7	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	<	4.3	—	—	1.00E+00	ug/L	J	U	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.1	—	—	1.00E+00	ug/L	J	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.8	—	—	1.00E+00	ug/L	—	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Vanadium	<	3.3	—	—	1.00E+00	ug/L	J	U	182191	GF070300M25201	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	4.7	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.8	—	—	1.00E+00	ug/L	J	J	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.8	—	—	1.00E+00	ug/L	J	U	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.9	—	—	1.00E+00	ug/L	J	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4	—	—	1.00E+00	ug/L	J	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Vanadium	<	2.9	—	—	1.00E+00	ug/L	J	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Metals	SW-846:6010B	Zinc	—	2.7	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15922	GELC
Water above SR-501	—	—	04/03/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.1	—	—	2.00E+00	ug/L	J*	J	08-923	CAWA-08-11541	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.7	—	—	2.00E+00	ug/L	J	—	195926	GF071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	187064	GF070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	F	CS	—	Metals	EPA:200.7	Zinc	—	4.5	—	—	2.00E+00	ug/L	J	—	182191	GF070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	4.2	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.3	—	—	2.00E+00	ug/L	J	J	09-122	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	30.8	—	—	2.00E+00	ug/L	*	—	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	ug/L	J	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Metals	EPA:200.7	Zinc	—	2.9	—	—	2.00E+00	ug/L	J	—	182191	GU070300M25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	HASL-300	Americium-241	<	-0.0121	2.53E-03	4.60E-02	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000851	5.33E-03	3.50E-02	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00233	4.03E-03	5.00E-02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	0.00383	1.26E-03	2.08E-02	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Americium-241	<	0.0219	4.50E-03	4.90E-02	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	HASL-300	Americium-241	<	0.00248	1.90E-03	2.50E-02	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0145	3.67E-03	2.70E-02	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00043	2.34E-03	4.65E-02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00444	3.25E-03	3.74E-02	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00035	2.75E-04	2.15E-02	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0185	4.37E-03	5.10E-02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	0.422	3.67E-01	3.70E+00	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.0952	3.20E-01	3.20E+00	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.984	4.27E-01	3.95E+00	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.0484	4.67E-01	4.54E+00	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.115	3.73E-01	4.02E+00	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	-0.778	2.70E-01	2.60E+00	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.04	2.93E-01	3.00E+00	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.926	4.60E-01	4.68E+00	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.26	4.03E-01	4.45E+00	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.0517	3.83E-01	3.70E+00	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.07	3.63E-01	3.71E+00	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	1.77	6.67E-01	4.10E+00	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.15	3.33E-01	3.70E+00	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.712	4.97E-01	5.05E+00	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.7	4.97E-01	5.01E+00	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.15	4.03E-01	5.25E+00	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.389	2.63E-01	2.60E+00	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.864	3.17E-01	3.30E+00	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.412	5.80E-01	5.56E+00	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	3.03	4.13E-01	4.69E+00	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.668	3.73E-01	3.85E+00	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2	4.03E-01	4.76E+00	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	12.1	5.33E+00	3.10E+01	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	23.2	4.67E+00	4.10E+01	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	89.5	1.06E+02	2.41E+02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	118	7.93E+01	5.12E+02	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	70.1	1.60E+01	2.62E+02	—	pCi/L	U	U	141561	GF05070P25201	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	15.2	4.00E+00	2.10E+01	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	19.6	7.00E+00	2.30E+01	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	67.2	2.71E+01	2.03E+02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	78.5	2.96E+01	2.49E+02	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	71.5	2.40E+01	2.22E+02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-14.4	2.23E+00	1.70E+01	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.76	2.47E+00	2.10E+01	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.93	2.76E+00	2.70E+01	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.13	2.75E+00	2.39E+01	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.14	2.86E+00	2.91E+01	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	3.25	2.17E+00	2.10E+01	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-13.3	2.40E+00	2.10E+01	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.71	4.03E+00	3.60E+01	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.07	3.40E+00	3.36E+01	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2	2.81E+00	2.58E+01	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.163	2.95E+00	3.12E+01	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00683	2.27E-03	5.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	1.07E-09	3.00E-03	3.30E-02	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00216	1.02E-03	3.46E-02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00268	1.55E-03	2.95E-02	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	1.6E-10	1.27E-03	5.60E-02	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	0	6.67E-04	2.90E-02	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00224	3.67E-03	3.30E-02	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00402	1.90E-03	3.22E-02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0118	2.08E-03	1.45E-02	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.42E-03	1.91E-02	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.58E-03	4.90E-02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00683	2.80E-03	5.80E-02	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0113	2.00E-03	3.80E-02	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00865	1.45E-03	4.09E-02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00268	2.37E-03	1.96E-02	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0134	2.97E-03	4.70E-02	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	0.00595	1.47E-03	3.40E-02	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	1.07E-09	2.37E-03	3.80E-02	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00402	1.64E-03	3.80E-02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00985	1.74E-03	2.28E-02	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.16E-03	1.27E-02	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00473	1.58E-03	4.10E-02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	-2.84	5.33E+00	4.60E+01	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	25.2	5.33E+00	3.30E+01	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-36.3	5.30E+00	4.61E+01	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	0.177	7.77E+00	4.76E+01	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	4.41	6.77E+00	3.77E+01	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	-5.25	3.67E+00	3.50E+01	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-6.98	5.00E+00	4.40E+01	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	3.02	7.50E+00	4.22E+01	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	2.37	9.63E+00	3.61E+01	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	5.33	5.40E+00	3.49E+01	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	14.5	7.07E+00	4.67E+01	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	0.562	3.67E-01	3.60E+00	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.164	3.33E-01	3.30E+00	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0332	4.20E-01	4.10E+00	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.413	4.00E-01	4.03E+00	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.27	3.60E-01	4.27E+00	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	-0.0193	2.77E-01	2.70E+00	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.202	3.13E-01	3.10E+00	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.38	5.10E-01	4.88E+00	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.218	4.40E-01	4.30E+00	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.65	3.60E-01	3.73E+00	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.48	3.37E-01	3.71E+00	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	-0.0589	2.47E-02	3.00E-01	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.143	3.23E-02	3.20E-01	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.15	3.06E-02	3.25E-01	—	pCi/L	U	J, U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.135	3.33E-02	3.37E-01	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.28	2.57E-02	2.78E-01	—	pCi/L	—	J	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.242	4.33E-02	4.30E-01	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.119	3.30E-02	3.40E-01	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0129	3.24E-02	3.32E-01	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.208	3.33E-02	3.14E-01	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.00232	3.60E-02	3.90E-01	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.148	2.65E-02	2.97E-01	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	HASL-300	Uranium-234	<	0.0259	5.67E-03	1.50E-01	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0206	3.17E-03	8.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0216	2.68E-03	5.42E-02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0273	4.17E-03	5.26E-02	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Uranium-234	—	0.116	6.63E-03	8.60E-02	—	pCi/L	—	J	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-234	<	0.00459	4.00E-03	8.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0276	2.80E-03	7.40E-02	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0276	4.67E-03	4.45E-02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.0674	4.37E-03	5.10E-02	—	pCi/L	—	J	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.05	4.40E-03	4.62E-02	—	pCi/L	—	J	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0437	4.93E-03	9.50E-02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.0107	5.67E-03	8.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0113	3.00E-03	4.20E-02	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00297	9.90E-04	4.20E-02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0123	2.90E-03	5.37E-02	—	pCi/L	U	U	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.014	2.33E-03	6.50E-02	—	pCi/L	U	U	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	-0.0085	1.90E-03	4.20E-02	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00263	1.97E-03	3.90E-02	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00488	1.99E-03	3.45E-02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0172	2.47E-03	3.60E-02	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00538	2.20E-03	4.71E-02	—	pCi/L	U	U	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00386	1.82E-03	7.20E-02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	FD	Rad	HASL-300	Uranium-238	<	0	3.67E-03	8.00E-02	—	pCi/L	U	U	09-123	CAWA-08-15927	GELC
Water above SR-501	—	—	10/17/08	WS	F	CS	—	Rad	HASL-300	Uranium-238	<	0.00685	2.30E-03	4.20E-02	—	pCi/L	U	U	09-123	CAWA-08-15922	GELC
Water above SR-501	—	—	10/17/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0168	2.67E-03	4.75E-02	—	pCi/L	U	U	195926	GF071000P25201	GELC
Water above SR-501	—	—	01/24/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0446	4.13E-03	3.72E-02	—	pCi/L	—	J	179738	GF070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	F	CS	—	Rad	HASL-300	Uranium-238	—	0.11	6.20E-03	6.10E-02	—	pCi/L	—	J	141561	GF05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-238	<	0.0183	2.43E-03	4.20E-02	—	pCi/L	U	U	09-123	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.00851	2.00E-03	3.90E-02	—	pCi/L	U	U	09-123	CAWA-08-15921	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	<	0	3.37E-03	3.90E-02	—	pCi/L	U	U	195926	GU071000P25201	GELC
Water above SR-501	—	—	03/09/07	WM	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0119	3.11E-03	4.65E-02	—	pCi/L	U	U	182191	GU070300M25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.074	4.70E-03	3.27E-02	—	pCi/L	—	J	179738	GU070100P25201	GELC
Water above SR-501	—	—	07/22/05	WS	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0469	4.33E-03	6.70E-02	—	pCi/L	U	U	141561	GU05070P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Voa	SW-846:8260B	Acetone	—	1.55	—	—	1.50E+00	ug/L	J	J	09-124	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.63	—	—	1.50E+00	ug/L	J	J	09-124	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	ug/L	U	UJ	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Voa	SW-846:8260B	Acetone	<	1.35	—	—	1.25E+00	ug/L	J	U, J+	187064	GU070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	ug/L	U	—	179738	GU070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FTB	Voa	SW-846:8260B	Chloromethane	—	0.455	—	—	3.00E-01	ug/L	J	J	09-124	CAWA-08-15923	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	U	08-923	CAWA-08-11542	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	187064	GU070500P25201	GELC
Water above SR-501	—	—	01/24/07	WP	UF	CS	—	Voa	SW-846:8260B	Chloromethane	<	1	—	—	5.00E-01	ug/L	U	—	179738	GU070100P25201	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	FD	Voa	SW-846:8260B	Toluene	—	0.398	—	—	2.50E-01	ug/L	J	J	09-124	CAWA-08-15926	GELC
Water above SR-501	—	—	10/17/08	WS	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	09-124	CAWA-08-15921	GELC
Water above SR-501	—	—	04/03/08	WS	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	U	08-923	CAWA-08-11542	GELC
Water above SR-501	—	—	10/17/07	WP	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	195926	GU071000P25201	GELC
Water above SR-501	—	—	05/31/07	WS	UF	CS	—	Voa	SW-846:8260B	Toluene	<	1	—	—	2.50E-01	ug/L	U	—	187064	GU070500P25201	GELC
Water at Beta	—	—	04/11/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	163	—	—	1.00E+00	uS/cm	—	—	08-991	CAWA-08-11551	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	191	—	—	1.00E+00	uS/cm	—	—	196598	GF071000PWAB01	GELC
Water at Beta	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	181	—	—	1.00E+00	uS/cm	—	—	187119	GF070500PWAB01	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.169	—	—	2.90E-02	mg/L	—	—	196598	GF071000PWAB01	GELC
Water at Beta	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.097	—	—	2.90E-02	mg/L	J	JN-	187119	GF070500PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.153	—	—	2.90E-02	mg/L	—	—	09-177	CAWA-08-15939	GELC
Water at Beta	—	—	04/11/08	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.301	—	—	2.90E-02	mg/L	—	J-	08-991	CAWA-08-11552	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.181	—	—	2.90E-02	mg/L	—	—	196598	GU071000PWAB01	GELC
Water at Beta	—	—	06/01/07	WS	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.071	—	—	2.90E-02	mg/L	J	JN-	187119	GU070500PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	5.33	—	—	3.30E-01	mg/L	—	—	09-177	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.17	—	—	3.30E-01	mg/L	—	—	09-177	CAWA-08-15936	GELC
Water at Beta	—	—	04/11/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.05	—	—	3.30E-01	mg/L	—	—	08-991	CAWA-08-11552	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.13	—	—	3.30E-01	mg/L	—	—	196598	GU071000PWAB01	GELC
Water at Beta	—	—	06/01/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.75	—	—	3.30E-01	mg/L	—	—	187119	GU070500PWAB01	GELC
Water at Beta	—	—	04/11/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.56	—	—	1.00E-02	SU	H	J-	08-991	CAWA-08-11551	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.39	—	—	1.00E-02	SU	H	J	196598	GF071000PWAB01	GELC
Water at Beta	—	—	06/01/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.11	—	—	1.00E-02	SU	H	J	187119	GF070500PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Hexp	SW-846:8321	HMX	—	1.31	—	—	1.00E-01	ug/L	—	—	09-177	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Hexp	SW-846:8321	HMX	—	0.95	—	—	1.00E-01	ug/L	—	—	09-177	CAWA-08-15936	GELC
Water at Beta	—	—	04/11/08	WS	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.15	—	—	1.00E-01	ug/L	—	—	08-991	CAWA-08-11552	GELC
Water at Beta	—	—	06/01/07	WS	UF	CS	—	Hexp	SW-846:8321	HMX	—	1.89	—	—	1.04E-01	ug/L	—	J	187119	GU070500PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Hexp	SW-846:8330	HMX	—	1.9	—	—	—	ug/L	—	—	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Americium-241	<	0.00136	2.13E-03	3.40E-02	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	HASL-300	Americium-241	<	0.00171	1.87E-03	3.50E-02	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00715	2.72E-03	2.87E-02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	HASL-300	Americium-241	<	0.00592	1.57E-03	5.00E-02	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0086	1.70E-03	3.40E-02	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00696	2.20E-03	2.78E-02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	Alpha-Spec	Americium-241	—	0.018	3.50E-03	1.63E-02	—	pCi/L	—	J	41057	GU01041WBCW	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Americium-241	<	-5.24	1.41E+00	1.47E+01	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.291	5.67E-01	5.70E+00	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:901.1	Cesium-137	<	1.02	4.67E-01	4.70E+00	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.536	3.87E-01	3.88E+00	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:901.1	Cesium-137	<	-1.32	4.00E-01	3.80E+00	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.69	3.33E-01	3.10E+00	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.64	3.67E-01	3.82E+00	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.83	3.70E-01	3.19E+00	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.76	4.33E-01	4.70E+00	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.379	5.00E-01	4.60E+00	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.363	4.63E-01	4.74E+00	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:901.1	Cobalt-60	<	-0.749	4.33E-01	4.00E+00	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.365	2.87E-01	2.70E+00	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.434	4.33E-01	4.45E+00	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.679	3.63E-01	3.97E+00	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	45.9	1.43E+01	4.30E+01	—	pCi/L	—	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:901.1	Gross gamma	<	12.1	6.00E+00	3.40E+01	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	88.1	2.41E+01	2.43E+02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:901.1	Gross gamma	<	14.8	4.00E+00	3.60E+01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	9.99	6.33E+00	2.80E+01	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	96.3	2.35E+01	3.03E+02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.46	2.93E+00	2.80E+01	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-1.47	3.33E+00	3.20E+01	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-8.06	3.50E+00	3.00E+01	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:901.1	Neptunium-237	<	-1.71	3.67E+00	3.30E+01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.39	2.17E+00	2.10E+01	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	10.4	4.10E+00	2.91E+01	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.82	2.00E+00	2.10E+01	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	8.33E-04	2.50E-02	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	HASL-300	Plutonium-238	<	0	8.00E-04	2.50E-02	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00702	3.40E-03	4.08E-02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	HASL-300	Plutonium-238	<	-0.00242	2.13E-03	3.50E-02	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	8.00E-04	2.50E-02	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00214	2.76E-03	3.73E-02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	Alpha-Spec	Plutonium-238	<	0.0192	3.93E-03	3.53E-02	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00173	1.30E-03	2.90E-02	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00515	1.13E-03	2.90E-02	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00702	2.34E-03	3.84E-02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	HASL-300	Plutonium-239/240	<	-0.00242	2.13E-03	4.10E-02	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0017	1.50E-03	2.90E-02	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00214	1.89E-03	3.51E-02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	Alpha-Spec	Plutonium-239/240	<	0.0138	2.83E-03	2.55E-02	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	1.09	5.00E+00	5.20E+01	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:901.1	Potassium-40	<	29	4.67E+00	5.50E+01	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	26	7.53E+00	4.50E+01	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:901.1	Potassium-40	<	-2.24	5.33E+00	5.90E+01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	31.4	4.67E+00	3.00E+01	—	pCi/L	UI	R	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-12.5	6.03E+00	5.99E+01	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	18.5	9.00E+00	4.54E+01	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.14	3.67E-01	3.30E+00	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:901.1	Sodium-22	<	0.504	5.00E-01	5.10E+00	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.44	4.57E-01	4.00E+00	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:901.1	Sodium-22	<	-1.32	4.33E-01	3.90E+00	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.904	3.67E-01	3.40E+00	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.26	3.73E-01	3.13E+00	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0844	3.29E-01	3.55E+00	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.412	5.67E-02	4.90E-01	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.424	5.33E-02	4.90E-01	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.255	3.15E-02	2.98E-01	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	EPA:905.0	Strontium-90	<	0.273	5.00E-02	4.90E-01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.189	5.00E-02	5.00E-01	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.0456	2.64E-02	2.73E-01	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:905.0	Strontium-90	—	0.574	3.77E-02	3.35E-01	—	pCi/L	—	J	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Uranium-234	<	0	5.33E-03	1.60E-01	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	HASL-300	Uranium-234	<	0.0422	6.00E-03	1.50E-01	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0205	2.76E-03	6.55E-02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-234	<	0.0702	9.67E-03	2.70E-01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0314	6.33E-03	1.60E-01	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0229	3.26E-03	6.58E-02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	Alpha-Spec	Uranium-234	<	0.0187	4.07E-03	4.21E-02	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00556	1.87E-03	8.30E-02	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	HASL-300	Uranium-235/236	<	0.00521	5.33E-03	7.80E-02	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00281	1.62E-03	3.89E-02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-235/236	<	-0.0193	8.00E-03	1.40E-01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0	2.63E-03	8.30E-02	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC

Table D-2 Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00283	1.63E-03	3.91E-02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	Alpha-Spec	Uranium-235/236	<	-0.00413	1.38E-03	4.22E-02	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	—	Rad	HASL-300	Uranium-238	<	0.009	4.33E-03	8.30E-02	—	pCi/L	U	U	09-179	CAWA-08-15934	GELC
Water at Beta	—	—	10/24/08	WS	F	CS	FD	Rad	HASL-300	Uranium-238	<	0.00844	4.33E-03	7.80E-02	—	pCi/L	U	U	09-179	CAWA-08-15937	GELC
Water at Beta	—	—	10/26/07	WP	F	CS	—	Rad	HASL-300	Uranium-238	<	0.025	2.98E-03	4.37E-02	—	pCi/L	U	U	196598	GF071000PWAB01	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	FD	Rad	HASL-300	Uranium-238	<	0.0234	1.00E-02	1.40E-01	—	pCi/L	U	U	09-179	CAWA-08-15939	GELC
Water at Beta	—	—	10/24/08	WS	UF	CS	—	Rad	HASL-300	Uranium-238	<	0	4.33E-03	8.30E-02	—	pCi/L	U	U	09-179	CAWA-08-15936	GELC
Water at Beta	—	—	10/26/07	WP	UF	CS	—	Rad	HASL-300	Uranium-238	<	0.0229	3.08E-03	4.39E-02	—	pCi/L	U	U	196598	GU071000PWAB01	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	EPA:901.1	Uranium-238	<	87.9	2.33E+01	1.24E+02	—	pCi/L	U	U	41057	GU01041WBCW	GELC
Water at Beta	—	—	04/17/01	WM	UF	CS	—	Rad	Alpha-Spec	Uranium-238	<	0.0245	4.50E-03	4.21E-02	—	pCi/L	U	U	41057	GU01041WBCW	GELC

Appendix E

Screening Results

The following pages provide (1) definitions for other codes, (2) laboratory qualifier codes, (3) secondary validation flag codes, and (4) secondary validation reason codes. Refer to each of these sets of codes while reviewing the tables in Appendix E.

Definitions for Other Codes

Field Prep Code	Description
ASHED	Ashed
CRUSH	Crushed
F	Filtered
NA	Not Analyzed
SV	Sieved
UA	Unassigned
UF	Unfiltered
UNK	Unknown
Field QC Type Code	**Description**
CO	Collocated
EQB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
FPR	Field Prepared Reagent
FPS	Field Prepared Spike
FR	Field Rinsate
FS	Field Split
FTB	Field Trip Blank
FTR	Field Triplicate
INB	Equipment blank taken during installation and not assoc with a sampling event
ITB	Trip blank taken during installation and not assoc with a sampling event
n/a	Not Applicable
PE	Performance Evaluation
PEB	Performance Evaluation Blank
PEK	Performance Evaluation Known
RES	Resample
SS	Special Sampling Event, Data Unique
UA	Unassigned

Definitions for Other Codes (continued)

Suite Code	Description
DIOX/FUR	Dioxins and Furans
DRO	Diesel Range Organics
GENINORG	General Inorganics
HERB	Herbicides
HEXP	High Explosives
METALS	Metal
PEST/PCB	Pesticides and PCBs
RAD	Radionuclides
SVOA	Semivolatile Organics
VOA	Volatile Organics
Lab Sample Type Code	**Description**
BLIND	Blind QC
BS	Blank Spike
BSD	Blank Spike Duplicate
CS	Client Sample
DL	Dilution
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LCST	Laboratory Control Sample Triplicate
MB	Method Blank
MBD	Method Blank Duplicate
MBT	Method Blank Triplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
MSQD	Matrix Spike Quadruplicate
MSQT	Fifth Matrix Spike
MST	Matrix Spike Triplicate
QNT	Fifth Replicate
QUD	Quadruplicate
RE	Reanalysis
REDP	Reanalysis Duplicate
RETRP	Reanalysis Triplicate
RI	Reissue
RID	Reissue Duplicate
SXT	Sixth Replicate
TOTC	Calculated Total
TOTCD	Calculated Total for a Duplicate
TRP	Triplicate

Laboratory Qualifier Codes

Lab Qualifier Code	Laboratory Qualifier Description
*	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
**	**(Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
*E	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more Contract Laboratory Program (CLP) acceptance criteria as explained in the case narrative.
ABJ	(A) (Organic)—The tentatively Identified compound is an aldol condensate. (B) (Organic).—This analyte was detected in the associated laboratory method blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
AJ	A (Organic)—The tentatively Identified compound is an aldol condensate. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
B	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
B*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
B*E	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BEN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
BEN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
BJ	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
BJN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC).
BJP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
BN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BNE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
BW	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
D	(D) (Organic)—The result for this analyte was reported from a dilution.
DJ	(D) (Organic)—The result for this analyte was reported from a dilution. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
DP	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
DPX	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
E	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
E*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJ	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
EJ*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
EN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
I	(I) (DIOXIN)—The laboratory is reporting an interference for the associated congener. The reported concentration is an estimated maximum possible concentration (EMPC) due to the reported interference.
J	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
J*	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JN	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analayte in the matrix-spike sample was outside acceptance criteria.
JN*	(J) (Organic/Inorganic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JP	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
JPX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
JX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
L	(L) (Inorganic)—The result for this analyte in the serial dilution sample indicates physical and chemical interferences are present.
LT	(LT) (Rad)—The result for this analyte is affected by spectral interference.
N	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
N*	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
P	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
PJ	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
PX	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
Q	(Q)—The result for this analyte was reported at an elevated reporting limit.
SI	(SI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
SQ	(SQ) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
TI	(TI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
U	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit.
U*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UE	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
UEN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
UH	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UI	(UI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification.
UJ	(UJ) (Organic)—Legacy Chemical Sciences and Technology (CST) laboratory code should not be used.
UL	UL (all suites)—Not detected legacy—This laboratory qualifier code is applied by WQ personnel for CST data and other legacy data that was reported as not detected using the less than symbol without the laboratory assigning a U laboratory code.
UN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
UN*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UUI	(UUI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification, and the laboratory assigned these gamma spectroscopy results as not detected.
UW	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
UY2	(UY2) (Rad)—Result should be regarded as an uncertain identification due to spectral interference.
W	(W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
X	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
XB	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected. (B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit.

Secondary Validation Flag Codes

Valid Flag Code	Valid Flag Desc
A	The contractually required supporting documentation for this datum is absent.
GUP	Matrix and units are inconsistent.
IUP	Matrix and units are inconsistent.
J	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual.
J+	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
J-	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
JN+	Presumptive evidence of the presence of the material at an estimated quantity with a suspected positive bias
JN-	Presumptive evidence of the presence of the material at an estimated quantity with a suspected negative bias
JPM	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual. Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
LIMIT	The limit type is uncertain.
MS	Invalid validation flag. MS indicates a laboratory matrix-spike sample.
MSD	Invalid validation flag. MSD indicates a laboratory matrix-spike duplicate sample.
N	Presumptive evidence of the presence of the material
NJ	(Organic)—Analyte has been tentatively identified, and the associated numerical value is estimated based upon 1:1 response factor to the nearest eluting internal standard (IS).
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
NUP	Matrix and units are inconsistent B.
P	Use professional judgment based on data use. A decision must be made by the project manager or a delegate with regard to the need for further review of the data. This review should include some consideration of potential impact that could result from using the P-qualified data.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
R	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone

Secondary Validation Flag Codes (continued)

Valid Flag Code	Valid Flag Description
RPM	The reported sample result is classified as rejected because of serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
RUP	Matrix and units are inconsistent C.
U	The analyte is classified as not detected.
UA	Invalid validation flag of unknown meaning
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.
VUP	Matrix and units are inconsistent D.

Secondary Validation Reason Codes

Valid Reason Code	Valid Reason Description
C12d	VOC_C12d
DR12a	ORGANIC_ODRO12a
DR3b	ORGANIC_ODRO3b
DR9a	ORGANIC_ODRO9a
G165b	GAMMA_GR165b
G165c	GAMMA_GR165c
G16b	GAMMA_G16b
G16bc	GAMMA_GR16bc
G16c	GAMMA_G16c
G3TPU	The sample result is less than or equal to 3 times the 1-sigma total propagated uncertainty.
G9a	GAMMA_G9a
G9ra	GAMMA_G9ra
GADM1	GAMMA_GADMIN1
GADMI	GAMMA_GADMIN1
GCZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
GI16b	GAMMA_GI16b
GI16c	GAMMA_GI16c
GI16d	GAMMA_GI16d
GI4	GAMMA_GI4
GI5	GAMMA_GI5
GIQ	GIQ
GIR16	GAMMA_GIR16c
GJCST	CST validators assigned a J-qualifier to this sample result. The hard copy validation report should be reviewed to determine the reason for applying the J-qualifier.
GJLAB	GJLAB_GAMMA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GLCS	The percent recovery from the laboratory control sample for this analyte was less than 10%.
GNONE	A reason code is not available in the database for the data qualifier(s) applied to this sample result.
GNPO	The reported result should be regarded as rejected because no peak was observed for this radionuclide in the gamma spectrum.
GNQ	The reported result should be regarded as rejected because the gamma spectrum peak was not quantitated.
GR1	The tracer yield information is missing. Data may not be acceptable for use.
GR10	GAMMA_GR10
GR10a	GAMMA_GR10a
GR11	GAMMA_GR11
GR15b	GAMMA_GR15b
GR15c	GAMMA_GR15c
GR16	GAMMA_GR16
GR165	GAMMA_GR165b
GR166	GAMMA_GR166
GR16a	GAMMA_GR16a
GR16b	GAMMA_GR16b
GR16c	GAMMA_GR16c
GR16d	GAMMA_GR16d
GR16g	GAMMA_GR16g
GR17c	GAMMA_GR17c
GR19	The validator identified quality deficiencies in the reported data that require qualification.
GR1a	The tracer %R value is less than 10%.
GR1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10%, and the result is a nondetect.
GR1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
GR3	The matrix-spike information is missing. Data may not be acceptable for use.
GR3a	ORGANIC_OGRO3a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR3b	ORGANIC_OGRO3b
GR3c	ORGANIC_OGRO3c
GR3d	ORGANIC_OGRO3d
GR3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
GR4	GAMMA_GR4
GR4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5 times the associated sample concentration.
GR5	GAMMA_GR5
GR54	GAMMA_GR54
GR5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
GR5b	GR5b
GR6	GAMMA_GR6
GR6a	GR6a
GR6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
GR6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
GR6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
GR6e	GR6e
GR7	GAMMA_GR7
GR7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
GR7b	GAMMA_GR7b
GR7c	The affected analytes are qualified as rejected because the relative error ratio (RER) was greater than 4.
GR8	GAMMA_GR8
GR9	GAMMA_GR9

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR9a	GAMMA_GR9a
GR9b	GAMMA_GR9b
GRA	GAMMA_GRA
GRLAB	R LAB Gamma
GRNA	GAMMA_GRNA
GRR16	GAMMA_GRR16c
GRR1b	GAMMA_GRR1b
GRR6c	GAMMA_GRR16c
GSI	The reported result for this radionuclide should be regarded as rejected (R) because of spectral interference in the gamma spectrum.
GTI	The reported result should be regarded as rejected because the radionuclide identification based on the gamma spectrum is tentative.
GUJC	This analyte should be regarded as not detected because the analytical laboratory assigned a U laboratory qualifier. CST validators assigned the J-qualifier. The hard copy validation report should be reviewed to determine the reason for applying the J-qualifier.
GULAB	This analyte should be regarded as not detected because the analytical laboratory assigned a U laboratory qualifier.
GUP_R	Gamma: Units and matrix are inconsistent.
GZR	The result for this radionuclide was reported as zero (0); therefore, this analyte should be regarded as not detected.
GZUNC	CST division reported this result with an uncertainty value of zero (0), indicating that this analyte should be regarded as not detected.
G_LIA	The sample was lost in analysis. Results are not available for this sample.
G_MDA	The limit type (e.g., MDA, MDC, or DLC) was not reported by the analytical laboratory; the reported limit value has been saved in the MDA field.
G_NQ	No data qualifier flag has been applied to this sample result.
G_TPU	Result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
H10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
H11	The required retention time information is missing. Data may not be acceptable for use.
H11a	The affected analytes should be regarded as rejected because the associated retention times have shifted by more than 0.05 min from the initial calibration.
H12	Required LCS data are missing. The LCS analyte recoveries could not be evaluated. Data may not be acceptable for use.
H12a	H12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H12b	HEXP_H12b
H12c	HEXP_H12c
H12d	HEXP_H12d
H14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
H14b	The matrix spike and/or the matrix-spike duplicate analyses were not performed on a sample associated with a LANL request number.
H14c	The matrix spike and/or the matrix-spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
H15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
H16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
H19	The validator identified quality deficiencies in the reported data that require qualification.
H3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results
H3a	The surrogate percent recovery is less than the LAL but greater than 10%R, which indicates the potential for a low bias in the detected results.
H3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
H3c	The reporting limit is approximated for nondetects because a surrogate percent recovery is lower than the LAL but greater than or equal to 10%R, which indicates an increased potential for false negative results.
H3d	The surrogate recovery is less than 10% and the result is a nondetect, which indicates significant potential for false negative results.
H3e	At least one surrogate percent recovery exceeds its upper UAL and at least one surrogate is less than its LAL, which indicates a greater than normal degree of uncertainty in the data.
H3f	At least one surrogate is less than 10%R and the sample result is a detect, which indicates the potential for a severely low bias in the results.
H3g	Required surrogate information is missing. Data may not be acceptable for use.
H4	The sample result is greater than the EQL and less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
H4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times.
H4b	Required method blank information is missing. Data may not be acceptable for use.
H5	The sample result is less than the EQL and less than 5 times the concentration of the analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
H6	The recovery of the LCS analyte is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
H6a	HEXP_H6a
H6b	The of the LCS analyte percent recovery is less than the LAL and greater than or equal to 10%R, which indicates the (1) reporting limit is approximate and probably biased low for nondetected results and (2) detected results likely are biased low.
H6c	H6c
H6d	The result is a nondetect and the %R value of surrogates or the analyte in the LCS is less than 10%R, which indicates a greatly increased potential for false negative results.
H7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.
H7a	HEXP_H7a
H7c	The affected analytes should be regarded as estimated and/or rejected because the associated analyte did not have a standard at the reporting limit.
H8	HEXP_H8
H8a	The required confirmation column analysis data are missing. Data may not be acceptable for use.
H9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the effects of exceeding the holding time. Factors to consider include how long the holding time was exceeded; sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
H9a	H9a
H9b	HEXP_H9b
HEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
HERB	ORGANIC_HERB 3A
HERB1	ORGANIC_HERB12A
HERB3	ORGANIC_HERB3
HERB4	ORGANIC_HERB4
HERB8	ORGANIC_HERB8
HERB9	ORGANIC_HERB9
HHOLD	The result should be regarded as rejected (R) because the holding time was exceeded by more than 2 times.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HJCST	CST assigned the J-qualifier; need hard copy to determine CST's reason.
HNONE	No reason for historic HEXP data
HNQ	HNQ
HQCBL	The J- or R-qualifier should not be accepted because the qualifier was assigned by CST based on a noncertified standard. The J- or R-qualifier should be ignored.
HR12a	ORGANIC_HERB12A
HR12b	ORGANIC_HERB12B
HR12c	ORGANIC_HERB12C
HR12d	ORGANIC_HERB12D
HR3a	ORGANIC_HERB 3A
HR3b	ORGANIC_HERB 3D
HR3d	ORGANIC_HERB3D
HR9	ORGANIC_HERB 9
HRLAB	R LAB HEXP
HSM	HEXP_SPECTRAL MATCH
HUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
HUJL	HUJL
HUJLA	HUJLA_HEXP
HULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
HWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
HWQ10	Calibration verification %D exceeded 60%.
HWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
HWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit (LAL), which indicates a potential low bias in the results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
HWQ5	Nonspecified quality control failure; see validation report.
HWQ6	The sample was improperly preserved.
HWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
HWQ8	Calibration %RSD was greater than 60%.
HWQ9	Calibration verification %D exceeded acceptance criteria but was less than 60%.
Hba	HEXP_Hba
I	INORGANIC_I
I1	The sample result was reported as detected between the IDL and the EDL. Reported result may be less precise than results that are reported as being above the EDL.
I10	The duplicate sample RPD is greater than the advisory limit and the sample result is a detect. Manual review is suggested to determine the source of the difference between analyses.
I10a	The duplicate sample RPD is greater than the advisory limit and the sample result is a nondetect. Manual review is suggested to determine the source of the difference between analyses.
I10b	The affected analytes should be regarded as estimated because the duplicate results were not analyzed on a LANL sample.
I10c	The affected analytes should be regarded as estimated because the duplicate results exceeded the RPD requirements.
I10d	The affected analytes should be regarded as estimated because the duplicate results were greater than 2 times the RL and the RPD was greater than 20 for water and 35 for soils.
I110	INORGANIC_I110
I113a	INORGANIC_I113a
I114b	INORGANIC_I114b
I13	INORGANIC_I13
I134b	INORGANIC_I134b
I13a	Insufficient sample volume was received for a duplicate-sample analysis.
I13b	The duplicate-sample analysis was not performed on a sample associated with this request number.
I13d	INORGANIC_I13d

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I14	I14
I14a	Insufficient sample volume was received for a matrix-spike analysis.
I14b	The matrix-spike analysis was not performed on a sample associated with this request number.
I15	The sample was damaged, lost, or there was insufficient quantity and the analytical laboratory was unable to analyze it.
I15a	An ICV was not reported for this sample.
I15b	A CCV was not reported for this sample.
I16	Relative percent difference is greater than 10% in the serial dilution sample.
I16a	The affected analytes should be regarded as rejected because the ICV/CCV recovered high.
I16b	INORGANIC_I16b
I16c	The affected analytes should be regarded as estimated because the ICV/CCV recovered low.
I16d	The affected analytes should be regarded as rejected because the ICV/CCV recovered less than 10%.
I16e	The affected analytes should be regarded as rejected because the initial calibrations corralation coefficient was less than 0.995.
I16z	The affected analytes should be regarded as rejected because the ICV/CCV was not analyzed with the associated samples.
I17d	INORGANIC_I17d
I18	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed.
I18a	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed on a LANL sample.
I18b	The affected analytes should be regarded as estimated because the serial dilution sample RPD exceeded criteria.
I19	INORGANIC_I19
I1a	INORGANIC_I1a
I20	INORGANIC_I20
I24b	INORGANIC_I24b
I2h	INORGANIC_I2h
I3	The spike percent recovery value is greater than or equal to the upper acceptance limit (125%) but less than or equal to 150% and the result is a detect, which indicates a potential high bias in the sample results.
I3a	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a detect, which indicates a potential low bias in the results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I3b	INORGANIC_I3b
I3c	INORGANIC_I3c
I3d	The spike percent recovery value is less than 30%, and the result is a nondetect, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
I3e	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a nondetect, which indicates a potential for false negatives being reported.
I3e I	INORGANIC_I3e I4
I3eI4	INORGANIC_I3e I4
I3f	The spike percent recovery value is less than 30% and the sample result is a detect, which indicates a potential low bias.
I3g	The sample result is undetected and the spike percent recovery value is greater than 150%, which indicates a potential bias in the sample result.
I3h	The sample result is detected and the spike percent recovery value is greater than 150%, which indicates a potential high bias in the sample result.
I3j	INORGANIC_I3j
I3l	INORGANIC_I3l
I4	INORGANIC_I4
I4a	In comparison with the preparation blank, the sample result is greater than the EDL but less than or equal to 5 times the concentration of the related analyte in the blank.
I4b	Preparation blank data were not reported by the analytical laboratory.
I5	The sample result is less than the estimated detection limit (EDL) and is considered to be not detected.
I6	The percent recovery value of the analyte in the LCS is greater than the upper acceptance limit, which indicates a potential for quantitation problems in the analyses and the potential for false positive results being reported.
I6a	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit, and the analyte is a detect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6b	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit, and the analyte is a nondetect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6c	The corresponding LCS or LCS analyte was not analyzed with the associated batch.
I7	The ICS percent recovery value is greater than 120% and the result is a detect, which indicates potential quantitation problems in the analyses and the potential for false positive results being reported.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I7a	The ICS percent recovery value is greater than or equal to 50% and less than 80% and the result is a detect, which indicates a potential for a low bias.
I7b	The ICS percent recovery value is less than 50%, which indicates a greatly increased potential for false negative sample results being reported.
I7c	The ICS percent recovery value is greater than or equal to 50% and less than 80%, and the result is a nondetect, which indicates a potential for false negative results being reported.
I7d	The ICS data were not provided by the analytical laboratory.
I9	The holding time is exceeded. Positive results may be biased low and nondetected analytes may be false negatives. An evaluation of the data with respect to the technical implications of exceeding the holding time is recommended. Factors to consider include sample preservation; sample storage practices; data use; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
I9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
IADM1	INORGANIC_IADMIN1
IADMI	INORGANIC_IADMIN1
ICSTZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
IDRPD	IDRPD
IEQL	INORGANIC_IEQL/MDL
IEQL/	INORGANIC_IEQL/MDL
IH6a	INORGANIC_IH6a
IHOLD	IHOLD
IICP	IICP
IJCST	CST assigned the J-qualifier; need hard copy to determine CST's reason.
IJLAB	IJLAB
ILCS	ILCS
ILIA	ILIA
ILOWS	VOC_LOWSTD
ILS	VOC_LOW STD
IMS10	IMS10

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IMS30	IMS30
INONE	No reason for historical inorganic data
INQ	INQ
IPM	INORGANIC_IPM
IQCBL	IQCBL
IR10b	INORGANIC_IR10b
IR14b	INORGANIC_IR14b
IR3	INORGANIC_IR3
IR3a	INORGANIC_IR3a
IR4	INORGANIC_IR4
IR5	INORGANIC_IR5
IR6a	INORGANIC_IR6a
IR7	INORGANIC_IR7
IR9a	INORGANIC_IR9a
IR9b	INORGANIC_IR9b
IRCST	CST assigned the R-qualifier; need hard copy to determine CST's reason.
IU1	INORGANIC_IU1
IU3e	INORGANIC_IU3e
IUA	INORGANIC_IUA
IUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
IUJLA	IUJLA
IULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
IUP_R	Inorganic: Units and matrix are inconsistent.
IUUJ	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IV3a	INORGANIC_IV3a
IWQ1	The sample temperature was elevated
IWQ2	Negative blank samples results were greater than the MDL
IWQ3	Failed serial dilution RPD
IWQ4	Sample should have been preserved by acidification but was not. Error was not corrected at the laboratory.
IWQ5	Sample should not have been acidified but was. Error could not be corrected at the laboratory.
IWQ6	Nonspecified quality control failure; see validation report.
IWQ7	Reporting limit verification recovery was greater than the acceptance criteria.
IZR	IZR
Id	INORGANIC_Id
Is	INORGANIC_Is
J+	VOC_J+
J-	VOC_J-
J_LAB	The analytical laboratory qualified the detected result as estimated (J) because the result was less than the PQL but greater than the MDL.
LB	Gross contamination exists from a source other than the standard.
LB1	Method-blank data are missing, or method blank was not analyzed at the required frequency.
LB2	ICB/CCB data are missing, or ICB/CCB was not run at the required frequency.
LB9	The sample result is less than 5 times the concentration of the related analyte in the blank.
LC1	The frequency of the CCV did not meet method criteria.
LC2	The CCV %D failed high.
LC3	The CCV %D failed low.
LCO	Suspected carryover. Compound detected in sample at value <5 times PQL. The previous sample had a value > high standard and required dilution.
LDL1	No CRI was analyzed to verify the reporting limit.
LDL2	The CRI recovery failed high.
LDL3	The CRI recovery failed low.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LDS1	An initial dilution was performed and the surrogate recovery was >/= 10% OR <10% but some sample results are >PQL.
LDS2	An initial dilution was performed and the surrogate recovery was 0% and sample results are nondetect.
LDS3	The sample result in a diluted sample was nondetect.
LDS4	The instrument response for a diluted sample result was < half the lowest calibration standard and the sample result is a detect.
LH1	The holding time is exceeded for sample analysis.
LH2	The holding time is exceeded for sample extraction.
LH3	The holding time is exceeded by greater than twice the specified holding time.
LI	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
LI2	A second source ICV (or second standard made from the same stock) was not used to verify the calibration
LI3	The initial calibration %RSD or correlation coefficient failed to meet acceptance criteria.
LI4	The initial calibration slope or RF criteria were not met.
LI5	The initial calibration y-intercept criteria were not met.
LI6	An insufficient number of calibration standards were used and/or all standards were not analyzed within a 24-h period. Data may not be acceptable for use.
LI7	Points were removed from the calibration curve and the reporting limits were not adjusted accordingly.
LIR1	Chorine isotope ratio criteria were not met.
LIS	Required IS information is missing.
LIS1	The IS area count failed high.
LIS2	The IS area count failed low.
LIS4	The IS RT is >30 s from that of the associated standard.
LIV2	The ICV %D failed high.
LIV3	The ICV %D failed low.
LL1	The frequency of the LCS did not meet the specified criteria.
LL2	The LCS %R failed high.
LL3	The LCS %R failed low.
LL4	The LCS %Rs failed both high and low, or the LCS/LSCD RPD failed to meet criteria.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LMS1	An applicable MS/MSD analysis was not performed.
LMS2	The MS/MSD %R failed high.
LMS3	The MS/MSD %R failed low.
LMS4	Relative percent difference of the MS/MSD is greater than the acceptance criteria or the recoveries fail both high and low.
LOW S	VOC_LOW STD
LOWST	VOC_LOWSTD
LP1	The sample was improperly preserved.
LP3	Sample was not maintained at required temperature.
LR1	The sample result exceeded the calibration range.
LR2	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
LRP1	There is no measure of precision for the sample, i.e., no replicate, MSD or LCSD was performed.
LRP2	The replicate precision criteria are not met.
LS	Required surrogate information is missing. Data may not be acceptable for use.
LS1	Surrogate failed high.
LS2	Surrogate failed low.
LS4	The surrogate %R in the blank did not meet acceptance criteria.
LWQ1	Specified quality control failure; see report.
MDL	ORGANIC_OEQL/MDL
N3TPU	NONE_<3*TPU result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
NJCST	NONE_J_CST
NJLAB	NONE_J_LAB
NND	NONE_NONDETECT
NNQ	NONE_NQ
NQ	The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualifier. The analyte is detected in the sample.
NS12a	SVOC_SVV12a
NS12c	SVOC_SVV12c

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
NS1a	SVOC_SVVS1a
NUA	NONE_NUA
NULAB	NONE_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
NUP_R	Units and matrix are inconsistent.
O12d	ORGANIC_OSV12d
O5XBL	ORGANIC_O5XBLANK
ODRO1	ORGANIC_ODRO12a
ODRO3	ORGANIC_ODRO3
ODRO4	ORGANIC_ODRO4
ODRO5	ODRO5_ORGANIC
ODRO7	ODRO7_ORGANIC
ODRO9	ORGANIC_ODRO9
OEQL/	ORGANIC_OEQL/MDL
OGR3b	OGR3b_ORGANIC
OGR3c	OGR3c_ORGANIC
OGRO3	ORGANIC_OGRO3
OGRO7	OGRO7_ORGANIC
OGRO9	ORGANIC_OGRO9
OH12b	ORGANIC_OH12b
OH9	ORGANIC_OH9
OI3	ORGANIC_OI3
OI4	ORGANIC_OI4
OI9	ORGANIC_OI9
ONONE	ORGANIC_ONONE
ONQ	ONQ
OP12a	ORGANIC_OP12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OP12b	ORGANIC_OP12b
OP3	ORGANIC_OP3
OP3a	ORGANIC_OP3a
OP3b	ORGANIC_OP3b
OP3c	ORGANIC_OP3c
OP3d	ORGANIC_OP3d
OP4	ORGANIC_OP4
OP5	ORGANIC_OP5
OP6	ORGANIC_OP6
OP7	ORGANIC_OP7
OP7a	ORGANIC_OP7a
OP9	ORGANIC_OP9
OP9a	OP9a Organic
OPa	ORGANIC_OPa
OR1	INORGANIC_OR1
OSIN	ORGANIC_OSIN
OSV12	ORGANIC_OSV12d
OSV1a	ORGANIC_OSV1a
OSV3	ORGANIC_OSV3
OSV3a	ORGANIC_OSV3a
OSV4	ORGANIC_OSV4
OSV4a	ORGANIC_OSV4a
OSV7	ORGANIC_OSV7
OSV7a	ORGANIC_OSV7a
OSV9	ORGANIC_OSV9
OUJLA	O_UJ_LAB

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OULAB	O_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
OV3	OV3
OV36	ORGANIC_OV36
OV3a	ORGANIC_OV3a
OV3b	ORGANIC_OV3b
OV3c	ORGANIC_OV3c
OV4	INORGANIC_OV4
OV7	ORGANIC_OV7
OV7a	ORGANIC_OV7a
OV9	ORGANIC_OV9
P10	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a low bias in the reported results and potential the labile compounds Endrin and 4,4'-DDT.
P10a	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a high bias in the reported results and potential false positive results for the breakdown products Endrin ketone, Endrin aldehyde, DDD, and DDE.
P10b	The breakdown recovery data are missing. The analyte breakdown could not be evaluated.
P10c	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
P11	The surrogate retention time has shifted by more than 0.05 min, possibly affecting analyte identification and causing false positives or negatives to be reported.
P11a	The surrogate recovery data are missing. Surrogate recoveries could not be evaluated.
P11b	The affected analytes are considered estimated because the confirmed analytes was outside the retention time windows.
P12	The LCS data are missing. The LCS analyte recoveries could not be evaluated.
P12a	The LCS analyte is less than 10%R, which indicates the potential for a severely low bias in the results.
P12b	The LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for a low bias in the results.
P12c	The result is a nondetect and the LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for false negative results.
P12d	The LCS analyte %R value is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
P13	The Florisil cleanup not conducted; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P13a	The GPC cleanup was not conducted on this soil sample; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13b	The appropriate cleanup was not conducted; interferences may have increased the analytical uncertainty and the potential for both false positives and false negatives. Examples of required cleanups are sulfur contamination (sulfur cleanup required), interferences in PCB samples (sulfuric acid cleanup required), and high molecular weight interferences in water samples (GPC cleanup required).
P14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
P14b	The matrix spike and/or the matrix-spike duplicate analysis were not performed on a sample associated with a LANL request number.
P14c	The matrix spike and/or the matrix-spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
P15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
P16	Required continuing calibration information is missing. Data may not be acceptable for use.
P19	The validator identified quality deficiencies in the reported data that require qualification.
P23B	P23B
P3	The surrogate %R value is greater than the UAL, which indicates the potential for a high bias in the results and a potential for false positive results.
P3a	The surrogate is greater than 10%R but less than the LAL, which indicates the potential for low bias in the results.
P3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
P3c	The result is less than the EQL and the surrogate %R value is greater than10% but less than the LAL, which indicates a potential for false negative results being reported.
P3d	The result is less than the EQL and the surrogate less than 10%R, which indicates a significant potential for false negative results.
P3e	One surrogate recovery is greater than the UAL and one surrogate recovery is less than the LAL, which indicates increased uncertainty in reported results.
P3f	The surrogate information is missing. Data may not be acceptable for use.
P4	The sample result is a detect but less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
P46	PESTPCB_P46
P4a	The method blank or instrument blank documentation is missing.
P4b	The surrogate information is missing. Data may not be acceptable for use.
P5	PESTPCB_P5

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P6	PESTPCB_P6
P7	The percent relative standard deviation (%RSD) or percent difference (%D) exceeds the applicable acceptance criterion, which indicates potential quantitation problems in the analyses and the potential for false negative results.
P77	The affected analytes are considered estimated because the associated continuing calibration standard was not analyzed within 72 h of the initial analysis. This is for multicomponent analytes.
P7a	The multicomponent analyte standard was not analyzed within 72 h of a multicomponent analyte detection. Quantitation of the multicomponent detection in the sample may not be accurate.
P7b	PESTPCB_P7b
P7c	PESTPCB_P7c
P8	This analyte should be regarded as not detected because it was not confirmed on a second dissimilar column.
P8a	The required confirmation column analysis data are missing. Data may not be acceptable for use.
P9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the impact of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
P913	PESTPCB_P913
P9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
P9b	The results for the affected analytes are rejected because the analytical holding time was exceeded.
PC	PESTPCB_PC
PEQL	P_EQL/MDL The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
PHOLD	P_HOLD_TIME
PJCST	P_J_CST
PJLAB	PJLAB_PESTPCB
PLIA	P_LIA
PNONE	No reason for historic AROCLOR data
PNQ	P_NQ
PQCBL	P_QC_BLIND
PS10	P_Surr < 10%

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
PUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
PUJLA	P_U_LAB
PULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
PV3	PESTPCB_PV3
PV4	PESTPCB_PV4
PWQ1	No MS/MSD data were included in the data package.
PWQ10	Calibration verification %D exceeded acceptance criteria but was less than 60%.
PWQ11	Calibration verification %D exceeded 60%.
PWQ2	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
PWQ3	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
PWQ4	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
PWQ5	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
PWQ6	Nonspecified quality control failure; see validation report.
PWQ7	The sample was improperly preserved.
PWQ8	Calibration %RSD was greater than the acceptance criteria but less than 60%.
PWQ9	Calibration %RSD was greater than 60%.
R 6B	RAD_R 6B
R1	The tracer /carrier %R value is <10%.
R10	RAD_R10
R10a	RAD_R10a
R10b	RAD_R10b
R11	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration was less than 3 times the 1 sigma TPU.
R11a	RAD_R11a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R11b	RAD_R11b
R11c	RAD_R11c
R11d	RAD_R11d
R14	RAD_R14
R14a	Insufficient sample volume was received for a matrix-spike analysis.
R14b	The matrix-spike analysis was not performed on a sample associated with this request number (RN).
R16	RAD_R16
R16a	Result is greater than the MDC for the following fission and activation products with half-lives less than 365 d: Ce-144, Co-57, Mn-54, Pa-233, Se-75, and Zn-65.
R16b	Result is greater than the MDC for the following radionuclides not reliably measured by gamma spectroscopy: Ac-228, Ba-140, Bi-212, I-129, La-140, Np-237, Pa-231, Pa-234, Pb-210, Pb-211, Ra,-223, Ra-224, Ra-226, and Rn-219.
R16c	Result is greater than the MDC for the following naturally occurring radionuclides that are reliably measured by gamma spectroscopy and that can provide an indication of the quality of the gamma spectroscopy measurement: Bi-211, Bi-214, K-40, Pb-212, Pb-214, Th-227, Th-234, Tl-208, and annihilation radiation.
R16d	Result is greater than the MDC for the following six radionuclides typically used by the analytical laboratories in their LCSs for instrument calibration and checks on instrument performance: Cd-109, Ce-139, Hg-203, Sn-113, Sr-85, and Y-88.
R19	The validator identified quality deficiencies in the reported data that require qualification.
R1a	The tracer %R value is 10%–30% inclusive, and the sample result is greater than the MDA.
R1b	The tracer %R value is 10%–30% inclusive, and the sample result is less than the MDA.
R1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
R1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
R1e	The tracer/carrier %R value is not reported.
R1x	The tracer %R value is less than 10%.
R1z	The tracer %R value is less than 30% but greater than 10% and the sample result is a detect.
R3	The matrix-spike %R value is greater than the upper limit and the sample result is greater than the MDA.
R3TPU	P_UJ_LAB

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R3a	The matrix-spike %R value is less than the lower limit, and the sample result is greater than the MDA.
R3b	The matrix-spike %R value is less than 10%, and the result is not detected.
R3c	The matrix-spike %R value is less than the lower limit, and the sample result is less than the MDA.
R3d	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are detected.
R3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
R4	The sample result is greater than the MDA but less than 5 times the amount found in the blank.
R4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5 times the associated sample concentration.
R4b	Blank data are either missing from or not reported in the data record package.
R4z	The method blank information is missing. The data may be acceptable for use.
R5	Analyte is not detected because the amount reported is less than the MDC.
R5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
R5b	This analyte should be regarded as rejected because spectral interferences prevent positive identification of the analytes.
R6	Recovery of the analyte in the LCS is greater than the upper limit, and the analyte result is greater than the MDA.
R6a	Recovery of analyte in the LCS is less than the lower limit, and the analyte is greater than the MDA in the sample.
R6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
R6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
R6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
R6e	The LCS data are missing from the data record package.
R7	The duplicate information is missing. Data may not be acceptable for use.
R7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
R7b	The duplicate and sample results have a DER (duplicate error ratio) that is greater than 2.0.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R7c	The affected analytes are qualified as rejected because the RER was greater than 4.
R8	RAD_R8
R9	The results for the affected analytes should be regarded as estimated because the holding time was exceeded.
R96	RAD_R96
R9a	The results for the affected analytes should be regarded as rejected because the holding time was exceeded by 2 times the method published holding times.
R9b	RAD_R9b
RA	R_Accidentally_
RB7	RAD_RB7
RC0TP	R_CST_ZERO_TPU
RC0UN	R_CST_0_UNC
RI14a	RAD_RI14a
RI14b	RAD_RI14b
RI3	RAD_RI3
RI3a	RAD_RI3a
RI4	RAD_RI4
RI5	RAD_RI5
RI6	RAD_RI6
RIA	RAD_RIA
RIB	RAD_RIB
RJCST	R_J_CST
RJLAB	R_J_LAB
RLIA	R_LIA
RNONE	No reason for historical RAD data
RNQ	R_NQ
RPA	RAD_RPA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
RQCBL	RQCBL_RAD
RQCMX	R_Samp_QC_Mixed
RRLAB	R LAB RAD
RSQLP	RAD_SQLPLUR9B
RT30	R_Tracer < 30%
RUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
RUJLA	RUJLA_RAD
RULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
RUP_R	RAD: Units and matrix are inconsistent.
RWQ1	Planchets were flamed
RWQ2	Result values are less than 3 times the MDC.
RWQ3	Less than the negative MDC
RWQ4	Planchets were not flamed.
RWQ5	The tracer %R value is greater than 105% but less than 125%.
RWQ6	The tracer %R value is greater than 125%.
RWQ7	Nonspecified quality control failure; see validation report.
RZUNC	R_ZERO_UNCERT
R_MDA	R_MDA
Rb	RAD_Rb
SEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
SHOLD	SHOLD
SJCST	SJCST
SJLAB	SJLAB
SNQ	SNQ
SPECT	HEXP_SPECTRAL MATCH

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SQCBL	SQCBL
SQLPL	RAD_SQLPLUR9B
SRO9	ORGANIC_SRO9
SSU10	SSU10
SUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
SUJLA	SUJLA
SULAB	SULAB
SV0	The IS retention time has shifted by more than 30 s, which could affect compound identification and result in false positives or negatives.
SV1	The IS area count for the quantitating IS is outside the –50% ± 100% window in relation to the previous continuing calibration, which could affect the quantitation accuracy of the associated analytes and the correct quantitation of surrogate %R values.
SV10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
SV11	TICs are not reported but were requested by ER Project. The validator contacted the laboratory that had not provided TICs.
SV12	The LCS documentation is missing. Data may not be acceptable for use.
SV12a	The LCS percent recovery was less than 10%.
SV12b	The LCS percent recovery was less than the LAL but greater than 10%, and the result is detected.
SV12c	The LCS percent recovery was less than the LAL but greater than 10% and the result is not detected.
SV12d	The affected analytes should be regarded as estimated and biased high because the LCS percent recovery was greater than the UAL.
SV13c	SVOC_SV13c
SV15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
SV16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
SV16a	The results for the affected analytes are rejected because the instrument performance sample (DFTPP) did not pass method acceptance criteria.
SV19	The affected analytes are qualified because the data validator identified quality deficiencies in the reported data.
SV1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
SV1b	The area count for the quantitiating IS is greater than 200% of the area count for the previous continuing calibration.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV2	The quantitating IS area count is less than 10% of the expected value, which indicates increased potential for false negative results and other possible problems with sample quantitation.
SV2a	Required IS information is missing. Data may not be acceptable for use.
SV2c	SVOC_SV2c
SV3	The %R values for two or more surrogates in either SV fraction is greater than the UAL, which indicates the potential for high bias in the results and the potential for false positive results.
SV3a	Two or more surrogates in either SV fraction are greater than or equal to 10%R but less than the LAL, which indicates the potential for low bias in the results.
SV3b	A surrogate in the related fraction is less than 10%R, and the result is a detect, which indicates the potential for severely low bias in the results.
SV3c	The result is a nondetect and two or more surrogates are greater than or equal to 10%R but less than the LAL, which indicates increased potential for false negative results.
SV3d	The result is a nondetect and a surrogate in the related fraction is less than 10%R, which indicates a greatly increased potential for false negative results.
SV3e	The %R value of one surrogate in a fraction is greater than the UAL, and one is less than the LAL but greater than or equal to 10%R, which indicates a greater than normal uncertainty in the results.
SV3f	Required surrogate information is missing. Data may not be acceptable for use.
SV4	The sample result is greater than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the related analyte in the blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
SV4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times (10 times for common laboratory contaminants).
SV4b	Required method blank information is missing. Data may not be acceptable for use.
SV5	The sample result is less than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the analyte in the blank, which indicates the detected result was indistinguishable from contamination in the blank.
SV5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
SV5v7	SVOC_SV5v7a
SV6	SVOC_SV6
SV6b	SVOC_SV6b
SV7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
SV7b	The affected analytes were analyzed with an RRF of less than 0.05.
SV8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
SV8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
SV9	The extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effect of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
SV9a	The affected analytes are regarded as rejected because the extraction holding time was exceeded by 2 times the method published holding time requirements.
SV9b	The affected analytes are regarded as rejected because the analytical holding time was exceeded.
SVA	SVOC_SVA
SVC	SVOC_SVC
SVD	SVOC_SVD
SVI	SVOC_SVI
SVIA	SVOC_SVIA
SVNON	No reason for historic SVOC data
SVPM	SVOC_SVPM
SVS	SVOC_SVS
SVV12	SVOC_SVV12a
SVV1a	SVOC_SVV1a
SVV3	SVOC_SVV3
SVV4	SVOC_SVV4
SVV5	SVOC_SVV5
SVV7a	SVOC_SVV7a
SVV9	SVOC_SVV9
SVVS1	SVOC_SVVS1a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
SWQ10	Calibration verification %D exceeded 60%.
SWQ11	The LCS recovery was greater than the acceptance criteria.
SWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
SWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
SWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
SWQ5	Nonspecified quality control failure; see validation report.
SWQ6	The sample was improperly preserved.
SWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
SWQ8	Calibration %RSD exceeded 60%.
SWQ9	Calibration verification %D was greater than the acceptance criteria but less than 60%.
UNK	Unknown
U_LAB	The analytical laboratory qualified the analyte as not detected.
V	VOC_V
V+	VOC_V+
V0	The IS retention time has shifted by more than 30 s, which could affect compound identification and cause false positives or negatives to be reported.
V1	The IS area count for the quantitating IS is outside the –50% ± 100% window in relation to the previous continuing calibration. This condition could affect the quantitation accuracy of the associated analytes.
V10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
V11	TICs are not reported by the analytical laboratory but were requested by the ER Project. The analytical laboratory was contacted and TICs were not provided.
V12	The LCS documentation is missing. The data may not be acceptable for use.
V126	VOC_V126
V12a	The LCS percent recovery was less than 10%.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V12b	The LCS percent recovery was less than the LAL but greater than 10%. The result is biased low and is detected.
V12c	The LCS percent recovery was less than the LAL but greater than 10%. The result was not detected.
V12d	The LCS percent recovery was greater than the UAL. The result is detected and biased high.
V14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
V14b	The matrix spike and/or the matrix-spike duplicate analysis was not performed on a sample associated with a LANL request number.
V14c	The matrix spike and/or the matrix-spike duplicate was analyzed on a sample associated with a different LANL request number but no summary was included.
V15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
V16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
V16a	The results should be regarded as rejected because the BFB instrument performance sample did not pass method acceptance criteria.
V19	The validator identified quality deficiencies in the reported data that require qualification.
V1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
V1b	This analyte should be regarded as estimated because the IS failed high.
V1c	VOC_V1c
V1s	VOC_V1s
V2	The quantitating IS area is less than 10% of the expected value, which indicates an increased potential for false negative results and possibly other problems with sample quantitation.
V2a	Required IS information is missing. Data may not be acceptable for use.
V3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results.
V3a	The surrogate is less than the LAL but greater than or equal to 10%R, which indicates the potential for a low bias in the results.
V3b	The surrogate is less than 10%R and the result is a detect, which indicates the potential for a severely low bias in the results.
V3c	The surrogate is less than LAL and the result is a nondetect, which indicates the potential for a low bias in the results.
V3d	The surrogate is less than 10%R and the result is a nondetect, which indicates a greatly increased potential for false negative results.
V3e	At least one surrogate is greater than the UAL and one surrogate is less than the LAL, which indicates a greater than normal degree of uncertainty in the result.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V3f	Required surrogate information is missing. Data may not be acceptable for use.
V4	The sample result is less than or equal to 5 times (10 times for acetone, methylene chloride, and 2-butanone) the concentration of the related analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
V4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times (10 times for common laboratory contaminants).
V4b	Required method blank information is missing. Data may not be acceptable for use.
V5	VOC_V5
V5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
V5c	VOC_V5c
V6b	VOC_V6b
V7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.
V76	VOC_V76
V78	VOC_V78
V7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
V7b	The affected analytes were analyzed with an RRF of less than 0.05.
V8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
V8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
V9	The analytical and/or extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effects of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
V9a	The affected analytes are regarded as rejected because the analytical/extraction holding time was exceeded by 2 times the method published holding time requirements.
VC4	VOC_VC4
VEQL	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
VI1	VOC_VI1
VI4	VOC_VI4

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VI45	VOC_VI45
VIA	VOC_VIA
VIC	VOC_VIC
VJCST	VJCST
VJLAB	VJLAB
VLA	VOC_VLA
VNONE	No reason for historic VOC data
VNQ	VNQ
VO	VOC_VO
VP	VOC_VP
VQCBL	VQCBL
VR5	VOC_VR5
VR7b	VOC_VR7b
VS	VOC_SPECTRUM
VSV1	VOC_VSV1
VSV1a	VOC_VSV1a
VSV3b	VOC_VSV3b
VSV3c	VOC_VSV3c
VSV4	VOC_VSV4
VSV5	VOC_VSV5
VSV7	VOC_VSV7
VSV7a	VOC_VSV7a
VU7a	VOC_VU7a
VUCST	VUCST
VUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VUJLA	VUJLA
VULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
VUP_R	VOC: Units and matrix are inconsistent.
VWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
VWQ10	Calibration verification %D exceeded 60%.
VWQ11	The LCS recovery was greater than the acceptance criteria.
VWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit but and the result is a detect, which indicates a potential high bias in the sample results.
VWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
VWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
VWQ5	Nonspecified quality control failure; see validation report.
VWQ6	The sample was improperly preserved.
VWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
VWQ8	Calibration %RSD exceeded 60%.
VWQ9	Calibration verification %D was greater than the acceptance criteria but less than 60%.

Table E-1
Previously Unreported Surface-Water Metals

Field Matrix Code	Location	Date	Analyte	Field Prep Code	Lab Sample Type Code	Field QC Type Code	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	NM Aquatic Acute 100 mg (F)	Ratio (Result/Screening Level)	NM Aquatic Chronic 100 mg (F)	Ratio (Result/Screening Level)
WP	Water above SR-501 (E252)	01/24/07	Al	F	CS	FD	936	68	µg/L	GELC	—*	—	—	SW-846:6010B	750	1.25	87	10.76
WP	Water above SR-501 (E252)	01/24/07	Al	F	CS	—	655	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.87	87	7.53
WS	Between E252 and Water at Beta	04/04/08	Al	F	CS	—	1040	68	µg/L	GELC	—	—	—	SW-846:6010B	750	1.39	87	11.95
WS	Between E252 and Water at Beta	04/04/08	Cd	F	CS	—	0.16	0.11	µg/L	GELC	J	J+	I6b	SW-846:6020	—	—	0.2	0.8

*— = None.

Table E-2
Previously Unreported Surface-Water Perchlorate

Field Matrix Code	Location	Date	Field QC Type Code	Field Prep Code	Lab Sample Type Code	Analytical Method Code	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
WP	Water above SR-501 (E252)	01/24/07	—*	F	CS	SW-846:6850	0.18	0.05	µg/L	1	J	—	—	GELC
WP	Water above SR-501 (E252)	01/24/07	FD	F	CS	SW-846:6850	0.187	0.05	µg/L	1	J	—	—	GELC
WS	Between E252 and Water at Beta	04/04/08	—	F	CS	SW-846:6850	0.379	0.05	µg/L	1	—	—	—	GELC

*— = None.

Table E-3
Previously Unreported Surface-Water Organics

Field Matrix Code	Location	Date	Field QC Type Code	Field Prep Code	Lab Sample Type Code	Analytical Suite Code	Analyte	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	NM Aquatic Acute 100 mg	Ratio (Result/Screening Level)	NM Aquatic Chronic 100 mg	Ratio (Result/Screening Level)	NM Human Health	Ratio (Result/Screening Level)	NMWQCC Wildlife Habitat	Ratio (Result/Screening Level)
WP	Water above SR-501 (E252)	01/24/07	FD	UF	CS	PEST/PCB	DDE[4,4'-]	0.00707	0.00532	µg/L	1	J	—*	—	SW-846:8081A	GELC	1.1	0.01	0.001	7.07	0.0022	3.21	0.001	7.07

*— = None.

Table E-4
Previously Unreported Surface-Water Tritium

Field Matrix Code	Location	Date	Field Prep Code	Lab Sample Type Code	Field QC Type Code	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
WP	Water above SR-501	01/24/07	UF	CS	FD	12.71	0.48	0.28737	pCi/L	Generic:LLEE	UMTL	—*	—	—
WP	Water above SR-501	01/24/07	UF	CS	—	13.67	0.61	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—

*— = None.

Table E-5
Current PME Surface-Water Metals

Field Matrix Code	Location	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field QC Type Code	Symbol	Result	Minimum Detection Level	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	NM Aquatic Chronic Screening Level	Ratio (Result/Screening Level)
WS	Water above SR-501	10/17/08	Al	F	CS	FD	—*	232	68	µg/L	GELC	—	—	—	SW-846:6010B	87	2.67
WS	Water above SR-501	10/17/08	Al	F	CS	—	—	249	68	µg/L	GELC	—	—	—	SW-846:6010B	87	2.86

*— = None.

Table E-6
Current PME Surface-Water Perchlorate

Field Matrix Code	Location	Start Date	Field QC Type Code	Field Prep Code	Lab Sample Type Code	Analyte	Analytical Method Code	Symbol	Result	Minimum Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
WS	Canon de Valle below MDA P	10/07/08	—*	F	CS	ClO4	SW-846:6850	—	0.171	0.05	µg/L	1	J	J	J_LAB	GELC
WS	Water above SR-501	10/17/08	—	F	CS	ClO4	SW-846:6850	—	0.225	0.05	µg/L	1	—	—	—	GELC
WS	Water above SR-501	10/17/08	FD	F	CS	ClO4	SW-846:6850	—	0.221	0.05	µg/L	1	—	—	—	GELC

*— = None.

Table E-7
Current PME Surface-Water Organics

Field Matrix Code	Location	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	NMWQCC STD	Ratio (Result/Screening Level)
WS	Water above SR-501	10/17/08	FD	UF	CS	VOA	Toluene	108-88-3	—*	0.398	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	200000	—
WS	Between E252 and Water at Beta	10/24/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.203	0.12	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—
WS	Canon de Valle below MDA P	10/07/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	0.172	0.13	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—
WS	Canon de Valle below MDA P	10/07/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.152	0.12	µg/L	2	J	J	HE7c	SW-846:8321A_MOD	GELC	—	—
WS	Canon de Valle below MDA P	10/07/08	—	UF	CS	VOA	Toluene	108-88-3	—	1.55	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	200000	—

*— = None.

Table E-8
Previously Unreported Groundwater Organics

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Lab Sample Type Code	Analytical Suite Code	Analyte	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA Tap Screening Level (C)	Ratio (Result/Screening Level)	EPA Tap Screening Level (N)	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	CS	HEXP	RDX	7.47	0.13	µg/L	2	—*	J	HE7c	SW-846:8321A_MOD	GELC	—	—	6.11	1.22	—	—	—	—
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	CS	VOA	Dichloroethene[cis-1,2-]	9.55	0.3	µg/L	1	—	—	—	SW-846:8260B	GELC	70	0.14	—	—	60.8	0.16	—	—
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	CS	VOA	Trichloroethene	11.8	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	5	2.36	1.66	7.12	—	—	100	0.12
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	DL	HEXP	HMX	33.3	0.52	µg/L	10	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	0.02	—	—
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	DL	VOA	Dichloroethene[cis-1,2-]	8.25	0.75	µg/L	3	—	J	V88	SW-846:8260B	GELC	70	0.12	—	—	60.8	0.14	—	—
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	DL	VOA	Tetrachloroethene	193	0.63	µg/L	3	—	—	—	SW-846:8260B	GELC	5	38.6	1.24	155.1	—	—	20	9.65
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	DL	VOA	Trichloroethene	9.97	0.63	µg/L	3	—	J	V88	SW-846:8260B	GELC	5	1.99	1.66	6.02	—	—	100	0.1
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	UF	CS	HEXP	HMX	4.75	0.1	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	UF	CS	HEXP	RDX	0.146	0.13	µg/L	2	J	J	HE7c	SW-846:8321A_MOD	GELC	—	—	6.11	0.02	—	—	—	—
Alluvial	FLC-16-25278	SINGLE	1.6	04/10/08	UF	CS	HEXP	HMX	3.79	0.1	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Alluvial	FLC-16-25278	SINGLE	1.6	04/10/08	UF	CS	HEXP	RDX	0.256	0.13	µg/L	2	J	J	HE7c	SW-846:8321A_MOD	GELC	—	—	6.11	0.04	—	—	—	—

*— = None.

Table E-9
Previously Unreported Groundwater Perchlorate

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Lab Sample Type Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial	FLC-16-25280	SINGLE	3	04/03/08	—*	F	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Alluvial	FLC-16-25279	SINGLE	3	04/10/08	—	F	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Alluvial	FLC-16-25278	SINGLE	2	04/10/08	EQB	UF	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Alluvial	FLC-16-25278	SINGLE	2	04/10/08	—	F	CS	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC

*— = None.

Table E-10
Previously Unreported Groundwater Metals

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Lab Sample Type Code	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	Al	F	CS	14000	68	µg/L	GELC	—*	—	—	SW-846:6010B	—	—	5000	2.8
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	Fe	F	CS	7900	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	7.9
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	Pb	UF	CS	11.4	0.5	µg/L	GELC	—	—	—	SW-846:6020	15	0.76	—	—
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	Al	F	CS	12100	68	µg/L	GELC	—	—	—	SW-846:6010B	—	—	5000	2.42
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	Fe	F	CS	7210	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	7.21
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	Mn	F	CS	565	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	2.83
Alluvial	FLC-16-25278	SINGLE	1.6	04/10/08	Al	F	CS	8830	68	µg/L	GELC	—	—	—	SW-846:6010B	—	—	5000	1.77
Alluvial	FLC-16-25278	SINGLE	1.6	04/10/08	Fe	F	CS	4980	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	4.98
Alluvial	FLC-16-25278	SINGLE	1.6	04/10/08	Mn	F	CS	105	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	0.53

*— = None.

Table E-11
Previously Unreported Groundwater Tritium

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Lab Sample Type Code	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	UF	CS	127.72	4.15	0.28737	pCi/L	Generic:Low_Level_Tritium	UMTL	—*	—	—

*— = None.

Table E-12
Previously Unreported Groundwater Radionuclides

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Lab Sample Type Code	Result	Uncertainty	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DCG	Ratio (Result/Screening Level)	DOE DW DCG	Ratio (Result/Screening Level)	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)	NMED Radiation Protection	Ratio (Result/Screening Level)
Alluvial	CDV-16-02659	SINGLE	1.7	10/30/07	Ra-228	UF	CS	1.44	0.278	0.498	pCi/L	GELC	EPA:904	—*	J	RWQ2	100	0.01	4	0.36	5	0.29	30	0.05	60	0.02
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	Ra-228	UF	CS	0.863	0.25	0.57	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.22	5	0.17	30	0.03	60	0.01
Alluvial	FLC-16-25280	SINGLE	2.6	04/03/08	Sr-90	F	CS	0.542	0.17	0.49	pCi/L	GELC	EPA:905.0	—	—	—	1000	—	40	0.01	8	0.07	—	—	500	—
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	Ra-226	UF	CS	0.888	0.2	0.38	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.22	5	0.18	30	0.03	60	0.01
Alluvial	FLC-16-25279	SINGLE	2.7	04/10/08	Ra-228	UF	CS	1.41	0.38	0.9	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.35	5	0.28	30	0.05	60	0.02
Alluvial	FLC-16-25278	SINGLE	1.6	04/10/08	Ra-226	UF	CS	0.652	0.19	0.45	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.16	5	0.13	30	0.02	60	0.01

*— = None.

Table E-13
Current PME Groundwater Organics

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA TAP Screening Level C-5	Ratio (Result/Screening Level)	EPA TAP Screening Level N	Ratio (Result/Screening Level)	NMWQCC Standard	Ratio (Result/Screening Level)
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	—	UF	CS	HEXP	HMX	2691-41-0	—*	0.975	0.1	µg/L	2	—	J+	HE12f	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	—	UF	CS	HEXP	RDX	121-82-4	—	1.05	0.13	µg/L	2	—	J+	HE12f	SW-846:8321A_MOD	GELC	—	—	6.11	0.17	—	—	—	—
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	—	UF	CS	VOA	Acetone	67-64-1	—	2.42	1.5	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.67	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.03	—	—	—	—
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	—	UF	CS	VOA	Toluene	108-88-3	—	3.68	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Alluvial	CDV-16-02658	SINGLE	1.9	10/08/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	0.174	0.13	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Alluvial	CDV-16-02658	SINGLE	1.9	10/08/08	—	UF	CS	HEXP	HMX	2691-41-0	—	10.9	0.1	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	0.01	—	—
Alluvial	CDV-16-02658	SINGLE	1.9	10/08/08	—	UF	CS	HEXP	RDX	121-82-4	—	0.562	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	0.09	—	—	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	3.06	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	2.63	0.12	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	CS	HEXP	DNX	DNX	—	0.87	0.069	µg/L	1	—	J	H7c	SW-846:8330	STSL	—	—	—	—	—	—	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	DL	HEXP	HMX	2691-41-0	—	33.8	0.52	µg/L	10	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	0.02	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	CS	HEXP	MNX	MNX	—	1.8	0.091	µg/L	1	—	J	H7c	SW-846:8330	STSL	—	—	—	—	—	—	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	DL	HEXP	RDX	121-82-4	—	22.1	0.65	µg/L	10	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	3.62	—	—	—	—
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	—	UF	CS	HEXP	TNX	TNX	—	1.7	0.082	µg/L	1	—	J	H0	SW-846:8330	STSL	—	—	—	—	—	—	—	—
Alluvial	MSC-16-06295	SINGLE	1.5	10/16/08	—	UF	CS	HEXP	HMX	2691-41-0	—	1.8	0.1	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Alluvial	MSC-16-06295	SINGLE	1.5	10/16/08	—	UF	CS	HEXP	RDX	121-82-4	—	0.421	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	0.07	—	—	—	—
Alluvial	MSC-16-06295	SINGLE	1.5	10/16/08	FTB	UF	CS	VOA	Acetone	67-64-1	—	1.82	1.5	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Alluvial	MSC-16-06295	SINGLE	1.5	10/16/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.41	0.3	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Intermediate Spring	CDV-5.0 SPRING	SPRING	—	10/22/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.302	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.01	—	—	—	—
Intermediate Spring	CDV-5.0 SPRING	SPRING	—	10/22/08	—	UF	CS	VOA	Toluene	108-88-3	—	0.348	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	0.909	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.684	0.12	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	HMX	2691-41-0	—	2.7	0.1	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	DL	HEXP	RDX	121-82-4	—	40.6	0.65	µg/L	10	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	6.64	—	—	—	—

Table E-13 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA TAP Screening Level C-5	Ratio (Result/Screening Level)	EPA TAP Screening Level N	Ratio (Result/Screening Level)	NMWQCC Standard	Ratio (Result/Screening Level)
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Trinitrobenzene[1,3,5-]	99-35-4	—	0.217	0.1	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	1100	—	—	—
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Trinitrotoluene[2,4,6-]	118-96-7	—	0.0853	0.078	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	22.4	—	—	—	—	—
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	VOA	Tetrachloroethene	127-18-4	—	1.17	0.45	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.23	1.24	0.94	—	—	20	0.06
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	1.28	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.26	1.66	0.77	—	—	100	0.01
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	0.32	0.13	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	0.343	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.356	0.12	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.375	0.12	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	HEXP	HMX	2691-41-0	—	1.96	0.1	µg/L	2	—	J+	HE12f	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	HEXP	HMX	2691-41-0	—	2.27	0.1	µg/L	2	—	J+	HE12f	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	DL	HEXP	RDX	121-82-4	—	22.7	0.65	µg/L	10	—	J+	HE12f	SW-846:8321A_MOD	GELC	—	—	6.11	3.71	—	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	DL	HEXP	RDX	121-82-4	—	24.2	0.33	µg/L	5	—	J+	HE12f	SW-846:8321A_MOD	GELC	—	—	6.11	3.96	—	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	HEXP	Trinitrobenzene[1,3,5-]	99-35-4	—	0.58	0.1	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	1100	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	HEXP	Trinitrobenzene[1,3,5-]	99-35-4	—	0.517	0.1	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	1100	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	VOA	Acetone	67-64-1	—	2.8	1.5	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	VOA	Acetone	67-64-1	—	3.43	1.5	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	VOA	Tetrachloroethene	127-18-4	—	1.4	0.45	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.28	1.24	1.13	—	—	20	0.07
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	VOA	Tetrachloroethene	127-18-4	—	1.6	0.45	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.32	1.24	1.29	—	—	20	0.08

Table E-13 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA TAP Screening Level C-5	Ratio (Result/Screening Level)	EPA TAP Screening Level N	Ratio (Result/Screening Level)	NMWQCC Standard	Ratio (Result/Screening Level)
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	UF	CS	VOA	Trichloroethene	79-01-6	—	1.62	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.32	1.66	0.98	—	—	100	0.02
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	1.61	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.32	1.66	0.97	—	—	100	0.02
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	3,5-Dinitroaniline	618-87-1	—	0.808	0.61	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	2.03	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	1.73	0.12	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	DL	HEXP	HMX	2691-41-0	—	16.8	1	µg/L	20	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	0.01	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	MNX	MNX	—	0.57	0.091	µg/L	1	—	J	H7c	SW-846:8330	STSL	—	—	—	—	—	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	DL	HEXP	RDX	121-82-4	—	114	1.3	µg/L	20	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	18.65	—	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	CS	HEXP	Trinitrobenzene[1,3,5-]	99-35-4	—	0.277	0.1	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	1100	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.381	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	0.391	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.08	1.66	0.24	—	—	100	—
Intermediate Spring	Water Canyon Gallery	SPRING	—	10/17/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.325	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Intermediate	R-26	MULTI	659.3	10/07/08	FTB	UF	CS	VOA	Acetone	67-64-1	—	2.25	1.5	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate	R-26	MULTI	659.3	10/07/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.46	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Intermediate	R-26	MULTI	659.3	10/07/08	EQB	UF	CS	VOA	Toluene	108-88-3	—	0.68	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	3.23	0.13	µg/L	2	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	2.58	0.12	µg/L	2	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	Dinitrotoluene[2,4-]	121-14-2	—	0.617	0.13	µg/L	2	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	73	0.01	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	CS	HEXP	HMX	2691-41-0	—	0.289	0.1	µg/L	2	J	J	HE88	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	HMX	2691-41-0	—	10.8	0.1	µg/L	2	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	1830	0.01	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	Nitrotoluene[2-]	88-72-2	—	0.257	0.14	µg/L	2	J	J-	HE9	SW-846:8321A_MOD	GELC	—	—	2.92	0.09	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	CS	HEXP	RDX	121-82-4	—	1.59	0.13	µg/L	2	—	J	HE88	SW-846:8321A_MOD	GELC	—	—	6.11	0.26	—	—	—	—

Table E-13 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA TAP Screening Level C-5	Ratio (Result/Screening Level)	EPA TAP Screening Level N	Ratio (Result/Screening Level)	NMWQCC Standard	Ratio (Result/Screening Level)
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	DL	HEXP	RDX	121-82-4	—	41.7	0.65	µg/L	10	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	6.11	6.82	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	Trinitrobenzene[1,3,5-]	99-35-4	—	1.13	0.1	µg/L	2	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	1100	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	CS	HEXP	Trinitrotoluene[2,4,6-]	118-96-7	—	0.0991	0.078	µg/L	2	J	J	HE88	SW-846:8321A_MOD	GELC	—	—	22.4	—	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	RE	HEXP	Trinitrotoluene[2,4,6-]	118-96-7	—	7.75	0.078	µg/L	2	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	22.4	0.35	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	CS	VOA	Methyl tert-Butyl Ether	1634-04-4	—	0.541	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	371	—	—	—	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	CS	VOA	Tetrachloroethene	127-18-4	—	1.62	0.45	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.32	1.24	1.3	—	—	20	0.08
Intermediate	R-25	MULTI	754.8	10/22/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	1.2	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.24	1.66	0.72	—	—	100	0.01
Intermediate	R-25	MULTI	891.8	10/22/08	—	UF	CS	HEXP	2,4-Diamino-6-nitrotoluene	6629-29-4	—	0.831	0.26	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	R-25	MULTI	891.8	10/22/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	1.06	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	R-25	MULTI	891.8	10/22/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.588	0.12	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	R-25	MULTI	891.8	10/22/08	—	UF	CS	HEXP	HMX	2691-41-0	—	6.71	0.1	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate	R-25	MULTI	891.8	10/22/08	—	UF	DL	HEXP	RDX	121-82-4	—	25.7	0.65	µg/L	10	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	6.11	4.2	—	—	—	—
Intermediate	R-25	MULTI	891.8	10/22/08	—	UF	CS	HEXP	Trinitrotoluene[2,4,6-]	118-96-7	—	0.162	0.078	µg/L	2	J	J	HE7c	SW-846:8321A_MOD	GELC	—	—	22.4	0.01	—	—	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	DL	SVOA	Benzoic Acid	65-85-0	—	146	25	µg/L	4	—	—	—	SW-846:8270C	GELC	—	—	—	—	146000	—	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	SVOA	Phenol	108-95-2	—	30.2	1	µg/L	1	—	J-	SV12a	SW-846:8270C	GELC	—	—	—	—	11000	—	5	6.04
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	DL	SVOA	Phenol	108-95-2	—	38.3	4.2	µg/L	4	J	J	SV88	SW-846:8270C	GELC	—	—	—	—	11000	—	5	7.66
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	VOA	Acetone	67-64-1	—	27	1.5	µg/L	1	—	J	V7c	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	VOA	Butanone[2-]	78-93-3	—	14.5	1.3	µg/L	1	—	J	V7c	SW-846:8260B	GELC	—	—	—	—	7060	—	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	VOA	Carbon Disulfide	75-15-0	—	107	1.3	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	1040	0.1	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	VOA	Methyl tert-Butyl Ether	1634-04-4	—	1.35	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	371	—	—	—	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	VOA	Styrene	100-42-5	—	1.82	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	100	0.02	—	—	1640	—	—	—
Intermediate	R-25	MULTI	1063.4	10/21/08	—	UF	CS	VOA	Toluene	108-88-3	—	41.9	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	0.04	—	—	2280	0.02	750	0.06
Intermediate	R-25	MULTI	1192.4	10/20/08	—	UF	CS	HEXP	RDX	121-82-4	—	14.4	0.33	µg/L	5	—	J	HE88	SW-846:8321A_MOD	GELC	—	—	6.11	2.36	—	—	—	—
Intermediate	R-25	MULTI	1192.4	10/20/08	—	UF	RE	HEXP	RDX	121-82-4	—	16.9	0.65	µg/L	10	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	6.11	2.77	—	—	—	—
Intermediate	R-25	MULTI	1192.4	10/20/08	—	UF	CS	VOA	Methyl tert-Butyl Ether	1634-04-4	—	1.45	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	371	—	—	—	—	—
Intermediate	R-25	MULTI	1192.4	10/20/08	—	UF	CS	VOA	Tetrachloroethene	127-18-4	—	0.732	0.45	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.15	1.24	0.59	—	—	20	0.04
Intermediate	R-25	MULTI	1192.4	10/20/08	—	UF	CS	VOA	Trichloroethene	79-01-6	—	0.792	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.16	1.66	0.48	—	—	100	0.01
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	HEXP	Amino-2,6-dinitrotoluene[4-]	19406-51-0	—	0.224	0.13	µg/L	2	J	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	HEXP	Amino-4,6-dinitrotoluene[2-]	35572-78-2	—	0.207	0.12	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	—	—	—	—
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	HEXP	HMX	2691-41-0	—	1.85	0.1	µg/L	2	—	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	DL	HEXP	RDX	121-82-4	—	30.5	0.65	µg/L	10	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	4.99	—	—	—	—

Table E-13 (continued)

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analytical Suite Code	Analyte Description	Analyte	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA TAP Screening Level C-5	Ratio (Result/Screening Level)	EPA TAP Screening Level N	Ratio (Result/Screening Level)	NMWQCC Standard	Ratio (Result/Screening Level)
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	SVOA	Benzoic Acid	65-85-0	—	10.9	6.7	µg/L	1	J	J	SV7a	SW-846:8270C	GELC	—	—	—	—	146000	—	—	—
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	VOA	Methyl tert-Butyl Ether	1634-04-4	—	1.27	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	371	—	—	—	—	—
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	VOA	Tetrachloroethene	127-18-4	—	1.13	0.45	µg/L	1	—	—	—	SW-846:8260B	GELC	5	0.23	1.24	0.91	—	—	20	0.06
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	UF	CS	VOA	Toluene	108-88-3	—	21.1	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	0.02	—	—	2280	0.01	750	0.03
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	CS	HEXP	HMX	2691-41-0	—	0.168	0.1	µg/L	2	J	J	HE88	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	RE	HEXP	HMX	2691-41-0	—	0.252	0.1	µg/L	2	J	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	—	UF	CS	HEXP	HMX	2691-41-0	—	0.205	0.1	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	CS	HEXP	RDX	121-82-4	—	44.2	0.65	µg/L	10	—	J	HE88	SW-846:8321A_MOD	GELC	—	—	6.11	7.23	—	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	RE	HEXP	RDX	121-82-4	—	60.8	1.3	µg/L	20	—	J-	HE9	SW-846:8321A_MOD	GELC	—	—	6.11	9.95	—	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	—	UF	DL	HEXP	RDX	121-82-4	—	57	1.3	µg/L	20	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	9.33	—	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	RE	HEXP	Trinitrobenzene[1,3,5-]	99-35-4	—	0.121	0.1	µg/L	2	J	J-	HE9	SW-846:8321A_MOD	GELC	—	—	—	—	1100	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	—	UF	CS	SVOA	Bis(2-ethylhexyl)phthalate	117-81-7	—	3.98	2.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	6	0.66	48	0.08	—	—	—	—
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	CS	VOA	Tetrachloroethene	127-18-4	—	0.98	0.45	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.2	1.24	0.79	—	—	20	0.05
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	—	UF	CS	VOA	Tetrachloroethene	127-18-4	—	0.902	0.45	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.18	1.24	0.72	—	—	20	0.05
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	CS	VOA	Toluene	108-88-3	—	8.71	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	0.01	—	—	2280	—	750	0.01
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	—	UF	CS	VOA	Toluene	108-88-3	—	4.81	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	0.01
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	UF	CS	VOA	Trichloroethene	79-01-6	—	0.271	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.05	1.66	0.16	—	—	100	—
Regional	R-25	MULTI	1406.3	10/17/08	—	UF	CS	HEXP	HMX	2691-41-0	—	0.142	0.1	µg/L	2	J	J	HE7c	SW-846:8321A_MOD	GELC	—	—	—	—	1830	—	—	—
Regional	R-25	MULTI	1406.3	10/17/08	—	UF	CS	HEXP	RDX	121-82-4	—	0.524	0.13	µg/L	2	—	—	—	SW-846:8321A_MOD	GELC	—	—	6.11	0.09	—	—	—	—
Regional	R-25	MULTI	1406.3	10/17/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.32	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.01	—	—	—	—
Regional	R-25	MULTI	1606	10/16/08	—	UF	CS	HEXP	Trinitrotoluene[2,4,6-]	118-96-7	—	0.156	0.078	µg/L	2	J	J	J_LAB	SW-846:8321A_MOD	GELC	—	—	22.4	0.01	—	—	—	—
Regional	R-25	MULTI	1606	10/16/08	EQB	UF	CS	VOA	Acetone	67-64-1	—	5.47	1.5	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-25	MULTI	1606	10/16/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.34	0.3	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Regional	R-25	MULTI	1796	10/15/08	FTB	UF	CS	VOA	Acetone	67-64-1	—	1.64	1.5	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-25	MULTI	1796	10/15/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.33	0.3	µg/L	1	J	J	V7c	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Regional	CdV-R-15-3	MULTI	1254.4	10/09/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.33	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Regional	CdV-R-15-3	MULTI	1640.1	10/10/08	FTB	UF	CS	VOA	Chloromethane	74-87-3	—	0.389	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—
Regional	R-27	SINGLE	852	10/10/08	FTB	UF	CS	VOA	Toluene	108-88-3	—	0.262	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	1000	—	—	—	2280	—	750	—

*— = None.

Table E-14
Current PME Groundwater Perchlorate

Zone	Location	Well Class	Port Depth (ft)	Start Date	Field QC Type Code	Field Preparation Code	Lab Sample Type Code	Analyte	Analytical Method Code	Symbol	Result	Minimum Detection Level	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	—*	F	CS	ClO4	SW-846:6850	—	0.275	0.05	µg/L	1	—	—	—	GELC
Alluvial	MSC-16-06295	SINGLE	2	10/16/08	—	F	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate Spring	CDV-5.0 SPRING	SPRING	—	10/22/08	—	F	CS	ClO4	SW-846:6850	—	0.414	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	—	F	CS	ClO4	SW-846:6850	—	0.654	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	FD	F	CS	ClO4	SW-846:6850	—	0.631	0.05	µg/L	1	—	—	—	GELC
Intermediate Spring	Water Canyon Gallery	SPRING	—	10/17/08	—	F	CS	ClO4	SW-846:6850	—	0.234	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-26	MULTI	659	10/07/08	EQB	UF	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-26	MULTI	659	10/07/08	—	F	CS	ClO4	SW-846:6850	—	0.228	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-26	MULTI	659	10/07/08	EQB	UF	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-25	MULTI	755	10/22/08	—	F	CS	ClO4	SW-846:6850	—	0.566	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-25	MULTI	1063	10/21/08	—	F	CS	ClO4	SW-846:6850	—	0.497	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-25	MULTI	1192	10/20/08	—	F	CS	ClO4	SW-846:6850	—	0.497	0.05	µg/L	1	—	—	—	GELC
Intermediate	CdV-16-1(i)	SINGLE	624	10/20/08	—	F	CS	ClO4	SW-846:6850	—	0.507	0.05	µg/L	1	—	—	—	GELC
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	—	F	CS	ClO4	SW-846:6850	—	0.303	0.05	µg/L	1	—	—	—	GELC
Intermediate	CdV-16-2(i)r	SINGLE	850	10/21/08	FD	F	CS	ClO4	SW-846:6850	—	0.291	0.05	µg/L	1	—	—	—	GELC
Regional	R-25	MULTI	1406	10/17/08	—	F	CS	ClO4	SW-846:6850	—	0.252	0.05	µg/L	1	—	—	—	GELC
Regional	R-25	MULTI	1606	10/16/08	EQB	UF	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-25	MULTI	1606	10/16/08	—	F	CS	ClO4	SW-846:6850	—	0.274	0.05	µg/L	1	—	—	—	GELC
Regional	R-25	MULTI	1796	10/15/08	EQB	UF	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-25	MULTI	1796	10/15/08	—	F	CS	ClO4	SW-846:6850	—	0.309	0.05	µg/L	1	—	—	—	GELC
Regional	CdV-R-15-3	MULTI	1254	10/09/08	EQB	UF	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	CdV-R-15-3	MULTI	1254	10/09/08	—	F	CS	ClO4	SW-846:6850	—	0.286	0.05	µg/L	1	—	—	—	GELC
Regional	CdV-R-37-2	MULTI	1359	10/08/08	EQB	UF	CS	ClO4	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	CdV-R-37-2	MULTI	1359	10/08/08	—	F	CS	ClO4	SW-846:6850	—	0.291	0.05	µg/L	1	—	—	—	GELC
Regional	R-27	SINGLE	852	10/10/08	—	F	CS	ClO4	SW-846:6850	—	0.259	0.05	µg/L	1	—	—	—	GELC
Regional	R-27	SINGLE	852	10/10/08	FD	F	CS	ClO4	SW-846:6850	—	0.232	0.05	µg/L	1	—	—	—	GELC

*— = None.

Table E-15
Current PME Groundwater Metals

Zone	Location	Well Class	Port Depth (ft)	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field QC Type Code	Symbol	Result	Minimum Detection Level	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	EPA MCL	Ratio (Result/Screening Level)	NMEQCC Standard	Ratio (Result/Screening Level)
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	Ba	F	CS	—*	—	3680	1	µg/L	GELC	—	—	—	SW-846:6010B	2000	1.84	1000	3.68
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	Ba	UF	CS	—	—	3650	1	µg/L	GELC	—	—	—	SW-846:6010B	2000	1.83	—	—
Alluvial	MSC-16-06295	SINGLE	1.5	10/16/08	Fe	F	CS	—	—	1640	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	1.64
Alluvial	MSC-16-06295	SINGLE	1.5	10/16/08	Mn	F	CS	—	—	627	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	3.14
Intermediate	R-25	MULTI	754.8	10/22/08	Cr	UF	CS	—	—	97.3	1.5	µg/L	GELC	—	—	—	SW-846:6020	100	0.97	—	—
Intermediate	R-25	MULTI	754.8	10/22/08	Ni	F	CS	—	—	338	0.5	µg/L	GELC	—	—	—	SW-846:6020	—	—	200	1.69

*— = None.

Table E-16
Current PME Groundwater Tritium

Zone	Location	Well Class	Port Depth (ft)	Start Date	Analyte	Field Preparation Code	Lab Sample Type Code	Field QC Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Minimum Detection Level	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	CDV-16-02656	SINGLE	3	10/07/08	H-3	UF	CS	—*	<	41.62	6.43	3.461212	—	pCi/L	Generic:Low_Level_Tritium	ARSL	—	U	R4
Alluvial	CDV-16-02659	SINGLE	1.7	10/08/08	H-3	UF	CS	—	<	32.88	5.13	3.422896	—	pCi/L	Generic:Low_Level_Tritium	ARSL	—	U	R4
Intermediate Spring	SWSC Spring	SPRING	—	10/08/08	H-3	UF	CS	—	<	32.73	5.11	3.365422	—	pCi/L	Generic:Low_Level_Tritium	ARSL	—	U	R4
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	H-3	UF	CS	FD	<	28.23	4.44	3.307948	—	pCi/L	Generic:Low_Level_Tritium	ARSL	—	U	R4
Intermediate Spring	Burning Ground Spring	SPRING	—	10/07/08	H-3	UF	CS	—	<	31.44	4.92	3.410124	—	pCi/L	Generic:Low_Level_Tritium	ARSL	—	U	R4
Intermediate Spring	Martin Spring	SPRING	—	10/08/08	H-3	UF	CS	—	<	52.80	8.09	3.473984	—	pCi/L	Generic:Low_Level_Tritium	ARSL	—	U	R4
Intermediate	R-26	MULTI	659.3	10/07/08	H-3	UF	CS	—	<	-6.64	1.33	3.32072	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	CdV-R-15-3	MULTI	1254.4	10/09/08	H-3	UF	CS	—	<	-5.79	1.26	3.397352	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	CdV-R-15-3	MULTI	1640.1	10/10/08	H-3	UF	CS	—	<	-6.37	1.29	3.253667	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	CdV-R-37-2	MULTI	1200.3	10/10/08	H-3	UF	CS	—	<	-5.35	1.20	3.307948	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	CdV-R-37-2	MULTI	1359.3	10/08/08	H-3	UF	CS	—	<	-5.84	1.27	3.387773	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	CdV-R-37-2	MULTI	1550.6	10/09/08	H-3	UF	CS	—	<	-5.93	1.24	3.237702	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	R-27	SINGLE	852	10/10/08	H-3	UF	CS	FD	<	-6.65	1.34	3.394159	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5
Regional	R-27	SINGLE	852	10/10/08	H-3	UF	CS	—	<	-6.45	1.33	3.445247	—	pCi/L	Generic:Low_Level_Tritium	ARSL	U	U	R5

*— = None.

Table E-17
Current PME Groundwater Radionuclides

Location	Well Class	Port Depth (ft)	Start Date	Analyte	Field Prep Code	Lab Sample Type Code	Field QC Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DCG Screening Level	Ratio (Result/Screening Level)	DOE DW DCG Screening Level	Ratio (Result/Screening Level)	EPA MCL	Ratio (Result/Screening Level)	NMWQCC Standard	Ratio (Result/Screening Level)	NMED Radiation Protection Screening Level	Ratio (Result/Screening Level)
CDV-16-02656	SINGLE	3	10/07/08	Ra-226	UF	CS	—*	—	0.842	0.19	0.39	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.21	5	0.17	30	0.03	60	0.01
CDV-16-02656	SINGLE	3	10/07/08	Ra-228	UF	CS	—	—	1.16	0.27	0.54	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.29	5	0.23	30	0.04	60	0.02
CDV-16-02659	SINGLE	1.7	10/08/08	Ra-228	UF	CS	—	—	0.791	0.2	0.43	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.2	5	0.16	30	0.03	60	0.01
MSC-16-06295	SINGLE	1.5	10/16/08	Ra-226	UF	CS	—	—	0.73	0.21	0.45	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.18	5	0.15	30	0.02	60	0.01
CDV-5.0 SPRING	SPRING	0	10/22/08	Am-241	UF	CS	—	<	0.0261	0.01	0.023	pCi/L	GELC	HASL-300:AM-241	—	U	R11	30	—	1.2	0.02	—	—	—	—	20	—
R-26	MULTI	659.3	10/07/08	Ra-226	UF	CS	—	—	0.431	0.11	0.18	pCi/L	GELC	EPA:903.1	—	—	—	100	—	4	0.11	5	0.09	30	0.01	60	0.01
R-26	MULTI	659.3	10/07/08	Ra-228	UF	CS	—	—	0.559	0.19	0.47	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.14	5	0.11	30	0.02	60	0.01
R-25	MULTI	754.8	10/22/08	Ra-228	UF	CS	—	<	0.658	0.23	0.64	pCi/L	GELC	EPA:904	—	U	R11	100	0.01	4	0.16	5	0.13	30	0.02	60	0.01
R-25	MULTI	891.8	10/22/08	Ra-226	UF	CS	—	<	0.435	0.15	0.41	pCi/L	GELC	EPA:903.1	—	U	R11	100	—	4	0.11	5	0.09	30	0.01	60	0.01
R-25	MULTI	891.8	10/22/08	Ra-228	UF	CS	—	<	0.794	0.28	0.78	pCi/L	GELC	EPA:904	—	U	R11	100	0.01	4	0.2	5	0.16	30	0.03	60	0.01
R-25	MULTI	1063.4	10/21/08	Ra-228	UF	CS	—	—	0.927	0.27	0.66	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.23	5	0.19	30	0.03	60	0.02
CdV-16-2(i)r	SINGLE	850	10/21/08	Ra-226	UF	CS	—	<	0.995	0.34	0.89	pCi/L	GELC	EPA:903.1	—	U	R11	100	0.01	4	0.25	5	0.2	30	0.03	60	0.02
CdV-16-2(i)r	SINGLE	850	10/21/08	Ra-228	UF	CS	—	—	0.557	0.16	0.37	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.14	5	0.11	30	0.02	60	0.01
R-25	MULTI	1606	10/16/08	Ra-228	UF	CS	—	<	0.483	0.17	0.45	pCi/L	GELC	EPA:904	—	U	R11	100	—	4	0.12	5	0.1	30	0.02	60	0.01
R-25	MULTI	1796	10/15/08	Ra-226	UF	CS	—	—	0.694	0.22	0.56	pCi/L	GELC	EPA:903.1	—	—	—	100	0.01	4	0.17	5	0.14	30	0.02	60	0.01
CdV-R-37-2	MULTI	1200.3	10/10/08	Ra-228	UF	CS	—	—	0.953	0.22	0.43	pCi/L	GELC	EPA:904	—	—	—	100	0.01	4	0.24	5	0.19	30	0.03	60	0.02
R-27	SINGLE	852	10/10/08	Pu-239/240	F	CS	FD	—	0.0378	0.0088	0.031	pCi/L	GELC	HASL-300:ISOPU	—	—	—	30	—	1.2	0.03	—	—	—	—	20	—
R-27	SINGLE	852	10/10/08	Ra-226	UF	CS	—	<	0.877	0.3	0.78	pCi/L	GELC	EPA:903.1	—	U	R11	100	0.01	4	0.22	5	0.18	30	0.03	60	0.01

*— = None.

Appendix F

Investigation-Derived Waste Management

F-1.0 INTRODUCTION

This appendix describes the storage and disposal of investigation-derived waste (IDW) generated during this periodic groundwater monitoring event conducted in the Water Canyon/Cañon de Valle Watershed under the Los Alamos National Laboratory (LANL or the Laboratory) "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2008, 101897). IDW is waste generated as a result of field investigation activities and may include, but is not limited to, purge water; contact waste consisting of contaminated personal protective equipment (PPE), sampling supplies, plastic, and paper; fluids from the decontamination of PPE and sampling equipment; and all other wastes potentially contacting contaminants. IDW generated during implementation of the IFGMP is managed to protect human health and the environment, comply with applicable regulatory requirements, and adhere to Laboratory waste minimization goals. The wastes are managed in accordance with the Water Canyon/Cañon de Valle Watershed groundwater monitoring waste characterization strategy form (WCSF), submitted in the September 2007 periodic monitoring report (PMR) (LANL 2007, 099017). The WCSF provides information on IDW characterization, management, containerization, analytical methods and estimated waste volumes. The most recent version of the "Los Alamos National Laboratory Hazardous Waste Minimization Report" (LANL 2008, 104174) is being implemented during groundwater monitoring to minimize waste generation. The plan is updated annually as a requirement of Module VIII of the Laboratory's Hazardous Waste Facility Permit.

F-2.0 WASTE DETERMINATION

IDW characterization is completed through review of existing data and/or documentation and sampling of the media being investigated (i.e., groundwater). The groundwater analyses are augmented, as needed, by direct sampling of containerized purge waters to fulfill a treatment or disposal of facility's waste acceptance criteria (WAC). Under the 2008 IFGMP, the wastes from each sampling event were initially managed as hazardous wastes until the analytical data for that event were available. However, multiple analyses showed that the groundwater (and therefore the wastes) for a number of the wells was not hazardous. The 2008 IFGMP recognized this and allowed the number of sampling events used to make Resource Conservation and Recovery Act (RCRA) waste determinations to be based on acceptable knowledge (AK) of groundwater conditions within a watershed in the area of a well. AK includes reviews of existing analytical data and may also include source term/process identification performed to identify whether listed hazardous waste may be present (i.e., due diligence reviews). If low levels of listed hazardous waste are identified, a "contained-in" request may be submitted for approval to NMED.

F-3.0 WASTE MANAGEMENT

All IDW generated during this periodic monitoring event is being managed in accordance with applicable standard operating procedures (SOPs). These SOPs incorporate the requirements of all applicable U.S. Environmental Protection Agency (EPA) and New Mexico Environment Department (NMED) regulations, U.S. Department of Energy (DOE) orders, and Laboratory procedures.

The SOP applicable to the characterization and management of IDW is

- EP-ERSS-SOP-5022, Characterization and Management of Environmental Restoration Project Waste (http://www.lanl.gov/environment/all/qa/adep.shtml)

The IDW streams associated with groundwater monitoring are identified in Table F-3.0-1 and are briefly described below. Table F-3.0-1 summarizes the waste types, volumes, characterization methods,

methods of on-site management, and disposition path for each of the waste streams. Only the wastes generated during this particular monitoring event are detailed in this section and in Table F-3.0-1. The number of samples used to make the waste determination varies by well, depending on the classifications described above under section F-2.0, Waste Determination. If the waste has not yet been characterized, land-applied, or shipped to the destination where it will be treated and/or disposed of, "Pending" appears in the Disposition Status column of Table F-3.0-1. Water disposal documentation is not attached because no new disposal documents (i.e., water profile forms, manifests) were generated during this quarter or since the last reporting period.

Purge water: The purge water waste stream consists of groundwater purged from wells in the Water/Cañon de Valle Watershed before sampling to ensure that representative samples are collected. Purge water is being managed and characterized in accordance with the WCSF and ENV-RCRA-SOP-010.1, Land Application of Groundwater. ENV-RCRA-SOP-010.1 implements the NMED-approved Notice of Intent (NOI) Decision Tree for Land Application of Drilling, Development, Rehabilitation, and Sampling Purge Water.

During the monitoring activity, purge water was collected and containerized as it was removed from the wells. If purge water at a specific well has met the requirements for land application, it may have been directly land-applied, or it may have been containerized before land application. The type of container used depends on the volume of purge water expected and includes 5-gal. carboys, 55-gal. drums, and other containers. U.S. Department of Transportation- (DOT-) approved containers are used, as appropriate, for transport. The containers of purge water are managed in accordance with their classification as hazardous, mixed, nonhazardous, or radioactive waste, as follows.

- If purge water is hazardous or mixed waste, it is placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a "contained-in" determination is granted by NMED or investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the hazardous waste is treated or disposed of at a permitted off-site treatment, storage, and disposal (TSD) facility.
- Purge water that has been determined to be nonhazardous, including those for which a contained-in determination has been granted by NMED, is evaluated using ENV-RCRA-SOP-010.1 for land disposal. If land application criteria are met, the purge water is land-applied as specified in the NOI decision tree. If land application criteria cannot be met, the purge water is transported and treated and/or disposed of at on-site facilities, if possible, or treated and/or disposed of at an authorized off-site facility if the WACs of on-site facilities cannot be met.

Contact waste: The contact waste stream consists of solid wastes generated during sampling that "contacted" potentially contaminated environmental media (i.e., purge water) and cannot be decontaminated. It consists primarily of contaminated PPE (primarily gloves); disposable sampling supplies; and dry decontamination wastes, such as paper items. Contact waste is stored in containers (e.g., 55-gal. drums) at monitoring sites or at waste accumulation areas as appropriate for the regulatory status of the waste. DOT-approved containers are used, as appropriate, for transport. Characterization of this waste stream is being performed through AK from analytical results for the environmental media with which it came into contact or direct sampling of the containerized waste. The contact waste is managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows:

- Contact waste that has been in contact with nonhazardous, nonradioactive groundwater is disposed of at a New Mexico solid waste landfill using Waste Profile Form (WPF) 39268, a copy

of which was included in Appendix F of the September 2008 White Rock Watershed PMR (LANL 2008, 103737).

- If the contact wastes are hazardous or mixed wastes, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a contained-in determination is granted by NMED or a due diligence investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated and/or disposed of at a permitted off-site TSD facility.
- If the contact wastes are nonhazardous but contain elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at Technical Area 54 (TA-54) Area G. Radioactive contact waste must be placed in registered radioactive waste staging or storage areas that may be at the location of the wells or may be at other locations at the Laboratory. If the Laboratory's Green Is Clean program verifies that the contact waste is nonradioactive, it is disposed of at a New Mexico solid waste landfill.

Decontamination fluids: Consistent with waste minimization practices, the Laboratory employs dry decontamination methods to the extent possible. However, if dry decontamination cannot be performed, liquid decontamination is used. The decontamination fluids waste stream consists of decontamination solutions and rinse waters, such as deionized water and Alconox. Liquid decontamination wastes are collected in containers at the point of generation. The decontamination fluids waste stream is characterized through AK of the environmental media or direct sampling of the containerized waste. These wastes receive the same designation as the associated purge water. The containers of decontamination fluids are managed in accordance with their classification as nonhazardous, hazardous, mixed, or radioactive waste, as follows.

- Nonhazardous/nonradioactive decontamination fluids may be sent to the Sanitary Waste System or the Sanitary Effluent Reclamation Facility.
- The Radioactive Liquid Waste Treatment Facility or the TA-53 evaporation basins treat radioactive wastewaters. Radioactive wastewaters must be placed in registered radioactive staging or storage areas that may be at the location of the wells or may be at other locations at the Laboratory. If the decontamination fluids do not meet the WAC for these facilities, they are sent off-site for treatment and/or disposal.
- If the wastes are hazardous or mixed waste, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a contained-in is granted by NMED or a due diligence investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated and/or disposed of at a permitted off-site TSD facility.

F-4.0 REFERENCES

The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), September 2007. "Periodic Monitoring Report for Water Canyon/Cañon de Valle Watershed, January 23–February 14, 2007," Los Alamos National Laboratory document LA-UR-07-5910, Los Alamos, New Mexico. (LANL 2007, 099017)

LANL (Los Alamos National Laboratory), May 2008. "2008 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-08-3273, Los Alamos, New Mexico. (LANL 2008, 101897)

LANL (Los Alamos National Laboratory), September 2008. "Periodic Monitoring Report for White Rock Watershed, April 23–April 30, 2008," Los Alamos National Laboratory document LA-UR-08-5847, Los Alamos, New Mexico. (LANL 2008, 103737)

LANL (Los Alamos National Laboratory), November 2008. "Los Alamos National Laboratory Hazardous Waste Minimization Report," Los Alamos National Laboratory document LA-UR-08-7274, Los Alamos, New Mexico. (LANL 2008, 104174)

Table F-3.0-1
Summary of IDW Generation and Management

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Purge Water	Nonhazardous, Nonradioactive	560 gal.	Analytical results from groundwater-monitoring samples and AK	Originally managed conservatively and collected in containers, stored at satellite accumulation areas, or at less-than-90-day accumulation areas. These wastes have been determined to be nonhazardous based on date review, due diligence, and/or approved contained in documentation. The containers and accumulation areas have been downgraded to nonhazardous.	Pending transport to the TA-16 High Explosive Wastewater Treatment Facility (HEWTF). WPF #38777 and #39113[a,b]
Purge Water	Suspect hazardous, Nonradioactive	<5 gal.	Same as above	Managed as described above	Pending data, due diligence, contained in, or WPF approval[a]
Purge Water	Nonhazardous, Suspect radioactive	280 gal.	Same as above	Managed in radioactive waste staging area	Pending land application review or WPF approval[a]
Contact Waste	Nonhazardous, Nonradioactive	0.17 yd^3 (36 gal.)	AK of the waste materials	Managed as described above	Disposed of at New Mexico solid waste landfill; WPF #39268[b]
Contact Waste	Suspect hazardous, Nonradioactive	<20 gal.	AK of the waste materials	Managed as described above	Pending data, due diligence, contained in, or WPF approval[a]
Contact Waste	Nonhazardous, Suspect radioactive	0.01 yd^3 (3.5 gal.)	AK of the waste materials	Managed in radioactive waste staging area	Pending Green Is Clean screening, segregation, or WPF approval[a]
Decontamination Fluids	Suspect hazardous, Nonradioactive	19 gal.	AK of the waste materials	Managed as described above	Pending data, due diligence, contained in, or WPF approval[a]
Decontamination Fluids	Nonhazardous, Nonradioactive	<19 gal.	AK of the waste materials	Managed as described above	Pending transport to the TA-16 HEWTF. WPF #38777 and #39113[a,b]

[a] Disposal documentation is pending completion of transport.

[b] The existing WPF was submitted in Appendix F of the September 2008 White Rock Watershed PMR (LANL 2008, 103737).

Appendix G

Analytical Reports
(on CD included with this document)

CD Table of Contents

Request	Suite	Lab	Sample	Date	Location
09-107	GENINORG	GELC	CAWA-08-16013	10/16/2008	MSC-16-06295
09-107	GENINORG	GELC	CAWA-08-16014	10/16/2008	MSC-16-06295
09-107	HEXP	GELC	CAWA-08-16014	10/16/2008	MSC-16-06295
09-107	METALS	GELC	CAWA-08-16013	10/16/2008	MSC-16-06295
09-107	METALS	GELC	CAWA-08-16014	10/16/2008	MSC-16-06295
09-107	RAD	GELC	CAWA-08-16014	10/16/2008	MSC-16-06295
09-107	SVOA	GELC	CAWA-08-16014	10/16/2008	MSC-16-06295
09-107	VOA	GELC	CAWA-08-16012	10/16/2008	MSC-16-06295
09-107	VOA	GELC	CAWA-08-16014	10/16/2008	MSC-16-06295
09-110	GENINORG	GELC	CAWA-08-16080	10/16/2008	R-25
09-110	GENINORG	GELC	CAWA-08-16084	10/15/2008	R-25
09-110	HEXP	GELC	CAWA-08-16079	10/16/2008	R-25
09-110	HEXP	GELC	CAWA-08-16080	10/16/2008	R-25
09-110	HEXP	GELC	CAWA-08-16082	10/15/2008	R-25
09-110	HEXP	GELC	CAWA-08-16084	10/15/2008	R-25
09-110	RAD	GELC	CAWA-08-16080	10/16/2008	R-25
09-110	RAD	GELC	CAWA-08-16084	10/15/2008	R-25
09-110	VOA	GELC	CAWA-08-16077	10/16/2008	R-25
09-110	VOA	GELC	CAWA-08-16079	10/16/2008	R-25
09-110	VOA	GELC	CAWA-08-16080	10/16/2008	R-25
09-110	VOA	GELC	CAWA-08-16081	10/15/2008	R-25
09-110	VOA	GELC	CAWA-08-16082	10/15/2008	R-25
09-110	VOA	GELC	CAWA-08-16084	10/15/2008	R-25
09-111	GENINORG	GELC	CAWA-08-16078	10/16/2008	R-25
09-111	GENINORG	GELC	CAWA-08-16079	10/16/2008	R-25
09-111	GENINORG	GELC	CAWA-08-16080	10/16/2008	R-25
09-111	GENINORG	GELC	CAWA-08-16082	10/15/2008	R-25
09-111	GENINORG	GELC	CAWA-08-16083	10/15/2008	R-25
09-111	GENINORG	GELC	CAWA-08-16084	10/15/2008	R-25
09-111	METALS	GELC	CAWA-08-16078	10/16/2008	R-25
09-111	METALS	GELC	CAWA-08-16079	10/16/2008	R-25
09-111	METALS	GELC	CAWA-08-16080	10/16/2008	R-25
09-111	METALS	GELC	CAWA-08-16082	10/15/2008	R-25
09-111	METALS	GELC	CAWA-08-16083	10/15/2008	R-25
09-111	METALS	GELC	CAWA-08-16084	10/15/2008	R-25
09-113	HEXP	STSL	CAWA-08-16014	10/16/2008	MSC-16-06295
09-113	HEXP	STSL	CAWA-08-16079	10/16/2008	R-25
09-113	HEXP	STSL	CAWA-08-16080	10/16/2008	R-25
09-113	HEXP	STSL	CAWA-08-16082	10/15/2008	R-25
09-113	HEXP	STSL	CAWA-08-16084	10/15/2008	R-25

Request	Suite	Lab	Sample	Date	Location
09-122	GENINORG	GELC	CAWA-08-15921	10/17/2008	Water above SR-501
09-122	GENINORG	GELC	CAWA-08-15922	10/17/2008	Water above SR-501
09-122	GENINORG	GELC	CAWA-08-15924	10/17/2008	Water above SR-501
09-122	GENINORG	GELC	CAWA-08-15925	10/17/2008	Water above SR-501
09-122	GENINORG	GELC	CAWA-08-15926	10/17/2008	Water above SR-501
09-122	GENINORG	GELC	CAWA-08-15927	10/17/2008	Water above SR-501
09-122	GENINORG	GELC	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-122	GENINORG	GELC	CAWA-08-15946	10/17/2008	Water Canyon Gallery
09-122	GENINORG	GELC	CAWA-08-16074	10/17/2008	R-25
09-122	GENINORG	GELC	CAWA-08-16075	10/17/2008	R-25
09-122	METALS	GELC	CAWA-08-15921	10/17/2008	Water above SR-501
09-122	METALS	GELC	CAWA-08-15922	10/17/2008	Water above SR-501
09-122	METALS	GELC	CAWA-08-15924	10/17/2008	Water above SR-501
09-122	METALS	GELC	CAWA-08-15925	10/17/2008	Water above SR-501
09-122	METALS	GELC	CAWA-08-15926	10/17/2008	Water above SR-501
09-122	METALS	GELC	CAWA-08-15927	10/17/2008	Water above SR-501
09-122	METALS	GELC	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-122	METALS	GELC	CAWA-08-15946	10/17/2008	Water Canyon Gallery
09-122	METALS	GELC	CAWA-08-16074	10/17/2008	R-25
09-122	METALS	GELC	CAWA-08-16075	10/17/2008	R-25
09-123	RAD	GELC	CAWA-08-15921	10/17/2008	Water above SR-501
09-123	RAD	GELC	CAWA-08-15922	10/17/2008	Water above SR-501
09-123	RAD	GELC	CAWA-08-15926	10/17/2008	Water above SR-501
09-123	RAD	GELC	CAWA-08-15927	10/17/2008	Water above SR-501
09-123	RAD	GELC	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-123	RAD	GELC	CAWA-08-15946	10/17/2008	Water Canyon Gallery
09-123	RAD	GELC	CAWA-08-16074	10/17/2008	R-25
09-124	HEXP	GELC	CAWA-08-15921	10/17/2008	Water above SR-501
09-124	HEXP	GELC	CAWA-08-15924	10/17/2008	Water above SR-501
09-124	HEXP	GELC	CAWA-08-15925	10/17/2008	Water above SR-501
09-124	HEXP	GELC	CAWA-08-15926	10/17/2008	Water above SR-501
09-124	HEXP	GELC	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-124	HEXP	GELC	CAWA-08-16074	10/17/2008	R-25
09-124	SVOA	GELC	CAWA-08-15921	10/17/2008	Water above SR-501
09-124	SVOA	GELC	CAWA-08-15924	10/17/2008	Water above SR-501
09-124	SVOA	GELC	CAWA-08-15925	10/17/2008	Water above SR-501
09-124	SVOA	GELC	CAWA-08-15926	10/17/2008	Water above SR-501
09-124	SVOA	GELC	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-124	VOA	GELC	CAWA-08-15921	10/17/2008	Water above SR-501
09-124	VOA	GELC	CAWA-08-15923	10/17/2008	Water above SR-501
09-124	VOA	GELC	CAWA-08-15924	10/17/2008	Water above SR-501

Request	Suite	Lab	Sample	Date	Location
09-124	VOA	GELC	CAWA-08-15925	10/17/2008	Water above SR-501
09-124	VOA	GELC	CAWA-08-15926	10/17/2008	Water above SR-501
09-124	VOA	GELC	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-124	VOA	GELC	CAWA-08-15945	10/17/2008	Water Canyon Gallery
09-124	VOA	GELC	CAWA-08-16073	10/17/2008	R-25
09-124	VOA	GELC	CAWA-08-16074	10/17/2008	R-25
09-125	HEXP	STSL	CAWA-08-15921	10/17/2008	Water above SR-501
09-125	HEXP	STSL	CAWA-08-15924	10/17/2008	Water above SR-501
09-125	HEXP	STSL	CAWA-08-15925	10/17/2008	Water above SR-501
09-125	HEXP	STSL	CAWA-08-15926	10/17/2008	Water above SR-501
09-125	HEXP	STSL	CAWA-08-15944	10/17/2008	Water Canyon Gallery
09-125	HEXP	STSL	CAWA-08-16074	10/17/2008	R-25
09-128	HEXP	STSL	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-129	GENINORG	GELC	CAWA-08-16018	10/20/2008	CdV-16-1(i)
09-129	GENINORG	GELC	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-129	HEXP	GELC	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-129	METALS	GELC	CAWA-08-16018	10/20/2008	CdV-16-1(i)
09-129	METALS	GELC	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-129	RAD	GELC	CAWA-08-16018	10/20/2008	CdV-16-1(i)
09-129	RAD	GELC	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-129	SVOA	GELC	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-129	VOA	GELC	CAWA-08-16019	10/20/2008	CdV-16-1(i)
09-129	VOA	GELC	CAWA-08-16020	10/20/2008	CdV-16-1(i)
09-136	HEXP	STSL	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-136	HEXP	STSL	CAWA-08-16024	10/21/2008	CdV-16-2(i)r
09-136	HEXP	STSL	CAWA-08-16025	10/21/2008	CdV-16-2(i)r
09-136	HEXP	STSL	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-137	GENINORG	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-137	GENINORG	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-137	HEXP	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-137	HEXP	GELC	CAWA-08-16024	10/21/2008	CdV-16-2(i)r
09-137	HEXP	GELC	CAWA-08-16025	10/21/2008	CdV-16-2(i)r
09-137	HEXP	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-137	SVOA	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-137	SVOA	GELC	CAWA-08-16024	10/21/2008	CdV-16-2(i)r
09-137	SVOA	GELC	CAWA-08-16025	10/21/2008	CdV-16-2(i)r
09-137	SVOA	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-137	VOA	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-137	VOA	GELC	CAWA-08-16023	10/21/2008	CdV-16-2(i)r
09-137	VOA	GELC	CAWA-08-16024	10/21/2008	CdV-16-2(i)r
09-137	VOA	GELC	CAWA-08-16025	10/21/2008	CdV-16-2(i)r

Request	Suite	Lab	Sample	Date	Location
09-137	VOA	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-138	GENINORG	GELC	CAWA-08-16021	10/21/2008	CdV-16-2(i)r
09-138	GENINORG	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-138	GENINORG	GELC	CAWA-08-16024	10/21/2008	CdV-16-2(i)r
09-138	GENINORG	GELC	CAWA-08-16025	10/21/2008	CdV-16-2(i)r
09-138	GENINORG	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-138	GENINORG	GELC	CAWA-08-16027	10/21/2008	CdV-16-2(i)r
09-138	METALS	GELC	CAWA-08-16021	10/21/2008	CdV-16-2(i)r
09-138	METALS	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-138	METALS	GELC	CAWA-08-16024	10/21/2008	CdV-16-2(i)r
09-138	METALS	GELC	CAWA-08-16025	10/21/2008	CdV-16-2(i)r
09-138	METALS	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-138	METALS	GELC	CAWA-08-16027	10/21/2008	CdV-16-2(i)r
09-138	RAD	GELC	CAWA-08-16021	10/21/2008	CdV-16-2(i)r
09-138	RAD	GELC	CAWA-08-16022	10/21/2008	CdV-16-2(i)r
09-138	RAD	GELC	CAWA-08-16026	10/21/2008	CdV-16-2(i)r
09-138	RAD	GELC	CAWA-08-16027	10/21/2008	CdV-16-2(i)r
09-139	HEXP	STSL	CAWA-08-16050	10/20/2008	R-25
09-140	GENINORG	GELC	CAWA-08-16050	10/20/2008	R-25
09-140	GENINORG	GELC	CAWA-08-16052	10/20/2008	R-25
09-140	HEXP	GELC	CAWA-08-16050	10/20/2008	R-25
09-140	METALS	GELC	CAWA-08-16050	10/20/2008	R-25
09-140	METALS	GELC	CAWA-08-16052	10/20/2008	R-25
09-140	RAD	GELC	CAWA-08-16050	10/20/2008	R-25
09-140	RAD	GELC	CAWA-08-16052	10/20/2008	R-25
09-140	SVOA	GELC	CAWA-08-16050	10/20/2008	R-25
09-140	VOA	GELC	CAWA-08-16050	10/20/2008	R-25
09-140	VOA	GELC	CAWA-08-16051	10/20/2008	R-25
09-154	HEXP	STSL	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	GENINORG	GELC	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	GENINORG	GELC	CAWA-08-15942	10/22/2008	CDV-5.0 SPRING
09-155	HEXP	GELC	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	METALS	GELC	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	METALS	GELC	CAWA-08-15942	10/22/2008	CDV-5.0 SPRING
09-155	RAD	GELC	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	RAD	GELC	CAWA-08-15942	10/22/2008	CDV-5.0 SPRING
09-155	SVOA	GELC	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	VOA	GELC	CAWA-08-15941	10/22/2008	CDV-5.0 SPRING
09-155	VOA	GELC	CAWA-08-15943	10/22/2008	CDV-5.0 SPRING
09-158	HEXP	STSL	CAWA-08-16048	10/22/2008	R-25
09-158	HEXP	STSL	CAWA-09-188	10/21/2008	R-25

Request	Suite	Lab	Sample	Date	Location
09-159	GENINORG	GELC	CAWA-09-187	10/21/2008	R-25
09-159	GENINORG	GELC	CAWA-09-188	10/21/2008	R-25
09-159	HEXP	GELC	CAWA-08-16048	10/22/2008	R-25
09-159	HEXP	GELC	CAWA-09-188	10/21/2008	R-25
09-159	METALS	GELC	CAWA-09-187	10/21/2008	R-25
09-159	METALS	GELC	CAWA-09-188	10/21/2008	R-25
09-159	RAD	GELC	CAWA-08-16048	10/22/2008	R-25
09-159	RAD	GELC	CAWA-09-187	10/21/2008	R-25
09-159	RAD	GELC	CAWA-09-188	10/21/2008	R-25
09-159	SVOA	GELC	CAWA-09-188	10/21/2008	R-25
09-159	VOA	GELC	CAWA-09-186	10/21/2008	R-25
09-159	VOA	GELC	CAWA-09-188	10/21/2008	R-25
09-167	HEXP	STSL	CAWA-08-16016	10/22/2008	R-25
09-169	GENINORG	GELC	CAWA-08-16015	10/22/2008	R-25
09-169	GENINORG	GELC	CAWA-08-16016	10/22/2008	R-25
09-169	HEXP	GELC	CAWA-08-16016	10/22/2008	R-25
09-169	METALS	GELC	CAWA-08-16015	10/22/2008	R-25
09-169	METALS	GELC	CAWA-08-16016	10/22/2008	R-25
09-169	RAD	GELC	CAWA-08-16015	10/22/2008	R-25
09-169	RAD	GELC	CAWA-08-16016	10/22/2008	R-25
09-169	SVOA	GELC	CAWA-08-16016	10/22/2008	R-25
09-169	VOA	GELC	CAWA-08-16016	10/22/2008	R-25
09-169	VOA	GELC	CAWA-08-16017	10/22/2008	R-25
09-176	HEXP	STSL	CAWA-08-15933	10/24/2008	Between E252 and Water at Beta
09-176	HEXP	STSL	CAWA-08-15936	10/24/2008	Water at Beta
09-176	HEXP	STSL	CAWA-08-15938	10/24/2008	Water at Beta
09-176	HEXP	STSL	CAWA-08-15939	10/24/2008	Water at Beta
09-176	HEXP	STSL	CAWA-08-15940	10/24/2008	Water at Beta
09-177	GENINORG	GELC	CAWA-08-15933	10/24/2008	Between E252 and Water at Beta
09-177	GENINORG	GELC	CAWA-08-15936	10/24/2008	Water at Beta
09-177	GENINORG	GELC	CAWA-08-15939	10/24/2008	Water at Beta
09-177	HEXP	GELC	CAWA-08-15933	10/24/2008	Between E252 and Water at Beta
09-177	HEXP	GELC	CAWA-08-15936	10/24/2008	Water at Beta
09-177	HEXP	GELC	CAWA-08-15938	10/24/2008	Water at Beta
09-177	HEXP	GELC	CAWA-08-15939	10/24/2008	Water at Beta
09-177	HEXP	GELC	CAWA-08-15940	10/24/2008	Water at Beta
09-177	SVOA	GELC	CAWA-08-15933	10/24/2008	Between E252 and Water at Beta
09-177	SVOA	GELC	CAWA-08-15936	10/24/2008	Water at Beta
09-177	SVOA	GELC	CAWA-08-15938	10/24/2008	Water at Beta
09-177	SVOA	GELC	CAWA-08-15939	10/24/2008	Water at Beta
09-177	SVOA	GELC	CAWA-08-15940	10/24/2008	Water at Beta

Request	Suite	Lab	Sample	Date	Location
09-177	VOA	GELC	CAWA-08-15931	10/24/2008	Between E252 and Water at Beta
09-177	VOA	GELC	CAWA-08-15933	10/24/2008	Between E252 and Water at Beta
09-177	VOA	GELC	CAWA-08-15935	10/24/2008	Water at Beta
09-177	VOA	GELC	CAWA-08-15936	10/24/2008	Water at Beta
09-177	VOA	GELC	CAWA-08-15938	10/24/2008	Water at Beta
09-177	VOA	GELC	CAWA-08-15939	10/24/2008	Water at Beta
09-177	VOA	GELC	CAWA-08-15940	10/24/2008	Water at Beta
09-179	RAD	GELC	CAWA-08-15932	10/24/2008	Between E252 and Water at Beta
09-179	RAD	GELC	CAWA-08-15933	10/24/2008	Between E252 and Water at Beta
09-179	RAD	GELC	CAWA-08-15934	10/24/2008	Water at Beta
09-179	RAD	GELC	CAWA-08-15936	10/24/2008	Water at Beta
09-179	RAD	GELC	CAWA-08-15937	10/24/2008	Water at Beta
09-179	RAD	GELC	CAWA-08-15939	10/24/2008	Water at Beta
09-50	HEXP	STSL	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-50	HEXP	STSL	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-50	HEXP	STSL	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-50	HEXP	STSL	CAWA-08-15975	10/7/2008	CDV-16-02656
09-50	HEXP	STSL	CAWA-08-16044	10/7/2008	R-26
09-50	HEXP	STSL	CAWA-09-189	10/7/2008	R-26
09-50	HEXP	STSL	CAWA-09-190	10/7/2008	R-26
09-52	HEXP	GELC	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-52	HEXP	GELC	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-52	HEXP	GELC	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-52	HEXP	GELC	CAWA-08-15975	10/7/2008	CDV-16-02656
09-52	HEXP	GELC	CAWA-08-16044	10/7/2008	R-26
09-52	HEXP	GELC	CAWA-09-189	10/7/2008	R-26
09-52	HEXP	GELC	CAWA-09-190	10/7/2008	R-26
09-52	SVOA	GELC	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-52	SVOA	GELC	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-52	SVOA	GELC	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-52	SVOA	GELC	CAWA-08-15975	10/7/2008	CDV-16-02656
09-52	VOA	GELC	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-52	VOA	GELC	CAWA-08-15929	10/7/2008	Canon de Valle below MDA P
09-52	VOA	GELC	CAWA-08-15955	10/7/2008	Burning Ground Spring
09-52	VOA	GELC	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-52	VOA	GELC	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-52	VOA	GELC	CAWA-08-15974	10/7/2008	CDV-16-02656
09-52	VOA	GELC	CAWA-08-15975	10/7/2008	CDV-16-02656
09-52	VOA	GELC	CAWA-08-16044	10/7/2008	R-26
09-52	VOA	GELC	CAWA-08-16046	10/7/2008	R-26
09-52	VOA	GELC	CAWA-09-189	10/7/2008	R-26

Request	Suite	Lab	Sample	Date	Location
09-52	VOA	GELC	CAWA-09-190	10/7/2008	R-26
09-53	GENINORG	GELC	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-53	GENINORG	GELC	CAWA-08-15930	10/7/2008	Canon de Valle below MDA P
09-53	GENINORG	GELC	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-53	GENINORG	GELC	CAWA-08-15957	10/7/2008	Burning Ground Spring
09-53	GENINORG	GELC	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-53	GENINORG	GELC	CAWA-08-15959	10/7/2008	Burning Ground Spring
09-53	GENINORG	GELC	CAWA-08-15975	10/7/2008	CDV-16-02656
09-53	GENINORG	GELC	CAWA-08-15976	10/7/2008	CDV-16-02656
09-53	GENINORG	GELC	CAWA-08-16044	10/7/2008	R-26
09-53	GENINORG	GELC	CAWA-08-16045	10/7/2008	R-26
09-53	GENINORG	GELC	CAWA-09-189	10/7/2008	R-26
09-53	GENINORG	GELC	CAWA-09-190	10/7/2008	R-26
09-53	METALS	GELC	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-53	METALS	GELC	CAWA-08-15930	10/7/2008	Canon de Valle below MDA P
09-53	METALS	GELC	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-53	METALS	GELC	CAWA-08-15957	10/7/2008	Burning Ground Spring
09-53	METALS	GELC	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-53	METALS	GELC	CAWA-08-15959	10/7/2008	Burning Ground Spring
09-53	METALS	GELC	CAWA-08-15975	10/7/2008	CDV-16-02656
09-53	METALS	GELC	CAWA-08-15976	10/7/2008	CDV-16-02656
09-53	METALS	GELC	CAWA-08-16044	10/7/2008	R-26
09-53	METALS	GELC	CAWA-08-16045	10/7/2008	R-26
09-53	METALS	GELC	CAWA-09-189	10/7/2008	R-26
09-53	METALS	GELC	CAWA-09-190	10/7/2008	R-26
09-54	RAD	GELC	CAWA-08-15928	10/7/2008	Canon de Valle below MDA P
09-54	RAD	GELC	CAWA-08-15930	10/7/2008	Canon de Valle below MDA P
09-54	RAD	GELC	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-54	RAD	GELC	CAWA-08-15957	10/7/2008	Burning Ground Spring
09-54	RAD	GELC	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-54	RAD	GELC	CAWA-08-15959	10/7/2008	Burning Ground Spring
09-54	RAD	GELC	CAWA-08-15975	10/7/2008	CDV-16-02656
09-54	RAD	GELC	CAWA-08-15976	10/7/2008	CDV-16-02656
09-54	RAD	GELC	CAWA-08-16044	10/7/2008	R-26
09-54	RAD	GELC	CAWA-08-16045	10/7/2008	R-26
09-59	HEXP	STSL	CAWA-08-15954	10/8/2008	SWSC Spring
09-59	HEXP	STSL	CAWA-08-15964	10/8/2008	Martin Spring
09-59	HEXP	STSL	CAWA-08-15985	10/8/2008	CDV-16-02659
09-60	GENINORG	GELC	CAWA-08-15964	10/8/2008	Martin Spring
09-60	GENINORG	GELC	CAWA-08-15985	10/8/2008	CDV-16-02659
09-60	HEXP	GELC	CAWA-08-15954	10/8/2008	SWSC Spring

Request	Suite	Lab	Sample	Date	Location
09-60	HEXP	GELC	CAWA-08-15964	10/8/2008	Martin Spring
09-60	HEXP	GELC	CAWA-08-15981	10/8/2008	CDV-16-02658
09-60	HEXP	GELC	CAWA-08-15983	10/8/2008	CDV-16-02658
09-60	HEXP	GELC	CAWA-08-15984	10/8/2008	CDV-16-02658
09-60	HEXP	GELC	CAWA-08-15985	10/8/2008	CDV-16-02659
09-60	SVOA	GELC	CAWA-08-15954	10/8/2008	SWSC Spring
09-60	SVOA	GELC	CAWA-08-15964	10/8/2008	Martin Spring
09-60	SVOA	GELC	CAWA-08-15985	10/8/2008	CDV-16-02659
09-60	VOA	GELC	CAWA-08-15952	10/8/2008	SWSC Spring
09-60	VOA	GELC	CAWA-08-15954	10/8/2008	SWSC Spring
09-60	VOA	GELC	CAWA-08-15964	10/8/2008	Martin Spring
09-60	VOA	GELC	CAWA-08-15965	10/8/2008	Martin Spring
09-60	VOA	GELC	CAWA-08-15985	10/8/2008	CDV-16-02659
09-60	VOA	GELC	CAWA-08-15987	10/8/2008	CDV-16-02659
09-62	RAD	GELC	CAWA-08-15953	10/8/2008	SWSC Spring
09-62	RAD	GELC	CAWA-08-15954	10/8/2008	SWSC Spring
09-62	RAD	GELC	CAWA-08-15963	10/8/2008	Martin Spring
09-62	RAD	GELC	CAWA-08-15964	10/8/2008	Martin Spring
09-62	RAD	GELC	CAWA-08-15985	10/8/2008	CDV-16-02659
09-62	RAD	GELC	CAWA-08-15986	10/8/2008	CDV-16-02659
09-73	GENINORG	GELC	CAWA-08-16062	10/8/2008	CdV-R-37-2
09-73	GENINORG	GELC	CAWA-08-16063	10/8/2008	CdV-R-37-2
09-73	GENINORG	GELC	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-73	GENINORG	GELC	CAWA-08-16065	10/9/2008	CdV-R-15-3
09-73	GENINORG	GELC	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-73	METALS	GELC	CAWA-08-16062	10/8/2008	CdV-R-37-2
09-73	METALS	GELC	CAWA-08-16063	10/8/2008	CdV-R-37-2
09-73	METALS	GELC	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-73	METALS	GELC	CAWA-08-16065	10/9/2008	CdV-R-15-3
09-73	METALS	GELC	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-73	RAD	GELC	CAWA-08-16063	10/8/2008	CdV-R-37-2
09-73	RAD	GELC	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-73	RAD	GELC	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-73	RAD	GELC	CAWA-08-16094	10/9/2008	CdV-R-37-2
09-74	HEXP	GELC	CAWA-08-16062	10/8/2008	CdV-R-37-2
09-74	HEXP	GELC	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-74	HEXP	GELC	CAWA-08-16065	10/9/2008	CdV-R-15-3
09-74	HEXP	GELC	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-74	HEXP	GELC	CAWA-08-16090	10/9/2008	CdV-R-37-2
09-74	HEXP	GELC	CAWA-08-16094	10/9/2008	CdV-R-37-2
09-74	SVOA	GELC	CAWA-08-16064	10/8/2008	CdV-R-37-2

Request	Suite	Lab	Sample	Date	Location
09-74	VOA	GELC	CAWA-08-16061	10/8/2008	CdV-R-37-2
09-74	VOA	GELC	CAWA-08-16062	10/8/2008	CdV-R-37-2
09-74	VOA	GELC	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-74	VOA	GELC	CAWA-08-16065	10/9/2008	CdV-R-15-3
09-74	VOA	GELC	CAWA-08-16067	10/9/2008	CdV-R-15-3
09-74	VOA	GELC	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-75	HEXP	STSL	CAWA-08-16062	10/8/2008	CdV-R-37-2
09-75	HEXP	STSL	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-75	HEXP	STSL	CAWA-08-16065	10/9/2008	CdV-R-15-3
09-75	HEXP	STSL	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-75	HEXP	STSL	CAWA-08-16090	10/9/2008	CdV-R-37-2
09-75	HEXP	STSL	CAWA-08-16094	10/9/2008	CdV-R-37-2
09-79	GENINORG	GELC	CAWA-08-16054	10/10/2008	R-27
09-79	GENINORG	GELC	CAWA-08-16059	10/10/2008	R-27
09-79	HEXP	GELC	CAWA-08-16054	10/10/2008	R-27
09-79	HEXP	GELC	CAWA-08-16057	10/10/2008	R-27
09-79	HEXP	GELC	CAWA-08-16059	10/10/2008	R-27
09-79	HEXP	GELC	CAWA-08-16060	10/10/2008	R-27
09-79	HEXP	GELC	CAWA-08-16086	10/10/2008	CdV-R-15-3
09-79	HEXP	GELC	CAWA-08-16088	10/10/2008	CdV-R-15-3
09-79	HEXP	GELC	CAWA-08-16089	10/10/2008	CdV-R-37-2
09-79	SVOA	GELC	CAWA-08-16054	10/10/2008	R-27
09-79	SVOA	GELC	CAWA-08-16057	10/10/2008	R-27
09-79	SVOA	GELC	CAWA-08-16059	10/10/2008	R-27
09-79	SVOA	GELC	CAWA-08-16060	10/10/2008	R-27
09-79	VOA	GELC	CAWA-08-16054	10/10/2008	R-27
09-79	VOA	GELC	CAWA-08-16055	10/10/2008	R-27
09-79	VOA	GELC	CAWA-08-16057	10/10/2008	R-27
09-79	VOA	GELC	CAWA-08-16059	10/10/2008	R-27
09-79	VOA	GELC	CAWA-08-16060	10/10/2008	R-27
09-79	VOA	GELC	CAWA-08-16085	10/10/2008	CdV-R-15-3
09-79	VOA	GELC	CAWA-08-16086	10/10/2008	CdV-R-15-3
09-79	VOA	GELC	CAWA-08-16088	10/10/2008	CdV-R-15-3
09-80	GENINORG	GELC	CAWA-08-16054	10/10/2008	R-27
09-80	GENINORG	GELC	CAWA-08-16056	10/10/2008	R-27
09-80	GENINORG	GELC	CAWA-08-16057	10/10/2008	R-27
09-80	GENINORG	GELC	CAWA-08-16058	10/10/2008	R-27
09-80	GENINORG	GELC	CAWA-08-16059	10/10/2008	R-27
09-80	GENINORG	GELC	CAWA-08-16060	10/10/2008	R-27
09-80	GENINORG	GELC	CAWA-08-16066	10/9/2008	CdV-R-15-3
09-80	METALS	GELC	CAWA-08-16054	10/10/2008	R-27

Request	Suite	Lab	Sample	Date	Location
09-80	METALS	GELC	CAWA-08-16056	10/10/2008	R-27
09-80	METALS	GELC	CAWA-08-16057	10/10/2008	R-27
09-80	METALS	GELC	CAWA-08-16058	10/10/2008	R-27
09-80	METALS	GELC	CAWA-08-16059	10/10/2008	R-27
09-80	METALS	GELC	CAWA-08-16060	10/10/2008	R-27
09-80	METALS	GELC	CAWA-08-16066	10/9/2008	CdV-R-15-3
09-80	RAD	GELC	CAWA-08-16054	10/10/2008	R-27
09-80	RAD	GELC	CAWA-08-16056	10/10/2008	R-27
09-80	RAD	GELC	CAWA-08-16058	10/10/2008	R-27
09-80	RAD	GELC	CAWA-08-16059	10/10/2008	R-27
09-80	RAD	GELC	CAWA-08-16066	10/9/2008	CdV-R-15-3
09-80	RAD	GELC	CAWA-08-16088	10/10/2008	CdV-R-15-3
09-80	RAD	GELC	CAWA-08-16089	10/10/2008	CdV-R-37-2
09-82	HEXP	STSL	CAWA-08-16054	10/10/2008	R-27
09-82	HEXP	STSL	CAWA-08-16057	10/10/2008	R-27
09-82	HEXP	STSL	CAWA-08-16059	10/10/2008	R-27
09-82	HEXP	STSL	CAWA-08-16060	10/10/2008	R-27
09-82	HEXP	STSL	CAWA-08-16086	10/10/2008	CdV-R-15-3
09-82	HEXP	STSL	CAWA-08-16088	10/10/2008	CdV-R-15-3
09-82	HEXP	STSL	CAWA-08-16089	10/10/2008	CdV-R-37-2
09-85	RAD	ARSL	CAWA-08-15954	10/8/2008	SWSC Spring
09-85	RAD	ARSL	CAWA-08-15956	10/7/2008	Burning Ground Spring
09-85	RAD	ARSL	CAWA-08-15958	10/7/2008	Burning Ground Spring
09-85	RAD	ARSL	CAWA-08-15964	10/8/2008	Martin Spring
09-85	RAD	ARSL	CAWA-08-15975	10/7/2008	CDV-16-02656
09-85	RAD	ARSL	CAWA-08-15985	10/8/2008	CDV-16-02659
09-85	RAD	ARSL	CAWA-08-16044	10/7/2008	R-26
09-85	RAD	ARSL	CAWA-08-16054	10/10/2008	R-27
09-85	RAD	ARSL	CAWA-08-16059	10/10/2008	R-27
09-85	RAD	ARSL	CAWA-08-16064	10/8/2008	CdV-R-37-2
09-85	RAD	ARSL	CAWA-08-16068	10/9/2008	CdV-R-15-3
09-85	RAD	ARSL	CAWA-08-16088	10/10/2008	CdV-R-15-3
09-85	RAD	ARSL	CAWA-08-16089	10/10/2008	CdV-R-37-2
09-85	RAD	ARSL	CAWA-08-16094	10/9/2008	CdV-R-37-2
09-89	RAD	GELC	CAWA-08-16095	10/14/2008	CdV-R-15-3

DIOX/FUR = Dioxins and furans.
GENINORG = General inorganics.
HERB = Herbicides.
HEXP = High explosives.
MDA = Material disposal area.
PEST/PCB = Pesticides/polychlorinated biphenyls.
RAD = Radionuclides.
SVOA = Semivolatile organic analysis.
VOA = Volatile organic analysis.

MG/DG/AS/RK/FC:sm

Enclosures: Two hard copies with electronic files:
1) Periodic Monitoring Report for Mortandad Watershed, August 11–20, 2008 (LA-UR-09-0683)
2) Periodic Monitoring Report for Sandia Watershed, August 11–20, 2008 (LA-UR-09-0684)
3) Periodic Monitoring Report for Los Alamos Watershed, August 25–September 5, 2008 (LA-UR-09-0688)
4) Periodic Monitoring Report for Pajarito Watershed, September 8–19, 2008 (LA-UR-09-0685)
5) Periodic Monitoring Report for White Rock Watershed, September 25–October 2, 2008 (LA-UR-09-0687)
6) Periodic Monitoring Report for Water Canyon/Cañon de Valle Watershed, October 7–24, 2008 (LA-UR-09-0686)

Cy: (w/enc.)
Neil Weber, San Ildefonso Pueblo
Nancy Werdel, DOE-LASO, MS A316
Ardyth M. Simmons, EP-LWSP, MS M992
RPF, MS M707 (with two CDs)
Public Reading Room, MS M992

Cy: (Letter and CD only)
Laurie King, EPA Region 6, Dallas, TX
Steve Yanicak, NMED-OB, White Rock, NM
Robert S. King, EP-LWSP, MS M992
Florie Caporuscio, EP-LWSP, MS M992
David Rogers, EP-LWSP, MS M992
Kristine Smeltz, EP-WES, MS M992
EP-LWSP File, MS M992

Cy: (w/o enc.)
Tom Skibitski, NMED-OB, Santa Fe, NM
Keyana DeAguero, DOE-LASO (date-stamped letter emailed)
Cassandra Begay, DOE-LASO, MS A316
Michael J. Graham, ADEP, MS J591
Paul R. Huber, EP-LWSP, MS M992
Alison M. Dorries, EP-WES, MS M992
IRM-RMMSO, MS A150 (date-stamped letter emailed)