




PLAN VIEW
SCALE: NONE



FRONT VIEW
SCALE: NONE

SECTION DETAIL
SCALE: NONE

BASE POST SECTION
SCALE: NONE



- ROLL-FORMED .125 (1/8") ALUMINUM FACE WITH M.A.P. PAINT FINISH TO MATCH PMS #3025U SATIN GLOSS, AND APPLIED WHITE VINYL TEXT
- PAINTED LOGO GRAPHIC TO MATCH PMS #8240 METALLIC
- EXTRUDED ALUMINUM POST WITH M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH
- FONT STYLE "FRUTIGER 75"
- SEE BASE POST SECTION THIS SHEET
- OPTIONAL PANEL WHEN REQUIRED
- .125 (1/8") ALUMINUM FACE WITH M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH AND APPLIED BLACK VINYL TEXT
- SEE ALTERNATE MOUNTING DETAIL SHEET 9
- 3000 PSI CONCRETE FOOTING



DRAWING DEVELOPED FOR ML-3/ML-4 PROJECTS. FOR ML-1/ML-2, ADDITIONAL REQUIREMENTS AND QA REVIEWS ARE REQUIRED. (REMOVE THIS NOTE WHEN INSERTED INTO A DRAWING PACKAGE).

NOTES FOR DESIGNER:
(DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)
1. COORDINATE WITH LANL MASTER SPECIFICATION 10 1405.

NO	DATE	CLASS REV	ADD	DESCRIPTION	DRN	DSGN	CHKD	SUB	APP
ENGINEERING STANDARDS PROGRAM									
ENGINEERING STANDARDS MANUAL									
FREESTANDING BUILDING IDENTIFICATION SIGN AND DETAIL					DRWN	R. PEARSON			
					DESIGN	S. RICHARDSON			
					CHECKED	R. TROUT			
BLDG X TA-X					DATE	6-17-04			
SUBMITTED DISCIPLINE POC: SCOTT RICHARDSON					APPROVED FOR RELEASE STANDARDS MANAGER: TOBIN ORUCH				
Los Alamos NATIONAL LABORATORY					6 OF 9				
CLASSIFICATION: U					REVIEWER: LARRY BAYS				
PROJECT ID					DRAWING NO				
CHAPTER 4					ST-G2040-4				
					REV 0				