

PUBLICATIONS – G.T. (Rusty) Gray III

1. G.T. Gray III, A.W. Thompson, J.C. Williams, and D.H. Stone:
Can. Met. Quart., 21(1982) 73-78.
"The Effect of Microstructure on the Fatigue Crack Propagation in Pearlitic Eutectoid Steels".
2. G.T. Gray III, A.W. Thompson, J.C. Williams, and D.H. Stone:
Fatigue Thresholds, T. Backlund, A. Blom, and C.J. Beevers, eds., EMAS Publ. Ltd., Warley, U.K., 1981, pp. 345-361.
"Influence of Microstructure on Fatigue Crack Growth Behavior in Fully Pearlitic Steels".
3. G.T. Gray III, J.C. Williams, and A.W. Thompson:
Metall. Trans., 14A(1983) 421-433.
"Roughness-Induced Crack Closure: An Explanation for Microstructurally Sensitive Fatigue Crack Growth".
4. G.T. Gray III, A.W. Thompson, and J.C. Williams:
Fatigue Crack Growth Threshold Concepts, S. Suresh and D.L. Davidson, eds., 1984, pp. 131-143, Metallurgical Society of AIME, Warrendale, PA.
"The Effect of Microstructure on the Fatigue Crack Path and Crack Propagation Rate".
5. G.T. Gray III, A.W. Thompson, and J.C. Williams:
Metall. Trans., 16A(1985) 753-760.
"Influence of Microstructure on the Fatigue Crack Initiation of Fully Pearlitic Steels".
6. G.T. Gray III and G. Luetjering:
Fatigue 84, C.J. Beevers, ed., 1984, vol. 2, pp. 707-716.
"The Influence of Crack Closure on the Fatigue Crack Propagation of Ti-6Al-4V and Ti-8.6Al".
7. G.T. Gray III and G. Luetjering:
Titanium Science and Technology, G. Luetjering, U. Zwicker, and W. Bunk, eds., 1985, Deutsche Gesellschaft fuer Metallkunde, West Germany, vol. 4, pp. 2115-2123.
"The Effect of Oxygen Content on the Fatigue Crack Propagation of Ti-8.6Al".
8. G.T. Gray III and G. Luetjering:
Titanium Science and Technology, G. Luetjering, U. Zwicker, and W. Bunk, eds., 1985, Deutsche Gesellschaft fuer Metallkunde, West Germany, vol. 4, pp. 2251-2258.
"The Effect of Microstructure and Stress Ratio on Fatigue Crack Propagation Behavior of Ti-6Al-4V".
9. P.S. Follansbee and G.T. Gray III:
Shock Waves in Condensed Matter, Y.M. Gupta, ed., Plenum Press, N.Y., 1985, pp. 371-376.
"Threshold Stress Measurements in Shock-Deformed Copper".

10. G.T. Gray III:
1986 Electron Microscopy Society of America Proceedings, G.W. Bailey, ed., San Francisco, 1986, pp. 422-423.
"The Effect of Residual Strain on Twinning in Shock-Loaded Copper".
11. P.S. Follansbee, G.T. Gray III and M.F. Lopez:
Los Alamos National Laboratory Internal Report, LA-10950-MS, April 1987.
"Evaluation of the Microstructure and Mechanical Properties of a Ti-6Al-4V Shell".
12. G.T. Gray III and P.S. Follansbee:
Impact Loading and Dynamic Behavior of Materials, eds. C.Y. Chiem, H.-D. Kunze, and L.W. Meyer, Deutsche Gesellschaft fuer Metallkunde, vol. 2, pp. 541-548, 1988.
"Influence of Peak Pressure and Pulse Duration on the Substructure Development and Threshold Stress Measurements in Shock-Loaded Copper".
13. G.T. Gray III:
Acta Metallurgica, 36(1988) 1745-1754.
"Deformation Twinning in Aluminum-4.8 wt.% Mg".
14. G.T. Gray III and P.S. Follansbee:
Shock Waves in Condensed Matter 1987, S.C. Schmidt and N.C. Holmes, eds., North-Holland Press, pp. 339-342, 1988.
"Influence of Peak Pressure on the Substructure Evolution and Mechanical Properties of Shock-Loaded 6061-T6 Aluminum".
15. J.C. Huang and G.T. Gray III:
Materials Science and Engineering, A103(1988) 241-255.
"Substructure Evolution and Deformation in Shock-Loaded Niobium".
16. P.S. Follansbee and G.T. Gray III:
Metallurgical Transactions, 20A(1989)863-874.
"An Analysis of the Low Temperature, Low and High Strain-Rate Deformation of Ti-6Al-4V".
17. G.T. Gray III, G. Luetjering, and J.C. Williams:
Metallurgical Transactions, 21A(1990) 95-105.
"The Influence of Oxygen on the Structure, Fracture, and Fatigue Crack Propagation Behavior of Ti-8.6 wt.% Al".
18. J.C. Huang and G.T. Gray III:
Scripta Metallurgica, 22(1988) 545-550.
"Microstructural Characterization of Ag Shock-Loaded at High Pressure".
19. G.T. Gray and P.S. Follansbee:
6th World Conference on Titanium, P. Lacombe, R. Tricot, and G. Beranger, eds., 1989, Les Editions de Physique, France, vol.1, pp. 117-122.

- "Influence of Strain Rate on the Substructure Evolution and Yield Behavior of Ti-6Al-4V".
20. G.T. Gray III and C.E. Morris:
6th World Conference on Titanium, P. Lacombe, R. Tricot, and G. Beranger, eds., 1989, Les Editions de Physique, France, vol.1, pp. 269-274.
"Influence of Peak Pressure on the Substructure Evolution and Shock Wave Profiles of Ti-6Al-4V".
 21. G.T. Gray III, P.S. Follansbee, and C.E. Frantz:
Materials Science and Engineering, A111(1989)9-16.
"Effect of Residual Strain on the Substructure Development and Mechanical Response of Shock-Loaded Copper".
 22. J.C. Huang and G.T. Gray III:
Metallurgical Transactions, 20A(1989)1061-1075.
"Influence of Precipitates on the Mechanical Response and Substructure Evolution of Shock-Loaded and Quasi-Statically Deformed Al-Li-Cu Alloys".
 23. J.C. Huang and G.T. Gray III:
Acta Metallurgica, 37(1989)3335-3347.
"Microband Formation in Shock-Loaded and Cold-Rolled Metals".
 24. G.T. Gray III:
Solicited Review for Encyclopedia of Materials Science and Engineering,
Supplementary Volume 2, (Robert W. Cahn, ed.) Pergamon Press, Oxford, England, pp. 859-866, (1990).
"Deformation Twinning of Metals and Alloys".
 25. W.R. Blumenthal and G.T. Gray III:
Inst. Phys. Conf. Ser. No. 102: Fourth Oxford Conference on the Mechanical Properties of Materials at High Rates of Strain, pp. 363-370, (1989).
"Structure-Property Characterization of a Shock-Loaded Boron Carbide Aluminum Cermet".
 26. P.S. Follansbee and G.T. Gray III:
Advances in Plasticity 1989, A.S. Khan and M. Tokuda, eds., 1989, Pergamon Press, Oxford, pp. 385-388.
"The Response of Single Crystal and Polycrystal Nickel to Quasi-Static and Shock Deformation".
 27. P.S. Follansbee, J.C. Huang, and G.T. Gray III:
Acta Metallurgica Materiala, 38(1990)1241-1254.
"Low Temperature and High Strain Rate Deformation of Nickel and Nickel-Carbon Alloys and Analysis of the Constitutive Behavior According to an Internal State Variable Model".
 28. G.T. Gray III:

- Shock Compression of Condensed Matter - 1989, S.C. Schmidt, J.N. Johnson, and L.W. Davison, eds., North-Holland Press, pp. 407-414, 1990. [Invited Paper]
"Shock Recovery Experiments: An Assessment".
29. C.E. Morris, E.D. Loughran, G.F. Mortensen, G.T. Gray III and M.S. Shaw:
Shock Compression of Condensed Matter - 1989, S.C. Schmidt, J.N. Johnson, and L.W. Davison, eds., North-Holland Press, pp. 687-690, 1990.
"Shock Induced Dissociation of Polyethylene".
30. W.R. Blumenthal and G.T. Gray III:
Shock Compression of Condensed Matter - 1989, S.C. Schmidt, J.N. Johnson, and L.W. Davison, eds., North-Holland Press, pp. 393-396, 1990.
"Characterization of Shock-Loaded Aluminum-Infiltrated Boron Carbide Cermets".
31. J.C. Huang and G.T. Gray III:
Scripta Metallurgica, 24(1990) 85-90.
"Serrated Flow and Negative Rate Sensitivity in Al-Li Base Alloys".
32. G.T. Gray III and A.C. Lawson:
Neutron Scattering for Materials Science, Mat. Res. Soc. Symp. Proc. Vol. 166, (1990)
S.M. Shapiro, S.C. Moss, and J.D. Jorgensen (eds.) Materials Research Society,
Pittsburgh, PA, pp. 261-266.
"Influence of Interstitial Oxygen on the Lattice Parameters of Solution-Treated and Aged Ti-8.6wt% Al Alloys".
33. P.S. Follansbee and G.T. Gray III:
Journal of Plasticity, 7 (1991) 651-660.
"The Response of Single Crystal and Polycrystal Nickel to Quasi-Static and Shock Deformation".
34. P.S. Follansbee and G.T. Gray III:
Materials Science and Engineering, A138 (1991) 23-31.
"Dynamic Deformation of Shock Prestrained Copper".
35. G.T. Gray III:
Shock-Wave and High-Strain-Rate Phenomena in Materials, eds. M.A. Meyers, L.E. Murr, and K.P. Staudhammer, (Marcel Dekker Inc.; New York, 1992) pp. 899-911.
[Invited KEYNOTE Paper]
"Shock Experiments in Metals and Ceramics".
36. D.H. Lassila, M. LeBlanc, and G.T. Gray III:
Shock-Wave and High-Strain-Rate Phenomena in Materials, eds. M.A. Meyers, L.E. Murr, and K.P. Staudhammer, (Marcel Dekker Inc.; New York, 1992) pp. 587-595.
"High Strain Rate Deformation Behavior of Shocked Copper".
37. A.K. Zurek, C.E. Frantz and G.T. Gray III:
Shock-Wave and High-Strain-Rate Phenomena in Materials, eds. M.A. Meyers, L.E. Murr, and K.P. Staudhammer, (Marcel Dekker Inc.; New York, 1992) pp. 759-767.

- "The Influence of Shock Pre-strain and Peak Pressure on Spall Behavior of 4340 Steel".
38. H.W. Sizek and G.T. Gray III:
Shock-Wave and High-Strain-Rate Phenomena in Materials, eds. M.A. Meyers, L.E. Murr, and K.P. Staudhammer, (Marcel Dekker Inc.; New York, 1992) pp. 117-125.
"Mechanical and Microstructural Response of Ni₃Al at High Strain Rates and Elevated Temperatures".
 39. G.T. Gray III and J.C. Huang:
Materials Science and Engineering, A145 (1991) 21-35.
"Influence of Repeated Shock Loading on the Substructure Evolution of 99.99 wt.% Aluminum".
 40. G.T. Gray III:
in Microstructure / Property Relationships in Titanium Aluminides and Alloys
Eds. Young-Won (Y-W.) Kim and R. R. Boyer, TMS (1991), pp. 263-274.
"Influence of Strain Rate on the Structure/Property of Ti-48Al-1V".
 41. G.T. Gray III:
in Modeling the Deformation of Crystalline Solids, Ed. T.C. Lowe, A.D. Rollett, P.S. Follansbee, and G.S. Daehn, TMS (1991) 145-158. [Invited Paper]
"Deformation Substructures Induced by High Rate Deformation".
 42. M.M. Rashid, G.T. Gray III, and S. Nemat-Nasser:
Philos. Mag., 65 (1992) 707-735.
"Heterogeneous Deformations in Copper Single Crystals at High and Low Strain Rates".
 43. G.T. Gray III:
in High Pressure Shock Compression of Solids, Edited by J.R. Asay and M. Shahinpoor
Springer-Verlag, New York (1993) pp. 187-215. [Invited Book Chapter]
"Influence of Shock-Wave Deformation on the Structure / Property Behavior of Materials".
 44. K.S. Vecchio, J.C. LaSalvia, M.A. Meyers, and G.T. Gray III:
Metallurgical Transactions, 23A (1992) 87-97.
"Microstructural Characterization of SHS/Dynamically Compacted and Hot-Pressed Titanium Carbides".
 45. D.A. Hoke, M.A. Meyers, L.W. Meyer, and G.T. Gray III:
Metallurgical Transactions, 23A (1992) 77-86.
"Reaction Synthesis / Dynamic Compaction of Titanium Diboride".
 46. G.T. Gray III and C.E. Morris:
DYMAT 91, Journal De Physique IV, Colloque C3, suppl. au Journal de Physique III, Vol. 1, (1991) C3-191.
"Influence of Loading Rate on the Mechanical Response and Substructure Evolution of Shock-Loaded Copper".

47. A.K. Zurek and G.T. Gray III:
DYMAT 91, Journal De Physique IV, Colloque C3, suppl. au Journal de Physique III, Vol. 1, (1991) C3-631.
"Dynamic Strength and Strain Rate Effects on Fracture Behavior of Tungsten and Tungsten Alloys".
48. D. Lassila and G.T. Gray III:
DYMAT 91, Journal De Physique IV, Colloque C3, suppl. au Journal de Physique III, Vol. 1, (1991) C3-19.
"Effects of Shock Prestrain on the Dynamic Mechanical Behavior of Tantalum".
49. G.T. Gray III, R. Hixson, and C.E. Morris:
Shock Compression of Condensed Matter - 1991, S.C. Schmidt, R.D. Dick, J.W. Forbes, and D.G. Tasker, eds., Elsevier Science Publishers B.V. (1992), pp. 427-430.
"Bauschinger Effect During Shock Loading".
50. M.D. Furnish, L.C. Chhabildas, D.J. Steinberg, and G.T. Gray III:
Shock Compression of Condensed Matter - 1991, S.C. Schmidt, R.D. Dick, J.W. Forbes, and D.G. Tasker, eds., Elsevier Science Publishers B.V. (1992), pp. 419-422.
"Dynamic Behavior of Fully Dense Molybdenum".
51. G.T. Gray III and A.D. Rollett:
in High Strain Rate Behavior of Refractory Metals and Alloys,
TMS, (1992) eds. R. Asfahani, E. Chen, and A. Crowson, pp. 303-315.
"The High-Strain-Rate and Spallation Response of Tantalum, Ta-10W, and T-111".
52. H.W. Sizek and G.T. Gray III:
Acta Metallurgica Materiala, 41 (1993) 1855-1860..
"Deformation of Polycrystalline Ni₃Al at High Strain Rates and Elevated Temperatures".
53. S.I. Hong and G.T. Gray III:
Acta Metallurgica Materiala, vol. 40, #12, (1992) pp. 3299-3315.
"Microstructure and Microchemistry of an Al-Zn-Mg-Cu Alloy Matrix-20 vol.% SiC Composite".
54. J.N. Johnson, R.S. Hixson, G.T. Gray III, and C.E. Morris:
J. Appl. Phys., 72(#2), (1992), pp. 429-441.
"Quasi-Elastic Release in Shock-Compressed Solids".
55. S.I. Hong, G.T. Gray III, and J.J. Lewandowski:
Acta Metallurgica Materiala, 41 (1993) 2337-2351.
"Dynamic Deformation Behavior of an Al-Zn-Mg-Cu Alloy Matrix Composite Reinforced with 20 vol. % SiC".
56. J.C. Huang, Y-S Lo, and G.T. Gray III:
Materials Chemistry and Physics, 35 (1993) 71-85 .

- “The response of metal-matrix composites subjected to quasi-static and shock-wave deformation”.
57. G.T. Gray III, S.I. Hong, and B.J. Marquardt:
Titanium '92 - Science and Technology, edited by F.H. Froes and I.L. Caplan, TMS, Warrendale, PA (1993) pp. 1163-1170.
“Influence of Strain Rate on the Structure / Property Behavior of the Alpha-2 Alloy Ti-24.5Al-10.5Nb-1.5Mo”.
 58. G.T. Gray III, C.E. Morris, and A.C. Lawson:
Titanium '92 - Science and Technology, edited by F.H. Froes and I.L. Caplan, TMS, Warrendale, PA (1993) pp. 225-232.
“Omega Phase Formation in Titanium and Titanium Alloys”.
 59. S.I. Hong, G.T. Gray III, and J.J. Lewandowski:
Scripta Metall., 27 (1992) 431-436.
“Microstructural Evolution in an Al-Zn-Mg-Cu Alloy-20 vol.% SiC Composite Shock-Loaded to 5 GPa”.
 60. W.R. Blumenthal, G.T. Gray III, and T.N. Claytor:
J. Mat. Sci., 29 (1994) 4567-4576.
“Response of Aluminum-Infiltrated Boron Carbide Cermets to Shock Wave Loading”.
 61. D. Lahaie, J.D. Embury, M.M. Chadwick, and G.T. Gray III:
Scripta Metall., 27 (1992) 139-142.
“A Note on the Deformation of Fine Grained Magnesium Alloys”.
 62. J.D. Embury and G.T. Gray III:
13th Riso International Symposium on Materials Science: Modeling of Plastic Deformation and its Engineering Applications, eds. S.I. Andersen, J.B. Bilde-Sorensen, N. Hansen, D. Juul Jensen, T. Leffers, H. Lilholt, T. Lorentzen, O.B. Pedersen, and B. Ralph, Riso National Laboratory, Roskilde, Denmark (1992)pp. 39-56..
“Plasticity, Damage Accumulation, and Fracture at Large Strains”.
 63. S.I. Hong, G.T. Gray III, and K.S. Vecchio:
Matls. Sci. and Eng., A171 (1993) 181-189.
“Quenching and thermal cycling Effects in a 1060-Al Matrix-10 vol. % Al₂O₃ Particulate Reinforced Metal Matrix Composite”.
 64. S.I. Hong and G.T. Gray III:
J. Mat. Sci., 29 (1994) 2987-2992.
“Dynamic Mechanical Response of a 1060-Al / Al₂O₃ Composite”.
 65. A.W. Thompson, D.E. Albert, and G.T. Gray III:
Rail Quality and Maintenance for Modern Railway Operation, (Proceedings of the FRA/ERRI International Conference, eds. J.J. Kalker, D.F. Cannon, and O. Orringer, (Kluwer Academic Press, Dordrecht, Netherlands) (1993) pp. 361-372.
“Fatigue Crack Growth in Rail Steels”.

66. George T. Gray III and J. David Embury:
High-Temperature Ordered Intermetallic Alloys-V, I. Baker, R. Darolia, J.D. Whittenberger, and M.H. Yoo (eds.), Materials Research Society, Pgh., PA , Vol. #288, (1993) pp. 585-590.
"The Behavior of Intermetallic Compounds at Large Plastic Strains".
67. S. Guha, C. Kyriacou, J.C. Withers, R.O. Loutfy, G.T. Gray III, and R.J. Dowding:
Tungsten and Tungsten Alloys-1992, A. Bose and R.J. Dowding, (eds.) (1993), Metal Powder Industries Federation, Princeton, New Jersey, pp. 307-315.
"Quasi-static and Dynamic Properties of Tungsten Heavy Alloys with L12 Intermetallic Matrices".
68. C.A. Michaluk, G.T. Gray III and T. Chatterjee:
P/M in Aerospace, Defense, and Demanding Applications - 1993, Metal Powder Industries Federation, Princeton, NJ (1993) pp. 195-204.
"The Effect of Oxygen, Grain Size, and Strain Rate on the Mechanical Behavior of Forged P/M Tantalum"
69. S.I. Hong, G.T. Gray III, and K.S. Vecchio:
The Proceedings of the 27th Annual MAS Meeting, Los Angeles, CA, July 1993, eds. J.T. Armstrong and J.R. Porter, vol. 2, Supplement, pp. S142-S143.
"Microchemistry of Aluminum Metal-Matrix Composites"
- 70: D.H. Lassila and G.T. Gray III:
Proceedings of the 13th International Plansee Seminar, eds. H. Bildstein and R. Eck, (1993) Metallwerk Plansee, Reutte, Austria, vol. 1, pp. 1068-1081.
"Ductile-Brittle Transition Behavior of Tungsten under Shock Loading"
71. S. Song and G.T. Gray III:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 251-254.
"Omega Phase Formation in Shock-Loaded Zirconium"
72. G.T. Gray III:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 1103-1106.
"Influence of Peak Pressure and Temperature on the Shock-Loading Response of Tantalum"
73. J.N. Johnson, R.S. Hixson, D.L. Tonks, and G.T. Gray III:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 1095-1098.
"Shock Compression and Quasi-elastic Release in Tantalum"

74. D.L. Tonks, R.S. Hixson, J.N. Johnson, and G.T. Gray III:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 997-1000.
"Dislocation-Drag Contribution to High-Rate Plastic Deformation in Shock-Loaded Tantalum"
75. K.S. Vecchio and G.T. Gray III:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 1213-1216.
"Effects of Shock Loading on Solid-Solution Strengthened Superalloys"
76. M.D. Furnish, G.T. Gray III, and J. Remo:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 819-822.
"Dynamical Behavior of Octahedrite from the Henberry Meteorite"
77. G.T. Gray III:
High-Pressure Science and Technology-1993, edited by S.C. Schmidt, J.W. Shaner, G.A. Samara, and M.Ross, American Institute of Physics, AIP Conf. Proceedings 309, (1994) pp. 1161-1164. [INVITED Paper]
"Shock-Loading Response of Advanced Materials"
78. S.I. Wright, A.J. Beaudoin, and G.T. Gray III:
Materials Science Forum, Vol. 157-162 (1994) pp. 1695-1700.
"Texture Gradient Effects in Tantalum"
79. S.G. Song and G.T. Gray III:
Philos. Mag. A, (1995) vol. 71, #2, pp. 263-274.
"TEM Examination and Analysis of a New Type of Stacking Fault in HCP Metals"
80. S.I. Wright, G.T. Gray III, and A.D. Rollett:
Metall. & Matls. Trans. A, (1994) vol. 25A, pp. 1025-1031.
"Textural and Microstructural Gradient Effects on the Mechanical Behavior of a Tantalum Plate"
81. D. Albert and G.T. Gray III:
Philos. Mag. A, (1994) vol. 70, pp. 145-158.
"A Determination of Deformation Twinning in Dynamically Deformed and Shock-Loaded Polycrystalline Ni₃Al"
82. S. Song and G.T. Gray III:
Acta Metallurgica et Materialia, vol. 43, No.6, (1995), pp. 2325-2337.
"Structural Interpretation of the Nucleation and Growth of Deformation Twins in Zr and Ti - I. Application of the Coincidence Site Lattice (CSL) Theory to Twinning Problems in hcp Structures"

83. S. Song and G.T. Gray III:
Acta Metallurgica et Materialia, vol.43, No. 6, (1995), pp. 2339-2350.
"Structural Interpretation of the Nucleation and Growth of Deformation Twins in Zr and Ti - II. TEM Study of Twin Morphology and Defect Reactions during Twinning"
84. G.T. Gray III:
Twinning in Advanced Materials, ed. M.H. Yoo and M. Wuttig, The Minerals, Metals, & Materials Society, (1994) pp. 337-349.[INVITED Paper]
"Deformation Twinning: Influence of Strain Rate"
85. G.T. Gray III, S. Bingert, S.I. Wright, and S.R. Chen:
High-Temperature Silicides and Refractory Alloys, (eds.), Materials Research Society, Pgh., PA , edited by C.L. Briant, J.J. Petrovic, B.P. Bewlay, A.K. Vasudevan, and H.A. Lipsitt, Vol. #322, (1994) pp. 407-412.
"Influence of Tungsten Alloying Additions on the Mechanical Properties and Texture of Tantalum".
86. S.G. Song and G.T. Gray III:
Philos. Mag. A, (1995) vol. 71, #2, pp. 275-290.
"Microscopic and Crystallographic Aspects of the Retained Omega Phase in Shock-Loaded Zirconium and Its Formation Mechanism"
87. G.T. Gray III:
Journal de Physique IV, (1994) DYMAT 94, France, pp. C8-373-C8-378.
Influence of Shock Loading on the Structure / Property Response of Ti-48Al-2Cr-2Nb and Ti-24Al-11Nb"
88. J.N. Johnson, R.S. Hixson, and G.T. Gray III:
Journal de Physique IV, (1994) DYMAT 94, France, pp. C8-325-C8-330.
"Impact Loading of an Aluminum / Alumina Composite"
89. D.H. Lassila and G.T. Gray III:
Journal de Physique IV, (1994) DYMAT 94, France, pp. C8-349-C8-354.
"Ductile-Brittle Transition Behavior of Tungsten under Shock Loading"
90. K.S. Vecchio and G.T. Gray III:
Journal de Physique IV, (1994) DYMAT 94, France, pp. C8-231-C8-236.
"Shock-Loading Response of 6061-T6 Aluminum-Alumina Metal-Matrix Composites"
91. S.G. Song, E.R. Ryba, and G.T. Gray III:
Material Science and Engineering A, (1996) vol. 219, pp.66-70.
"Orientation Relationship and Lattice Match between the Decagonal Al-Co-Cu Phase and the (CsCl) Crystalline Al-Co(Cu) Phase"
92. M.A.M. Bourke, J.A. Goldstone, N. Shi, G.T. Gray III, M.R. James, and R.I. Todd:
Proceedings of Fourth International Conference on Residual Stresses, (1994) Society for Experimental Mechanics, Inc., Bethel, CT, pp. 539-548.

- "The Use of Pulsed Neutron Diffraction to Measure Strain in Composites"
93. S.G.Song and G.T. Gray III:
Philos. Mag. A, (1995) vol. 71, #3, pp. 661-670.
"Double Dislocation Pole Model for Deformation Twinning in FCC Lattices"
 94. D.E. Albert and G.T. Gray III:
Philos. Mag. A (1995) vol. 71, #3, pp. 473-487.
"Dislocation Reactions Responsible for the Formation of a Twin in the Ordered Intermetallic Alloy Ni-20Al-30Fe"
 95. S.A. Maloy, G.T. Gray III, and R. Darolia:
Mat. Sci. and Eng., (1995) vol. A192/193, pp. 249-254.
" High Strain Rate Deformation of NiAl"
 96. S.G. Song and G.T. Gray III:
Metallurgical and Materials Transactions, (1995) vol. 26A, pp. 2665-2675.
"Influence of Temperature and Strain Rate on Slip and Twinning in Zr"
 97. E.S. Chang, D. Zhao, D.A. Koss, and G.T. Gray III:
Advances in Powder Metallurgy & Particulate Materials-1994, vol. 5, (1994) Specialty Materials and Composites, Compiled by C. Lall and A.J. Neupaver, Metal Powder Industries Federation and APMI International, Princeton, NJ., pp. 303-316.
"Evaluation of Deformation and Fracture Behavior of Tungsten Alloys"
 98. J.N. Johnson, R.S. Hixson, and G.T. Gray III:
Journal of Applied Physics, vol. 76 (10) (1994) pp. 5706-5718 .
"Shock-Wave Compression of Aluminum/Ceramic Composites"
 99. M.D. Furnish, M.B. Boslough, G.T. Gray III, and J.L. Remo:
International Journal of Impact Engineering, 17 (1995) pp. 341-352..
"Dynamical Properties Measurements for Asteroid, Comet and Meteorite Material Applicable to Impact Modeling and Mitigation Calculations"
 100. G.T. Gray III and K.S. Vecchio:
Metallurgical and Materials Transactions A, (1995) vol. 26A, pp. 2555-2563.
"Influence of Peak Pressure and Temperature on the Structure / Property Response of Shock-Loaded Ta and Ta-10W"
 101. K.S. Vecchio and G.T. Gray III:
Metallurgical and Materials Transactions A (1995) vol. 26A, pp. 2545-2553.
"Shock-Loading Response of 6061-T6 Aluminum-Alumina Metal-Matrix Composites"
 102. Shuh Rong Chen and G.T. Gray III:
Tungsten and Refractory Metals 2, (1995) Metal Powder Industries Federation, A. Bose and R.J. Dowding, Eds., Princeton, NJ, pp. 489-498.
"Constitutive Behavior of Tungsten and Tantalum: Experiments and Modeling"

103. Stuart I. Wright and George T. Gray III:
Proceedings of the Third International Symposium on Structural and Functional Gradient Materials, eds. B. Illschner and N. Cherradi, Lausanne, Switzerland 1994, Presses Polytechniques et Universitaires Romandes: Lausanne, 333-338 (1995).
"Characterization of a Texture Gradient in Tantalum Plate"
104. D.L. Tonks, R.S. Hixson, J.N. Johnson, and G.T. Gray III:
Tungsten and Refractory Metals 2, (1995) Metal Powder Industries Federation, A. Bose and R.J. Dowding, Eds., Princeton, NJ, pp. 481-487.
"Shock Wave Plasticity in Tantalum and Tantalum Alloys"
105. Diane E. Albert, George T. Gray III, and Sumit Guha:
Tungsten and Refractory Metals 2, (1995) Metal Powder Industries Federation, A. Bose and R.J. Dowding, Eds., Princeton, NJ, pp. 187-198.
"Quasi-static and Dynamic Deformation of a Ni-20Al-30Fe+90wt.% W Composite at 77K and 300K"
106. S. Guha, C. Kyriacou, J.C. Withers, R.O. Loutfy, G.T. Gray III, and R.J. Dowding:
Materials and Manufacturing Processes, vol. 9, (1994), pp. 1163-1187.
"Processing and Properties of Tungsten Heavy Alloys with Ni₄₈Al₁₂Fe₄₀ Intermetallic Matrix"
107. D.A. Hoke and G.T. Gray III:
Scripta Metall. et Materialia, 33 (1995), pp. 171-177.
"Arrangement of Dislocation Networks in Hot-Pressed Titanium Diboride"
108. S.G. Song, R.U. Vaidya, A.K. Zurek, and G.T. Gray III:
Metallurgical and Materials Transactions, (1996) vol 27A (1996) 459-465.
"Stacking Faults in SiC Particles and their Effect on the Fracture Behavior of a 15 vol.% SiC / 6061-Al Matrix Composite"
109. Stuart A. Maloy and G.T. Gray III:
High-Temperature Ordered Intermetallic Alloys-VI, Materials Research Society, edited by J. Horton, S. Hanada, I. Baker, R.D. Noebe, and D. Schwarz, Mat Res. Soc. Symp. Proc., vol. 364, Materials Research Society, (1995) pp. 549-554.
"The Temperature and Strain Rate Dependence of the Flow Stress of Single Crystal NiAl Deformed along <110>"
110. Diane E. Albert and G.T. Gray III:
High-Temperature Ordered Intermetallic Alloys-VI, Materials Research Society, edited by J. Horton, S. Hanada, I. Baker, R.D. Noebe, and D. Schwarz, Mat Res. Soc. Symp. Proc., vol. 364, Materials Research Society, (1995) pp. 725-730.
" Dislocation Substructures in Shock-Loaded Ni₃Al"
111. S.G. Song, N. Shi, G.T. Gray III, and J.A. Roberts:
Metallurgical and Materials Transactions, 27A (1996) pp. 3739-3746.
"Reinforcement Shape Effects on the Fracture Behavior and Ductility of Particulate-Reinforced 6061-Al Matrix Composites"

112. Stuart A. Maloy and George T. Gray III:
Acta Materialia, 44 (1996) pp. 1741-1756.
“High Strain Deformation of Ti-48Al-2Nb-2Cr”
113. C.L. Chen, S.G. Song, G.T. Gray III, and T.T. Tsong:
Materials Science and Engineering A, 203 (1995) pp. 415-419.
“Field Ion Microscopic Observation of Mechanical Twinning in Pure Iridium”
114. Stuart A. Maloy and George T. Gray III:
International Symposium on Gamma Titanium Aluminides, (1995) ed. by Y-W. Kim, R. Wagner, and M. Yamaguchi, (TMS, Pittsburgh, PA) pp. 307-314..
“High Strain Rate Deformation of Ti-48Al-2Nb-2Cr in the Duplex Morphology”
115. G.T. Gray III:
Plasticity '95 - Dynamic Plasticity and Structural Behaviors, (1995) ed. by S. Tanimura and A.S. Khan, Gordon and Breach Publishers, Japan, pp. 527-530.
“Influence of Strain Rate and Temperature on the Mechanical Behavior of Iron Aluminide-Based Alloys”
116. D.E. Albert and G.T. Gray III:
Acta Metallurgica et. Materialia, 45 (1996), pp. 343-356.
“Mechanical and Microstructural Response of Ti-24Al-11Nb as a Function of Temperature and Strain Rate”
117. Shuh Rong Chen and G.T. Gray III:
Metallurgical and Materials Transactions A, 27A (1996), pp. 2994-3006.
“Constitutive Behavior of Tantalum and Tantalum-Tungsten Alloys”
118. Zhe Jin and G.T. Gray III:
Metallurgical and Materials Applications of Shock-Wave and High-Strain-Rate Phenomena, (1995) L.E. Murr, K.P. Staudhammer, and M.A. Meyers (eds.), Elsevier Science B.V., The Netherlands, pp. 901-908.
“Deformation and Strain Hardening of Ordered and Disordered Single Crystals of Cu₃Au at High Strain Rate”
119. P.J. Maudlin, S.I. Wright, and G.T. Gray III:
Metallurgical and Materials Applications of Shock-Wave and High-Strain-Rate Phenomena, (1995) L.E. Murr, K.P. Staudhammer, and M.A. Meyers (eds.), Elsevier Science B.V., The Netherlands, pp. 877-884.
“Application of Faceted Yield Surfaces for Simulating Uniaxial Stress Compression Tests of Textured Materials”
120. G.T. Gray III, R.S. Hixson, and J.N. Johnson:
Shock Compression of Condensed Matter - 1995, S.C. Schmidt and W.C. Tao, eds., AIP Conf. Proc. #370, American Institute of Physics Press, Woodbury, New York (1996) pp. 547-550.
“Dynamic Deformation and Fracture Response of a 6061 Al-50 vol.% Al₂O₃ Continuous Reinforced Fiber Composite”

121. R.S. Hixson, J.N. Johnson, G.T. Gray III, and J.D. Price:
Shock Compression of Condensed Matter - 1995, S.C. Schmidt and W.C. Tao, eds., AIP Conf. Proc. #370, American Institute of Physics Press, Woodbury, New York (1996) pp. 555-558.
“Effects of Interfacial Bonding on Spallation in Metal-Matrix Composites”
122. G. Song and G.T. Gray III:
Shock Compression of Condensed Matter - 1995, S.C. Schmidt and W.C. Tao, eds., AIP Conf. Proc. #370, American Institute of Physics Press, Woodbury, New York (1996) pp. 639-642.
“Deformation Response of Zirconium After Shock-Loading”
123. R.U. Vaidya, S.G. Song, A.K. Zurek, and G.T. Gray III:
Shock Compression of Condensed Matter - 1995, S.C. Schmidt and W.C. Tao, eds., AIP Conf. Proc. #370, American Institute of Physics Press, Woodbury, New York (1996) pp. 643-646.
“The Effect of Structural Defects in SiC Particles on the Static & Dynamic Mechanical Response of a 15 Volume Percent SiC/6061-Al Matrix Composite”
124. A.J. Strutt, K.S. Vecchio, S.R. Bingert, and G.T. Gray III:
Tungsten and Refractory Metals 3 - 1995, (1996) Metal Powder Industries Federation, edited by A. Bose and R.J. Dowding, Princeton, N.J., pp. 39-46.
“Effect of Interstitials on the Mechanical Behavior of P/M Tantalum”
125. G.T. Gray III, S.I. Hong, and B.J. Marquardt:
Metals and Materials, (1996) 2 (1996) 31-36.
“Influence of Strain Rate on the Mechanical Response of a Ti₃Al-Nb-Mo Alloy”.
126. G.T. Gray III, S.I. Wright, S.R. Bingert, S.R. Chen, and J.F. Bingert:
Tantalum, TMS (Warrendale, PA) (1996) pp. 239-248, edited by E. Chen, A. Crowson, E. Lavarnia, W. Ebihara, and P. Kumar.
“Influence of Large-Strain Deformation on the Microstructure, Texture, and Mechanical Response of Tantalum Bar”
127. S.R. Chen, G.T. Gray III, and S.R. Bingert:
Tantalum, TMS (Warrendale, PA) (1996) pp. 173-184, edited by E. Chen, A. Crowson, E. Lavarnia, W. Ebihara, and P. Kumar.
“Mechanical Properties and Constitutive Relations for Tantalum and Tantalum Alloys under High-Rate Deformation”
128. S.I. Hong, G.T. Gray III, and Z. Wang:
Materials Science and Engineering: A221 (1996) pp. 38-47.
“Microstructure and Stress-Strain Responses of Al-Mg-Si Alloy Matrix Composites Reinforced with 10 vol. % Al₂O₃ Particulates”
129. G.T. Gray III, T.C. Lowe, C.M. Cady, R.Z. Valiev, and I.V. Aleksandrov:
NanoStructured Materials, 9 (1997) pp. 477-480.
“Influence of Strain Rate and Temperature on the Mechanical Response of Ultrafine-Grained Cu, Ni, and Al-4Cu-0.5Zr”

130. Zhe Jin, C. Cady, G.T. Gray III and Y.-W. Kim:
Deformation and Fracture of Ordered Intermetallic Materials III, edited by W.O. Soboyejo, T.S. Srivatsan and H.L. Fraser, (TMS, Warrendale, PA, 1996) pp. 101-110.
“Mechanical Response and Microcrack Formation in a Fine-Grained Duplex TiAl at Different Strain Rates and Temperatures”
131. G.T. Gray III:
Deformation and Fracture of Ordered Intermetallic Materials, edited by W.O. Soboyejo, T.S. Srivatsan and H.L. Fraser, (TMS, Warrendale, PA, 1996), pp. 57-73. [INVITED]
“Influence of High-Strain Rate and Temperature on the Mechanical Behavior of Ni-, Fe, and Ti-Aluminides”
132. Zhe Jin and George T. Gray III:
Material Science & Engineering, (1997), vol. A231, pp. 62-71.
“Experimental determination of domain orientations and domain orientation relationships across lamellar interfaces in Polysynthetically twinned TiAl crystals”
133. Zhe Jin and George T. Gray III:
J. Mater. Sci., 33 (1998) pp. 77-83.
“On deformation twins and twin-related lamellae in TiAl”
134. Zhe Jin, George T. Gray III, and Masaharu Yamaguchi:
Philos. Mag. A, (1998) vol. 78, pp. 239-253.
“Mechanical Twinning in a 45° Oriented Polysynthetically Twinned (PST) TiAl Crystal at High Strain Rate and High Temperature”
135. Zhe Jin, George T. Gray III, and Masaharu Yamaguchi:
Philos. Mag. A, (2000) vol. 80, pp. 49-68.
“Deformation of 45 degree <321> Polysynthetically Twinned TiAl Crystals at High Strain Rate and a High Temperature”
137. S.G. Bardenhagen, M.G. Stout, and G.T. Gray III:
Mechanics of Materials, (1997) vol. 25, pp. 235-253.
“Three-Dimensional, Finite Deformation, Viscoplastic Constitutive Models For Polymeric Materials”
138. G. T. Gray III:
Journal de Physique IV - Colloque C3, vol. 7 (1997) pp. C3-423 - C3-428.
“Influence of Strain Rate and Temperature on the Structure / Property Behavior of High-Purity Titanium”
139. G.T. Gray III, W.R. Blumenthal, C.P. Trujillo, and R.W. Carpenter II:
Journal de Physique IV - Colloque C3, vol. 7 (1997) pp. C3-523-C3-528.
“Influence of Temperature and Strain Rate on the Mechanical Behavior of Adiprene-100”
140. Shuh Rong Chen and G.T. Gray III:
Journal de Physique IV - Colloque C3, vol. 7 (1997) pp. C3-741-C3-746.
“Influence of Twinning on the Constitutive Response of Zr: Experiments and Modeling”

141. K. Muraleedharan, L.L. Rishel, M. De Graf, A.W. Cramb, T.M. Polluck, and G.T. Gray III:
Structural Intermetallics 1997, (1997) edited by M.V. Nathal, R. Darolia, C.T. Liu, P.L. Martin, D.B. Miracle, R. Wagoner, and M. Yamaguchi, (TMS, Warrendale, PA) pp. 215-224.
“The Effect of Cooling Rate During Casting on Microstructural Developments in Ti-48Al-2Cr-2Nb Type Alloys”
- 142: Zhe Jin, G.T. Gray III, Y-W. Kim, and M. Yamaguchi:
Structural Intermetallics 1997, (1997) edited by M.V. Nathal, R. Darolia, C.T. Liu, P.L. Martin, D.B. Miracle, R. Wagoner, and M. Yamaguchi, (TMS, Warrendale, PA) pp. 225-233.
“Mechanical Behavior and Microcrack Formation in γ -TiAl as a Function of Strain Rate and Temperature”
- 143: Zhe Jin, George T. Gray III and Masaharu Yamaguchi:
High-Temperature Ordered Intermetallic Alloys VII, edited by C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner, (MRS, Pittsburgh, PA) p.189, 1997.
"Deformation of polysynthetically twinned (PST) TiAl crystals at high strain rates and high temperatures"
- 144: G.T. Gray III, W.R. Blumenthal, D.J. Idar and C.M. Cady:
Shock Compression of Condensed Matter - 1997, S.C. Schmidt, D.P. Dandekar, and J.W. Forbes, eds., AIP Conf. Proc. #429, American Institute of Physics Press, Woodbury, New York (1998) pp. 583-586.
“Influence of Temperature on the High-Strain-Rate Mechanical Behavior of PBX 9501”
145. W.R. Blumenthal, S.P. Abeln, D.D. Cannon, G.T. Gray III and R.W. Carpenter:
Shock Compression of Condensed Matter - 1997, S.C. Schmidt, D.P. Dandekar, and J.W. Forbes, eds., AIP Conf. Proc. #429, American Institute of Physics Press, Woodbury, New York (1998) pp. 411-414
“Influence of Strain Rate and Temperature on the Mechanical Behavior of Beryllium”
146. S.G. Bardenhagen, E.N. Harstad, P.J. Maudlin, G.T. Gray III and J.C. Foster, Jr.:
Shock Compression of Condensed Matter - 1997, S.C. Schmidt, D.P. Dandekar, and J.W. Forbes, eds., AIP Conf. Proc. #429, American Institute of Physics Press, Woodbury, New York (1998) pp. 281-284.
“Viscoelastic Models for Explosive Binder Materials”
147. G.C. Kaschner and G.T. Gray III:
Shock Compression of Condensed Matter - 1997, S.C. Schmidt, D.P. Dandekar, and J.W. Forbes, eds., AIP Conf. Proc. #429, American Institute of Physics Press, Woodbury, New York (1998) pp. 435-438.
“Influence of Texture and Impurities on the Mechanical Behavior of Zirconium”
148. V.A. Pushkov, S.A. Novikov, V.A. Sinitsyn, and G.T. Gray III:

- Shock Compression of Condensed Matter - 1997, S.C. Schmidt, D.P. Dandekar, and J.W. Forbes, eds., AIP Conf. Proc. #429, American Institute of Physics Press, Woodbury, New York (1998) pp. 455-458.
“Crack Resistance of Aluminum Composite Under Shock Loading at Different Temperatures”
149. P.S. Steif, M.P. Rubal, G.T. Gray III, and J.M. Pereira:
Journal of the Mechanics and Physics of Solids, (1998) v. 46(#10) pp. 2069-2086.
“Damage in Gamma Titanium Aluminides Due to Small Particle Impacts”
150. G.T. Gray III:
Methods in Materials Research; John Wiley & Sons, Inc. (2000), 3a2.1-3a2.15.
“High-Strain-Rate Testing of Materials: The Split-Hopkinson Pressure Bar”
[INVITED BOOK CHAPTER]
151. G.T. Gray III:
High Pressure Materials Research; MRS, volume 499 (1998) edited by R.M. Wentzcovitch, R.J. Hemley, W.J. Nellis, and P.Y. Yu, pp. 87-98 [INVITED]
“Shock-Induced Defects in Bulk Materials”
152. R.U. Vaidya, Y.S. Park, Z. Jin, G.T. Gray III, and D.P. Butt:
Oxidation of Metals, (1998) 50 [3-4] pp. 215.
“High Temperature Oxidation of Ti-48Al-2Cr-2Nb and Ti-25Al-10Nb-3V-1Mo”
153. G.T. Gray III, Shuh Rong Chen, and K.S. Vecchio:
Metallurgical and Materials Transactions A, (1999) vol. 30A, pp. 1235-1247.
“Influence of Grain Size on the Constitutive Response and Substructure Evolution of Monel 400”
154. Z. Jin, C.M. Cady, G.T. Gray III and Y-W Kim:
Metallurgical and Materials Transactions A, (2000) vol. 31A, pp. 1007-1016.
“Mechanical Behavior of a Fine-Grained Duplex Gamma-TiAl Alloy”
155. G.T. Gray III, D.J. Idar, W.R. Blumenthal, C.M. Cady, and P.D. Peterson:
11th International Detonation Symposium (2000) ONR 33300-5, (Office of Naval Research, Arlington, VA 22217-5660), pp. 76-84.
“High- and Low-Strain Rate Compression Properties of Several Energetic Material Composites as a Function of Strain Rate and Temperature”
156. P.J. Maudlin, C.N. Tome, G.C. Kaschner, and G.T. Gray III:
Simulation of Materials Processing: Theory, Methods, and Applications, (1998) edited by Huetink and Baaijens, (Balkema, Rotterdam, The Netherlands) pp. 309-313.
“Introduction of Polycrystal Constitutive Laws in a Finite Element Code with Applications to Zirconium Forming”
157. Shuh Rong Chen, P.J. Maudlin, and G.T. Gray III:

- Molybdenum and Molybdenum Alloys, (1998) pp. 155-172, edited by A. Crowson, E.S. Chen, J.A. Shields, and P.R. Subramanian, (The Minerals, Metals, and Materials Society, Warrendale, PA)
“Mechanical Properties and Constitutive Relations for Molybdenum under High-Rate Deformation”
158. P.J. Maudlin, G.T. Gray III, C.M. Cady, and G.C. Kaschner:
Philos. Trans. Roy. Soc. Lond. A, (1999) vol. 357, pp. 1707-1729.
“High-Rate Material Modeling and Validation Using the Taylor Cylinder Impact Test”
159. Y. Yang, I. Baker, G.T. Gray III and C. Cady:
Scripta Metall. et Materialia, (1999) vol. 44, pp. 403-408.
“The Yield Stress Anomaly in Stoichiometric FeAl at High Strain Rate”
160. Zhe Jin, G.T. Gray III, and Y.W. Kim:
Mats. Sci. & Eng. A, (1997) vol. A239-240, pp. 729-735.
“Texture Evolution During Alpha-Forging of Gamma-TiAl Alloys”
161. G.T. Gray III, G.C. Kaschner, T.A. Mason, P.J. Maudlin, and S.R. Chen:
Advances in Twinning, (1999) edited by S. Ankem and C.S. Pande (The Minerals, Metals, and Materials Society, Warrendale, PA) .pp. 157-170.
“ The Influence of Interstitial Content, Temperature, and Strain Rate on Deformation Twin Formation”
162. C.M. Cady, G.T. Gray III, S.S. Hecker, D.J. Thoma, D.R. Korzekwa, R.A. Patterson, P.S. Dunn, and J.F. Bingert:
Constitutive and Damage Modeling of Inelastic Deformation and Phase Transformation, (1998), edited by A.S. Khan, Neat Press, Maryland, USA, pp. 15-18.
“The Plastic Flow Characteristics of Uranium-Niobium Alloys as a Function of Strain Rate and Temperature”
163. W.R. Blumenthal, S. P. Abeln, M.C. Mataya, G.T. Gray III, and D.D. Cannon:
Constitutive and Damage Modeling of Inelastic Deformation and Phase Transformation, (1998), edited by A.S. Khan, Neat Press, Maryland, USA, pp. 615-618.
“Dynamic Behavior of Beryllium as a Function of Texture”
164. S.R. Chen, P.J. Maudlin, and G.T. Gray III:
Constitutive and Damage Modeling of Inelastic Deformation and Phase Transformation, (1998), edited by A.S. Khan, Neat Press, Maryland, USA, pp. 623-626.
“Constitutive Behavior of Model FCC, BCC, and HCP Metals: Experiments, Modeling, and Validation”
165. G.T. Gray III, C.M. Cady, and W.R. Blumenthal:
Constitutive and Damage Modeling of Inelastic Deformation and Phase Transformation, (1998), edited by A.S. Khan, Neat Press, Maryland, USA, pp. 955-958.
“Influence of Temperature and Strain Rate on the Constitutive Behavior of Teflon and Nylon”

166. N.K. Bourne and G.T. Gray III:
Constitutive and Damage Modeling of Inelastic Deformation and Phase Transformation, (1998), edited by A.S. Khan, Neat Press, Maryland, USA, pp. 619-622.
"Shock-Induced Spallation of Teflon, Estane, and Kel-F-800 Polymers"
167. G.T. Gray III:
ASM – Handbook Volume 8 “Mechanical Testing and Evaluation” (2000) edited by H. Kuhn and D. Medlin, (ASM International, Metals Park, Ohio 44073-0002) pp. 462-476.
"Classic Split-Hopkinson Pressure Bar Technique"
168. J.N. Johnson, G.T. Gray III, and N.K. Bourne:
J. Applied Physics (1999) vol 86, #9, pp. 4892-4901.
"The effect of pulse duration and strain rate on incipient spall fracture in copper"
169. R.U. Vaidya, Z. Jin, C.M. Cady, G.T. Gray III, and D.P. Butt:
Scripta Metall. et. Materialia, (1999) vol. 41, #6, pp. 569-574.
"A Comparative Study of the Strain Rate and Temperature Dependent Compression Behavior of Ti-46.5Al-3Nb-2Cr-0.2W and Ti-25Al-10Nb-3V-1Mo Intermetallic Alloys"
170. G.T. Gray III, N.K. Bourne, M.A. Zocher, P.J. Maudlin, and J.C.F. Millett:
Shock Compression of Condensed Matter - 1999, M.D. Furnish, L.C. Chhabildas, and R.S. Hixson, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2000) pp. 509-512.
"Influence of Crystallographic Anisotropy on the Hopkinson Fracture “Spallation” of Zirconium"
171. W.R. Blumenthal, G.T. Gray III, D.J. Idar, M.D. Holmes, P.D. Scott, C.M. Cady, and D.D. Cannon: Shock Compression of Condensed Matter - 1999, M.D. Furnish, L.C. Chhabildas, and R.S. Hixson, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2000) pp. 671-674.
"Influence of Temperature AND Strain Rate ON THE Mechanical Behavior of PBX 9502 and Kel-F 800™"
172. N.K. Bourne, G.T. Gray III, J.C.F. Millett:
Shock Compression of Condensed Matter - 1999, M.D. Furnish, L.C. Chhabildas, and R.S. Hixson, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2000) pp. – 589-592.
"On The Failure Of Shocked Titanium Diboride"
173. L.R. Veesser, G.T. Gray III, J.E. Vorthman, P.J. Rodriguez, and R.S. Hixson:
Shock Compression of Condensed Matter - 1999, M.D. Furnish, L.C. Chhabildas, and R.S. Hixson, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2000) pp. 73-76.
"High Pressure Response of a High Purity Iron"
174. W.W. Anderson, F.H. Cverna, R.S. Hixson, G.T. Gray III, and J.E. Vorthman:
Shock Compression of Condensed Matter - 1999, M.D. Furnish, L.C. Chhabildas, and R.S. Hixson, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New

- York (2000) pp. 443-446.
"Shock Compression and Spall of B-Tin"
175. G.T. Gray III and W.R. Blumenthal:
ASM – Handbook Volume 8 “Mechanical Testing and Evaluation” (2000) edited by H. Kuhn and D. Medlin, (ASM International, Metals Park, Ohio 44073-0002) pp. 488-496.
“Split-Hopkinson Pressure Bar Testing of Soft Materials”
176. G.T. Gray III:
ASM – Handbook Volume 8 “Mechanical Testing and Evaluation” (2000) edited by H. Kuhn and D. Medlin, (ASM International, Metals Park, Ohio 44073-0002) pp. 530-538.
"Shock-Wave Testing of Ductile Materials"
177. A. Rohatgi, K.S. Vecchio, and G.T. Gray III:
Metallurgical and Materials Transactions A, 32(#1) (2001) pp. 135-145.
"The Influence of Stacking Fault Energy on the Mechanical Behavior of Cu and Cu-Al Alloys: Deformation Twinning, Work-Hardening, and Dynamic Recovery"
178. A. Rohatgi, K.S. Vecchio, and G.T. Gray III:
Acta Materialia, 49, (2001), pp. 427-438.
"A Metallographic and Quantitative Analysis of the Influence of Stacking Fault Energy on Shock Hardening in Cu and Cu-Al Alloys"
179. C.M. Cady, S-R, Chen, G.T. Gray III, D.A. Korzekwa, and J.F. Bingert:
Metallurgical and Materials Transactions A, (2000) vol. 31A, pp. 2439-2448.
"Dynamic Materials Testing, Texture, and Yield Surface Calculation of an Automotive Sheet Steel"
180. D.M. Goto, J. Bingert, S.R. Chen, G.T. Gray, III and R.K. Garrett, Jr.:
Metallurgical and Materials Transactions A, 31(#8) (2000) pp. 1985-1996.
"The Mechanical Threshold Stress Constitutive Strength Model Description of HY-100 Steel"
181. P.J. Maudlin, J.F. Bingert, G.T. Gray III and R.K. Garrett, Jr.:
in Multiscale Phenomena in Materials-Experiments and Modeling, I.M. Robertson, D.H. Lassila, B. Devincre, R. Phillips, eds., (2000) (Materials Research Society), vol. 578, pp. 3-14.
"Symmetry Investigation of Textured Polycrystal Properties"
182. G.C. Kaschner and G.T. Gray III:
Metallurgical and Materials Transactions A, (2000) vol. 31A, pp. 1997-2003.
"The Influence of Crystallographic Texture and Interstitial Impurities on the Mechanical Behavior of Zirconium"
183. Zhe Jin, W.A. Cassada, C.M. Cady, and G.T. Gray III:
Materials Science Forum, 331-(pt. 1-3) (2000), pp. 527-532.
"Mechanical Response of AA7075 Aluminum Alloy over a Wide Range of Temperatures and Strain Rates "

184. Jeremy Millett, George .T. (Rusty) Gray III, Neil Bourne;
Journal of Applied Physics, (2000), vol. 88, #6, pp. 3290-3294.
"The Shock Hugoniot of the Intermetallic Alloy Ti-46.5Al-2Nb-2Cr"
185. George T. Gray III, Dennis B. Hayes, and Robert S. Hixson:
Journal de Physique IV, (2000), vol. 10(#P9), pp. 755-760.
" Influence of the Shock-Induced α - ϵ Transition in Fe on its Post-Shock Substructure Evolution and Mechanical Behavior"
186. J.C.F. Millett, G.T. Gray III and N.K. Bourne;
Journal de Physique IV, (2000), vol. 10(#P9), pp. 781-785.
" Lateral Stress Measurements and Shear Strength in a Shock-Loaded γ -TiAl Alloy"
187. A.K. Zurek, R.S. Hixson, W.W. Anderson, J.E. Vorthman, G.T. Gray III, and D.L. Tonks:
Journal de Physique IV, (2000), vol. 10(#P9), pp. 677-682.
"Elastic Response of U-Nb (6%) Alloy"
188. G.T Gray III, K.S. Vecchio, and M.F. Lopez:
Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, (2001) edited by K.P. Staudhammer, L.E. Murr, and M.A. Meyers, Elsevier Science Ltd., New York, pp. 157-163.
"Influence of Microstructural Anisotropy on the Quasi-static and Dynamic Fracture of 1080 Eutectoid Steel"
189. A. Rohatgi, K.S. Vecchio, and G.T. Gray III:
Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, (2001) edited by K.P. Staudhammer, L.E. Murr, and M.A. Meyers, Elsevier Science Ltd., New York, pp. 25-32.
"A Systematic Study of the Role of Stacking Fault Energy (SFE) on the Shock-Hardening in Cu and Cu-Al Alloys".
190. C.M. Cady and G.T. Gray III:
Matls. Sci. & Eng. A, A298 (#1-2), (2001) pp. 56-62.
"Influence of Strain Rate on the Deformation and Fracture Response of a 6061-T6Al-50 vol. % Al₂O₃ Continuous-Reinforced Composite".
191. K.C. Chen, D.J. Thoma, P.G. Kotula, F. Chu, C.M. Cady, G.T. Gray III, P.S. Dunn, and D.R. Korzekwa:
The Third Pacific Rim International Conf. On Adv. Matls. And Proc. (PRICM 3), ed. M.A. Iman, D. DeNale, S. Hanada, Z. Zhong, and D.N. Lee (1998) The Minerals, Metals, and Matls. Soc., pp. 1431-1436.
"Processing and Properties of Dual Phase Alloys in the Nb-Cr-Ti System"
192. V.T. McKenna, M.P. Rubal, P.S. Steif, M.P. Pereira, and G.T. Gray III:
Metallurgical and Materials Transactions A, (2002) v. 33(#3), pp. 581-589.
"Cracking in γ -TiAl Plates Due to High Speed Particle Impact"

193. G.T. Gray III and T.M. Pollock:
in *Intermetallic Compounds: Principles and Practice*, Vol. 3 Update, editors= J.H. Westbrook and R.I. Fleischer, Wiley Publ., New York, (2002), 361-377.
"Strain Hardening in Intermetallics: Mechanical Behavior and Substructure Development"
[Invited Book Chapter]
194. J.F. Bingert, T.A. Mason, G.C. Kaschner, P.J. Maudlin, and G.T. Gray III:
Electron Backscatter Diffraction in Materials Science, (2000) chapter 18, edited by A.J. Schwartz, M. Kumar, and B.L. Adams, Kluwer Academic / Plenum Publishers, New York, pp. 213-229.
"Anisotropic Plasticity Modeling Incorporating EBSD Characterization of Tantalum and Zirconium"
195. Y.V. Batkov, S.A. Novikov, N.D. Fishman, G.T. Gray:
Chemical Physics Reports, 18 (#10-11) (2000) 2095-2099.
"Shear Strength of a Shock-Compressed Aluminum Composite"
196. N.K. Bourne and G.T. Gray III:
Proc. Roy. Soc. Lond. A, 458 (2002) pp. 1273-1284.
"On the Failure of Shocked Titanium Diboride"
197. P.J. Maudlin, J.F. Bingert, and G.T. Gray III:
Int. J. Plasticity (2003) vol. 19, pp. 483-515.
"Low-Symmetry Plastic Deformation in BCC Tantalum: Experimental Observations, Modeling and Simulations"
198. G.T. Gray III, M.F. Lopez, N.K. Bourne, J.C.F. Millett, and K.S. Vecchio:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N.N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002) pp. 479-482.
"Influence of Microstructural Anisotropy on the Spallation of 1080 Eutectoid Steel"
199. G.S. Stevens, N.K. Bourne, G.T. Gray III, J.C.F. Millett:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N.N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 579-582.
"On the Shock Response of the Shape-Memory Alloy NiTi"
200. J.C.F. Millett, I.P. Jones, N.K. Bourne, G.T. Gray III:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 634-637.
"The Effect of Microstructure on the Shock Behaviour of γ -Titanium Aluminides"
201. N.K. Bourne, J.C.F. Millett, G.T. Gray III, P. Mort:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 653-656.

- “On the Strength Behaviour of Kel-F and Estane Polymers”
202. J.C.F. Millett, N.K. Bourne, G.T. Gray III, G. Cooper:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N.N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 131-134.
“Further Investigations of the Shock Response of Polychloroprene”
203. N.K. Bourne, G.T. Gray III:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), 775-778.
“On The Failure Of Boron Carbide Under Shock”
204. W.R. Blumenthal, C.M. Cady, and G.T. Gray III:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 665-668.
“Influence of Temperature and Strain Rate on the Compressive Behavior of PMMA and Polycarbonate Polymers”
205. D. J. Idar, D. G. Thompson, G. T. Gray III, W. R. Blumenthal, C.M. Cady, P. D. Peterson, B. J. Jacquez, E. L. Roemer, W. J. Wright
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 821-824.
“Influence of Polymer Molecular Weight, Temperature, and Strain Rate on the Mechanical Properties of PBX 9501”
206. C.M. Cady, G.T. Gray III, C. Trujillo, B. Jacquez and T. Mukai
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 725-728.
“Compressive Properties of a Closed-Cell Aluminum Foam as a Function of Strain Rate and Temperature”
207. B.E. Clements, E.M. Mas, and G.T. Gray III:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 535-538.
“Investigation of the Observed Anisotropic Fracture in Steels”
208. E.M. Mas, B.E. Clements, W.R. Blumenthal, C.M. Cady, G.T. Gray III and C. Liu:
Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 661-664.
“A Viscoelastic Model for PBX Binders”

209. E.M. Mas, B.E. Clements, W.R. Blumenthal, C.M. Cady, and G.T. Gray III: Shock Compression of Condensed Matter-2001, M.D. Furnish, N. Thadhani, and Y. Horie, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2002), pp. 539-542.
“Applying Micro-Mechanics to Finite Element Simulations of Split-Hopkinson Pressure Bar Experiments on High Explosives”
210. G.T. Gray III, P.S. Steif, and T.M. Pollock: Structural Intermetallics 2001 (2001) pp. 269-277, TMS (The Minerals, Metals, and Materials Society), edited by K.J. Hemker, D.M. Dimiduk, H. Clemens, R. Darolia, H. Inui, J.M. Larxen, V.K. Sikka, M. Thomas, and J.D. Whitemberger.
“Dynamic Deformation and Damage in Cast Gamma-TiAl During Taylor Cylinder Impact: Experiments and Model Validation”
211. Bingert, J.F., Mason, T.A., Kaschner, G.C., Maudlin, P.J., Gray III, G.T., Met. Mat. Trans. A, (2002) vol. 33A, pp. 955-963.
“Deformation Twinning in Polycrystalline Zr: Insights from EBSD Characterization”
212. G.T. Gray III: Plasticity, Damage and Fracture at Macro, Micro and Nano Scales (2002) edited by A.S. Khan and O. Lopez-Pamies, Neat Press, Fulton, Maryland, USA, pp. 642-644.
“The Split-Hopkinson Pressure Bar: An Evolving Quantification Tool and Technique for Constitutive Model Validation”
213. G.T. Gray III, P.J. Maudlin, and S.R. Chen: Plasticity, Damage and Fracture at Macro, Micro and Nano Scales (2002) edited by A.S. Khan and O. Lopez-Pamies, Neat Press, Fulton, Maryland, USA, pp. 714-716.
“The Assessment of Damage Evolution in Metals as a Function of Microstructure using Taylor Impact Testing”
214. J.C.F. Millett, N.K. Bourne, G.T. Gray III, and I.P. Jones: Acta Materialia (2002) vol. 50 (#19), pp. 4801-4811.
“The Response of TiAl-based Alloys to One-Dimensional Shock Loading”
215. J.C.F. Millett, N.K. Bourne, and G.T. Gray III: J. Appl. Phys. (2002) v. 92(#6), pp. 3107-3110.
“Behavior of the Shape Memory Alloy NiTi during One-Dimensional Shock Loading”
216. W.R. Blumenthal, D.G. Thompson, C.M. Cady, G.T. Gray III, and D.J. Idar: 12th Int. Det. Sym. (2005), ONR-333-05-02, Office of Naval Research, Arlington, VA 22217-5660, pp. 611-616.
“Compressive Properties of PBXN-110 and its HTPB Binder as a Function of Temperature and Strain Rate”
217. D.G. Thompson, D.J. Idar, G.T. Gray III, W.R. Blumenthal, C.M. Cady, and E.L. Roemer, W.J. Wright, and P.D. Peterson: 12th Int. Det. Sym. (2005), ONR-333-05-02, Office of Naval Research, Arlington, VA 22217-5660, pp. 363-368.

- “Quasi-static and Dynamic Mechanical Properties of New and Virtually-Aged PBX 9501 Composite as a Function of Temperature and Strain Rate”
218. G. T. Gray III, Shuh Rong Chen, P.J. Maudlin, M.W. Burkett, Robert S. Hixson, and P.A. Rigg:
2002 Warheads and Ballistics Symposium (2002) accepted and in press.
“Influence of Shock Prestraining on Warhead Performance” (U)
 219. G.T. Gray III, J.C.F. Millett, and N.K. Bourne:
J. Appl. Phys. (2003) vol. 94, #10, pp. 6430-6436.
“Plate Impact Response of Tantalum: Lateral Stress and Shear Strength Behind the Shock Front”
 220. N.K. Bourne, G.T. Gray III, and J.C.F. Millett:
J. Appl. Phys. (2003) vol. 93 (#11), pp. 8966-8969.
“The Equation of State Of PolyTetraFluoroEthylene”
 221. Kyuhwan Lim, P. A. Manohar, Duklak Lee, Yeon Chul Yoo, C. M. Cady, G.T. Gray III and A. D. Rollett:
Mats. Sci. Forum. v. 426-432, (2003) pp. 3903-3908.
“Constitutive Modeling of High Temperature Mechanical Behavior of a Medium C – Mn Steel”
 222. E. Cerreta, G.T. Gray III, S.R. Chen, and T.M. Pollock:
Metallurgical and Materials Transactions A (2004) v. 35A-#9, pp. 2557-2566.
“Dynamic Deformation and Damage in Cast γ -TiAl During Taylor Cylinder Impact: Experiments and Model Validation”
 223. G. T. (Rusty) Gray III, N. K. Bourne, B.L. Henrie and J.C.F. Millett:
Journal de Physique IV, vol. 110, (2003) pp. 773-778.
“Influence of Shock-wave Profile Shape (Triangular -“Taylor-Wave” versus Square-Topped) on the Spallation Response of 316L Stainless Steel”
 224. N.K. Bourne, G.T. Gray III, and J.C.F. Millett:
Journal de Physique IV, vol. 110, (2003) pp. 815-820.
“On the Dynamic Response of Four Polymers”
 225. J.C.F. Millett, G.T. Gray III, N.K. Bourne, and I.P. Jones:
Journal de Physique IV, vol. 110, (2003) pp. 929-934.
“On the Strength of γ -Titanium Alumindes during Shock Loading”
 226. A.M. Bragov, S.Brichikov, G.T.Gray III, E.A. Kozlov, A.K. Lomunov, A.Petrovtsev, I.V. Sergeichev:
Journal de Physique IV, vol. 110, (2003) pp. 761-766.
“The Influence of Temperature, Strain Rate History and Shock preloading in the Region of Phase Transition for Armco-Iron”
 227. C.M. Cady, W.R. Blumenthal, G.T. Gray III, and D.J. Idar:

Journal de Physique IV, vol 110 (2003) pp. 27-32.

“Determining the Constitutive Response of Polymeric Materials as a Function of Temperature and Strain Rate”

228. A.M. Bragov, G.T.Gray III, E.A. Kozlov, A.K. Lomunov, A.V. Petrovtsev, and I.V. Sergeichev:
Proc. Of 5th Int. Sym. High Dynamic Pressures (V-HDP Sym.), St. Malo, France, June 23-27, 2003 (2003) Vol. 1, pp. 297-309.
“High strain Rate of Armco-Iron and 30CGSA Steel: The Influence of Temperature, Strain History, and Shock Loading in the Region of the α - ϵ Transition”
229. G.T. Gray III, N.K. Bourne, and J.C.F. Millett:
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 461-464.
“Influence of Shock-wave Profile Shape (“Taylor-Wave” versus Square-Topped) on the Shock-Hardening and Spallation Response of 316L Stainless Steel”
230. E. Cerreta, G.T. Gray III, B.L. Henrie, D.W. Brown, R.S. Hixson and P.A. Rigg :
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 541-544.
“The Influence of Peak Stress on the Mechanical Behavior and the Substructural Evolution in Shock-Prestrained Zirconium”
231. Philip J. Rae, George T. Gray, Dana M. Dattelbaum, and Neil K. Bourne:
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 671-674.
“The Taylor Impact Response of PTFE (Teflon)”
232. D. B. Hayes, G. T. Gray III, R. S. Hixson, A. K. Zurek, J. E. Vorthman, W. W. Anderson:
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 573-576.
“Precursor Suppression by Shear Stress Relaxation in U-Nb(6-wt%)”
233. R. S. Hixson, G. T. Gray, P. A. Rigg, L.B. Addessio, and C.A. Yablinsky:
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 469-472.
“Dynamic Damage Investigations Using Triangular Waves”
234. C. W. Greeff, P. A. Rigg, M. D. Knudson, R. S. Hixson, and G. T. Gray III:
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 209-212.

“Modeling Dynamic Phase Transitions in Ti and Zr”

235. Q. Xue, G.T. Gray III, B. Henrie, S.R. Chen:
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 633-636.
“Influence of Shock Prestraining on Shear Localization in 316 Stainless Steel”
236. J.C.F. Millett, G.T. Gray III, and N.K. Bourne
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 663-666.
“Longitudinal and Lateral Stress Measurements in Shock Loaded Polyether Ether Ketone”
237. R. Hackenberg, D. Swift, N. Bourne, G.T. Gray III, D. Paisley, D. Thoma, J. Cooley, and A. Hauer.
Shock Compression of Condensed Matter-2003, M.D. Furnish, Y.M. Gupta, and J.W. Forbes, ed., CP706-AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2004), pp. 561-564.
“Dynamic Properties of Nickel-Titanium Alloys”
238. P.J. Maudlin, T.A. Mason, G.T. Gray III, B.J. Bingert, and N.K. Bourne:
Dislocations, Plasticity, and Metal Forming (Proceedings of Plasticity '03) – “The Tenth Int. Sym. On Plas. And its Current Appl.; eds. A.K. Khan, R. Kazmi, and J. Zhou, Neat Press, (2003) pp. 445-447.
239. J.C.F. Millett, N.K. Bourne, and G.T. Gray III:
J. Physics D: Applied Physics, (2004) vol. 37, pp. 942-947.
“The Response of Polyether Ether Ketone to One-Dimensional Shock Loading”
240. S.A. Maloy, G.T. Gray III, C.M. Cady, R.W. Rutherford, and R.S. Hixson:
Metallurgical and Materials Transactions A (2004) v. 35A-#9, pp. 2617-2624.
“The Influence of Explosive-driven “Taylor-Wave” Shock Prestraining on the Structure / Property Behavior of 304 Stainless Steel”
241. E. Cerreta and G.T. Gray III:
Metallurgical and Materials Transactions A (2004) vol. 35A, pp. 1999-2011.
“The Influence of Texture, Strain Rate, Temperature, and Chemistry on the Mechanical Behavior of Hafnium”.
242. J.C.F. Millett, N.K. Bourne, and G.T. Gray III.
J. Appl. Physics, (2004) vol. 96, #10, pp. 5500-5504.
“The Equation of State of a Fluorinated Tripolymer”
243. Q. Xue, G.T. Gray III, B.L. Henrie, S.A. Maloy, and S.R. Chen:
Metallurgical and Materials Transactions A (2005) vol. 36A, pp. 1471-1486.

- “Influence of Shock Prestraining on the Formation of Shear Localization in 304 Stainless Steel”
244. D.K. Balch, J.G. O’Dwyer, G.R. Davis, C.M. Cady, G.T. Gray III, and D.C. Dunand: Mat. Sci. & Eng. A, (2005) v. 391, pp. 408-417.
“Plasticity and Damage in Aluminum Syntactic Foams Deformed under Dynamic and Quasi-static Conditions”
 245. E. Cerreta, G.T. Gray III, R.S. Hixson, and P.A. Rigg: Acta Materialia, (2005), v. 53, #6, pp. 1751-1758.
“The Influence of Interstitial Concentration and Peak Stress on the Mechanical Behavior in Shock-Prestrained Zirconium”
 246. J. Zhang, Y. Zhao, C. Pantea, J. Quian, P. Rigg, R.S. Hixson, G.T. Gray III, C.W. Greef, Y. Yang, L. Wang, and Y. Wang:
J. Physics and Chemistry (2005) vol. 66, pp. 1213-1219.
“Experimental Constraints on the Phase Diagram of Elemental Zirconium”
 247. Y. Zhao, J. Zhang, C. Pantea, J. Qian, L.L. Daeman, P. Rigg, R.S. Hixson, G.T. Gray III, C.W. Greef, Y. Yang, L. Wang, and Y. Wang:
Physical Review B, (2005), vol. 71, pp. 184119-1 to 184119-6.
“Thermal Equations of State of α -, β -, and ω - Phases of Zirconium”
 248. N.K. Bourne and G.T. Gray III:
Proc. R. Soc., (2005) vol. 461, pp. 3297-3312.
“Computational Design of Recovery Experiments for Ductile Metals”
 249. B.H. Sencer, S.A. Maloy, and G.T. Gray III:
Acta Materialia, (2005) vol. 53 (#11), pp. 3293-3303.
“The Influence of Shock-Pulse Shape on the Structure/Property Behavior of Copper and 316L Austenitic Stainless Steel”
 250. Neil K. Bourne and G.T. Gray III:
Dislocations, Plasticity, Damage and Metal Forming: Material Response and Multiscale Modeling, A.S. Khan and A.R. Khoei, eds., Neat Press, Maryland, USA, (2005), pp. 316-318.
“On the Soft-Recovery of One-Dimensionally Shocked Polymers”
 251. C.M. Cady, W.R. Blumenthal, G.T. Gray III and D.J. Idar:
Dislocations, Plasticity, Damage and Metal Forming: Material Response and Multiscale Modeling, A.S. Khan and A.R. Khoei, eds., Neat Press, Maryland, USA, (2005), pp. 319-321.
“Constitutive Response of Two Plastic-Bonded Explosive Binder Materials as a Function of Temperature and Strain Rate”
 252. G.T. Gray III and N.K. Bourne:

- Dislocations, Plasticity, Damage and Metal Forming: Material Response and Multiscale Modeling, A.S. Khan and A.R. Khoei, eds., Neat Press, Maryland, USA, (2005), pp. 328-330.
“Mechanical and Substructural Response of Incipiently Spalled 316L Stainless Steel”
253. P.J. Maudlin, J.F. Bingert, and G.T. Gray III:
Dislocations, Plasticity, Damage and Metal Forming: Material Response and Multiscale Modeling, A.S. Khan and A.R. Khoei, eds., Neat Press, Maryland, USA, (2005), pp. 352-354.
“Deviations from Taylor-Based Texture Evolution as Observed in Taylor Cylinder Testing”
254. A. Zubelewicz, P.J. Maudlin, G.T. Gray III, and A.K. Zurek:
Physical Review B; (2005), vol. 71, pp. 1041071-5.
“Formation of Dynamic Defect Structures in Metals Subjected to Extreme Loading Conditions”
255. Bulent H. Sencer, Stuart A. Maloy and George T. Gray III:
Metall. & Materials Transactions A, (2005) vol. 36A, pp. 1825-1831.
“The Influence of Explosive-driven Shock Pre-straining at 35 GPa and High Deformation on the Structure / Property Behavior of 316 L Austenitic Stainless Steel”
256. E.N. Brown, P.J. Rae, E.B. Orler, G.T. Gray III, and D.M. Dattelbaum:
Mats. Sci. & Eng. C (2006) vol. 26, pp. 1338-1343.
“ The Effect of Crystallinity on the Fracture of Polytetrafluoroethylene (PTFE)”
257. L.B. Addessio, E.K. Cerreta, and G.T. Gray III:
Metall. & Materials Transactions A, (2005), vol. 36A, pp. 2893-2903.
“Mechanical Behavior of Zirconium and Hafnium in Tension and Compression”
258. C.A. Yablinsky, E.K. Cerreta, G.T. Gray III, D.W. Brown, and S.C. Vogel:
Metall. & Materials Transactions A, (2006), vol. 37A, pp. 1907-1915.
“The Effect of Twinning on the Work Hardening Behavior and Substructure Evolution of Hafnium”
259. D.D. Koller, R.S. Hixson, G.T. Gray III, P.A. Rigg, L.B. Addessio, E.K. Cerreta, J.D. Maestas, and C.A. Yablinsky:
J. Applied Physics, (2005) vol. 98, pp. 103518-1 to 103518-7.
“Influence of Shock-Wave Profile Shape on the Dynamically-Induced Damage in Copper”
260. Q. Xue and G.T. Gray III:
Metall. And Mats. Trans. (2006), vol. 37A, pp. 2435-2446.
“ Development of Adiabatic Shear Bands in Annealed 316L Stainless Steel-Part I. Correlation between Evolving Microstructure and Mechanical Behavior “
261. Q. Xue and G.T. Gray III:
Metall. And Mats. Trans. (2006) vol. 37A, pp. 2447-2458..

- “Development of Adiabatic Shear Bands in Annealed 316L Stainless Steel-Part II. TEM Studies of the Evolution of Microstructure during Deformation Localization”
262. G.T. Gray III, P.J. Maudlin, L.M. Hull, Q.K. Zuo, and S.R. Chen:
J. Failure Analysis and Prevention, (2005), vol. 5, #3, pp. 7-17.
“The Silicon Age – Predicting Material Strength, Damage, and Fracture: The Synergy between Experiment and Modeling”
263. N.K. Bourne and G.T. Gray III:
J. Physics D, (2005), vol. 38, pp. 3690-3694.
“Soft-Recovery of Shocked Polymers and Composites”
264. R. R. Adharapurapu, F. Jiang, K. S. Vecchio, and G.T. Gray III:
Acta Materialia, (2006), vol. 54, pp. 4609-4620.
“Response of NiTi Shape Memory Alloy at High Strain Rate: A Systematic Investigation of Temperature Effects on the Tension-Compression Asymmetry”
265. N.K. Bourne and G.T. Gray III:
J. Appl. Phys., (2005) vol. 98, pp. 123503-1 to -9.
“Dynamic Response of binders: Teflon, estaneTM and Kel-F-800TM”
266. C.A. Bronkhorst, E.K. Cerreta, Q. Xue, P.J. Maudlin, T.A. Mason, and G.T. Gray III:
International Journal of Plasticity, (2006) vol. 22, pp. 1304-1335.
“An Experimental and Numerical Study of the Localization Behavior of Tantalum and Stainless Steel”
267. P.L. Sun, E.K. Cerreta, G.T. Gray III, and P. Rae:
Mat. Sci. & Eng. A, (2005) vol. 410-411, pp. 265-268.
“The Influence of Boundary Structure on the Mechanical Properties of Ultrafine grained AA1050”
268. E. Cerreta, G.T. Gray III, A.C. Lawson, T.A. Mason, and C.E. Morris:
Journal of Applied Physics, (2006) vol. 100, pp. 013530-1 to 013530-6.
“The Influence of Oxygen Content on the Shock-Induced Defect Generation and Shock Hardening of Titanium”
269. C.M. Cady, W.R. Blumenthal, G.T. Gray III, and D.J. Idar:
Polymer Science and Engineering, (2006) vol. 46, #6, pp. 812-819..
“Mechanical Properties of Plastic-Bonded Explosive Binder Materials as a Function of Strain Rate and Temperature”
270. Q. Xue, X.Z. Liao, Y.T. Zhu, and G.T. Gray III:
Mat. Sci. & Eng. A, (2005) vol. 410-411, pp. 252-256.
“Formation Mechanisms of Nanoscale Substructure in Stainless Steel during Severe Plastic Deformation at High Strain Rates”
271. D.B. Hayes, G.T. Gray III, C.A. Hall, and R.S. Hixson:

- Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 729-732.
“Elastic-Plastic Behavior of U6Nb Under Ramp Wave Loading”
272. I. Knapp, J.C.F. Millett, G.T. Gray III, N.K. Bourne, and Y.J.E. Meziere:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 741-744.
“The Shock Hugoniot of the Intermetallic Compound, Ni₃Al”
273. Q. Xue, E.K. Cerreta, and G.T. Gray III:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 783-786.
“Influence of Explosive-Driven Shock Prestraining on the Microstructure Evolution and Shear Localization of 304 and 316L Stainless Steels”
274. J.C.F. Millett, G.T. Gray III, and N.K. Bourne:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 753-756.
“Lateral Stress Measurements in Pure Tungsten during Shock Loading”
275. E.N. Brown, P.J. Rae, C.P. Trujillo, D.M. Dattelbaum, G.T. Gray III, and N.K. Bourne:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 196-200.
“Shock and Recovery of Polytetrafluoroethylene above and below the Phase II to Phase III Transition”
276. A. Bragov, A.K. Lumunov, I.V. Sergeichev, and G.T. Gray III:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 1511-1514.
“Dynamic Behavior of Birch and Sequoia at High Strain Rates”
277. L.M. SinitSYna, S.A. Novikov, G. T. Gray III, E. Cerreta, B. Henrie, M. Lopez, and C. Yablinsky:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 771-774.
“Substructure Evolution in Energetic-Driven Spherically Shock-Loaded Copper”
278. G.T. Gray III, E. Cerreta, C.A. Yablinsky, L.B. Addessio, B.L. Henrie, B.H. Sencer, M. Burkett, P.J. Maudlin, S.A. Maloy, C.P. Trujillo, and M.F. Lopez:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 725-728.
“Influence of Shock Prestraining and Grain Size on the Dynamic-Tensile-Extrusion Response of Copper: Experiments and Simulation”
279. E. Cerreta, G.T. Gray III, A.C. Lawson, C.E. Morris, R.S. Hixson, and P.A. Rigg:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 1149-1152.
“The Influence of Interstitial Oxygen on the Alpha to Omega Phase Transition in Titanium and Zirconium”

280. B.J. Jensen, P.A. Rigg, M.D. Knudson, R.S. Hixson, G.T. Gray III, B.H. Sencer, and F.J. Cherne:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 232-235.
 “Dynamic Compression of Iron Single Crystals”
281. D.D. Koller, R.S. Hixson, G.T. Gray III, P.A. Rigg, L.B. Addessio, E.K. Cerreta, J.D. Maestas, and C.A. Yablinsky:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 599-602.
 “Explosively Driven Shock Induced Damage in OFHC Copper”
282. D.D. Koller, P.A. Rigg, G.T. Gray III, B.J. Jensen, D.B. Hayes, and J.D. Maestas:
Shock Compression of Condensed Matter-2005, M.D. Furnish, ed., AIP Conf. Proc., American Institute of Physics Press, Woodbury, New York (2006), pp. 73-76.
 “Low Pressure Hugoniot for U-Nb (6 wt.%)”
283. G.T. Gray III, C.M. Cady, R.J. McCabe, R.S. Hixson, D.R.R. Korzekwa, and M.F. Lopez:
J. de Phys. IV, vol. 134, (2006) pp. 909-914.
 “Influence of Energetic-Driven “Taylor-Wave” shock-wave Prestraining on the Structure/Property Response of Depleted Uranium”
284. E.N. Brown, P.J. Rae, and G.T. Gray:
J. de Phys. IV, vol. 134, (2006) pp. 935-940.
 “The Influence of temperature and strain rate on the tensile and compressive constitutive response of four fluoropolymers”
285. C.M. Cady, G.T. Gray III, S.R. Chen, R.D. Field, D.R. Korzekwa, R.S. Hixson, and M.F. Lopez:
J. de Phys. IV, vol. 134, (2006) pp. 909-914.
 “Influence of temperature, strain rate, and thermal aging on the structure / property behavior of uranium 6 wt% Nb”
286. E. Cerreta, G.T. Gray III, and C.P. Trujillo:
J. de Phys. IV, vol. 134, (2006) pp. 909-914.
 “The Influence of shock prestraining on the structure / property response of Hafnium”
287. G.T. Gray III:
The 12th International Symposium on Plasticity & Its Current Applications (Plasticity-06), Edited by A. Khan and R. Kazmi, Neat Press, ISBN 0 9659463-6-3, (2006) pp. 133-135.
 “Use of Shock Recovery Experiments to Assess the Influence of Shock Prestraining on the Constitutive Behavior of Metals and Alloys”
288. E.N. Brown, P.J. Rae, and G.T. Gray III:
The 12th International Symposium on Plasticity & Its Current Applications (Plasticity-06), Edited by A. Khan and R. Kazmi, Neat Press, ISBN 0 9659463-6-3, (2006) pp. 592-594.
 “Multiscale Characterization of Damage and Deformation Models in Semi-Crystalline Engineering Polymers”
289. E.K. Cerreta, G.T. Gray III, C.C.P. Trujillo, and I.J. Frank:

- The 12th International Symposium on Plasticity & Its Current Applications (Plasticity-06), Edited by A. Khan and R. Kazmi, Neat Press, ISBN 0 9659463-6-3, (2006) pp. 595-597.
“The Influence of Stored Defects and Grain Size on the Dynamic Deformation Behavior of Copper in Shear”
290. J.C.F. Millett, Y.J.E. Meziere, G.T. Gray III, E.K. Cerreta, and N.K. Bourne:
J. Appl. Phys., (2006) vol. 100, pp. 063506-1 to 063506-10.
“The Response of the Intermetallic Compound Ni₃Al to One-Dimensional Shock Loading”
- 290a. V. Livescu, C.M. Cady, E.K. Cerreta, B.L. Henrie, G.T. Gray III:
Magnesium Technology, (2006), Volume 2006, pp. 153 – 158.
“The high strain rate deformation behavior of high purity magnesium and AZ31B magnesium alloy”
291. P.L. Sun, E.K. Cerreta, G.T. Gray III and J.F. Bingert:
Metall. And Matls. Transactions, vol. 37A, (2006), pp. 2983-2993.
“The Effect of Grain Size, Strain Rate, and Temperature on the Mechanical Behavior of Commercial Purity Aluminum”
292. Q. Xue, E.K. Cerreta, and G.T. Gray III:
Acta Materialia, (2007), vol. 55, pp. 691-704.
“Microstructural Characteristics of Post Shear Localization in Cold-Rolled 316L Stainless Steel”
293. Q. Xue, I.J. Beyerlein, D.J. Alexander, and G.T. Gray III:
Acta Materialia, (2007), vol. 55, pp. 655-668.
“Mechanisms for Initial Grain Refinement in OFHC Copper during Equal Channel Angular Pressing”
294. G.T. Gray III, N.K. Bourne, and B.L. Henrie:
J. Appl. Phys., (2007) vol. 101, pp. 093507-1 to -9.
“On The Influence of Loading Profile Upon The Tensile Failure Of Stainless Steel”
295. J.C.F. Millett, G.T. Gray III, and N.K. Bourne:
J. Appl. Phys. (2007) vol. 101, pp. 033520-1 to 033520-6.
“Measurement of the Shear Strength of Pure Tungsten During One-Dimensional Shock Loading”
296. E.N. Brown, C.P. Trujillo, G.T. Gray III, P.J. Rae, and N.K. Bourne:
J. Appl. Phys., (2007) vol. 101, pp. 024916-1 to 024916-10.
“Shock Recovery of Polytetrafluoroethylene shocked through the crystalline phase II-III transition”
297. E.N. Brown, R.B. Willms, G.T. Gray III, P.J. Rae, C.M. Cady, K.S. Vecchio, J. Flowers, and M.Y. Martinez:
Eng. Mechanics, (2007) vol. 47, pp. 381-393.
“Influence of Molecular Conformation on the Constitutive Response of Polyethylene: a comparison of HDPE, UHMWPE, and PEX”

298. Y. Zhao, J. Zhang, B. Clausen, T.D. Shen, G.T. Gray III and L. Wang:
Nano Letters, (2007) vol. 7, #2, pp. 426-432.
“Thermomechanics of Nanocrystalline Nickel under High Pressure-Temperature Conditions”
299. E. Cerreta, C.A. Yablinsky, G.T. Gray III, S.C. Vogel, and D.W. Brown:
Mats. Sci. and Eng. A, (2007) vol. 456, pp. 243-251.
“The Influence of grain size and texture on the mechanical response of high purity hafnium”
300. P.L. Sun, E.K. Cerreta, J.F. Bingert, G.T. Gray III, and M.F. Hundley:
Mats. Sci. and Eng. A, (2007), vol. 464, pp. 343-350.
“Enhanced Tensile Ductility through Boundary Structure Engineering in Ultra-fine-Grained Aluminum”
301. Q. Xue, J.F. Bingert, B.L. Henrie, G.T. Gray III:
Mat. Sci. & Eng. A, (2008), vol. 473, pp. 279-289.
“EBSD characterization of dynamic shear band regions in pre-shocked and as-received 304 stainless steels”
302. J.C.F. Millett, G. Whiteman, P. Taylor, G.T. Gray III and N.K. Bourne:
Ti-2007; Science and Technology (JIMIC-5); Kyoto, Japan, (2007), ed. M. Niinomi, S. Akiyama, M. Hagiwara, M. Ikeda, and K. Maruyama, The Japan Institute of Metals, pp. 303-306.
“The Response of Ti-6Al-4V to One-Dimensional Shock Loading: Variations of Shear Strength. With Stress Amplitude and Orientation”
303. G.T. Gray III, E.K. Cerreta, and S.R. Chen:
Ti-2007; Science and Technology (JIMIC-5); Kyoto, Japan, (2007), ed. M. Niinomi, S. Akiyama, M. Hagiwara, M. Ikeda, and K. Maruyama, The Japan Institute of Metals, pp. 215-218.
“Influence of Grain Size and Strain Rate on the Constitutive Response and Texture Evolution in High-Purity Titanium”
304. J. Zhang, Y. Zhao, P.A. Rigg, R.S. Hixson, and G.T. Gray III:
J. Phys. & Chem. Solids, (2007), vol. 68, pp. 2297-2302.
“Impurity Effects on the Phase Transformations and Equations of State of Zirconium Metals”
305. L.M. Dougherty, E.K. Cerreta, E.A. Pfeif, C.P. Trujillo, and G.T. Gray III:
Acta Materialia, (2007), vol. 55, #18, pp. 6356-6364.
“The Impact of Peak Stress on the Microstructure and Shear Behavior of 1018 Steel”
306. J.C.F. Millett, N.K. Bourne, E.N. Brown and G.T. Gray III:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 719-722.
“Shear strength and it’s variation according to structure in shock loaded polyethylene”
307. D.D. Koller, G.T. Gray III, and R.S. Hixson:

- Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 553-556.
“Shock Wave Profile and Bauschinger Effect in Depleted Uranium”
308. G.T. Gray III, E. Cerreta, D.D. Koller, R.S. Hixson, L. Dougherty, C. Trujillo, and M.F. Lopez:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 653-656.
“Influence of Microstructure on the Bauschinger Effect and the Shock Hardening in 1080 High-Carbon Steel”
309. S.A. McDonald, N.K. Bourne, G.T. Gray III, E.K. Cerretta, J.C.F. Millett, G. Whiteman:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 669-672.
“Shock Loading and Taylor Impact of Ti-6Al-4V”
310. E.K. Cerreta, G.T. Gray III, C.P. Trujillo, D.W. Brown, and C.N. Tome:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 635-638.
“Influence of Peak Shock Stress on the Quasi-static Reload Response of HCP Metals”
311. E.N. Brown, G.T. Gray III, P.J. Rae, C.P. Trujillo, and N.K. Bourne:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 147-150.
“Effect of Pulse Duration on Polytetrafluoroethylene Shocked above the Crystalline Phase I-II Transition”
312. E.N. Brown, C.P. Trujillo, and G.T. Gray III:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 691-694.
“Influence of Polyethylene Molecular Conformation on Taylor Impact Measurements: a Comparison of HDPE, UHMWPE, and PEX”
313. R.S. Hixson, D.D. Koller, G.T. Gray III, and D.B. Hayes:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 51-54.
“Dynamic Properties of a Lead-Antimony Alloy”
314. N.R. Routley, E. Price, P.T. Keightley, J.C.F. Millett, N.K. Bourne, E.N. Brown, and G.T. Gray III:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 1131-1134.
“An Investigation of Surface Velocimetry of Shocked Polyethylene using HETV”

315. J. Eggert, M. Bastea, D.B. Reisman, S. Rothman, J.-P. Davis, M.D. Knudson, D.B. Hayes, G.T. Gray III, D. Erskine, and G.W. Collins:
Shock Compression of Condensed Matter-2007, (2007) AIP Conference Proceedings 955, Melville, N.Y., edited by M. Elert, M.D. Furnish, R. Chau, N. Holmes, J. Nguyen, ISBN 978-0-7354-0469-4, pp. 1177-1180.
“Ramp Wave Stress-Density Measurements of Ta and W”
316. N.K. Bourne, J.C.F. Millett, E.N. Brown, and G.T. Gray III:
J. Appl. Phys., (2007) vol. 102, pp. 063510-1 to 063510-8.
“Effect of Halogenation on the Shock Properties of Semicrystalline Thermoplastics”
317. J.C.F. Millett, N.K. Bourne, and G.T. Gray III:
Metall. and Materials Transactions, (2008) vol. 39A, pp. 322-334.
“The Behaviour of Nickel, Ni-60Co, and Ni3Al during One-Dimensional Shock Loading”
318. R.K. Govier, G.T. Gray III, and W.R. Blumenthal:
Metall. and Materials Transactions, (2008) vol. 39A, pp. 535-538.
“Comparison of the influence of temperature on the high-strain-rate mechanical responses of PBX 9501 and EDC37”
319. J. Zhang, Y. Zhao, R.S. Hixson, G.T. Gray III, L. Wang, W. Utsumi, S. Hiroyuki, and H. Takanori:
J. Physics and Chemistry of Solids, (2008), vol. 69, pp. 2559-2563.
“ Experimental Constraints on the Phase Diagram of Titanium Metal”
320. J.R. Asay, T. Ao, J-P Davis, C. Hall, T.J. Vogler, and G.T. Gray III:
J. Appl. Phys., (2008) vol. 103, pp. 083514-1 to 083514-16.
“Effect of initial properties on the flow strength of aluminum during quasi-isentropic compression”
321. M.B. Zellner, W. Vogan McNeil, G.T. Gray III, D.C. Huerta, N.S.P. King, G.E. Neal, S.J. Valentine , J.R. Payton, J. Rubin, G.D. Stevens, W.D. Turley, W.T. Buttler:
J. Appl. Phys.: (2008) vol. 103, pp. 083521-1 to 083521-9.
“Surface Preparation Methods to Enhance Dynamic Surface Property Measurements of Shocked Metal Surfaces”
322. N.K. Bourne, E.N. Brown, J.C.F. Millett, and G.T. Gray III:
J. Appl. Physics, (2008) vol. 103, pp. 074902-1 to 074902-9.
“Shock Release and Taylor Impact in the Semi-Crystalline ThermoPlastic Polytetrafluoroethylene”
323. J. Zhang, Y. Zhao, R.S. Hixson, and G.T. Gray III:
Phys. Rev. B., (2008), vol. 78, pp. 054119-1 to 054119-7.
“Thermal Equations of State for Titanium Obtained by High Pressure – Temperature Diffraction Studies”
324. J.C.F. Millett, E.N. Brown, N.K. Bourne, and G.T. Gray III:
Society for Experimental Mechanics - 11th International Congress and Exhibition on Experimental and Applied Mechanics 2008 (2008) Vol.3, p.1588-1593.
“The behavior of a fluorinated triopolymer during one-dimensional shock loading”
325. J.C.F. Millett, G. Whiteman, G.T. Gray III, and N.K. Bourne:

- J. Appl. Phys. (2008), vol. 104, pp. 073531-1 to 073531-7.
“The Role of Anisotropy in the Response of the Titanium Alloy, TI-6AL-4V to Shock Loading”
326. D. Bhattacharyya, E.K. Cerreta, R. McCabe, M. Niewczas, G.T. Gray III, A. Misra, and C.N. Tome:
Acta Materialia, (2009), vol. 57, pp. 305-315.
“Origin of Dislocations within Tensile and Compressive Twins in Textured Zr”
327. F. Cao, E.K. Cerreta, C.P. Trujillo, and G.T. Gray III:
Acta Materialia, (2008) vol. 56, pp. 5804-5817.
“Dynamic Tensile Extrusion Response of Tantalum”
328. D.B. Hayes, G.T. Gray III, R.S. Hixson, C.A. Hall, M.E. Byers, and J.E. Vorthman:
Int. J. Plasticity, (2009), vol. 25, pp. 635-648.
“U-6Nb Shear Stress Relaxation in Compression Waves”
329. E.K. Cerreta, I.J. Frank, G.T. Gray III, C.P. Trujillo, D.A. Korzekwa, and L.M. Dougherty:
Materials Science and Engineering A, (2009) vol. 501, pp. 207-219.
“The Influence of Microstructure on the Mechanical Response of Copper in Shear”
330. L.M. Dougherty, G.T. Gray III, E.K. Cerreta, R.J. McCabe, R.D. Field, and J.F. Bingert:
Scripta Materialia, (2009), vol. 60, pp. 772-775.
“Rare Twin Linked to High Pressure Transition in Iron”
331. L.M. Dougherty, E.K. Cerreta, G.T. Gray III, C.P. Trujillo, M.F. Lopez, K.S. Vecchio, and G.J. Kusinski:
Metall. and Materials Transactions, (2009), vol. 40A, pp. 1835-1850.
“Mechanical Behavior and Microstructural Development of Mild Steel and Microcomposite Steel Reinforced Bars Deformed under Quasi-static and Dynamic Shear Loading”
332. B.J. Jensen, G.T. Gray III, and R.S. Hixson:
Journal of Applied Physics, (2009), vol. 105, pp. 103502-1 to 103502-7.
“Direct Measurements of the α - ϵ Transition Stress and Kinetics for Shocked Iron”
333. N.K. Bourne, G.T. Gray III, and J.C.F. Millett:
Applied Physics Reviews (2009), vol. 106, pp. 091301-1 to 091301-14.
“On the Shock Response of Cubic Metals”
334. N.K. Bourne, J.C.F. Millett, and G.T. Gray III:
Journal of Materials Science (2009) vol. 44, pp. 3319-3343.
“On the Shock Compression of Polycrystalline Metals”
335. C.M. Cady, G.T. Gray III, C. Liu, M.L. Lovato, and T. Mukai:
J. Mat. Sci. and Eng. A, (2009), vol. 525, iss. 1-2, pp. 1-6.
“Compressive Properties of a Closed-Cell Aluminum Foam as a Function of Strain Rate and Temperature”
336. G.T. Gray III, V. Livescu, E.K. Cerreta, T.A. Mason, P.J. Maudlin, and J.F. Bingert:
DYMAT 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol. 2/2 (2009) p.963-969.

“Influence of Shockwave Obliquity on Deformation Twin Formation in Ta”

337. D.D. Koller, E.K. Cerreta, and G.T. Gray III:
DYMAT 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol. 2/2 (2009) p.1061-1067.
“Shock-Induced Multi-Mode Damage in Depleted Uranium”
338. E.K. Cerreta, J.F. Bingert, C.P. Trujillo, M.F. Lopez, and G.T. Gray III:
DYMAT 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, vol. 2/2 (2009) p. 977-983.
“Dynamic Shear Deformation in High Purity Iron”
339. E.N. Brown, G.T. Gray III, and C.P. Trujillo:
Euro DYMAT 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, vol. ½ (2009), p. 171-177.
“Influence of Necking Propensity on the Dynamic Tensile Extrusion Response of Fluoropolymers”
340. C.M. Cady, G.T. Gray III, S.R. Chen, E.K. Cerreta, C.P. Trujillo, M.F. Lopez, R.M. Aiken, D.R. Korzekwa, and A.M. Kelly:
DYMAT 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol. 2/2 (2009) p.1045-1051.
“The Mechanical Response of a Uranium-Niobium Alloy: A Comparison of Cast versus Wrought Processing”
341. J.R. Asay, T. Ao, T.J. Vogler, J-P Davis, and G.T. Gray III:
J. Appl. Phys., (2009) vol. 106, pp. 073515-1 to 073515-20.
“Yield Strength of Tantalum for Shockless Compression to 18 GPa”
342. P.A. Rigg, C.W. Greeff, M.D. Knudson, G.T. Gray III, and R.S. Hixson:
J. Appl. Phys., (2009) vol. 106, pp. 123532-1 to 123532-9.
“Influence of Impurities on the α to ω Phase Transition in Zirconium Under Dynamic Loading Conditions”
343. E.N. Brown, C.P. Trujillo, and G.T. Gray III:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 1233-1236.
“Dynamic-Tensile-Extrusion Response of Fluoropolymers”
344. G.T. Gray III, L.M. Hull, J.R. Faulkner, M.E. Briggs, E. K. Cerreta, F.L. Addessio, and N.K. Bourne:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 1097-1102.
“The effects of shockwave profile shape and shock obliquity on spallation: kinetic and stress-state effects on damage evolution”
345. M.Q. Chu, I.P. Jones, J.C.F. Millett, N.K. Bourne and G.T. Gray III:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 1113-1118.

- “The Effect of heat treatment on the shock response of the aluminium alloy, 6061”
346. J.C.F. Millett, N.K. Bourne, S.M. Stirk and G.T. Gray III:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 957-960.
“The Shock Response of the Magnesium–Aluminum Alloy, AZ61”
347. A. Ruggiero, N. Bonora, L. Esposito, and G.T. Gray III:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 1073-1076.
“Ductile Damage Evolution Assessment in High Purity Copper and Stainless Steel Subjected to Different Shock-Loading Profiles using Cohesive Modeling”
348. C.D. Adams, W.W. Anderson, G.T. Gray III, W.R. Blumenthal, C.T. Owens, F.J. Freibert, J.M. Montoya, and P.J. Contreras:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 509-512.
“Spall and Damage Behavior of S200F Beryllium”
349. P.A. Rigg, C.W. Greeff, M.D. Knudson, and G.T. Gray III:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 1171-1174.
“Influence of Impurities on the Solid-Solid Phase Transitions in Zirconium”
350. M.Q. Chu, I.P. Jones, J.C.F. Millett, N.K. Bourne, and G.T. Gray III:
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 953-956.
“The Role of Transmission Electron Microscopy in Assessing Shock Plasticity”
351. M.D. Furnish, G.T. Gray III, and J.F. Bingert.
Shock Compression of Condensed Matter-2009, M.L. Elert, W.T. Buttler, M.D. Furnish, W.W. Anderson, and W.G. Proud ed., AIP Conf. Proc. #1195, American Institute of Physics Press, Woodbury, New York (2009), pp. 1089-1092.
“Comparison of Line-Imaging VISAR Interferences of Spalled Sample Distension with Metallographic Analysis of Recovered Samples”
352. Chu, M., Millett, J.C.F., Bourne, N.K., Jones, I.P., Appleby-Thomas, G.J., Hazell, P.J. and Gray III, G.T.
Society for Experimental Mechanics - SEM Annual Conference and Exposition on Experimental and Applied Mechanics 2009 (2009) Vol.1, p.504-505.
“Shock loading response of 5083 aluminium”
353. F. Cao, I.J. Beyerlein, F.L. Addessio, B.H. Sencer, C.P. Trujillo, E.K. Cerreta, and G.T. Gray III:
Acta Materialia, (2010), vol. 58, issue 2, pp. 549-559.

- “Orientation dependence of shock-induced twinning and substructures in a copper bicrystal”
354. G.T. Gray III, N.K. Bourne, K.S. Vecchio, and J.C.F. Millett:
International Journal of Fracture, (2010) vol. 163, pp. 243-258.
“Influence of Anisotropy (Crystallographic and Microstructural) on Spallation in Zr, Ta, HY-100 Steel, and 1080 Eutectoid Steel”
 355. J.C.F. Millett, S.M. Stirk, N.K. Bourne, and G.T. Gray III:
Acta Materialia, (2010) vol. 58, #17, pp. 5675-5682.
“On the Behaviour of the Magnesium Alloy, AZ61, to One-Dimensional Loading”
 356. G.T. Gray III:
Journal of Metals, (2010), vol. 62, iss. 3, pp. 9-10.
“Predictive Capability for Inverting Information Flow from Performance to Structure to Processing: An Evolving Paradigm Shift in MSE”
 357. Gray III, G.T., Livescu, V., and Cerreta, E.K.
Materials Science Forum (2010) Vol.654-656, p.2297-2302.
“Defect and damage evolution quantification in dynamically-deformed metals using orientation-imaging microscopy”
 358. J.C.F. Millett, N.K. Bourne, M.Q. Chu, I.P. Jones, G.T. Gray III, and G. Appleby-Thomas: J. Appl. Physics, (2010), vol. 108, pp. 073502-1 to 073502-9.
“The Role of Aging on the Mechanical and Microstructural Response of Aluminum 6061 to One-Dimensional Shock Loading”
 359. M.D. Furnish, G.T. Gray III, and J.F. Bingert:
Society for Experimental Mechanics - SEM Annual Conference and Exposition on Experimental and Applied Mechanics 2010 (2010) Vol.2, p.1482-1483.
“Line VISAR and Post-Shot Metallography Comparisons for Spall Analysis”
 360. C.P. Trujillo, E.N. Brown, and G.T. Gray III:
Society for Experimental Mechanics - SEM Annual Conference and Exposition on Experimental and Applied Mechanics 2010, (2010) Vol.1, pp.332-334.
“Dynamic-tensile-extrusion response of polytetrafluoroethylene(PTFE) and polychlorotrifluoroethylene(PCTFE)”
 361. C. A. Bronkhorst, P. J. Maudlin, G. T. Gray III, E. K. Cerreta, E. N. Harstad, F. L. Addessio, (2011). *Accounting for Microstructure in Large Deformation Models of Polycrystalline Metallic Materials*, in Computational Methods for Microstructure-Property Relationships, Springer, New York.
 362. J.C.F. Millett, N.K. Bourne, N.T. Park, G. Whiteman, and G.T. Gray III:
J. of Materials Science, (2011), vol. 46, pp. 3899-3906.
“On the Behaviour of Body-Centered-Cubic Metals to One-Dimensional Loading”
 363. M.A. Gagliardi, B.H. Sencer, A.W. Hunt, S.A. Maloy, and G.T. Gray III:
J. Nondestruct Eval, (2011), vol. 30, iss. 4, pp. 221-224.

- “Relative Defect Density Measurements of Laser Shock Peened 316L Stainless Steel Using Positron Annihilation Spectroscopy”
364. A. G. Perez-Bergquist, E. K. Cerreta, C. P. Trujillo, F. Cao, and G. T. Gray III: Scripta Materialia, (2011) vol. 65, pp. 1069-1072.
“Orientation Dependence of Void Formation and Substructure Deformation in a Spalled Copper Bicrystal”
365. S. J. Perez-Bergquist, G.T. Gray III, E.K. Cerreta, C.P. Trujillo, and A. Perez-Bergquist: Mats. Sci. & Eng., (2011) vol. A528, pp. 8733-8741.
“The Dynamic and Quasi-static Mechanical Response of Three Aluminum Armor Alloys: 5059, 5083, and 7039.”
366. G.T. Gray III:
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 19-26.
(2012), 2012 American Institute of Physics
“Material Response to Shock / Dynamic Loading: Windows into Kinetic and Stress-State Effects on Defect Generation and Damage Evolution”
367. S.J. Fensin, E.K. Cerreta, J.P. Escobedo, G.T. Gray III, A. Farrow, C.P. Trujillo, and M.F. Lopez:
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 1317-1320.
(2012), 2012 American Institute of Physics
“The Role of Interfaces on Dynamic Damage in Two Phase Metals”
368. J. Furmanski, C. Cady, P. Rae, C.P. Trujillo, G.T. Gray III, and E.N. Brown:
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 1085-1088.
(2012), 2012 American Institute of Physics
“Dynamic-Tensile-Extrusion of Polyurea”
369. S.J. Perez-Bergquist, G.T. Gray III, S.A. Maloy, E.K. Cereta, and O. Anderoglu
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 1355-1358.
(2012), 2012 American Institute of Physics
“Role of Stored Defects on the Mechanical Response of Shock Prestrained HT-9 Steel”
370. A.G. Perez-Bergquist, J.P. Escobedo, C.P. Trujillo, E.K. Cerreta, G.T. Gray III, C. Brandl, and T.C. Germann:
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 1359-1362.
(2012), 2012 American Institute of Physics
“The Role of Structure of Grain Boundary Interfaces during Shock Loading”
371. J.C.F. Millett, M. Cotton, G. Whitman, N.K. Bourne, N.T. Park and G.T. Gray III:
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 1077-1080.
(2012), 2012 American Institute of Physics
“Shock Response of Body Centered Cubic Metals”
372. Jonathan L. Belof, Robert M. Cavallo, Russell T. Olson, Robert S. King, George T. Gray III, David B. Holtkamp, Shuh-Rong Chen, Robert E. Rudd, Nathan R. Barton,

- Athanasios Arsenlis, Bruce A. Remington*, Hye-Sook Park, Shon T. Prisbrey, Peter A. Vitello, Grant Bazan, Karnig O. Mikaelian, Andrew J. Comley, Brian R. Maddox, and Mark J. May :
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 1521-1524.
(2012), 2012 American Institute of Physics
“Rayleigh-Taylor Strength Experiments of the Pressure-Induced $\alpha \rightarrow \epsilon \rightarrow \alpha'$ Phase Transition in Iron”
373. C.P. Trujillo, D.T. Martinez, M.W. Burkett, J.P. Escobedo, E.K. Cerreta, and G.T. Gray III:
Shock Compression of Condensed Matter – 2011, AIP Conf. Proc. 1426, pp. 406-409.
(2012), 2012 American Institute of Physics
“A Novel Use of PDV for an Integrated Small Scale Test Platform”
374. E.K. Cerreta, J.P. Escobedo, A. Perez-Bergquist, D.D. Koller, C.P. Trujillo, G.T. Gray III, C. Brandl, and T.C. Germann: (2012) Scripta Materialia, vol. 66, iss. 9, pp. 638-641.
“Early Stage Dynamic Damage and the Role of Grain Boundary Type”
375. Alejandro G. Perez-Bergquist, Fang Cao, Sara J. Perez-Bergquist, Mike F. Lopez, Carl P. Trujillo, Ellen K. Cerreta, George T. Gray III:
J. Alloys and Compounds, (2012), vol. 524, pp. 32-37 .
“The Constitutive Response of Three Solder Materials”
376. A. G. Perez-Bergquist, E. K. Cerreta, C. P. Trujillo, G. T. Gray III, C. Brandl, and T. C. Germann:
Scripta Materialia, (2012), vol. 67, pp. 412-415.
“Transmission Electron Microscopy Study of the Role of Interface Structure at 100/111 Boundaries in a Shocked Cu Multicrystal”
377. J.P. Escobedo, E.K. Cerreta, C.P. Trujillo, D.T. Martinez, R.A. Lebensohn, V.A. Webster, and G.T. Gray III:
Acta Materialia, (2012) vol. 60, pp. 4379-4392.
"Influence of Texture and Test Velocity on the Dynamic, High Strain, Tensile Behavior of Zirconium"
378. E.K. Cerreta, J.F. Bingert, G.T. Gray III, C.P. Trujillo, M.F. Lopez, C.A. Bronkhorst, and B.L. Hansen: Int. Journal of Plasticity, (2013) vol. 40, pp. 23-38.
“Microstructural examination of Quasi-Static and Dynamic Shear in High-Purity Iron”
379. J. Furmanski, E.N. Brown, B. Clements, C.M. Cady, and G.T. Gray III:
DYMAT 2012 - 10th International Conference on the Mechanical and Physical Behaviour of Materials under Dynamic Loading, Freiburg, Germany, Edited by S. Hiermaier; EPJ Web of Conferences, Volume 26, **26**, 01057 (2012)
“ Large-strain time-temperature equivalence in high density polyethylene for prediction of extreme deformation and damage”
380. C.M. Cady, C.D. Adams, L.M. Hull, G.T. Gray III, M.B. Prime, F.L. Addessio, T.A.
DYMAT 2012 - 10th International Conference on the Mechanical and Physical

- Behaviour of Materials under Dynamic Loading, Freiburg, Germany, Edited by S. Hiermaier; EPJ Web of Conferences, Volume 26, **26**, 01009 (2012)
“Characterization of shocked beryllium”
381. E. K. Cerreta, J.P. Escobedo, P.A. Rigg, F.L. Addessio, T. Lookman, C.A. Bronkhorst, C.P. Trujillo, D.W. Brown, P.O. Dickerson, R.M. Dickerson, and G.T. Gray III: DYMAT 2012 - 10th International Conference on the Mechanical and Physical Behaviour of Materials under Dynamic Loading, Freiburg, Germany, Edited by S. Hiermaier; EPJ Web of Conferences, Volume 26, **26**, 02013 (2012)
“The Influence of Peak Shock Stress on the High Pressure Phase Transformation in Zirconium”
382. E.N. Brown, J.P. Escobedo, C.P. Trujillo, and G.T. Gray III: DYMAT 2012 - 10th International Conference on the Mechanical and Physical Behaviour of Materials under Dynamic Loading, Freiburg, Germany, Edited by S. Hiermaier; EPJ Web of Conferences, Volume 26, **26**, 02010 (2012)
“The effect of shockwave profile shape on dynamic brittle fracture”
383. G.T. Gray III, L.M. Hull, V. Livescu, J.R. Faulkner, M.E. Briggs, and E.K. Cerreta: DYMAT 2012 - 10th International Conference on the Mechanical and Physical Behaviour of Materials under Dynamic Loading, Freiburg, Germany, Edited by S. Hiermaier; EPJ Web of Conferences, Volume 26, **26**, 02004 (2012).
“Influence of sweeping detonation-wave loading on shock hardening and damage evolution during spallation loading in tantalum”
384. G.T. Gray III:
Annual Review of Materials Research, (2012), vol. 42, pp. 285-303. [Invited Review]
“High-Strain-Rate Deformation: Mechanical Behavior and Deformation Substructures Induced”
385. J. Furmanski, C.P. Trujillo, D.T. Martinez, G.T. Gray III, and E.N. Brown:
Polymer Testing, (2012), vol. 31, pp. 1031-1037.
“Dynamic-Tensile-Extrusion for investigating large strain and high strain rate behavior of polymers”
386. G.T. Gray III:
Characterization of Materials – 2nd Edition, edited by Elton N. Kaufmann, (2012) John Wiley & Sons, Inc., Volume 1, pp. 390-403. [Invited Book Chapter]
387. Marko Knezevic, Rodney J. McCabe, Carlos N. Tomé, Ricardo A. Lebensohn, Shuh Rong Chen, Carl M. Cady, George T. Gray III, Bogdan Mihailia:
International Journal of Plasticity(2013) vol. 43, pp. 70-84.
“Modeling mechanical response and texture evolution of α -uranium as a function of strain rate and temperature using polycrystal plasticity”
388. S.J. Fensin, S.M. Valone, E.K. Cerreta, and G.T. Gray III:
Journal of Applied Physics, (2012), vol. 112, pp. 083529-1 to 083529-5.

- “Influence of Grain Boundary Properties on Spall Strength: Grain Boundary Energy and Excess Volume”
389. S.J. Fensin, S.M. Valone, E.K. Cerreta, J.P. Escobedo, G.T. Gray III, K. Kang and J. Wang:
Modeling and Simulation in Materials Science and Engineering, (2012), vol. 21, pp. 015011-1 to 015011-12.
“Effect of Grain Boundary Structure on Plastic Deformation during Shock Compression Using Molecular Dynamics”
390. B. L. Hansen, J. S. Carpenter, S. D. Sintay, C. A. Bronkhorst, R. J. McCabe, N. A. Mara, J. R. Mayeur, H. M.4, I. J. Beyerlein, S. R. Chen, and G. T. Gray III
International Journal of Plasticity (2013), vol. 49, pp. 71-84.
“Modeling the Texture Evolution of Cu/Nb Layered Composites during Rolling”
391. S.J. Fensin, C. Brandl, E.K. Cerreta, G.T. Gray, T.C. Germann, and S.M. Valone:
Journal of Metals (JOM), (2013), vol. 65, #3, pp. 410-418.
“Nanoscale Plasticity at Grain Boundaries in Face-centered Cubic Copper Under Shock Loading”
392. J.P. Escobedo, E.N. Brown, C.P. Trujillo, E.K. Cerreta, and G.T. Gray III:
J. of Applied Physics, (2013), vol. 113, pp. 103506-1 to 103506-9.
“The Effect of Shock Wave Profile on Dynamic Brittle Failure”
393. H.M. Mourad, C.A. Bronkhorst, F.L. Addessio, C.M. Cady, D.W. Brown, S.R. Chen, G.T. Gray III:
Computational Mechanics, (2014), vol. 53(5), pp. 941-955.
“Incrementally objective implicit integration of hypoelastic–viscoplastic constitutive equations based on the mechanical threshold strength model”
394. E.N. Brown, R.T. Olson, G.T. Gray III, W.T. Buttler, D. M. Oro, M.B. Zellner, D.P. Dandekar, N.S.P. King, K.K. Kwiatkowski, F.G. Mariam, M. Marr-Lyon, F.E. Merrill, C. Morris, D. Tupa, A. Saunders, W. Vogan:
Conference Proceedings of the Society for Experimental Mechanics Series, Dynamic Behavior of Materials, Vol.1, (2014) pp. 405-411.
“Quantitative Visualization of High-Rate Material Response With Dynamic Proton Radiography”
395. Furmanski, J. ; Brown, E.N. ; Trujillo, C.P. ; Martinez, D.T. ; Gray III, G.T.
Conference Proceedings of the Society for Experimental Mechanics Series, 2014, Vol.1, pp. 267-273.
“Incipient and progressive damage in polyethylene under extreme tensile conditions”
396. Brown, E.N., Escobedo, J.P., Trujillo, C.P., Cerreta, E.K. and Gray III, G.T.
Conference Proceedings of the Society for Experimental Mechanics Series, 2014, Vol.1, pp. 209-215.
“Shock-wave Profile effects on Dynamic Failure of Tungsten Heavy Alloy”

397. G.T. Gray III, N.K. Bourne, V. Livescu, C.P. Trujillo, S. MacDonald, and P. Withers:
J. of Phys. Conf. Ser. (2014), **500** 112031.
“The Influence of Shock-Loading Path on the Spallation Response of Ta”
398. R T Olson, E K Cerreta, C Morris, A M Montoya, F G Mariam, A
Saunders, R S King, E N Brown, G T Gray and J F Bingert
J. of Phys. Conf. Ser. (2014), **500** 112048.
“The effect of microstructure on Rayleigh-Taylor instability growth in solids”
399. EN Brown, J Furmanski, KJ Ramos, DM Dattelbaum, BJ Jensen, AJ Iverson, CA
Carlson, K Fezzaa, GT Gray III, BM Patterson, C Trujillo, D Martinez
J. of Phys. Conf. Ser. (2014), **500** 112011.
“High-density Polyethylene Damage at Extreme Tensile Conditions”
400. C.D. Adams, W.W. Anderson, W.R. Blumenthal, and G.T.Gray III:
J. of Phys. Conf. Ser. (2014), **500** 112001.
“Elastic Precursor Decay in S-200F Beryllium”
401. J.P. Escobedo, C.P. Trujillo, E.K. Cerreta, G.T. Gray III, and E.N. Brown:
J. of Phys. Conf. Ser. (2014), **500** 112012.
“Effect of Shock Wave Duration on Dynamic Failure of Tungsten Heavy Alloy”
402. E.K. Cerreta, F.L. Addessio, C.A. Bronkhorst, D.W. Brown, J.P. Escobedo, S.J. Fensin,
G.T. Gray III, T. Lookman, P.A. Rigg, and C.P. Trujillo:
J. of Phys. Conf. Ser. (2014), **500** 032003.
“The Influence of Peak Shock Stress on the High Pressure Phase Transformation in Zr”
403. E.N. Brown, C.M. Cady, G.T. Gray III, L.M. Hull, J.H. Cooley, C.A. Bronkhorst, and
F.L. Addessio:
J. of Phys. Conf. Ser. (2014), **500** 112013.
“Characterization of Shocked Beryllium”
404. S.J. Fensin, S.M. Valone, E.K. Cerreta, and G.T. Gray III:
J. of Phys. Conf. Ser. (2014), **500** 112024.
“Predicting Failure Stress for Grain Boundaries using Average and Local Properties”
405. L. Hull, G. T. Gray III, J. Faulkner, and M. Briggs:
J. of Phys. Conf. Ser. (2014), **500** 112034.
“Damage in Low Alloy Steel Produced by Sweeping, Interacting Detonation Waves”
406. J.C.F. Millett, G. Whiteman, N.K. Bourne, S. Case, and G.T. Gray III:
J. of Phys. Conf. Ser. (2014), **500** 112046.
“Shear Strength Developments during Shock Loading in Tantalum Alloys: Effects of
Cold Work and Alloying”
407. S.J. Fensin, J.P. Escobedo-Diaz, C. Brandl, E.K. Cerreta, G.T. Gray III, T.C. Germann,
and S.M. Valone:
Acta Materialia, (2014), vol. 64, pp. 113-122.

“Effect of Loading Direction on Grain Boundary Failure under Shock Loading”

408. L.M. Hull, G.T. Gray III, and B.J. Warthen:
J. Appl. Physics, (2014) vol. 116, pp. 043504-1 to 043504-16.
“Dynamic density field measurements of an explosively driven α - ϵ phase transition in iron”
409. S.J. Fensin, J.P. Escobedo, G.T. Gray III, B.M. Patterson, C.P. Trujillo, and E.K. Cerreta:
J. Appl. Physics, (2014), vol. 115(20), pp. 203516.
“Dynamic Damage Nucleation and Evolution in Multiphase Materials”
410. J.P. Escobedo, E.K. Cerreta, D.T. Martinez, C.P. Trujillo, R.A. Lebersohn, and G.T. Gray III: Metallurgical and Materials Transactions, (2014), vol 45A(13), pp. 5877-5882.
“Influence of Temperature on the Dynamic Tensile Behavior of Zirconium”
411. S.J. Fensin, E.K. Cerreta, G.T. Gray III, and S.M. Valone:
Scientific Reports, (2014) vol. 4, pp. 5461.
“Why are some Interfaces in Materials Stronger than others?”
412. H. -S. Park, R. E. Rudd, R. M. Cavallo, N. R. Barton, A. Arsenlis, J. L. Belof, K. J. M. Blobaum, B. S. El-dasher, J. N. Florando, C. M. Huntington, B. R. Maddox, M. J. May, C. Plechaty, S. T. Prisbrey, B. A. Remington, R. J. Wallace, C. E. Wehrenberg, M. J. Wilson, A. J. Comley, E. Giraldez, A. Nikroo, M. Farrell, G. Randall, and G. T. Gray III: Physical Review Letters (2015), vol. 114, pp. 065502-1 to 065502-5..
“Grain Size Independent Plastic Flow at Ultra-high Pressures and Strain Rates”
413. E. Loomis, J. Hammerberg, J.C. Cooley, T. Shimada, R.P. Johnson, P. Peralta, R. Olson, and G.T. Gray III.
J. Applied Physics, (2015), vol. 117, pp. 185906-1 to 185906-10.
“High-resolution measurements of shock behavior across frictional Be/Cu interfaces”
414. G.T. Gray III, V. Livescu, P.A. Rigg, C.P. Trujillo, C.M. Cady, S.R. Chen, J.S. Carpenter, T.J. Lienert, S. Fensin:
The European Physical Journal, vol. 94, 02006, (2015).
“Structure / Property (Constitutive and Dynamic Strength / Damage) Characterization of Additively Manufactured 316L SS”
415. S.J. Fensin, E.K. Walker, E.K. Cerreta, and G.T. Gray III:
The European Physical Journal, vol. 94, 02010, (2015).
“When do Interfaces Become Important for Failure?”
416. E.K. Cerreta, G.T. Gray III, C.P. Trujillo, M.L. Potocki, S. Vachhani, D.T. Martinez, M.L. Lovato:
The European Physical Journal, vol. 94, 02015, (2015).
“Strength and Failure of a Damaged Material”

- 417: E.N. Brown, K.J. Ramos, D.M. Dattelbaum, B.J. Bensen, G.T. Gray III, C.A. Patterson, C.P. Trujillo, D. Martinez, B.M. Pierce, C.P. Iverson, D.T. Carlson, T.H. Fezzaa, J. Furmanski:
Conference Proceedings of the Society for Experimental Mechanics Series, (2015), Vol. 65 (1), pp. 53-59.
“In-situ Postmortem Measures of Damage in Polymers at High Strain-Rates”
- 418: E. Aydogan, O. Anderoglu, S.A. Maloy, V. Livescu, G.T. Gray, D.J. Williams:
Materials Science and Engineering A; (2016), vol. A651, pp. 75-82.
“Effect of Shock Loading on the Microstructure, Mechanical Properties and Grain Boundary Characteristics of HT-9 Ferritic/Martensitic Steels”
419. G.T. Gray III, K.S. Vecchio, and V. Livescu:
Acta Materialia, (2016), vol. 103, pp. 12-22.
“Compact Forced Simple-Shear Sample for Studying Shear Localization in Materials”
- 420: George T. (Rusty) Gray III, V. Livescu, R.A. Beal, E.K. Cerreta, and B.M. Morrow:
Proceedings of the 13th World Conference on Titanium, (2016), pp. 645-650, Edited by: Vasisht Venkatesh, Adam L. Pilchak, John E. Allison, Sreeramamurthy Ankem, Rodney Boyer, Julie Christodoulou, Hamish L. Fraser, M. Ashraf Imam, Yoji Kosaka, Henry J. Rack, Amit Chatterjee, and Andy Woodfield, TMS (The Minerals, Metals & Materials Society).
“The Shear Response of High-Purity Ti and Ti-6Al-4V As a Function of Texture”
- 421: B.M. Morrow, R.A. Lebensohn, C.P. Trujillo, F.L. Addessio, C.A. Bronkhorst, T. Lookman, G.T. Gray III, E.K. Cerreta:
Proceedings of the 13th World Conference on Titanium, (2016), pp. 1143-1148, Edited by: Vasisht Venkatesh, Adam L. Pilchak, John E. Allison, Sreeramamurthy Ankem, Rodney Boyer, Julie Christodoulou, Hamish L. Fraser, M. Ashraf Imam, Yoji Kosaka, Henry J. Rack, Amit Chatterjee, and Andy Woodfield, TMS (The Minerals, Metals & Materials Society).
“Characterization and Modeling of Titanium Single Crystals Following Dynamic Compression by Split Hopkinson Pressure Bar”
- 422: C.C. Long, D.Z. Zhang, C.A. Bronkhorst, and G.T. Gray III:
Computer Methods in Applied Mechanics and Engineering, (2016), vol. 300, pp. 611-627.
“Representing Ductile Damage with the Dual Domain Material Point Method”
- 423: S.J. Fensin, E.K. Walker, E.K. Cerreta, C.P. Trujillo, D.T. Martinez, and G.T. Gray III:
Journal of Applied Physics, (2015), vol. 118, pp. 235305-1 to 235305-8.
“Dynamic Failure in Two-Phase Materials”
- 424: C. Bronkhorst, G.T. Gray III, F. Addessio, V. Livescu, N.K. Bourne, S. MacDonald, and P. Withers:
Journal of Applied Physics, (2016), vol. 119, pp. 085103.
“Response and Representation of Ductile Damage under Varying Shock Loading Conditions in Tantalum”

- 425: Veronica Livescu, Curt A. Bronkhorst, Scott A. Vander Wiel, Donald W. Brown, Jason R. Mayeur, George T. Gray III, John S. Carpenter, Olivia F. Dipppo, Manuel L. Lovato: 9th Pacific Rim International Conference, (2016)
“Linking Microstructure, Performance, and Prediction”
426. J.C.F. Millett, E.N. Brown, G.T. Gray III, N.K. Bourne, D.C. Wood, and G. Appleby-Thomas:
J. Dynamic Behavior of Materials, (2016) vol. 2, pp. 326-336.
The Effects of Changing Chemistry on the Shock Response of Basic Polymers”
427. Chaoyi Zhu, Tyler Harrington, Veronica Livescu, George T. Gray III, and Kenneth S. Vecchio:
Acta Materialia, (2016), vol. 118, pp. 383-394.
“Determination of Geometrically Necessary Dislocations in Large Shear Strain Localization in Aluminum”
428. S.J. Fensin, D.R. Jones, E.K. Walker, S.D. Imhoff, A. Farrow, K. Clarke, G.T. Gray III, C.P. Trujillo, D.T. Martinez, and E.K. Cerreta:
Journal of Applied Physics, (2016), vol. 120, pp. 085901-1 to 085901-7.
“The Effect of Distribution of Second Phase on Dynamic Damage”
429. D.R. Jones, S.J. Fensin, O. Dipppo, R.A. Beal, V. Livescu, D.T. Martinez, C.P. Trujillo, J.N. Florando, M. Kumar, and G.T. Gray III:
Journal of Applied Physics, (2016), vol. 120, pp. 135902-1 to 135902-8.
“Spall fracture in additive manufactured Ti-6Al-4V”
430. S.J. Vachhani, C. Trujillo, N. Mara, V. Livescu, C. Bronkhorst, G.T. Gray III, and E. Cerreta.
J. Dyn. Beh. Mater., (2016), vol. 2, pp. 511-520.
“Local Mechanical Property Evolution During High Strain-Rate Deformation of Tantalum”
431. G.T. Gray III, L.M. Hull, V. Livescu, M.E. Briggs, and R.K. Meyer:
Shock Compression of Condensed Matter-2015, AIP Conf. Proc. 1793, (2016), 110002-1-110002-5.
“Influence of sample geometry on sweeping-detonation-wave spallation in tantalum”
432. N.K. Bourne, G.T. Gray III, and C.A. Bronkhorst:
Shock Compression of Condensed Matter-2015, AIP Conf. Proc. 1793, (2016), 100006-1-100006-9
“Critical Conditions for Failure; Stress Levels, Length Scales, Time Scales”
433. S.J. Vachhani, C.P. Trujillo, M.L. Potocki, D.T. Martinez, M.L. Lovato, G.T. Gray III and E.K. Cerreta:
Shock Compression of Condensed Matter-2015, AIP Conf. Proc. 1793, (2016), 100013-1-100013-6.
“Mechanical behavior and strength in spalled copper”

434. W.T. Buttler, G.T. Gray III, S.J. Fensin, M. Grover, M.B. Prime, G.D. Stevens, J.B. Stone, and W.D. Turley:
Shock Compression of Condensed Matter-2015, AIP Conf. Proc. 1793, (2016), 110005-1-110005-4.
“Yield strength of Cu and a CuPb alloy (1% Pb)”
435. S.J. Fensin, S.M. Valone, E.K. Cerreta, G.T. Gray III and S. Shao:
Shock Compression of Condensed Matter-2015, AIP Conf. Proc. 1793, (2016), 070017-1-070017-5.
“Nucleation and Evolution of Dynamic Damage at Cu/Pb Interfaces Using Molecular Dynamics”
436. A.D. Resnyansky, E.N. Bronw, C.P. Trujillo, and G.T. Gray III:
Shock Compression of Condensed Matter-2015, AIP Conf. Proc. 1793, (2016), 140005-1-140005-6.
“Constitutive Modeling of the Dynamic-Tensile-Extrusion Test of PTFE”
437. Frank J. Cherne, George T. Gray III, Ann M. Kaul, Dean L. Peterson, Marvin A. Zocher, Anatoly L. Mikhaylov, Victor A. Raevsky, Stanislav A. Novikov, Mikhail V. Zhernokletov, Olga N. Ignatova, Evgeny A. Kozlov, Aleksander V. Petrovtsev, Vyacheslav M. Elkin, Anatoly M. Bragov, and Andrey K. Lumunov:
Doomed to Cooperate, (2016) edited by Siegfried S. Hecker, Bathtub Row Press, P.O. Box 43, 1050 Bathtub Row, Los Alamos, NM 87544; ISBN 978-0-941232-44-9; Volume II, pp. 271-282.
“Dynamic Behavior of Materials”
438. Akhil Tayal, Steven Conradson, Olga Batuk, Saryu Fensin, Ellen Cerreta, George Gray III, and Avadh Saxena:
J. Applied Physics, (2017) vol. 122, pp. 125109-1 to 125109-13.
"Nanoscale heterogeneity as remnant hexagonal-type local structures in shocked Cu-Pb and Zr"
439. C. Zhu, V. Livescu, T. Harrington, O. Dippo, G.T. Gray III, and K.S. Vecchio:
Int. J. Plasticity, (2017), vol. 92, pp. 148-163.
“Investigation of the shear response and geometrically necessary dislocation densities in shear localization in high-purity titanium”
440. D.R. Jones, B.M. Morrow, C.P. Trujillo, G.T. Gray III and E.K. Cerreta:
J. Appl. Physics, (2017), vol. 122, pp. 045902-1 to 045902-6.
“The Alpha-Omega Phase Transition in Shock-Loaded Titanium”
441. G.T. Gray III, V. Livescu, P.A. Rigg, C.M. Cady, S.R. Chen, J.S. Carpenter, T.J. Lienert, S.J. Fensin:
Acta Materialia, (2017), vol. 138, pp. 140-149.
“Structure / Property (Constitutive and Spallation Response) of Additively Manufactured 316L Stainless Steel”
442. C. Zhu, T. Harrington, G.T. Gray III, and K.S. Vecchio:

- Acta Materialia, (2018), vol. 155, pp. 104-116.
“Dislocation-Type Evolution in Quasi-statically Compressed Polycrystalline Nickel”
443. B.P. Eftink, G.T. Gray, S.A. Maloy: Microsc. Microanal. (2017), Vol. 23(S1), pp. 210-211.
“Stereographic Methods for 3D Characterization of Dislocations”
444. Schuh, C.A. ; Hono, K. ; Wagner, W.R. ; Gault, B. ; D'Angelo, J. ; Gray III, G.T.
Acta Materialia, (15 October 2017), Vol. 139, pp. 261-262.
“Paths of open access: An Update from Acta Materialia, Inc.”
445. Sarah Thomas, M. Hawkins, Melissa Matthes, George T. Gray III, and Robert Hixson:
Journal of Applied Physics, (2018), v. 123, pp. 175902-1 to 175902-9.
“Dynamic strength properties and alpha-phase shock Hugoniot of iron and steel”
446. G.T. Gray III, V. Livescu, C. Knapp, and S. Fensin:
Society for Engineering Mechanics Annual Proceedings, Springer Press (2018).
“Structure / Property Behavior of Additively Manufactured (AM) Materials: Opportunities and Challenges”
447. G.T. Gray III, V. Livescu, C. Knapp, D. Jones, S. Fensin, S.R. Chen, C.M. Cady, C.P. Trujillo, and D. Martinez:
(2018), EPJ Web of Conferences, DYMAT 2018, 183, pp. 03002.
“Structure / Property (Constitutive and Dynamic Strength / Damage) Behavior of Additively Manufactured Tantalum”
448. Benjamin M. Morrow, David R. Jones, Paulo A. Rigg, George T. Gray III, and Ellen K. Cerreta:
(2018), EPJ Web of Conferences, DYMAT 2018, 183, pp. 03020.
“In-situ Experiments to Capture the Evolution of Microstructure During Phase Transformation of Titanium Under Dynamic Loading”
449. J.C.F. Millett, G.T. Gray III, G. Whiteman, S.J. Fensin², and G.D. Owen¹
(2018), EPJ Web of Conferences, DYMAT 2018, 183, pp. 02010.
“The Mechanical Response of Pre-Shocked Aluminum Single Crystals”
450. S. Fensin, G.T. Gray III, N.K. Bourne, E.S. Hixson:
(2018), EPJ Web of Conferences, DYMAT 2018, 183, pp. 03005.
“Microstructure Based Failure Criterion for Ductile Materials”
451. C.M. Cady, C. Liu, C.P. Trujillo, and G.T. Gray III:
(2018), EPJ Web of Conferences, DYMAT 2018, 183, pp. 02017.
“The Shear Response of Beryllium as a Function of Temperature and Strain Rate”
452. D. R. Jones, S. J. Fensin, C. P. Trujillo, D. T. Martinez, G. T. Gray III;
(2018), EPJ Web of Conferences, DYMAT 2018, 183, pp. 03021.
” Stress and Strain Rate Effects on Incipient Spall in Tantalum”

453. D.R. Jones, S.J. Fensin, D.T. Martinez, C.P. Trujillo, and G.T. Gray III:
J. Appl. Physics, (2018) v. 124, pp. 085901-1 to 085901-9.
“Effect of peak stress and tensile strain rate on spall in tantalum”
454. R. Pokharel, D.P. Adamas, L. Balogh, D. W. Brown, B. Clausen, G. T. Gray III, V. Livescu, S.C. Vogel, S. :
Scripta Materialia, (2018), vol. 155, pp.16-20.
“Signatures of the Unique AM Microstructure observed via Diffraction”
455. S. Takajo, D.W. Brown, B. Clausen, G.T. Gray, C.M. Knapp, D.T. Martinez, C.P. Trujillo, and S.C. Vogel:
Powder Diffraction, (2018), vol. 33(22), pp. 141-146.
“Spatially resolved texture and microstructure evolution of additively manufactured and gas gun deformed 304L stainless steel investigated by neutron diffraction and electron backscatter diffraction”
456. Jordan S. Weaver, Nan Li, Nathan A. Mara, David R. Jones, Hansohl Cho, Curt A. Bronkhorst, Saryu Fensin, and G.T. Gray III:
Acta Materialia, (2018), vol. 156, pp. 356-368.
“Slip transmission of high angle grain boundaries in body-centered-cubic metals: Micropillar compression of pure Ta single and bicrystals”
457. E.N. Hahn, S. J. Fensin, T. C. Germann and G. T. Gray III:
Acta Materialia, (2018), vol. 159, pp. 241-248.
“ Orientation dependent spall strength of tantalum single crystals”
458. V. Livescu, C.M., G.T. Gray III, B.M. Morrow, R.M. Martinez, B. G. Ndefru:
Materialia, (2018), vol. 1, pp. 15-24.
“Anisotropy of Additively Manufactured Tantalum Microstructures”
459. B.M. Morrow, T.J. Lienert, C.M. Knapp, J.O. Sutton, M.J. Brand, R.M. Pacheco, V. Livescu, J.S. Carpenter, and G.T. Gray III:
Metall. & Matls. Trans. A., (2018), Vol. 49A, pp. 3637-3650.
“Impact of Defects in Powder Feedstock Materials on Microstructure of 304L and 316L Stainless Steel Produced by Additive Manufacturing”
460. G.T. Gray III, C.M. Knapp, D.R. Jones, V. Livescu, S. Fensin, B.M. Morrow, C.P. Trujillo, D.T. Martinez, and J.A. Valdez:
Shock Compression of Condensed Matter – 2017, AIP Conf. Proc. 1979, (2018) pp. 060002-1 to 060002-5.
“Structure / property characterization of spallation in wrought and additively manufactured tantalum.
461. G. Whiteman, J.C.F. Millett, E.N. Brown, G.T. Gray III. And N.K. Bourne:
Shock Compression of Condensed Matter – 2017, AIP Conf. Proc. 1979, (2018) pp. 090014-1 to 090014-6.
“The Response of a Commercial Fluorinated Tri-Polymer to 1-D Shock Loading”

462. N.K. Bourne, D. Jones, S. Fensin, C. Trujillo, D. Martinez, and G.T. Gray: Shock Compression of Condensed Matter – 2017, AIP Conf. Proc. 1979, (2018) pp. 070007-1 to 070007-5.
“On the Dynamic Tensile Strength of an FCC Metal”
463. J. Agren, G.T. Gray III, J.S. Hwang, and D.K. Matlock: Advanced Materials and Processes: (2018), vol. 176, No. 5, pp. 14-17.
“Today’s Technology Trends: Shaping the Future of Advanced Materials”
464. J. Weaver, D.R. Jones, Nan Li, Nathan Mara, S.J. Fensin, G.T. Gray III: Matls. Sci. & Eng. A.: (2018), vol. 737, pp. 373-382.
“Quantifying heterogeneous deformation in grain boundary regions on shock loaded tantalum using spherical and sharp tip nanoindentation”
465. A. Yu. Konstantinov, A.K. Lomunov, T.N. Iuzhina, and G.T. Gray III: Problems of Strength and Plasticity, (2018), vol. 80(4), pp. 555-565.
Investigation of Wood Anisotropy under Dynamic Loading”
466. D.R. Jones, S.J. Fensin, B.G. Ndefru, D.T. Martinez, C.P. Trujillo, and G.T. Gray III: J. Appl. Physics, (2018), vol. 124(22), pp. 225902-1 to 225902-8.
“Spall Fracture in Additive Manufactured Tantalum”
467. C.A. Bronkhorst, J.R. Mayeur, V. Livescu, R. Pokharel, D.W. Brown, and G.T. Gray III: Int. J. Plasticity, (2019), vol. 118, pp. 70-86.
“Structural Representation of Additively Manufactured 316L Austenitic Stainless Steel”
468. G.T. Gray III:
Shock Compression of Condensed Matter – 2019 AIP Conf. Proc. 2272, 020001-1–020001-11; (2020): <https://doi.org/10.1063/12.0000791>, Published by AIP Publishing.
“George E. Duvall Shock Compression Science Award Talk: Developing a Pathway to Microstructure-Aware Predictive Capability for the Dynamic Response of Materials”
469. L.M. Hull, G.T. Gray III, P.I. Miller, and T.J. Nizolek:
Shock Compression of Condensed Matter – 2019, AIP Conf. Proc. 2272, (2020), 120007-1–120007-5; <https://doi.org/10.1063/12.0000814>, Published by AIP Publishing.
“The Response of High-Purity Titanium to Sweeping Detonation Waves”
470. A.D. Resnyansky, G.T. Gray III, L.M. Hull, and B.J. Warthen:
Shock Compression of Condensed Matter – 2019, AIP Conf. Proc. 2272, (2020), 100021-1–100021-6; <https://doi.org/10.1063/12.0001043>, Published by AIP Publishing.
“Constitutive Modeling of Phase Transition in Iron Under Sweeping Detonation Wave Loading”
471. Robert King, Anna Llobet-Megias, Guillermo Terrones, Saryu Jindal-Fensin, Russell Olson, George Gray III, Christopher Morris, Derek Schmidt, Alexander Saunders, Amy Tainter, Wendy Vogan-McNeil.
Bulletin of the American Physical Society; (2020) Volume 64.
“ Dynamic Properties and Behavior of 316L Stainless Steel”

472. Carl Trujillo, George Gray III, Michael Burkett, Ellen Cerreta, Daniel Martinez, Veronica Livescu:
Shock Compression of Condensed Matter – 2019, AIP Conf. Proc., (2020) -
Bulletin of the American Physical Society; (2020) Volume 64.
“Influence of Temperature Effects on the Dynamic Tensile Extrusion of Molybdenum”
473. Daniel Hooks, William Anderson, Anirban Mandal, George Gray, Brian Jensen
Shock Compression of Condensed Matter – 2019, AIP Conf. Proc., (2020) -
Bulletin of the American Physical Society; (2020) Volume 64.
“Structure-Property Response of Gold Films with Controlled Microstructure”
474. George T. (Rusty) Gray III, Veronica Livescu, Cameron Knapp, Saryu Fensin
Mechanics of Additive and Advanced Manufacturing, (2019) vol. 8, pp. 1-3.
“Structure / Property Behavior of Additively Manufactured (AM) Materials:
Opportunities and Challenges”. In: Kramer S., Jordan J., Jin H., Carroll J., Beese A. (eds)
Mechanics of Additive and Advanced Manufacturing, Volume 8. Conference
Proceedings of the Society for Experimental Mechanics Series. Springer, Cham.
https://doi.org/10.1007/978-3-319-95083-9_1
475. B. Eftink, J. Weaver, J. Valdez, V. Livescu, D. Chen, Y. Wang, C. Knapp, N. Mara, S. Maloy, and G.T. Gray III:
J. of Nuclear Materials, (2020), vol. 531 (C), pp. 152007.
“Proton Irradiation and Characterization of Additively Manufactured 304L Stainless Steels”
476. A.T. Polonsky, W.C. Lenthe, M.P. Echlin, V. Livescu, G.T. Gray III, T.M. Pollock:
Acta Materialia, (2020) vol. 183, pp. 249-260.
“Solidification-driven Orientation Gradients in Additively Manufactured Stainless Steel”
477. R. Pokharel, A. Patra, D.W. Brown, B. Clausen, S.C. Vogel, and G.T. Gray III:
Int. J. Plasticity, (2019), vol. 121, pp. 201-217.
“An analysis of phase stresses in additively manufactured 304L stainless steel using neutron diffraction measurements and crystal plasticity finite element simulations”
478. Bronkhorst, C. A., Cho, H., Marcy, P. W., Vander Wiel, S. A., Livescu, V., Gray III, G. T. (2020). *Local Stress and Damage Response of Polycrystal Materials to Light Shock Loading Conditions via Soft Scale-Coupling*. in *Integrated Computational Materials Engineering (ICME) - Advancing Computational and Experimental Methods*. S. Ghosh, C. Woodward, C. Przybyla Eds. Springer Science, pp. 199 - 221.
479. Nicholas C. Ferreri, Reju Pokharel Veronica Livescu, Donald W. Brown, Marko Knezevic, Jun-Sang Park, Michael A. Torrez, George T. Gray III:
Acta Materialia, (2020) vol. 195, pp. 59-70.
“Effects of heat treatment and build orientation on the evolution of epsilon and alpha' martensite and strength during compressive loading of additively manufactured 304L stainless steel”

480. Bronkhorst, C. A., Cho, H., Marcy, P., Vander Wiel, S., Gupta, S., Versino, D. Anghel, V., Gray III, G.T.:
International Journal of Plasticity, (2021), vol. 137, pp. 102903
“Local Micro-Mechanical Stress Conditions leading to Pore Nucleation during Dynamic Loading”
481. J.C.F. Millett, E.N. Brown, N.K. Bourne, G. Whiteman, and G.T. Gray III:
J. of Dynamic Behavior of Materials, (2021), vol. 7(3), pp. 436-446.
“The Shock Induced Mechanical Response of the Fluorinated Tri-polymer, Viton B”
482. D. R. Andrews, N. K. Bourne, E. N. Brown, J. P. Dear, P. Dickson, C. J. Freeman, S. G. Goveas, G. T. Gray III, H. Hauser, J. M. Huntley, I. M. Hutchings, T. G. Leighton, M. J. Matthewson, M. Meyers, P. J. Rae, C. R. Siviour, M. Swain, D. Townsend, S. van der Zwaag, S. M. Walley, and D. M. Williamson:
J. of Dynamic Behavior of Materials, (2021) pp. 353-382,
<https://doi.org/10.1007/s40870-021-00303-w>
“Contributions to Dynamic Behaviour of Materials Professor John Edwin Field, FRS 1936–2020”
483. T. J. Nizolek, H. M. Mourad, C. Liu, J. A. Valdez, M. A. Torrez, and G. T. Gray III:
International Journal of Solids and Structures, (2021), Vol. 233, pp. 111195 (13 pages)
“Compact forced simple shear specimen: Design improvement based on quasi-static experiments and finite element simulations”
484. E.K. Cerreta, S.J. Fensin, S.J. Perez-Bergquist, C.P. Trujillo, B.M. Morrow, M.F. Lopez, C.J. Roach, S.N. Mathaudhu, V. Anghel, and G.T. Gray III:
Metallurgical and Materials Transactions A, (2021), vol. 52(7), pp. 3152-3170.
<https://doi.org/10.1007/s11661-021-06312-7>.
“The High Strain Rate Constitutive Behavior and Shear Response of Pure Magnesium and AZ31B Magnesium Alloy”
485. T. Francis, P.F. Rottmann, A.T. Polonsky, M.-A. Charpagne, M.P. Echlin, V. Anghel, D.R. Jones, G.T. Gray III, M.De Graef, and T.M. Pollock:
Acta Materialia, (2021), vol. 215(5) pp. 117057.
“Multimodal 3D Characterization of Voids in Shock-Loaded Tantalum: Implications for Ductile Spallation Mechanisms”.
486. Michael B. Prime, Athanasios Arsenlis, Ryan A. Austin, Nathan R. Barton, Corbett C. Battaile, Justin L. Brown, Leonid Burakovsky, William T. Buttler, Shuh-Rong Chen, Dana M. Dattelbaum, Saryu J. Fensin, Dawn G. Flicker, George T. Gray III, Carl Greeff, David R. Jones, J. Matthew D. Lane, Hojun Lim, D. J. Luscher, Thomas R. Mattsson, James M. McNaney, Hye-Sook Park, Philip D. Powell, Shon T. Prisbrey, Bruce A. Remington, Robert E. Rudd, Sky K. Sjue, and Damian C. Swift
Acta Materialia, (2022), vol. 231, pp. 117875-1 to 117875-16.
“A Broad Study of Tantalum Strength from Ambient to Extreme Conditions”
487. L.Q. Huston, N. Velisavljevic, J.S. Smith, G.T. Gray III, and B.T. Sturtevant.
Journal of Physics-Condensed Matter, (2022), vol. 34, pp. 055401

“Multi-Phase Equation of State of Ultrapure Hafnium to 120 GPa”

488. Saryu Fensin, David Jones, Daniel Martinez, Brian Patterson, and George T. Gray III: J. Appl. Physics, (2022), vol. 131, pp. 105906-1 to 105906-11.
“Effect of Grain Size on Damage and Failure in Two-Phase Materials: Homogenized CuPb”
489. H. Cho, P. Marcy, S. Vander Wiel, S. Gupta, D. Versino, V. Anghel, G.T. Gray III: International Journal of Plasticity, (2022) submitted.
“Local Micro-Mechanical Stress Conditions leading to Pore Nucleation during Dynamic Loading”
490. Jeremy Millett, Saryu Fensin, Gareth Owen, Ben Eftink, Calvin Lear, Glenn Whiteman, and George T. Gray III: AIP Advances, (2022) submitted and in review.
“The Mechanical and Microstructural Response of Single Crystal Aluminium to One Dimensional Shock Loading: The Effects of Orientation”
491. Seunghyeon Lee, Hansohl Cho, Curt A. Bronkhorst, Reeju Pokharel, Donald W. Brown, Bjorn Clausen, Sven C. Vogel, Veronica Anghel, George T. Gray III, and Jason R. Mayeur: Journal of the Mechanics and Physics of Solids, (2021) submitted.
“Deformation and dislocation evolution in body-centered-cubic single- and polycrystal tantalum”
492. Zhangxi Feng, Reeju Pokharel, Sven C. Vogel, Ricardo A. Lebensohn, Darren Pagan, Eloisa Zepeda-Alarcon, Bjørn Clausen, Ramon Martinez, George T. Gray III, Marko Knezevic: International Journal of Plasticity: (2022); vol. 156, pp. 103367.
“Crystal plasticity modeling of strain-induced martensitic transformations to predict strain rate and temperature sensitive behavior of 304L steels: Applications to tension, compression, and impact”
493. G.T. Gray III, V. Anghel, C. Lear, C.P. Trujillo, and G. Euser: Proceedings of DYMAT 2022 Conference, (2022) submitted.
“Substructure Evolution in a Shock-Loaded [100] Aluminum Single Crystal”